

Technical report no. 2020–D
first revised version

Ontology-based semantic interoperability on the Virtual Materials Marketplace

Date: 17th August 2020 (original version: 16th August 2020)

Authors: Horsch, M. T.; Chiacchiera, S.; Seaton, M. A.; Todorov, I. T.; Kunze, R.; Summer, G.; Fiseni, A.; Andreon, B.; Scotto Di Minico, A.; Bayro Kaiser, E.; Kanagalingam, G.; Stephan, S.; Šindelka, K.; Lísal, M.; Díaz Brañas, J.; Pagonabarraga, I.; Chiricotto, M.; Elliott, J. D.; Carbone, P.; Toti, D.; Mogni, G.; Goldbeck, G.; Brüning, H.; Schiffels, P.; Cavalcanti, W. L.

Dissemination:

- Submitted to ISWC 2020, poster & demo track

Funding information:

- Horizon 2020, project VIMMP, grant agreement no. 760907

Accessibility:

- doi: 10.5281/zenodo.3988158
- <https://zenodo.org/communities/inprodat/>

The dissemination of the present work is supported by the Innovation Centre for Process Data Technology (Inprodat e.V.), Kaiserslautern. Copyright is retained by the authors.

Ontology-based semantic interoperability on the Virtual Materials Marketplace^{*}

Martin Thomas Horsch¹[0000-0002-9464-6739], Silvia Chiacchiera¹[0000-0003-0422-7870], Michael A. Seaton¹[0000-0002-4708-573X], Ilian T. Todorov¹[0000-0001-7275-1784], Ralf Kunze², Georg Summer², Andreas Fiseni², Barbara Andreon³, Andrea Scotto Di Minico³, Esteban Bayro Kaiser³, Gajanan Kanagalingam⁴, Simon Stephan⁴[0000-0002-4578-3569], Karel Šindelka⁵[0000-0003-3925-924X], Martin Lísál⁵[0000-0001-8005-7143], Javier Díaz Brañas⁶[0000-0002-7266-8259], Ignacio Pagonabarraga⁶[0000-0002-6187-5025], Mara Chiricotto⁷[0000-0003-1609-5254], Joshua D. Elliott⁷[0000-0002-0729-246X], Paola Carbone⁷[0000-0001-9927-8376], Daniele Toti^{8,9}[0000-0002-9668-6961], Gabriele Moggi⁹, Gerhard Goldbeck⁹[0000-0002-4181-2852], Hauke Brüning¹⁰, Peter Schiffels¹⁰, and Welch Leite Cavalcanti¹⁰

¹ STFC Daresbury Laboratory, UK Research and Innovation, Keckwick Ln, Daresbury WA4 4AD, UK {martin.horsch, silvia.chiacchiera, michael.seaton, ilian.todorov}@stfc.ac.uk

² Osthus GmbH, Eisenbahnweg 9-11, 52068 Aachen, Germany {ralf.kunze, georg.summer, andreas.fiseni}@osthus.com

³ WearHealth UG, Fahrenheitstr. 1, 28359 Bremen, Germany {barbara, andrea, esteban}@wearhealth.com

⁴ Laboratory of Engineering Thermodynamics, Technische Universität Kaiserslautern, Erwin-Schrödinger-Str. 44, 67663 Kaiserslautern, Germany gajanan.kanagalingam@gmail.com, simon.stephan@mv.uni-kl.de

⁵ Department of Molecular and Mesoscopic Modelling, Institute of Chemical Process Fundamentals of the Czech Academy of Sciences, v.v.i., Rozvojová 135/1, 165 02 Prague 6-Suchbát, Czech Republic {sindelka, lisal}@icpf.cas.cz

⁶ Centre Européen de Calcul Atomique et Moléculaire (CECAM), École Polytechnique Fédérale de Lausanne (EPFL), Avenue de Forel 2, BCH 3103, 1015 Lausanne, Switzerland {javier.diazbranas, ignacio.pagonabarraga}@epfl.ch

⁷ Department of Chemical Engineering and Analytical Science, University of Manchester, Oxford Rd, Manchester M13 9PL, UK {mara.chiricotto, joshua.elliott, paola.carbone}@manchester.ac.uk

⁸ Catholic University of the Sacred Heart, Brescia, Italy daniele.toti@unicatt.it

⁹ Goldbeck Consulting Ltd, St John's Innovation Centre, Cowley Rd, Cambridge CB4 0WS, UK {daniele, gabriele, gerhard}@goldbeck-consulting.com

¹⁰ Fraunhofer Institute for Manufacturing Technology and Advanced Materials, Wiener Str. 12, 28359 Bremen, Germany {hauke.bruening, peter.schiffels, welchy.leite.cavalcanti}@ifam.fraunhofer.de

Abstract. The marketplace-level domain ontologies from the Virtual Materials Marketplace (VIMMP) project are presented. It is discussed

^{*} The Virtual Materials Marketplace (VIMMP) project is funded from the EU's Horizon 2020 research and innovation programme under grant agreement no. 760907.

how a two-step knowledge graph rewriting approach can be employed for aligning the domain ontologies with the European Materials and Modelling Ontology (EMMO), the top-level ontology used by VIMMP. This is illustrated by an example from molecular modelling and simulation.

Keywords: Computational molecular engineering · Semantic interoperability · Process data technology · European Materials and Modelling Ontology.

Digitalization of industrial process and product design and the uptake of industry 4.0 driven manufacturing methods is closely tied to innovations in process data technology. In this context, semantic interoperability can facilitate the integration of data with a heterogeneous provenance into a coherent framework [5].

The Virtual Materials Marketplace (VIMMP), which is under development in an ongoing Horizon 2020 project, will be an open two-sided marketplace platform, supporting the provision and acquisition of services and tools in materials modelling. For purposes of data management, ingest, and retrieval, VIMMP develops and employs a system of marketplace-level domain ontologies [7]. Thereby, knowledge representation is formalized for computational resources (domain ontology MACRO), materials modelling translation (MMTO), simulation workflows (OSMO), training (OTRAS), communication (VICO), simulation software (VISO), validation (VIVO), and model variables (VOV). An overview over this system of ontologies is given in previous work [7]; for a thorough exposition we refer to the documentation [8] and to articles that introduce the marketplace-level domain ontologies MMTO, OSMO, and VISO specifically [6, 9].

The European Materials and Modelling Ontology (EMMO), cf. Goldbeck et al. [4], is used as a top-level ontology to facilitate interoperability between platforms. The VIMMP ontologies have been released recently [8], and for the EMMO, the full (alpha) version [2] and a simplified version (EMMO1s) used by VIMMP [8] have been made openly accessible. In Figs. 1 and 2, a knowledge graph describing a molecular model for acetylene is shown as an example. JSON-LD serializations of knowledge graphs can be exchanged between VIMMP and other platforms to communicate data and metadata in a well-defined way; e.g., prospectively with the MolMod DB [10] and Bottled SAFT [3] model databases.

Acknowledgment. This work was facilitated by activities of the Innovation Centre for Process Data Technology, Kaiserslautern. Discussions with P. Gralka, C. Niethammer, G. Reina, B. Schembera, and J. Vrabec are acknowledged.

References

1. CEN-CENELEC Management Centre: Materials modelling: Terminology, classification and metadata. CEN workshop agreement 17284, Brussels (2018)
2. EMMC: European Materials and Modelling Ontology (2020), <https://emmc.info/emmo-info/> and <https://github.com/emmo-repo/>
3. Ervik, Å., Mejía, A., Müller, E.A.: Bottled SAFT: A web app providing SAFT- γ Mie force field parameters for thousands of molecular fluids. *Journal of Chemical Information and Modeling* **56**(9), 1609–1614 (2016)




Fig. 1. Correspondences between the domain and top levels; example: Description of a materials modelling use case following MODA [1] and OSMO [9]. Ellipses denote individuals (i.e., objects), labelled by the concept names from the respective ontologies (EVMPO, OSMO, and multiple EMMO modules), and arrows denote relations; P and S stand for the main mereotopological and semiotic relations “is proper part of” and “is sign for,” respectively. At the intermediate stage, mereosemiotic chain relations from the VIPRS ontology (VIMMP Primitives) are used to support the alignment [8].

4. Goldbeck, G., Ghedini, E., Hashibon, A., Schmitz, G.J., Friis, J.: A reference language and ontology for materials modelling and interoperability. In: NAFEMS World Congress 2019, Québec. p. NWC_19_86. NAFEMS, Knutsford, UK (2019)
5. Gygli, G., Pleiss, J.: Simulation foundry: Automated and F.A.I.R. molecular modeling. *Journal of Chemical Information and Modeling* **60**(4), 1922–1927 (2020)
6. Horsch, M.T., Chiacchiera, S., Seaton, M.A., Todorov, I.T., Schembera, B., Klein, P., Konchakova, N.A.: Pragmatic interoperability and translation of industrial engineering problems into modelling and simulation solutions. Manuscript, Inprodat (2020). <https://doi.org/10.5281/zenodo.3949803>, proc. DAMDID 2020 (accepted)
7. Horsch, M.T., Chiacchiera, S., Seaton, M.A., Todorov, I.T., Šindelka, K., Lísál, M., Andreon, B., Bayro Kaiser, E., Moggi, G., Goldbeck, G., Kunze, R., Summer, G., Fiseni, A., Brüning, H., Schiffels, P., Cavalcanti, W.L.: Ontologies for the Virtual Materials Marketplace. KI – Künstliche Intelligenz (2020). <https://doi.org/10.1007/s13218-020-00648-9>
8. Horsch, M.T., Chiacchiera, S., Seaton, M.A., Todorov, I.T., Toti, D., Goldbeck, G.: Introduction to the VIMMP ontologies. Technical report, EMMC ASBL, Brussels (2020). <https://doi.org/10.5281/zenodo.3936796>
9. Horsch, M.T., Niethammer, C., Boccardo, G., Carbone, P., Chiacchiera, S., Chiricotto, M., Elliott, J.D., Lobaskin, V., Neumann, P., Schiffels, P., Seaton, M.A., Todorov, I.T., Vrabec, J., Cavalcanti, W.L.: Semantic interoperability and characterization of data provenance in computational molecular engineering. *Journal of Chemical & Engineering Data* **65**(3), 1313–1329 (2020)
10. Stephan, S., Horsch, M.T., Vrabec, J., Hasse, H.: MolMod – an open access database of force fields for molecular simulations of fluids. *Molecular Simulation* **45**(10), 806–814 (2019)
11. Stöbener, K., Klein, P., Horsch, M., Küfer, K., Hasse, H.: Parametrization of two-center Lennard-Jones plus point-quadrupole force field models by multicriteria optimization. *Fluid Phase Equilibria* **411**, 33–42 (2016)




Fig. 2. Knowledge graph representing a two-centre Lennard-Jones plus point quadrupole model for acetylene by Stöbener et al. [11], i.e., model ID 97 (C₂H₂ III) from the MolMod DB [10]. The graph from Fig. 1 is included in the bottom left corner.