ALUMINA.

This term has been adopted in modern nomenclature to signify the earthy basis of alum or pure clay. This earth is one of the most extensively diffused in nature; its properties (at least the most important of them) have been familiar to mankind from the earliest antiquity, and on every account it deserves particular attention.

Alumina is nowhere found native in a state of purity, and it is a little remarkable that in all the natural clays, in which some of its characteristic properties are the most conspicuous, it never forms even half the composition, and generally no more than a third or fourth; and, on the other hand, it is found nearly uncombined in the hardest gems and the corundum, minerals in which its existence was for ages unobserved, till the experiments of the illustrious Bergman, and where it exhibits properties widely different from those of clay. The term alumina, therefore, is well chosen, both as it suggests the most important saline combination of this earth, and as it prevents those erroneous ideas of its properties which might attach to the ancient name of clay.

Alumina, when pure, is white, and without taste or smell. The natural clays, indeed, and the other earths that contain much alumina, have a peculiar earthy smell when breathed upon, which is a test of some use in mineralogy, but this appears to be owing to the combination of clay with the oxide of iron, and certainly does not belong to pure alumina. This earth is incapable of artificial crystallization, nor is it, like silice, found native in a state of absolute purity and crystallized. However, in one or two varieties of the corundum gems, alumina forms by far the greater part of their composition, and thus circumstanced, this earth is regularly crystallized and intensely hard. A peculiar difficulty lies in the way of ascertaining the true specific gravity of this earth; in the gems it is considerable, being from about 3.99 to 4.28.

Alumina, either as it exists in the natural clays or when prepared by art, till it has been exposed to a red heat, unites readily with water into a very tenacious, unctuous-feeling mass, which differs from all other wetted earths in being so plastic that it may be turned on a wheel, or moulded into any form. On adding more water it becomes gradually and equally diffused, making the liquor uniformly milky, and remaining very long suspended before it subsides. It is not, however, in any degree soluble in this fluid. Plastic clay retains water in greater quantity, and for a longer time than any other earth; on drying, if heated very gradually, it shrinks in every direction, and at last cracks into a number of pieces, and returns to its original state. When thus dried at a moderate heat, it is soft, greasy, brittle, and crumbly; when rubbed, it takes a good polish, and remains equally plastic as before, on the addition of fresh water. But if it is dried at a full red heat, it becomes extremely hard, so as to strike fire with steel, is harsh to the touch, and now no longer mixable with water into a plastic mass, nor does it absorb any sensible quantity of this fluid. Its original properties, however, are regained on solution in an acid, and precipitation by an alkali, or *vice versa*.

Alumina in many instances gives its characteristic properties with respect to union with water, to a very large proportion of any other earth with which it is mixed. In the natural clays, as we have mentioned, it never forms quite half the mixture. The very pure aluminous earth of Silmanitz, according to Klaproth, contains only 45 per cent. of alumina, and in the best porcelain clays the alumina is seldom more than 25 to 35.

The action of heat on moistened alumina is very striking. The first effect is to expel most of the large quantity of water which it has absorbed in becoming plastic. The greater portion of this fluid is expelled at a very low red heat, or at the point at which the earth assumes that entire alteration in its texture as to lose the power of again uniting with the water which it has lost. In consequence of this it shrinks in every direction. But the loss of weight and diminution of bulk do not stop here, for they both continue (the former in a diminishing ratio, the latter tolerably uniformly) up to as intense a heat as has ever been produced in furnaces. Hence it is that clay by its contraction affords a certain indication of increase of heat as all other bodies do by their expansion; not that this earth, however, is incapable of expansion by heat, for, like every other substance in nature, alumina dilates when heated and contracts when cold; but this is only observable when the heat applied is not more than the highest to which it has been exposed since its plastic state; above this point the contraction peculiar to this earth (produced either by actual loss of water or a different arrangement of its component particles) begins again to operate, and the extreme limit of its shrinking has never yet been precisely determined. A scientific manufacturer, Mr. Wedgwood, very ingeniously applied this property of clay to the construction of a thermometer for measuring the more intense degrees of heat, where the common instruments were inapplicable, but, though a valuable instrument, it is not susceptible of that degree of accuracy which has often been attributed to it.

M. Saussure observes that when alumina is precipitated from alum by ammonia or by carbonated ammonia, it is capable of existing in two forms, according to the manner in which the solution of alum was made; if no more water was used than necessary to dissolve this salt, the precipitated earth when dried at about 80° is a white, friable, light, very spongy earth, sticking to the tongue, which the author calls spongy alumina. But, on the other hand, if the alum is dissolved in a very large quantity of water, the precipitate dried at the same moderate warmth will be transparent, yellow, brittle, cracking in the heat of the hand, like rolls of sulphur, with a smooth conchoidal fracture, not appearing like an earth, nor adhering to the tongue, and not again mixable with water. This the author terms gelatinous alumina. At the above temperature of about 80°, both species contain an equal quantity of water, though the spongy occupies ten or twelve times the bulk of the gelatinous. But at a higher heat they differ much in the power of retaining water. The spongy alumina loses at a full red heat, rather less than is sufficient to melt silver, all the water which it had absorbed amounting to 58 per cent.; so that 100 parts dried at 80° are hereby reduced to 42, and lose no further weight by the highest intensity of heat that can be given. But the gelatinous alumina dried at 80° is said by M. Saussure to lose only 43 per cent. of its weight at a silver-melting heat, 48¼ at a heat of 130° of Wedgwood (or sufficient to melt cast iron), and appears never at any higher heat to alter further in its weight.

M. Saussure further remarks that contraction of clay (in the higher heats at least) cannot be exclusively owing to the loss of water, or to any loss sensible to the balance, since the diminution in weight from the thirteenth degree of Wedgwood to the highest intensity of heat is very trifling, whereas the contraction in the bulk of the clay, within these terms, is more than a fourth of its bulk.

Pure alumina is infusible in any heat that furnaces can procure, if not in contact with an alkali, or with any other earth which may operate as a flux. However, when exposed to oxygen gas from the blow-pipe, supported on a piece of charcoal, both Ehlman and Lavoisier found it converted into a milk-white globule, imperfectly fused, and intensely hard, so as to scratch glass nearly as the diamond. Some doubt, however, arises whether the alumina might not still contain a minute portion of potash, as it was prepared by precipitation from alum, the difficulty of procuring perfectly pure alumina in this method being very great. Besides, as all charcoal contains some alkali, this might have assisted in the fusion, so that it is still doubtful whether pure alumina is capable of melting without addition, by any known heat. The other earths promote the fusibility of alumina when mixed with it. Gerhard found this earth fusible in a chalk crucible, but not in one of clay; Klaproth found lime to melt in a clay crucible, and not in one of chalk; but it is certain that alumina is one of the most refractory of all bodies in nature, and hence its use in its natural clayey mixtures in forming crucibles, furnaces, and vessels for resisting fire, and containing other bodies to be exposed to heat.

Fused with alkalis, alumina does not run into a clear glass like the other earths, but forms an opaque, puffy, white semi-vitreous, pasty enamel. So Klaproth found the corundum, in which the alumina is about 84 per cent., fuse with its own weight of carbonated soda in an intense heat, into an opalescent, greenish-white, and glass.

Alumina is soluble in most of the acids, with more or less facility, and without effervescence, unless newly precipitated from a solution, and still retaining a portion of carbonated alkali, which it does with considerable force.

For a complete solution, the assistance of heat is generally required, unless it be effected by double decomposition, as where acetated alumina is formed by adding acetated lead to alum. This earth is much more soluble when in its plastic state than after it has been heated, and, most of all, immediately after precipitation from its solution either in an alkali or an acid.

Alumina dissolves with ease in the pure fixed alkalies, and even in ammonia if newly precipitated. If alumina in this fine state of division be put into three or four times its weight of a solution of potash, and heat applied, it dissolves like wax in oil, and by slow evaporation dries into rhomboidal pieces. Even the hardest aluminous stones, such as the corundum, yield to fusion with alkali with particular management. This solution lets fall the alumina when saturated with any acid, an excess of which redissolves the precipitate. Muriated ammonia also separates the earth from the alkaline solution by a complicated affinity, the potash uniting with the muriatic acid, and the ammonia thus expelled determining the precipitation of the alumina, which when properly edulcorated and dried is now perfectly pure.

In many respects alumina resembles silice so strongly as to have been frequently mistaken for it; in hardness the aluminous gems surpass even that of rock crystal; both earths are soluble in fixed alkali, precipitable thence by an acid, resolvable in a slight excess of acid; and when in strong aggregation, the aluminous earth resists the solvent power of acids as completely as the silicious. The most conspicuous difference between them, as they occur in analysis, is the following: Silice when redissolved by excess of acid, after being first precipitated by it from its alkaline solution, is entirely again separated by the application of heat, and by evaporation nearly to dryness, and then the earth remains insoluble on any future application of acid. Alumina, on the other hand, though the solution has been evaporated to dryness (if not otherwise decomposed by heat), remains again soluble on affusing fresh acid, and thus may be completely separated from the silice.

From its strong affinity for magnesia, lime, barytes, strontian and other substances, as well as silice, it may be imagined how difficult it is to procure this earth absolutely in a state of purity.

Pure alumina may be prepared either by precipitation from alum, or from the finer clays or aluminous earths. Each method has some particular advantages, but in each some precautions must be taken to insure its efficiency.

In alum, the only earth is that which is intended to be obtained, which is a considerable advantage, and the affinity of the earth both for sulphuric acid and for potash, is at least as great as that which it shows for other earths, and accurate experiments have shown that a single precipitation from alum can scarcely ever be depended on to obtain the earth absolutely pure. Berthollet found that alumina precipitated from alum, even by pure ammonia, and well edulcorated, still contained a small portion of sulphuric acid, as was proved by affording a sulphuret when strongly heated with combustible matter. He, therefore, recommends that the first precipitate from alum, by ammonia, be redissolved in nitric acid, purified from sulphuric acid by nitrated barytes, and again precipitated by the same alkali, and, after due edulcoration, dried in a heat sufficient to expel the ammonia, whereby the earth is now obtained pure.

Alumina has a strong affinity for the vegetable and animal oils. Alum in solution, mixed with soap water, curdles it completely, and the coagulum is an intimate union of this earth with the oil of the soap, forming a soft, flexible mass, which, when dry, remains supple, is insoluble in alcohol, and, after fusion, becomes transparent.

The affinities of alumina for the acids are in the following order: Sulphuric, nitric, muriatic, oxalic, arsenic, fluoric, sebatic, tartareous, succinic, mucous, citric, phosphoric, formic, lactic, benzoic, acetic, boracic, sulphurous, nitrous, carbonic, prussic.—*Pottery and Glassware Reporter*.

UTILIZATION OF BLOOD.

By P. MARGUERITE-DELACHARLONNY.

The author gives the proportion of nitrogen in dried blood as 12.15 to 18.78 per cent., and the phosphoric acid at 1.63 to 2 per cent. The value of the blood of the 43,000,000 animals yearly slaughtered in France he estimates at 21,000,000 francs. The author describes various methods proposed for testing blood so as to prevent nuisance. A mixture recommended for this purpose by the Conseil d'Hygiène de la Seine is as follows:

Sodium sulphate	0.60 kilo.
Crude phenol	0.15 "
Common vinegar	0.15 "
Sulphuric acid	0.025 "
Water	2.500 "
	3.425 "

This quantity is to serve for 100 liters of blood.

QUASSIIN.*

By A. CHRISTENSEN.

The literature upon the chemical constituents of quassia wood is very inconsiderable. In 1806 Thomson† mentioned that by digesting quassia wood with water and evaporating he obtained a very bitter substance, which when warm was soft, and became brittle upon cooling, and which, in his opinion, consisted principally of the pure bitter constituent; it gave a slight precipitate with tincture of galls. In 1811 it was stated by Pfaff‡ that the bitterness was completely extracted by cold water. In 1826 Buchner introduced 1 grain of the alcoholic extract into a wound in a rabbit, which was followed by the death of the animal. Another investigation of the extract by Keller§ contains nothing of importance.

Quassiin was first prepared by Winckler|| in 1835 as follows: Three ounces of quassia wood were extracted with 2 pounds of 80 per cent. alcohol. After evaporation in a water-bath the residue was dissolved in water, and the solution filtered and evaporated to the consistence of an extract. The extract was exhausted with absolute alcohol, evaporated almost to dryness, and then again exhausted with boiling water. The light yellow solution, decolorized by animal charcoal, left after slowly evaporating crystals of quassiin. Winckler described this substance as crystalline, difficultly soluble in water and freely in alcohol, faintly alkaline, giving a precipitate with tannic acid, and as being obtained crystalline most easily from water.

Subsequently Wiggers¶ prepared quassiin by repeatedly boiling 8 pounds of quassia wood with water, evaporating the filtered decoction to 6 pounds, cooling, adding lime, and allowing the mixture to stand a day with frequent shaking, filtering, evaporating nearly to dryness, and then boiling with 90 per cent. alcohol. From the solution, which, according to Wiggers, contained, besides quassiin and coloring matter, some sodium chloride and potassium nitrate, the alcohol was distilled off and it was then evaporated to dryness. The residue was dissolved in the least possible quantity of alcohol and mixed with a considerable quantity of ether, which separated much coloring matter. The filtrate was now again evaporated, and dissolved in absolute alcohol and ether, and this repeated until the residue was colorless and free from saline matter. Lastly the ethereal solution was poured into a small quantity of water and left to evaporate spontaneously.

Wiggers found for quassiin the formula $C_{22}H_{20}O_6$. According to him it loses 1.3 per cent. of water at 100° C., and 0.37 per cent. more upon fusing. The melting point, he says, lies a little above that of the resin. He found it dissolve in 220 parts of water at 12° C., and it did not neutralize acids. It crystallized by spontaneous evaporation from a solution in alcohol and ether which was mixed with water, and also when a warm saturated alcoholic solution was mixed with boiling water and allowed to cool. The quassiin of Wiggers was precipitated by tannic acid, but not by metallic salts.

In commencing the present investigation, Herr Christensen first directed his attention to find a new method of preparation, since the methods of Winckler and Wiggers yielded it in a very impure condition, and the operations for its purification would involve considerable loss. The author tried two methods that are available in the extraction of several bitter substances: (1) treatment of a solution of the watery extract with bone black and exhaustion of this with alcohol; and (2) precipitation of the watery extract with tannic acid, decomposition of the washed precipitate, extraction with alcohol, etc. In both cases, by evaporating slowly, he obtained tabular crystals, having an intensely bitter taste, leaving on combustion no ash, difficultly soluble in water and fairly soluble in alcohol. The solutions gave with tannic acid a dense white precipitate.

Notwithstanding that the quassiin is tolerably completely removed by bone black, as is shown by the fact that the filtrate tastes only slightly bitter, the tannic acid method has the advantage that it yields the purer product. The following method was adopted by the author for the preparation of quassiin:

Five kilos of quassia were boiled several hours with two successive quantities of water. The united filtrates were evaporated, at first over an open fire, subsequently on a water-bath, to 1½ liters. After cooling this was filtered and the filtrate precipitated with tannic acid, taking care to keep the reaction neutral or faintly acid by the addition of carbonate of soda, since the compound of quassiin with tannic acid, like many similar compounds of bitter substances with that acid, is very soluble in it. The precipitate, after the addition of well-washed pipe-clay, is easily collected and removed by filtration. The precipitate after being repeatedly washed was mixed while moist with a considerable quantity of freshly precipitated lead carbonate, and evaporated to dryness in small portions, with frequent stirring, upon a water-bath. The mixture was extracted four times with alcohol, the alcohol distilled off, and the residual liquid evaporated until the separation of crystals of quassiin, which were washed and dried between filter-paper. The filtrate yielded more crystals upon further evaporation, and some more quassiin was separated by shaking it with chloroform. Lastly, the quassiin was recrystallized from ether-alcohol and water.

In the place of lead carbonate, calcium hydrate also was used for the decomposition of the tannic acid compound, and an alcoholic solution obtained that was not so much colored, but the yield was smaller.

Upon evaporating the watery extract of quassia wood, a considerable precipitate separated as a smeary mass. This was treated with freshly precipitated lead carbonate, evaporated almost to dryness, and extracted with 84 per cent. alcohol. After the alcohol had been distilled off, and the liquid sufficiently evaporated, some quassiin separated, but in an impure condition.

Quassiin is very freely soluble in chloroform, and by shaking an aqueous solution of it with chloroform it can be nearly entirely removed. The author therefore tried to obtain the quassiin from the aqueous extract of quassia wood by simply shaking this with chloroform; but the practical difficulty was met with that the chloroform does not completely separate it, and a pasty, slimy mass was formed, the consistence of which was not altered even upon warming. After the chloroform had been distilled off a very impure residue was left, from which the quassiin was only

* Abstract of a communication from the Strassburg Pharmaceutical Institute (*Archiv*, xx., 431).

† *System der Chemie*, iv., 47.

‡ *System der Materia Medica*.

§ Buchner's "Repertorium," ii.

¶ Buchner's "Repertorium," liv. (1837), 85, and lxxv. (1839), 74.

|| *Annalen der Pharmacie*, xxi. (1837), 40.