THE STENODACTYL, OR STENOGRAPHIC MACHINE.

Writing machines have already shown their superiority in cases where it seemed as if the work of man had no competition. Between the mind that conceives and the hand that writes in this operation of transcribing ideas, it seemed as if any mechanical intervention were impossible. The typewriting machine destroyed such prejudices, and plainly demonstrated the pre-eminence of mechanical writing. The stenographic machine had soon to follow, and finally we have it. It took some time to solve the problem, at least as completely as it is done in the Lafaurie "Stenodactyl," an apparatus which far surpasses all its predecessors, and which we illustrate herewith. This machine is provided with ten keys for the ten fingers of the hands. Its arrangement is such that the fingers are placed naturally upon the keys at the point where the latter are to be struck.

The combinations producible by the five fingers of one hand, put 31 different combinations at the operator's disposal. The left hand writes the consonants, and the right hand the vowels. The two hands strike the keyboard simultaneously. The 31 combinations of consonants and the 31 of vowels, diversely juxtaposed, give a number of syllables sufficient to permit of phonetically registering all serviceable sounds.

In this simultaneousness of writing is found the possibility of an integral phonetic reproduction of speech with a very limited number of combinations. By restricting the number of these and fixing their form, the apparatus facilitates the work of the pupil and prevents arbitrariness, which is the defective basis of all the manuscript methods.

The mechanism of the stenodactyl is extremely simple. To every action of the finger upon one or more keys there correspond three successive effects, viz.: (1) Winding and unwinding of the paper; (2) inking of the type; and (3) impression upon the paper ribbon.

As the same fingers always strike the same keys, the former are numbered like the latter, starting with the thumb. To the left: 5, 4, 3, 2, 1; to the right, 1, 2, 3, 4, 5.

The complete combination given above represents the impression of the ten keys struck simultaneously.

The combinations of the figures found in the alphabet represent simply, for the articulation and corresponding sound, the fingers and the keys that serve to write them; and every horizontal line upon the tape corresponds to an entire syllable, which, as usual, is read from left to right.

The writing is strictly phonetic. The pupil tries to find, in each syllable, what are the articulations (consonants) and sounds (vowels) that have struck his ear, and endeavors to reproduce them simultaneously by means of the combinations of his fingers, corresponding, in the alphabet, to the vowels and consonants that he wishes to write, without paying any attention to orthography.

As regards speed, the stenodactyl exceeds all the requirements of stenography. It prints a syllable, that is to say, three letters, while the typewriting machine is printing but one. No attention is paid to orthography or punctuation. An operator who inscribes 70 dictated words upon a typewriting machine can write more than 200 upon the stenodactyl.

The logical grouping of the combinations of the fingers in the Lafaurie alphabet greatly facilitates the study of it. It is possible to read perfectly at the end of a few hours, and the first experiments in writing have given a speed of 150 words a minute, after four months' practice of about an hour a day.

By raising the average number of words written in commercial stenography from 100 to 150, the apparatus multiplies the applications of rapid writing; and, by assuring a division of the work between writing and reading, it effects a great saving in time in the operations of stenography. The applications of the machine will therefore be manifold. It must be noted, further, that the machine, which is light and occupies but little space, may be carried without trouble and may be operated in the dark. So it will be capable of becoming

The press will utilize it in all its services; and the use of it in telephone offices will give copies of the messages exchanged, and this will facilitate the employment of it in communications between railway stations. It may be usefully employed, too, by the blind, who will find in it a practical utilization of their remarkable faculties of hearing and touch.—Translated from *La Nature* for the SCIENTIFIC AMERICAN SUPPLEMENT.

NON-SKIDDER FOR AUTOMOBILE TIRES.

An ingenious device has been designed in England for the prevention of side slip, or skidding, of the wheels of automobiles. Two flexible, wire hoops are placed on each side of the wheel, and are of slightly larger diameter than the latter, so as to project a little way above the rim of the wheel. Small steel chains are then passed from one hoop to the other,

TIRE BOUND WITH CHAIN TO PREVENT CAR FROM SKIDDING.

over the tire, diagonally. The hoop attached to the inner side of the wheel is endless, but that on the outer side is fitted with a right and left hand screw, which enables the non-skidder to be readily and easily adjusted to the tire. The device, however, is so fitted that the diagonal chains do not press tightly upon the tire, but have a little movement. The effect of this arrangement is that when the car is running, the chains creep slightly, and do not impress upon the same part of the tire at any two consecutive revolutions, so that no damage is caused to the tire by the chains. In the cars equipped with this device, only the back wheels have been so fitted, and even when the brake was applied violently and suddenly, the car was always pulled up quickly in its straight course, testifying that the non-skidders do not interfere with the braking action in any way. This contrivance was first attempted upon the bicycle, and was so successful that it has been adapted to automobiles, and prolonged experiments have proved that it is a most efficient non-skidder.

ATMOSPHERIC IONIZATION.—Experiments have shown that a well-insulated charged conductor placed inside a closed vessel gradually loses its charge, and that this loss of charge is due to a small spontaneous ionization of the volume of air inside the closed vessel, about 19 ions per cubic centimeter being produced in the air per second. E. Rutherford and S. J. Allen have studied this spontaneous ionization, and found that the number of ions per cubic centimeter may be anything from about 13 to 40, but is often identical to the above number 19, representing the number produced per second in a closed vessel. This is a sur-

After making due allowance for the causes tending to remove the ions, such as dust and an electric field, the number is far lower than could be expected. It is possible that the spontaneous ionization of the air observed in closed vessels may be due (in part at least) to a radiation continuously emitted from the walls of the vessel. The spontaneous ionization of the outside air may, on this view, be much smaller than that observed in closed vessels, and the number of ions correspondingly less.—Rutherford and Allen, *Phil. Mag.*, December, 1902.

HISTORY OF PERSONAL JEWELRY.*

By CYRIL DAVENPORT, F.S.A.

THE diamond alone among precious stones is composed of pure crystallized carbon, and is in all probability of direct vegetable origin. This view has been upheld by many eminent men of science, among others by Sir Isaac Newton and Sir David Brewster. The probable sequence of formation is supposed to be—forest tree, turf, lignite, coal, cannel coal, jet, black marble; then certain conditions of heat and pressure under the influences of which the crystallization takes place. Experimentally, films of diamond have been produced by inclosing a block of pure carbon within an iron cylinder, in which it could not expand, and then sending through it a strong electric current. But as far as experimentalists in this direction have yet gone, it appears that to make a crystal of diamond of any useful size would be so costly a proceeding that it would not be worth the trouble and expense.

The natural crystalline form of a diamond is octahedral—like two pyramids joined at their bases—and halves of crystals of this form, polished and set points uppermost, were largely used during the sixteenth century in Europe for setting in rings for the purpose of writing upon glass. Irregularly shaped stones can usually be reduced to the simple form by skillful cleavage, and all well-cut diamonds are made from stones which have so been chipped into the form of a double pyramid.

It is said that Louis de Berghem, of Bruges, found out accidentally, in the fifteenth century, that two diamonds rubbed against each other would in time become polished where the friction had taken place, and from this standpoint he further proceeded actually to cut diamonds with facets, by attrition against each other.

There is, however, little doubt that the superficial cutting of diamonds into facets was known in India long before the time of Berghem. In 1665, the traveler, Tavernier, found that the art of diamond-cutting was fully established there, but if the stones were naturally clear and well-shaped, they were frequently only polished on their natural surfaces, and not chipped, shaped, or faceted at all. If flawed, however, the defective part was freely removed.

The finest Indian diamonds come from Visapur or Golconda, and we also get them now from Borneo, Brazil, Sumatra, the mines of Antioquia, Colombia, Siberia, California, and the Cape.

Most of the forms of cut diamonds can easily be seen to be based upon the original double pyramidal form of the crystal; some of them in the single pyramidal form, which is really only the other cut in two. The upper and lower apices being ground down, gives the "table" form, long highly esteemed. An imperfect crystal, with only one apex and a flat base, being ground down as to its apex, forms what was called a "jasque."

The Indian fashion of cutting an irregularly-shaped stone all over with small facets, was no doubt the original of the "rose" cutting, which is the same thing, only more carefully measured and executed. The rose was a favorite form in Europe during the seventeenth century and after, and it was very likely first used by Italian or Dutch lapidaries. The true "Dutch rose" has twenty-four facets; the base of a rose is flat—it is really a half-crystal.

Toward the end of the seventeenth century, Vicenzio Peruzzi, of Venice, is said to have invented the "brilliant" form of cutting. Cardinal Mazarin is also supposed to have helped to establish the new cutting by his patronage, and dissatisfaction with existing forms. From 1641 to 1653, Cardinal Mazarin interested himself much in the cutting of diamonds, thinking that more brilliancy could be procured by some other methods of faceting than those of the table and rose forms then in use. He eventually induced a lapidary to try a new arrangement called "taille en seize," which is said to have been more effective than anything yet done, and twelve stones were cut in this manner for the French crown—these were called "The Twelve Mazarins."

A true brilliant, as finally determined, should have 32 facets above, and 24 below the girdle of the stone—56 facets in all. The upper surface still retains the name of the table, and all the other facets and parts of the stone are named. The stones are first chipped into shape, as nearly as possible, the crystal of diamond being easily flaked off in the direction of its natural faces, and then ground and polished laboriously with oil and diamond dust.

The weight of diamonds is often much diminished by cutting. The weight is calculated by "carats," a word derived from *κερατιον*, meaning the seed of a small vetch. These seeds are remarkably uniform in weight, being about 3/4 grains Troy, but, of course, now they are not actually used, as they once undoubtedly were.

In the eighteenth century, cut diamonds were often backed with a black varnish, made of mastic and ivory black, or sometimes with black silk. The transparent setting of stones is quite a modern innovation. It is always difficult to judge the true color of any backed stone. Varnished diamonds used to be kept in water at night, so as to preserve the varnish.

Diamonds have not often been cut as signets, because of the extreme technical difficulty and tediousness of the operation. It is not, however, unknown. I have seen one bearing a profile portrait of Queen

* A paper read before the Society of Arts.

THE LAFAURIE STENOGRAPHIC MACHINE.

1. General view (1/2 actual size). 2. Machine in its case.

ing serviceable in cases where ordinary stenography cannot be employed. In addition to the particular services that it is destined to render professional stenography, it will prove to the merchant, financier, and shop owner the indispensable complement of the writing machine.

prisingly small number if we consider the outside air to be ionized at the same rate as the air inside the closed vessel. For, in a closed space, the number of ions per cubic centimeter increases to 50 times the number produced per second before the rate of recombination is equal to the rate of production.

Victoria, and at Windsor is the yellow diamond signet of Charles II., engraved with the ostrich plumes of the Prince of Wales.

Diamonds are now and then beautifully colored, a yellow tinge is perhaps commonest, then pink, then blue. The finest blue diamond is that known as the "Hope." It is like a fine sapphire, with brilliant prismatic play of light, and is set as a brooch, within a border of white diamonds. It is supposed, like the Koh-i-Noor, to be a fragment of a larger stone. Black diamonds are only curious; and bort, a formless mass more or less gray or dark in color, and of no ornamental use, is diamond in an abortive form, and is crushed into powder to polish other diamonds with. A green diamond is a great rarity; I have never seen one.

Colored stones belong to one or other of the remaining two great classes of jewels, those having alumina as a base, or those having silica as a base. To the first group belong all the harder stones known as corundum; in this group are included rubies, sapphires, emeralds, as well as the stones described with the prefix "Oriental," all of which are very hard. The coloring matter is approximately the same in stones as well as in glass enamels, and roughly, the reds are caused by oxide of iron, and greens and yellows by chromic oxide. There are many other coloring oxides, but these are the most usual, and a very small proportion of them will give a very rich coloring.

The stones with the base silica include all quartzes, beginning with rock crystal. This clear crystal when stained by the infiltration of one or other of the metallic oxides, becomes more or less intense in color, and differently colored stones are known by different names, amethyst, aquamarine, topaz, peridot, tourmaline (a stone assuming many colors and remarkable for its curious optical qualities), garnet, spinel, cat's eye, and numbers of others. In this class also come the numerous agates and onyx.

Opal is a vitreous stone full of small fissures, the surfaces of which are striated with microscopic lines which break up the normal white ray into its colored parts, and thereby give the impression of color. The opal is very soft, and soon loses its polish, and the iridescence is quite destroyed by grease. Damp will destroy the iridescence temporarily, but it can in this case be restored by warming the stone before a fire. The fire-opal is a deep orange stone of great beauty.

Colored stones, until the period of the Renaissance, were used in jewelry much in their natural shapes, but superficially polished. This is called "cabochon." As lapidaries became more skillful the stones were given more accurately oval forms; and about the fifteenth century they were first cut and faceted in Europe, as they generally are now. The manner of cutting colored stones is much the same as would be used in the case of a diamond, and is usually a modification of the "brilliant" form for small stones, and the "table" for larger ones.

Vitreous enamels, which were certainly used in jewelry from the time of the ancient Etruscans, in the sixth or seventh century B. C., are glass fused upon metal. Enamel glass is colored with metallic oxides, and is opaque or transparent. All ancient enamel work is opaque, oxide of tin being used in all cases, and a coloring oxide as well sometimes. Opaque enamel is easy to manage with a blowpipe, and melts at a low heat. Transparent enamel, which was probably first used in Europe about the fifteenth century, is difficult to manage, and requires considerable heat.

Opaque enamel is suited to cloisonné or champlevé work, but transparent enamel shows best when the metallic ground is carefully engraved in the manner known as basse-taille—the deeper portions showing darker than the more lightly treated parts. I am glad to say that the use of enamels in jewelry shows distinct signs of revival, and there is no more beautiful accessory to gold and jeweled work.

Transparent enamels always do best on fine gold; on silver they are sadly apt to chip off readily, and on copper they are very likely to assume a semi-opacity, but now and then will fire well.

Pearls are formed within the shells of the pearly oyster (*Meleagrina margaritifera*), round some small nucleus. Baroque pearls are of irregular shape, but often contain finely-shaped pearls within them. Much of the value of a pearl depends upon its shape, which cannot be improved without lessening its size. A pearl is made like an onion, in successive layers, so it can be skinned, as it were, and this process is often used to get rid of bad color. The beautiful play of iridescent light on the surface of a pearl is due to the breaking up of the rays of light impinging upon the ragged transparent edges of the fine layers. Very old pearls lose this transparency, and only look like dull lumps of chalk.

Sham pearls have been largely made, and have been, and still are, an important branch of modern industry. The best of these are made at Venice; they are small, spherical beads of glass blown in with powder made of the crushed scales of the blay, a small flat fish, and then filled with wax. A certain proportion of these beads are beautiful, and have very nearly the appearance of the real pearl.

The swastika is probably an ancient symbol of the solar motion, the crampions indicating movement. In ancient mythology the sun was often represented as a wheel. The swastika is found largely distributed. It occurs in leaden and clay idols found at Troy—plentifully in Indian art as well as in Scandinavian. The triskele is found more particularly in Anglo-Saxon art. The Greeks and Romans, however, both used it. The word appears to be originally Sanskrit, "Sa," well, and "as," to be, and is the sign of good wishes, or prosperity.

The sign is frequent on Trojan terra cotta balls and spindle wheels, both forms, swastika and suwastika, being represented. It sometimes occurs in conjunction with the zigzags supposed to represent lightning. It is known also as the gammadion and the fylfot. It represents eventually the highest deity.

Burnouf thinks the swastika was originally only the two sticks laid at right angles to each other before the sacrificial altars to produce the sacred fire by means of another pointed stick rotated upon them.

In this way it may have become a symbol of sacred fire. It is found in early work of all kinds in nearly all the countries of Europe and in many of Asia. A row of swastikas are sculptured round the old pulpit of San Ambrogio at Milan.

It is found sculptured in the catacombs at Rome, in wall paintings at Pompeii, on Celtic urns and ornaments found in Britain, and on terra cottas and gold plates found at Mycenæ, also at Athens and Cyprus. It is also the original motive of the Greek fret.

In the Chaldean astronomy the representation of the sun commences as a circle, soon increased by the insertion of a cross or spokes within it. The Indians also use a simple ring—which to-day remains as the caste mark of the Sauras or sun worshippers.

The triskele is probably the same sign, but with three spokes or rays instead of four. In both cases the rays are frequently found curved, in which case they are often called snake signs. The three legs used as the coat of arms of the Isle of Man, are a familiar form of the triskele. It is doubtless a sign of the Trinity, an almost universal deistic idea among the cultured races of antiquity; as well as the swastika, it plentifully occurs in the art of Northern Europe, having come up from the south.

The ring-cross is a sacred symbol of the stone and bronze ages, and came no doubt from Asia. It may, perhaps, have indicated the wheels of the sun carriage. Divinities were supposed to live in the sun, and so the sun signs in time came to mean the divinities themselves.

BROOCHES.

The articles of ornamental jewelry that we have already considered can all be worn next the skin. They probably were in fact so worn by our savage ancestors long before they found any necessity for clothing, and in a majority of cases they are still worn next the skin. Necklaces and bracelets sometimes are put on over the dress, and rings are rarely worn over gloves. With these unimportant exceptions the manner of wearing the earlier articles of decoration is practically the same as it originally was.

At some remote period primitive man gradually migrated northward from the tropical belt in which he probably first came into existence, and as he felt the colder temperature inconvenient, especially at night, he found it advisable to invent some sort of covering or clothing, by means of which he could obtain warmth. Some races of mankind under these circumstances probably developed hairiness—the survival of them still existing in the hairy Ainus, so well described by Mr. Landor. But no doubt the majority of mankind remained in their comparatively hairless condition until the almost universal use of clothing finally determined their position as hairless. What the first clothing was it is of course impossible now to say, but it may be conjectured to have consisted of belts of grass or leaves knotted together either by their own stalks or by accessory vegetable fibers. When men became hunters, which they did not do until they had progressed far enough to have invented offensive weapons, they no doubt soon used dried skins for clothing. A rough tanning of such skins could have been managed by rubbing them with fat. Then came the difficulty of fastening them. Some savage tribes still wear cloaks which have only a hole cut for the head to go through, and this is likely enough to be a primitive type; then also they might have been tied up with strips of sinew, but at an early stage they were pinned together with a bone or large thorn. Here is the germ of the brooch.

Numbers of such pins have been found in all places where the remains of primitive man exist, and they range from the simplest forms to quite ornamental ones. The heads of the carved specimens show a certain amount of progression, and are often decorated with engraved lines, dots, and circles. Ivory, wood, and bone are all commonly used, and in time, as metal workings became known, these carved pins are imitated in bronze or gold. From the Stone Age, through the Bronze Age, up to the Iron Age, in which I believe we are still considered to be, pins and their derivatives, brooches and buckles, have been universally used, and it is an interesting study to endeavor to trace their utilitarian development as well as their artistic and technical beauties.

Starting with the earliest metal pins, which are of bronze, it soon appears that the head or thickened end is treated ornamentally, hammered flat, and pierced. Into the pierced hole in the top of pins are often found wire rings coiled several times, or single rings, as in plenty of specimens found in Ireland. In other cases of Roman pins found in Britain, there are chains of which a few links only are left, and in one case at least a pin the head of which was threaded with a chain of several links, was found among the *débris* of one of the Swiss lake dwellings.

I take it that these chains at one time were as long as the pin itself, and that the last ring was in all probability hooked over the point when the pin had been inserted in the garment it was intended to fasten. It is understandable that a large pin fastening rough garments of skins together firmly must have a considerable proportion of its point exposed, and this point must have often annoyed its owner by catching in other things than those it was intended for, as well as scratching his own fingers, and generally making itself felt in an unsatisfactory way. It is, therefore, likely that a covering for the sharp point was advisable for many reasons, and I think the chains, remains of which are constantly found, mark the commencement of a series of contrivances for protecting the point itself from injury as well as for preventing extraneous injury.

In all the subsequent developments of the chain-pin, the chain is the part which undergoes change. It solidifies, thickens and becomes ornamental as well as useful, but it appears to develop particularly in three lines, varying in the proportion of the length of the pin to the arc, as well as in the general shape of the arc or its equivalent. Etymology here gives a little helping word to the pin of bone on its way upward to the beautiful brooch—*περὶν* means at first a "small bone," then it means a "pin," then it means

a "brooch." The Greeks also fully saw the double-constructive anatomy of a brooch, and gave a separate name to the arc, "*αλεις*." The French word "broche" means at first a spit, then a brooch. The pin of a brooch goes twice through the material it fastens; the Greeks realized this, and called a brooch "*δ'ιβολος*," in distinction to the pin of a buckle which, as we shall see, only pierces the material once.

The finest examples of the annular type of brooch are to be found among the Celtic brooches found in Scotland or in Ireland. Several of these have exquisite gold tracery upon them, designed in the well-known interlaced manner characteristic of early Celtic art, the scrolls frequently ending in conventional animals' heads. Jewels of little value, cut *en cabochon* and pieces of colored glass, amber bosses, and now and then fine pieces of vitreous enamel work, occur in the rings of these brooches. The ring part is always very much less in diameter than the length of the pin, and some of the rings are entire, others, as is more common, are pen-annular. In this last case, the pin is run through the material up to the head, then the movable ring is tucked under it, above the material, and given a half-turn, which fixes the whole thing very firmly. The ornamental ends of several of the pen-annular brooches are copied from natural objects, as may be seen in the "arbutus" brooch, having at the ends a conventional arbutus berry. In the more decorative cases, the ends of the ring are flattened out into irregular plaques, and on them the fine jeweler's work and inlay work is done. The most celebrated instances of this are to be found on the Hunterston, Tara, or Ardagh brooches, but there are several others of less celebrity with workmanship of nearly as fine a character.

The pen-annular brooches are not, however, peculiar to Celtic people, as they are really widely distributed, representing as they doubtless do, a very early type. At the present time, they are in great actual use in Algeria, and other parts of Northern Africa, the main difference between these and the Celtic brooches being that, in the case of the African specimens, the decoration is usually carried out as an ornamental extension of the head of the pin itself rather than in the ring. The principle of attachment remains the same.

The second division into which the decorative arc of the brooch falls, is the *circular*. In this case, the diameter of the ring equals the length of the pin. In the first forms of this kind, the ring remains open, but in later forms it solidifies, and is filled up, becoming the prototype of the most numerous class of ornamental brooches. Round, oval, or rectangular brooches belong to this class, and the ornamentation upon them is infinite in character from the almost plain disk to the most elaborate of the beautiful Anglo-Saxon pearled and enameled brooches. All single stone brooches, like the Koh-i-Noor or the Hope blue diamond belong to this class. Among the more celebrated brooches in this division, may be cited the Hamilton brooch, the Lorn, Lochbuy, and Glenlyon brooches.

Fine specimens of the open-ring brooches are found of early Lombardic, Scandinavian, and fourteenth century English work. These have frequently curiously-modeled figures of birds and animals in the round upon them, and the English examples are often set with fine jewels. From the open-ring brooch, good instances of which are not uncommonly found among the Roman remains in Britain, buckles derive directly. The radical difference between a brooch and a buckle is that the pin of the latter only pierces the material it is used to fasten together once, whereas the pin of the brooch pierces it twice. In the case of the buckle, the place of the second piercing may be said to be taken by the fastening of the head of the ring to a strap or the edge of the material. This head is often enlarged into what is called a buckle-plate, which is often beautifully ornamented, especially by early Merovingian and Anglo-Saxon jewelers. Made of bronze or gold, or bronze overlaid with gold, these buckle-plates are often covered with small *cloisons*, into which are set little pieces of flat garnet and a blue or green composition. They are also sometimes, in Anglo-Saxon specimens, adorned with small figures of fish, birds, or animals, treated in a like manner to Lombardic work. The buckle with a bar across it is an afterthought; it first shows on the Glenlyon brooch, but its usefulness soon became apparent, and it is a good example of the curious way in which a certain form may usefully develop from another, and then improve itself on entirely new lines. The existence of buckles, with several pins, is another instance of special development, as also is the new invention of widening the point of the pin itself into a rounded eye, fitted with a padlock. In this case, of course, the holes in the tongue are made very large, the pin having of itself no piercing power whatever.

The third division into which I have divided my brooches, may be called the *linear*, as it gets rid of the ring form, and substitutes a straight line, of metal, or what represents it, for chain or circle. These brooches are more properly known as fibulæ, the straightened out ring is now the same length as the pin, but it is more or less arched, the head of it forming a hinge or spiral, the point turning into a small saucer-like trench into which the point of the pin fits.

The modern safety-pin is quite the same in all essential points as one which was found by Dr. Henry Schliemann at Mycenæ, and the same form, with the arch more or less specialized in design, has been very largely used North and South, East and West. The Greeks made the arch short, and enlarged and ornamented the nose or hollow for the pin to rest in; the Romans made the arch big, and set it with beads of amber and bronze, and fretted it out in innumerable ways, curves, spirals, and all sorts of twists and turns which the fancy of the artist could devise. The Roman fibulæ are more usually made of bronze or silver, but the Greek are largely of gold, and of exquisite workmanship.

Some of the German fibulæ are curiously arranged so as to fasten with the arch downward, and to this arch are fastened fringes and pendants of metal disks and chains. This might be a very useful and decorative kind of brooch in competent hands. I have seen several instances of modern safety-pins the arch of

Which is jeweled, but I have never seen one treated in a modern way on the Hallstadt model.

The Romans early enough made their fibulæ of the piece of wire, bent round at the head into a double or triple coil, so as to form a spring. In doing this, they quickly found it was easier to make the small turn on some kind of core, and probably they used a small stick for the purpose; and one day the stick—or perhaps a short piece of metal—stuck in the coil, and the artist saw that it was a decorative feature, and numbers of Roman brooches have this kind of cross-bar at the top. It is, however, often explained as representing the cross, or Tau; indeed, these fibulæ are known as Tau brooches. I think it more likely that the constructive explanation is the safer, as I believe that many of these brooches were made long before the Christian era.

However this may be, the Roman Tau brooches gave rise to a very decorative form of fibulæ. These are the very elaborately-wrought brooches of Scandinavia, which have a large rectangular or semi-circular top. This top is clearly an enlarged form of the cross-bar, but it is so distant from it and so highly ornamented that the connection between the two is not evident at first sight. There are also numbers of beautiful Anglo-Saxon brooches designed on similar lines, but more delicately worked with much more reserve in the lines as well as in the workmanship. The long Scandinavian brooches are usually made of metal alone, where the Anglo-Saxon are largely ornamented with inlays of garnet, and silver lines with niello patterns upon them. In both cases the body of the brooch is long in proportion to the diameter of the rectangular or semi-spherical head, and is equally ornamented.

In early Roman brooches where the turn-over at the head has required some little arrangement so as to bring over the "arc" part in a different direction, the pattern made by the wire curves is peculiar. When this fibulæ reached the northern part of Europe in Scandinavia, the artists there filled in, or covered up, the upper wire with a solid plate, and turned it into what is known as the "boar's head" brooch, but curiously enough the pattern of the original turn of the Roman wire fibula shows in many cases outlined on the top of the boar's head. These large decadent brooches are the ultimate northern outcome of the safety-pin, as they are so heavy and cumbersome that they would pull any ordinary material to pieces. Being the ultimate outcome, they have not developed further at all. In the same way the Celtic annular brooches in their turn are the ultimate western development of a ring fastened at the head of a pin. Both these forms then have, for the present, ceased to develop, but the circular brooch and its endless variations is still alive, and yields a rich field for designer and workman, advantage of which is, I fear, hardly taken to its full extent, although there are signs that a new feeling is growing up with regard to brooch designs. It will, unfortunately, be a long time, I fear, before the taste for small brooch models of favorite toys quite goes out from among us.

PENDANTS.

Pendants as a rule belong to necklaces, but they are so various, and designed in ways which are so peculiar to themselves, particularly in the sixteenth, seventeenth, and eighteenth centuries, that I feel they have some claim to be considered as a class by themselves.

The small pendants which occur numerous in ancient Egyptian, Greek, Etruscan, Phœnician, and Rhodian necklaces, although taken separately, may be considered as true pendants, nevertheless they are sometimes so repeated and strung together, that they become actually integral parts of the necklace itself, and are so considered in their proper place. On the other hand, the pendants now under consideration are made either to be suspended on any chain which may be worn at the moment, or else have a small and unimportant chain of their own—used only for the purpose of suspension. One easy distinction is possibly the surest test of this difference, it is that of size. If, for instance, any pendant exceeds any other pendant on its own chain by a couple of inches or so, I think it is worthy to be considered as a separate jewel.

On necklaces of ancient Egypt appear pendants, among the most curious of which are three large golden flies, on a cleverly-made chain (probably 1800 B. C.), according to Emil Fontenay. The Phœnicians worked pendants charmingly, with delicate granulations. Their jewelry is, as a rule, remarkable for its quality of thinness, and similar granulations show in several of the beautiful Greek and Etruscan pendants, many of which exemplify the art of their time at its best. In some of the Etruscan necklaces are found bullæ, the original form of which is circular and double—two faces soldered together at their edges—but this form soon became modified. The original bulla was really only a form of amulet, as foreign substances were inclosed between its two faces. Rats ears and livers were prophylactics against the evil eye. A dried bat's head induced sleep; other odds and ends cured toothache. Serpent's eggs were likely to cause the success of their wearer in lawsuits. Sometimes they inclosed conjurations against demons and evil influences engraved upon small plates of metal, silver, or gold. The wearing of amulets no doubt originated in the East, and they were not only worn in bullæ, but attached to bracelets, earrings, set in rings, hairpins, and even in belts, or sewn into the garments.

Agates preserved the wearer against bites of insects, and had the power of turning away or dispersing thunder storms, but for this purpose they had to be tied in with lion's hair. The diamond cured melancholy, and quieted trouble or sorrow. Amethyst was a preventive against intoxication, and if the names of the sun and moon were engraved on stones they prevented poison from acting, and frightened away hail and locusts.

Besides the magical contents of the bullæ these sometimes were engraved with powerful signs, as the swastika, already mentioned. The belief in these signs and mysteries dates from very remote times, and is not even now quite extinct. The belief in the efficacy

of small pointed pieces of coral or other material against the power of the evil eye is still very strong in Italy, and there are other smaller superstitions without number among uneducated people. The belief of the luck in a horseshoe is still strong, even in our England.

Among the Romans of about the first century, the Augustan age, no doubt cameos were largely used as pendants; coins also, richly set, were also used. Charlemagne, in the eighth century, wore a splendid reliquary as his necklace, which was sent to him by Haroun-al-Raschid. This was buried with him, and was found on his neck when the body was exhumed in 1169. In 1804 this reliquary was given to the Emperor Napoleon I. by the clergy of Aix-la-Chapelle, and latterly it belonged to Napoleon III. Under a pale blue sapphire are set a piece of the true cross and a thorn from the crown of thorns. The sapphire is magnificently set in gold and gems.

Up to the end of the fifteenth century, the majority of pendants were indeed amulets, more or less ornamentally treated, but after that time this character gradually died out, and the decorative value of the pendant alone became the object of consideration. From contemporary portraits some idea can be formed of the almost universal use by great people of pendants of great beauty—crosses, medallions, or only ornaments; but enough of the actual objects of this time exist, to enable us to realize what charming and elaborate works of art many of these pendants were. Vitreous enamels usually play a large part in their ornamentation, and there is a profusion of jewels, and much fine, good work, cast, hammered, molded, and chased in all kinds of ways, and usually a free use of pendant pearls. Where round shapes were used an oval form now is generally substituted, but the more ornate pendants are irregular in form. Cameos are often used, sometimes antique, sometimes Renaissance, set in very beautiful mounts of gold, jewels, and enamels in rich juxtaposition. Benvenuto Cellini is credited with having designed some of these settings—two attributed to him are now at Paris, one of an architectural design.

Some of the prettiest of the Italian sixteenth century pendants represent little ships, a design carried out frequently by jewelers of other nations, but never so charmingly as those of Italy.

During the sixteenth century in France, there were several excellent designers for pendants, and jewelry in general, but as far as is known their designs were not carried out at the time—if ever. The best of these designers were Jean Collaert, Androuet du Cerceau, Jean Vovert, Woeriot, Theodore de Bry, and Stephanus. The designs are largely allegorical, scenes from Biblical history, or love scenes, all inclosed in most elaborate and rich framework. Enamels were evidently intended to be largely used.

The use of ornamental monograms in jewelry began during the fourteenth century.

A charming pendant of Queen Elizabeth in enameled gold is in the British Museum, and shows that the English jewelers, although their output was small, were not behind their Continental rivals in technical excellence and power of design.

Diamonds used in jewelry before the beginning of the seventeenth century (1600) are always cut, either as "tables" or "roses," the "brilliant" not being then invented, and all colored stones were cut in the rounded form known as "cabochon."

The Germans took example by the French enamellers in the matter of pendants, and during the sixteenth century made numbers of such jewels, in the center of which are usually little figures. These are all very decorative and wonderfully elaborate, but they are very commonly overburdened with detail. Some of the simpler ones, on the other hand, are almost cumbersome in design, although richly jeweled and admirably worked from the jeweler's, enameler's, and lapidary's point of view. The Italian works of this kind and period are the best in every way. The decadence of which these over-elaborated works are a sign, eventually culminated in forming a school of its own, which, in its way, is interesting and not altogether without beauty. It is called rococo, and the chief essential is the presence of both enameled work and jewels together.

The Museum at Dresden is rich in specimens of the German work of this kind, and by the munificent bequest of the late Ferdinand Rothschild, the British Museum is now possessed of several specimens of the first importance.

A French jeweler, named Daniel Mignot, during the beginning of the seventeenth century, is supposed to have first set rows of jewels close together in consecutive order. This notion was, of course, very suitable for working the monograms then so prevalent, and it has been more or less used ever since.

From the sixteenth century pearls were much in fashion, and pendants commonly have single pearls or groups of pearls dependent from them.

Toward the end of the seventeenth century pendants are found made of gold only, but exquisitely pierced, chased, and engraved, and some specimens of Portuguese work are remarkable for delicacy of execution; these are sometimes set with very small diamonds.

The well-known Norman crosses of metal work, some of which is excellent, have the settings of the crystals abnormally exaggerated in size.

Sprays of leaves and flowers, and knots of ribbon, during the seventeenth century, are made in metal, and thickly set with crystals—paste or real jewels—particularly by Venetian, French, and Portuguese, followed at a safe distance by English workmen. The best of these are by Gilles Légare, and in the eighteenth century his follower, Pierre Bourdon.

The jewelers of the beginning of the eighteenth century did not hesitate to mix gold and silver in their jewelry. Gold was commonly used for the settings of colored stones, and silver for diamonds.

During the Empire classical taste prevailed, the pendants are beautifully worked; various designs of vases and flowers, enameled and jeweled, souvenirs of the ancient bulla. Cameos once again were the fashion, and diamonds and pearls reappeared after their eclipse during the revolutionary period.

Locketts, so favorite in England during the latter

half of the nineteenth century, and not unknown before that time, are pendants, but like the bullæ, they are usually valued for their contents, hair or portrait. Renaissance designs are most suitable for enamels. A few beautiful designs were made by Froment Meurice, but the locket part is usually quite insignificant, the setting being the part which is fully ornamental.

TOOLS.—SUMMARY.

A very interesting point about ancient jewelry lies in the consideration of the manner of its working and of the tools with which it was probably wrought. As a general distinction between the larger methods followed by ancient as compared with modern jewelers, it may be said that the former worked more by himself. His work was rarely parceled out or subdivided, but was followed out from design to finish by one man. He liked *tours-de-force*, such as a chain of rings made by the hammer out of a single bar, and many instances of the successful working out of such puzzles are known. The use of the hammer, anvil, and file is very ancient, and although no doubt annealing by heat must have been known to early workers in hammer work, the very interesting and valuable discovery of soldering, which very likely was accidentally discovered in following out the annealing process, was not hit upon until a comparatively late period.

In old work is found simplicity of means with variety of results, and there probably was a small *clientèle*; in new work is found complication of means with uniformity of results and a large *clientèle*.

Until the middle of the fourteenth century religious feeling in jewelry largely preponderates, reliquaries of all kinds in rings and pendants. In the fifteenth century, gold and silver variously wrought had chief vogue, buckles and all kinds of ornaments for dress. In the sixteenth and seventeenth centuries flourished the beautiful arts of chasing, enameling, and inlays of various sorts, weight being not so highly considered as just before, but workmanship having a higher appreciation.

The management of small and delicately-designed ornaments now required much soldering and alloys for coloring gold, and the official standards of the precious metals were lowered. Then began a curious struggle between the goldsmiths and the mints, one wanting a low standard and the other a high one. One result of these disputes was to lower the standard for coinage to such a point that it would not pay to melt it up and use it for jewelry. At the present time, for instance, you can purchase for about 1s. 8d. as much silver as is in a half-crown, so that obviously it would not pay to melt up the coin.

Toward the end of the sixteenth century, massive plate came again into favor, and silver was largely made use of for ornamental purposes—Claude Ballin even used it for covering tables. And from this time onward, small jewelry became the vogue—so small, that it frequently is not even hall-marked, and this of course, tends largely to tempt jewelers to use metal of a very low standard.

In France, there has lately arisen a new master who already has hosts of imitators—a sure proof of greatness—I mean M. René Lalique. His work, although original, owes much of its charm to his appreciation of the ancient Greek chryselephantine work—that is to say, the use of materials of little intrinsic value, but much artistic importance, used in conjunction with gold and silver. It is supposed that the great statue of Athénê in the Parthenon at Athens, was made of such work—wood overlaid with gold and ivory, and there are numbers of Byzantine jewels on which it is used. Ivory, pearls, enamels, horn, mother-of-pearl, and many other beautiful materials find a place in the work of M. Lalique and in that of his followers, among whom M. René Foy and M. Fouquet are perhaps the most distinguished up to the present.

England, so far, has remained constant to old themes, and then trusted to excellent workmanship and valuable materials. But the French departure is not without its effect already, as in some of our London shops can be seen beautiful and interesting developments which promise well for the future. Excellently designed, and often beautifully worked by hand, many of the new brooches, necklaces, and bracelets are admirable, but there is also the tendency to reduplicate good designs in cast work, which is an unfortunate sign. No condemnation can be too strong for the popular designs of cycles, stirrups, golf clubs, tennis racquets and the rest, which still crowd our jewelers' windows, and which, however richly carried out with pearls and jewels, will always be a blot upon our national taste in art.

Savage tribes have used for their ornaments natural objects easily worked.

The cultured nations of antiquity have generally made their finest pieces of personal ornament of gold.

During the period of the Renaissance gold and silver, colored precious stones, and vitreous enamels were very largely used.

During the nineteenth century the diamond has particularly claimed the attention of jewelers.

IONIZATION OF CAVE AIR.—H. Ebert and P. Ewers have repeated the experiments of Elster and Geitel with respect to the ionizing properties of the ground upon the air contained in it. They wished more particularly to decide whether the ionization of air under the influence of air derived from underground is due to the electrons it contains, or whether it is due to some ionizing power such as those comprised under the somewhat vague title "emanation." To test this, they let the air sucked out of the ground pass through a tube in the axis of which was mounted a solid brass cylinder in such a manner that the air had to pass along a thin cylindrical mantle. The tube arrangement constituted a cylindrical condenser which was charged to a high potential by means of a battery of accumulators, and it was expected that after the air had passed through all its ionization would be lost. But on allowing the air to enter a large glass vessel, the air contained in the latter was ionized by the ground air deprived of all its free electrons. Its conductivity increased about eight times in three hours.

This experiment shows that underground air is not like "activated" air but rather resembles radium and thorium compounds, which while neutral themselves, are capable of ionizing gases by means of the free ions they emit.—Ebert and Ewers, *Physikal. Zeitschr.*, December 1, 1902.

THE PROPERTIES AND APPLICATIONS OF SELENIUM.*

By WILLIAM J. HAMMER.

THE extraordinary property which selenium possesses of varying its electrical resistance on exposure to light is a phenomenon which has been known for a long time; but the commercial applications of this peculiar property possessed by selenium have not been properly appreciated up to the present time.

It is my purpose to invite your attention to a

FIG. 1.—PROF. BELL'S RADIOPHONE.

number of the more important applications of selenium which the writer believes will prove of no small interest to the electrical engineering profession, and perhaps stimulate investigations in this most promising field.

The Swedish scientist, Berzelius, discovered selenium in 1817, as a by-product from the distillation of sulphuric acid from iron pyrites. The proximity of the earth and moon suggested to Berzelius the name "Selenium" after the Greek "selene" (moon); this being the result also of the striking similarity of the properties of selenium with those of tellurium, which is a term derived from the Latin "Tellus," (earth). Its atomic weight is 79.5; specific gravity when crystallized, 4.788; its observed vapor specific gravity at 2588 deg. F. 5.68. It is a non-metallic element, which possesses characteristics similar to phosphorus, sulphur and tellurium. When melted at 212 deg. Centigrade and allowed to cool rapidly, it forms a brown amorphous mass of conchoidal fracture. In this condition it is a high class insulator. It has been said that a small piece of it would represent the resistance of a wire stretched from the earth to the sun. When heated for quite a time at a temperature of 100 deg. Centigrade, selenium becomes a conductor of electricity to a limited degree, this increasing with an increase of current and varying according to the direction. Selenium has neither taste nor smell.

The red vapor rising from selenium when subject to intense heat is exceedingly poisonous, and care should be taken when experimenting with selenium in liquid form.

Selenium is usually supplied commercially in a vitreous form. Here are some samples of it, and you will note that it is as structureless as glass and resembles black sealing wax. I also have here some amorphous selenium in which form it is a finely divided brick-red powder. This changes into vitreous selenium when exposed to a temperature of from 80 deg. to 100 deg. C. In order to obtain crystalline selenium, in which form it is useful for selenium cells, it must be kept, as already stated, at from 100 deg. to 200 deg. C. for some time, the black mass being changed into a hard, slate-colored, metallic-looking substance. In this form even the thinnest films are opaque to light, whereas in the vitreous form the film would be trans-

parent and ruby red in color. I have some of these films here for your examination.

Selenium is to-day employed to a considerable extent for the coloration of glass.

In 1851 Hittorf first discovered the effects of temperature on selenium; but it was not until February 12, 1873, that Mr. Willoughby Smith sent a communication to President Latimer Clark, of the Society of Telegraph Engineers of London, calling attention to

portions of the spectrum, that it met with serious consideration. Since that time much work has been done in investigating the properties of selenium, especially by Messrs. Shelford Bidwell, J. W. Giltay, Lord Ross and Sale, Draper and Moss Hittorf, Adams and Day, Ayrton and Perry, Sir W. C. Siemens, Mercadier, Fritts, Minchin, Ruhmer, Webb, Bell and Taintor, and many others.

Alexander Graham Bell some twenty years ago made

FIG. 4.—MANOMETRIC ACETYLENE FLAME TRANSMITTER WITH SELENIUM CELL.

the effect of light in reducing the resistance of selenium. An assistant of Mr. Willoughby Smith, a Mr. May, who was a telegraph clerk at Valencia, called attention to the fact that some pencils of selenium which had been used to give a high resistance in connection with some of the cable testing work conducted by Mr. Willoughby Smith, showed a marked change in resistance when the sliding cover of the box which held the

FIG. 3.—MERCADIER'S CELL (BLOCK AND DOTTED LINES REPRESENT THE TWO RIBS OF BRASS).

selenium was removed, and the selenium was exposed to sunlight. These selenium pencils varied in length from 5 to 10 centimeters and were 1 to 1½ millimeters in diameter; they were hermetically sealed in glass tubes with connecting wires of platinum at each end. Little credence was given to the original announcement; and it was only after Earl Ross verified this statement, and proved that the action was due solely to light, and showed the effects of the light of different

some interesting experiments with his radiophone, a diagram of which is shown in Fig. 1, in which a mica or glass diaphragm covered with a silvered foil was used to reflect a powerful beam of light upon a selenium cell placed in the focus of a silvered reflector. To the selenium cell were connected a pair of telephones and a battery. At the back of the silvered diaphragm was a flexible tube and mouthpiece into which words were spoken. The sound waves causing the diaphragm to vibrate sent pulsations of the reflected light upon the selenium cell, producing corresponding variations in its resistance and reproducing audible sounds in the telephone. Prof. Bell used this only over very short distances.

In 1898 Prof. H. T. Simon, of the University of Erlangen, discovered that an arc lamp, the circuit of which was in proximity of a telephone circuit, was caused to vibrate very perceptibly and he devised his interesting speaking arc by means of which he superimposed the sound waves produced by the telephone upon the circuit in which the arc was placed. He connected the lamp circuit with the secondary winding of an induction coil, the primary circuit being connected with the carbon transmitter, and a battery. The sounds thus produced originally were very weak; but by employing a suitable carbon microphone, the sound was reproduced to large audiences.

Conversely, the arc could also be used in conjunction with telephone receivers to receive sounds.

It is also found that the transmitter battery may be omitted, and a shunt taken from the arc circuit may be used with the transmitter and a suitable resistance. Again, this resistance may be displaced by storage batteries; and in this case to secure the most satisfactory results, self-induction ("reaction coils") should be placed in the circuit of the arc lamp, allowing the direct current to pass without obstruction; but offering extremely high resistance to the alternating currents produced by the carbon transmitter. By compensating in this way, any disadvantage in the use of the shunt is done away with.

The transmitter may also be placed in shunt with the reaction coil instead of in shunt connection with the arc lamp, and this has the advantage that the rheostat used with the storage batteries may be omitted, provided the windings of the reaction coil are suitable for use as a resistance. By this arrangement, the lack of self-induction in the transmitter circuit permits of a very clear and distinct reproduction, sufficient to be heard by large audiences.

Mr. W. Duddell, of England, has made some most successful talking arcs, which the writer had the privilege of seeing in London over two years ago. In his arrangement in the secondary circuit is placed a condenser, which prevents the lamp current entering the induction coil, but allows the induction current in the transmitter circuit to pass without obstruction; and this arrangement has the effect of greatly increasing the sound. By employing a condenser of from three to five microfarads, he compensates for the difference of phase produced by the self-induction in the circuit, thus producing the highest effect in the arc.

When Duddell uses the arc for transmitting sound waves, he employs in the shunt circuit to the arc a condenser and receiving telephone. It is advisable to employ as long an arc as possible. It has also been found that the Moore vacuum tube and the various types of mercury arc, such as Arons, Hewitt, and Weintraub, are very suitable for this class of work, as well as the carbon arc; and where the latter is employed, either cored or treated carbons are advisable.

The theory advanced to account for the phenomena of the speaking arc, is that variations in temperature of the arc are produced by the variations of the current, and the change in the Joule effect produces a corresponding variation in the volume of the conductive gases in the arc.

FIG. 2.—TYPES OF SELENIUM CELLS.

* Abstract of a lecture delivered before the joint meeting of the American Institute of Electrical Engineers and the American Electrochemical Society, April 17, 1903.