SECT. II.—OTHER SELECTED PAPERS.

(*Paper No. 4025.*)

“On the Ancient Weights of Britain.”

By WILFRID AIRY, B.A., M. Inst. C.E.

THE chief interest of the ancient weights of Britain consists in the fact that the modern weights are directly descended from them, and in the case of the Avoirdupois and Troy weights, have been handed down without material alteration.

After an exhaustive examination of the ancient weights in the British Museum, it appeared to the Author that much additional information would be gained by inspecting and weighing the ancient weights of Britain that might be found in the other national museums and in the numerous provincial museums of Britain. He therefore made application to the gentlemen in charge of all the museums in which it was likely that such objects would be found, and in almost every case received the most courteous and ready help. Some of these museums he visited personally and weighed the objects, and in others he got the objects weighed for him. The result was a very great increase of information on the subject of the ancient weights of Britain, which is based upon the Tables appended to this Paper. This additional information throws much light both on the Roman system of weights, which was in use in Britain for many centuries, and also on the origin of Avoirdupois weight and Troy weight in Britain. With the help of this information, the Author has compiled the following short histories of the three pounds, viz., the Avoirdupois pound, the Roman pound, and the Troy pound, which were the only recognized standards of weight in Britain before the Norman conquest.

HISTORY OF THE AVOIRDUPOIS POUND.

The first statute in which the term “Avoir-du-pois” is used appears to be the 27 Edw. III, cap. X, from which the following is extracted: “Item, because we have perceived that some merchants

do buy *avoir du pois*, wools and other merchandises by one weight, and sell by another, etc. . . . we will and establish that wools, and all manner *avoir du pois*, be weighed by the ballance," etc. From this it would appear that *avoir du pois* simply meant heavy goods; and Avoirdupois weight would mean the weight to be used for heavy goods.

The Avoirdupois pound is a weight of Ancient Egypt, which has come down to our times without material alteration. In the British Museum there is a genuine ancient Egyptian weight which differs from the Avoirdupois pound by only the $\frac{1}{1000}$ th part, and also weights of $\frac{1}{30}$ th, $\frac{1}{10}$ th and $\frac{4}{10}$ ths of an Avoirdupois pound to very nearly the same degree of accuracy.¹ There is also an ancient weight from the neighbouring country of Abyssinia which differs from the Avoirdupois pound by only the $\frac{1}{100}$ th part. It may, therefore, be accepted that the Avoirdupois pound was a standard weight of the ancient Egyptians.

The ancient Egyptians do not seem to have traded much by sea and it is not supposed that they themselves did much to spread the use of the Avoirdupois pound. But their neighbours, the Phœnicians, were very great traders throughout the Mediterranean, and for many centuries seem to have enjoyed a complete monopoly of the commerce with the western countries of Europe. Now the Phœnicians had very close trade relations with the Egyptians, and Herodotus says that in the city of Memphis a special quarter was assigned to the Phœnicians of Tyre, "and the whole tract was called the Tyrian Camp." Under these circumstances it would appear very natural that the Phœnicians should use the weights of the more famous and venerable country; and, having so adopted them, should spread the use of them among the far less civilized peoples of Western Europe with whom they traded.

Although the inhabitants of Britain, before the time of the invasion of Julius Cæsar, were not highly civilized, it is clear that, for a long time before that event, they had carried on an active trade both with the Phœnicians and with their neighbours the Gauls. Their most valuable export appears to have been tin. The Phœnicians were the principal metal-workers of the Mediterranean for a good many centuries, and the trade for tin with the Scilly Islands and the coast of Cornwall was one of the main sources of the Phœnician wealth. Cæsar, in his Commentaries, speaking of Britain, says:—"Tin is produced in the midland regions; in the maritime, iron."

¹ Airy, "On the Origin of the British Measures of Capacity, Weight and Length," Minutes of Proceedings Inst. C.E., vol. clxxvii, p. 175.

Now, for a trade of this kind there must have been recognized standard weights, and the question arises, what weights were used? The very high probability is that the Ancient Britons would accept and use the weights which the Phœnicians were accustomed to use in their trade with other nations, especially as in those early times they had probably no national weights of their own to be displaced. And it so happens that throughout the western countries of Europe—in England, France, Spain and Saxony—there are found ancient weights of similar sizes, shapes, and material, usually made of burnt clay, and ranging in weight from $\frac{1}{2}$ lb. to 12 lbs. By comparing these weights one with another, they are found to conform very closely with an Avoirdupois standard, i.e., that the different weights proceed by simple subdivisions and multiples of our Avoirdupois pound. This will be seen by reference to Table I in the Appendix, where a list is given of the sound weights of this class which have been weighed and examined; and the question is further discussed in the remarks which accompany that Table. The same conclusion is arrived at from an examination of the weights of the carved stone balls of Scotland, a list of which is given in Table II in the Appendix. In the remarks attached to that Table reasons are given for thinking that these curious objects were either trade weights, or were made according to a trade-weight standard, and that that standard was in all probability the Avoirdupois pound. In the opinion of the Author, the traffic with the Phœnicians was the origin of the Avoirdupois system in Britain. And by reference to the list of Avoirdupois weights in Table VI of the Appendix, and to the remarks on that Table, the Avoirdupois system would seem to have been continued in use, along with the Roman system, during the occupation of the country by the Romans and Saxons.

With regard to the subdivisions of the Avoirdupois pound, it is to be remarked that all heavy and bulky goods, with the exception of wheat and bread and the precious metals, have always been sold by Avoirdupois weight, and it is unnecessary to weigh such goods to a high degree of accuracy. The Table in use in Arthur Hopton's time (A.D. 1635) runs as follows:—

20 grains	= 1 scruple;
3 scruples	= 1 dragma;
8 dragms	= 1 ounce;
16 ounces	= 1 pound.

Therefore the Avoirdupois pound was divided into 7,680 Avoirdupois grains. Probably the grains were only used as weights of account, and were not represented by physical weights. In that case the scruple would be the smallest physical weight used in the Avoir-

dupois system, and it would be two-thirds of the weight of the "dram" of the modern table. The modern table runs as follows:—

$$\begin{aligned} 16 \text{ drams} &= 1 \text{ ounce;} \\ 16 \text{ ounces} &= 1 \text{ pound;} \end{aligned}$$

and if it is required to weigh to less than a dram, it is done by using Troy grains (which are now common to both Troy weight and Avoirdupois weight) at the rate of 7,000 to the Avoirdupois pound, or about 27·34 to the dram.

It is very interesting to note the fidelity with which the people of Britain have always adhered to the Avoirdupois pound, their ancient and original standard, and have brought it safely down to modern times with but very slight alteration. After the introduction of Troy weight into England, which was probably the weight system invented by Charlemagne (as shown hereafter), the Troy pound was received by the Government of the country into high favour, and seems to have been regarded as the principal standard of weight for a good many centuries. So much so, that even so late as the Act of 1824 it was enacted that the Troy pound was the standard pound of the Kingdom, and the Avoirdupois pound was defined by its relation to the Troy pound. But throughout this long period the Avoirdupois pound had been constantly in use for trade matters, and especially for foreign trade; and as the trade of the country increased in importance, so did the weight by which the goods were weighed. And finally, by the Act of 1878, the Avoirdupois pound regained its ancient position and was declared to be the Imperial standard pound for the United Kingdom.

HISTORY OF THE ROMAN POUND.

The history of the Roman pound is very curious, and it will be interesting to show how intimately it became connected with the money weight system of the East. The Roman pound was a weight of ancient Egypt: there is now in the British Museum a genuine ancient Egyptian weight which differs from the Roman pound by less than the $\frac{1}{100}$ th part, and undoubtedly indicates the origin of the Roman pound; and there are also weights representing four Roman pounds, and certain decimal subdivisions of the Roman pound, with very great accuracy.¹ It may therefore be accepted that the Roman pound was at one time a standard weight of the ancient Egyptians, and in all probability was used in trade by the Phœnicians, and was adopted by the Romans as their standard

¹ Minutes of Proceedings Inst. C.E., vol. clxxvii, p. 168.

pound at an early date. But the Egyptian weight thus adopted by the Romans had previously been adopted in very ancient times by the Babylonians and Assyrians, for the standard unit of weight in those countries was the "maneh," and the weight of the "maneh," on the average of eight genuine ancient weights in good condition in the British Museum weighed by the Author, was 15,218 grains. The Egyptian weight which corresponds with the Roman pound weighed 5,090 grains, and $3 \times 5,090 = 15,270$ grains. This is so near to the weight of the "maneh," differing from it by only the $\frac{1}{360}$ th part, that it may be concluded with certainty that the Babylonians adopted as their standard a weight which was three times the Egyptian weight long afterwards adopted by the Romans as their standard pound. From this it must be supposed that at a very early date there was such a degree of intercommunication between the Egyptian and Babylonian peoples that, for the sake of mutual convenience and trade, the Babylonians, while adopting a standard unit of their own, fixed it at a definite multiple of an Egyptian weight—a remarkable instance of sagacity and liberal-mindedness in very ancient times.

The Babylonian system of subdivision was sexagesimal, and their shekel weight was $\frac{1}{60}$ th of the "maneh," or $\frac{15,218}{60} = 253.6$ grains.

But for money weight they used a "light" shekel of one-half the above amount, or 126.8 grains. It was to this weight that the earliest coins were struck in Asia Minor, in the first half of the seventh century B.C. During the six and a half centuries which elapsed from this time to the time of Augustus, an immense variety of coins were struck. The people of every Greek town and settlement in Asia Minor, Greece, Italy, and Sicily minted coins on their own account and independently one of another; and many of these coins differed widely from the original standard. But still that original standard was not lost. Throughout this period of six and a half centuries coins of 126 grains or thereabouts, and multiples of that weight, are of very frequent occurrence. Finally, Augustus struck gold coins of the weight of 40 to the Roman pound, or 126 grains (the weight of the Roman pound, as deduced from the coins, is 5,040 grains, and $\frac{5,040}{40} = 126$ grains), and in so doing re-established the ancient and original standard. Thus, after many centuries, through the medium of the money, the Roman pound from Babylonia met the Roman pound of Italy, and in this curious manner the circle was completed.

The commercial "mina," or trade unit of the ancient Greeks,

appears to have been double the Egyptian weight, which was afterwards known as the Roman pound. But it was not only in Babylonia, Asia Minor, Greece, and Rome that the Roman pound was known and established. It still survives in India and Burma, and doubtless in other parts of Asia. In Northern India the weight of the "seer" is 2·057 lbs., which is no doubt the survival weight of the Babylonian "maneh" of 3 Roman pounds; and in Bombay the weight of the "seer" is 0·7 lb., which in like manner is probably the survival weight of the Roman pound. In Burma the exact Roman pound has been preserved, and is still the trade unit of the country. There is no reason to doubt that this wonderful range of the unit in question was due to the trade influence of the Phœnicians. These energetic traders for many centuries maintained a great caravan traffic between Tyre and the inland parts of Asia, and especially with Babylon, where they met the traders from India and places still farther east.

After the Romans had settled down in Britain they introduced their own system of weights (see Remarks on Table III in the Appendix), which appear to have been adopted throughout the country, though it would seem that they did not altogether displace the earlier weights of the country, which were probably based on the Avoirdupois system introduced by the Phœnicians. At any rate, the earlier burnt-clay weights, as well as Avoirdupois weights of lead, have been found amongst Roman remains, as may be seen by reference to Tables Nos. I and VI in the Appendix and the remarks which accompany those Tables. The Saxons, who followed the Romans, apparently accepted the systems which they found in use in the country without alteration or addition. Thus the Roman pound and its subdivisions remained in the country, at any rate until the Norman Conquest, and probably during the reigns of the early Norman kings. And, as might be expected from the length of time (probably little short of 1,000 years) during which the Roman system was continuously in use in Britain, numerous examples of Roman weights have survived, some of which are recorded in Tables III and IV of the Appendix. But for coinage purposes, Troy weight, which was probably the system of weight established by Charlemagne, seems to have been introduced into Britain in the time of King Alfred, A.D. 871 to 901, and to have been used for money purposes, as will be shown when dealing with the history of Troy weight. Accordingly, Troy weights have been found, together with Avoirdupois and Roman weights, amongst the remains of Silchester, Uriconium, and other Roman stations (see Table V in the Appendix and the remarks on the Table). There

seems little reason to doubt that all these three systems of weight were simultaneously in use in Britain during the last 250 years of the Saxon kingdom.

HISTORY OF THE TROY POUND.

So far as the Author is aware, the first English Statute in which the term "Troy" weight is used is 2 Henry V, s. 2, c. 4 (A.D. 1414), in connection with the regulation of goldsmiths' work and prices, as follows:—“(2) the King for the ease of his people . . . hath ordained and established, That all the goldsmiths of England shall gild no silver worse than of the allay of the English sterling, and that they take for a pound of Troy gilt but forty-six shillings, eight pence at the most,” etc. The origin of the term is not known with any certainty, and various conjectures have been made with regard to it. The Author ventures to suggest that the term was originally applied to the weight system introduced by Charlemagne, in order to obviate the confusion that existed in the coinage throughout his vast empire, and that this system became known as the “*treu*” (pron. Troy), or true weight. It will be shown that Charlemagne's pound was in all probability identical with the modern Troy pound.

The origin of Troy weight is a far more complicated question than the origin of Avoirdupois weight, or Roman weight. For the Troy pound was not an ancient Egyptian weight, as was the Avoirdupois pound; nor was it the Roman pound, though undoubtedly related to it. It had its origin in mediæval times, and the records of those times, in such matters as weights and measures, are by no means so full or precise as might be desired. Nevertheless there is some useful information extant on this subject, and with the help of Anglo-Saxon weights which have been discovered in modern times (and this is a very reliable source of information), a reasonable conclusion can be arrived at with regard to the origin and construction of Troy weight.

In Table V (Appendix) a list is given of a number of weights which have been found in Silchester, Uriconium, and elsewhere, and which prove conclusively that the Troy system was in use in England in Anglo-Saxon times (see Remarks appended to Table V). The question now arises, from whence did this system come? It is in the highest degree improbable that the Anglo-Saxons invented it for themselves, for there is no record of their ever having done anything whatever in the way of introducing exact measures of their own. It must have come from abroad, and it will be shown by

comparison of the weights of the silver pennies coined by the Anglo-Saxon kings with those of the silver pennies coined by Charlemagne that the money-pounds of the two countries were probably identical, and were both the same as the modern Troy pound. The plain inference is that the Troy pound is the pound that was invented and introduced by Charlemagne. Charlemagne flourished during the latter half of the Eighth Century, and about 780 A.D. he established by edict a system of weights to be used throughout his immense empire, of which we only know precisely that it was based upon the old Roman system, and that the pound was rather larger than the old Roman pound, and was to be divided into 240 parts for the silver coinage of the realm. To understand the meaning and object of this, it is necessary to consider the state of things in the time of Charlemagne.

During the early and flourishing times of the Roman Empire, the whole of Western Europe was governed on a uniform system. The money currency throughout the Empire was the Roman currency, and the standard of the coinage was rigidly maintained. But as the Roman power declined, their hold upon the outlying provinces was relaxed and the supervision of the coinage was no longer maintained. The different Western countries, while no doubt adhering generally to the money system which they had received from the Romans, coined money as they thought fit, and very great confusion must have been caused thereby. As Mr. Charles Roach Smith has remarked: "There must have been in circulation the various early Roman denarii and quinarii, the weights of which varied exceedingly, especially towards the decline of the Roman Empire, as well as the forged and debased silver coins which abounded in the provinces. The gold coins were hardly less numerous and various; and in addition to the Roman, there would be the coinages of the barbaric kings in France, Germany and Italy, and also that of the Merovingian princes." It is not, therefore, to be wondered at that Charlemagne, when he had attained a paramount authority in all the countries above-mentioned, should endeavour to restore the uniformity of coinage which had existed under the rule of the Romans.

In carrying out this reform of the coinage, Charlemagne struck silver pennies, of which a number are to be seen in the collections of the British Museum; and with the permission of Mr. Grueber, the Keeper of Coins and Medals, the Author weighed all of Charlemagne's coins that he found there. The average weight of the coins of the First Period, A.D. 768-781, was 19·7 Troy grains, and this may be taken to represent the weight of the pennies in circula-

tion at the time when Charlemagne introduced his new system. The average weight of the coins of the Second Period, A.D. 781–814, was 24·5 Troy grains, and these would be coins of the new system introduced by Charlemagne. The weight of Charlemagne's pound, deduced from this weight of the coins, would be $240 \times 24\cdot5 = 5,880$ grains. But Mr. J. J. Mombert, in his "Charles the Great," states that Charlemagne's pound was about 367 grammes, and Mr. H. Brosien, in his "Karl der Grosse," adopts the same figure. Now, 367 grammes = 5,664 Troy grains, and the average of the two results, viz., 5,880 grains and 5,664 grains, is 5,772 grains. This is so near to the weight of a Troy pound, viz., 5,760 grains, that it looks extremely probable that Charlemagne's pound was a pound of the weight of 24 Troy grains to the silver penny, corresponding to $240 \times 24 = 5,760$ Troy grains, and that the pound, afterwards known as the Troy pound, was simply Charlemagne's pound.

Dealing now with the Anglo-Saxon coins, there is a very complete series of these coins in the British Museum, and the weight of every coin is published in the "Catalogue of English Coins in the British Museum," Anglo-Saxon Series, vol. ii. From these published weights the Author has formed the following Table of the average weights of the coins at different times during the period A.D. 802–979:—

Kings.	Date A.D.	Average Weight of Silver Penny.
Egbert to Ethelred I.	802 to 871	Grains, 19·71
Alfred	871 „ 901	22·03
Edward the Elder	901 „ 925	24·21
Athelstan	925 „ 941	23·34
Edmund	941 „ 946	22·31
Edred to Edward II.	946 „ 979	20·71

From the above Table it will be seen that the average weight of the silver penny from 802 to 871 was 19·7 Troy grains: this corresponds exactly with the weight of the coin in Charlemagne's Empire before his new system was introduced; and it shows that the new system had not been generally adopted in England up to A.D. 871. But during the reign of Alfred there is a considerable increase in the average weight of the coins; and this, no doubt, is due to the introduction of Charlemagne's system. The new system would seem to have been adopted at some time during Alfred's

reign, so that some of his coins would be struck under the old system and some under the new system, and the full effect of the new system would not be apparent in Alfred's time. But in the next reign, that of Edward the Elder, the average weight of the coins was $24 \cdot 2$ Troy grains, corresponding almost exactly with the average weight of Charlemagne's coins struck under his new system. So that at that time it would appear that Charlemagne's system of coinage had been entirely adopted in England. And the average weight of the coins is so near to 24 Troy grains that, as in the case of Charlemagne's coins, it seems extremely probable that the pound adopted and used in England for money purposes in the time of Edward the Elder was a pound of $240 \times 24 = 5,760$ Troy grains, which is the weight of a Troy pound. After the time of Edward the Elder it is clear that the standard of the coinage was not maintained, and this, no doubt, was due to the disturbed and harassed condition of the country in consequence of the incessant raiding carried on by the Danes.

Thus, then, it has been shown—

- (1) That, from genuine Anglo-Saxon weights found in modern times, the exact Troy pound was in use in England in Anglo-Saxon times.
- (2) That, from the average weight of Charlemagne's coins, it is extremely probable that these were struck from a pound of 5,760 Troy grains, equal to a Troy pound.
- (3) That, from the average weight of Anglo-Saxon coins, it is extremely probable that, in the time of Edward the Elder, these were struck from a pound of 5,760 Troy grains, equal to a Troy pound.

And it is submitted that the above facts do form a strong body of probability that the Troy pound of England was identical with the pound introduced by Charlemagne as part of his new system of weight.

With regard to the reasons which guided Charlemagne in framing the weight system which he established, there can be no doubt that, in the different countries which had come under his sway, the value of the small silver coins which formed the principal currency of those times had everywhere greatly fallen and varied largely in the different provinces. To avoid confusion, it would obviously be advisable that the new silver coin should be of greater value than any of the coins which it was intended to displace, and it may be conjectured that Charlemagne found that this could be satisfactorily effected by adopting a pound $\frac{1}{4}$ th part greater than the old Roman

pound, and by coining this new pound into 240 silver pennies of the new system. The weight of the Roman money-pound, as deduced by Mr. Robert Hussey from the weight of the best existing specimens of their money, was 5,040 Troy grains, and therefore the weight of Charlemagne's pound (in accordance with the conjecture) would be $\frac{8}{7} \times 5,040 = 5,760$ Troy grains, which is the weight of the Troy pound. In the subdivision of the pound Charlemagne would naturally follow the Roman system, in which the primary subdivision was the $\frac{1}{12}$ th part (the uncia) or ounce. So that the Table arrived at would be:—

20 pennyweights = 1 ounce.

12 ounces = $\frac{8}{7} \times$ Roman pound.

(Equal to 1 Troy pound).

And the silver penny of the new system would weigh $\frac{1}{240} \times 5,760 = 24$ Troy grains.

As regards the subdivision of the pennyweight in the system of Charlemagne, we have no direct information; but in the Troy system the pennyweight has always been subdivided into 24 grains, and it may reasonably be supposed that this was part of the system which the English received from Charlemagne. In this connection the term "grain" has apparently no reference to any particular kind of seed, such as wheat or barley (for the average weight of grains of wheat or barley is much less than a Troy grain), and the subdivision into 24 parts was probably adopted from considerations of convenience, and from the analogy afforded by the relation of the uncia to the scrupulum in the Roman system, viz., 24 scrupula = 1 uncia. The smallest denominated weight in the Roman system was the "siliqua," which corresponded to the modern carat, and had a weight of about 3 Troy grains: and it was perhaps considered that this was too large a unit to use for coin weights. From its earliest institution Troy weight has always been essentially a money-weight system.

In connection with his system of weight, which has been already dealt with, Charlemagne appears to have coined shillings of the weight and value of 12 pennies. This of course did not affect the fundamental relation between the pennyweight and the pound, viz., 240 pennyweights = 1 pound. So that the money table of his time ran thus:—

12 pennies = 1 shilling.

20 shillings = 1 pound

(or 240 pennies).

The same money table was in use in England at the time of the Conquest for purposes of account, though it does not appear that shillings were then coined in England. It is interesting to note that the money table of Charlemagne, though it has lost its reality by reason of the introduction of gold and copper into the coinage, still remains the money table of England.

In matters connected with their coinage, it is quite certain that the Anglo-Saxons were always very ready to follow the lead of their neighbours on the Continent. As is stated in the "Introduction to the Catalogue of English Coins" already referred to, "the English coinage began with the series of imitations of the money current among the Franks of the Early Merovingian dynasty, and of their neighbours, the Frisians," and reference is made to "the intimate relations which long subsisted between the currencies issued on the two sides of the English Channel. The conclusion to be drawn from the close relationship between the Frankish and English money is, that the coinage was then as much used for purposes of commerce between England and France, as for the purposes of internal trade in this country." So that from old custom, as well as from the necessities of commerce, it would come quite natural to the Anglo-Saxons to adopt the new money system of Charlemagne. And, from the names of the moneyers who struck the coins for the Anglo-Saxon Kings, it is clear that a large proportion of these were procured from the Continent.

There was also much personal intercourse between the kings and people of England and the Continent. Egbert, the first king of Wessex, when driven out of his kingdom by the Mercians, took refuge with Charlemagne, and was received at his court for 13 years. Athelstan had close relations with nearly all the Christian princes of Western Europe, through the marriages of his sisters. And the wealth of England was greatly recognized by all the Scandinavian countries. Charlemagne interested himself very much with the affairs of England. English exiles and others resorted in numbers to his court; and one of his principal advisers was Alcuin, an Englishman. Doubtless also the currency in England was in the same state of confusion as that on the Continent, and the benefit of a uniform system would be generally recognized.

APPENDIX.

REMARKS ON TABLE I.

BURNT CLAY WEIGHTS.

In many of the museums, especially those in the midland and southern parts of England, there will be found objects of burnt clay (and in a few instances, of chalk and limestone) of certain definite shapes, and evidently constructed according to a generally recognized system. The shapes most commonly met with are as follows:—(1) thick triangular slabs; (2) truncated pyramids and cones; (3) cylinders; and (4) rings. These objects are almost always pierced with holes to facilitate lifting or suspension, and were evidently weights for some purpose or another. They range in weight from $\frac{1}{2}$ lb. to 12 lbs. They are usually assigned by archaeologists to the Late Celtic period, and have frequently been found in the remains of Ancient British camps and settlements. But they have also been frequently found amongst Roman remains, so that it would appear that they were in use during the Roman occupation of Britain. There are but few of these objects in the museums of Scotland or the northern parts of England.

Antiquaries have been much puzzled as to the object of these burnt clay weights. In the museums they are sometimes labelled "Use unknown," but are more commonly described as "Loom weights," or "Net sinkers." Now, loom weights are usually understood to have been the weights attached to single threads for the purpose of keeping them stretched and parallel: and many of the burnt clay weights would be far too heavy for this purpose. Moreover, it might be expected that for the same purpose they would be pretty nearly all of the same weight, whereas they range from $\frac{1}{2}$ lb. to 12 lbs. Amongst the ancient objects found in Greece, Crete, and Cyprus there are many undoubted loom weights, and these are fairly uniform in weight, and weigh $\frac{1}{2}$ lb. or thereabouts. So that the burnt clay weights of Britain could hardly have been loom weights. For "Net sinkers" the burnt clay weights would appear to be unsuitable, for they would not stand the rough work: and as with the loom weights it might be expected that they would all be very much of the same size.

In the opinion of the Author these burnt clay weights were the trade weights of that early period. A supposition which would account both for the range of the weights and for the uniformity of their shapes. From the nature of the material of which they are made, it is not to be expected that they would have retained their original weights without loss by wear, wastage, and chipping; and it has been necessary to examine every one of the weights very carefully, and to make such an allowance as the condition of each weight seemed to require. But when this had been done, the weights did appear to conform to an Avoirdupois standard, with subdivisions of $\frac{1}{4}$ lb., $\frac{1}{2}$ lb., and $\frac{3}{4}$ lb., and the Author is of opinion that they were Avoirdupois weights, and are a proof that the Avoirdupois system was the system in use in the Late Celtic period.

TABLE I.—BURNT CLAY WEIGHTS.

No.	Weight in Pounds Avoirdupois.	Units.	Reference.	Shape.	Material.
1	2·2500	2½	Brighton . . .	Triangular . .	Burnt clay.
2	0·3281	½	" . . .	Conical . . .	" "
3	5·6836	5½	British Museum .	Pyramidal . .	" "
4	5·1162	5¼	" " .	" . . .	" "
5	4·3630	4½	" " .	" . . .	" "
6	4·2536	4¼	" " .	Triangular . .	" "
7	3·1951	3½	" " .	" . . .	" "
8	0·8935	1	" " .	Ring . . .	" "
9	1·4701	1½	" " .	" . . .	" "
10	0·9525	1	" " .	" . . .	" "
11	2·0595	2½	" " .	" . . .	" "
12	2·5169	2¾	" " .	Cylindrical . .	" "
13	1·2560	1½	Cambridge . . .	Domed . . .	" "
14	1·4640	1½	" . . .	Ring . . .	" "
15	0·9090	1	" . . .	" . . .	" "
16	1·9824	2	Canterbury . . .	" . . .	Limestone.
17	4·3839	4½	" . . .	Pyramidal . .	Burnt clay.
18	1·8870	2	" . . .	Cylindrical . .	" "
19	2·9151	3	" . . .	Domed . . .	" "
20	1·3633	1½	" . . .	Cylindrical . .	" "
21	1·8214	2	" . . .	" . . .	" "
22	4·9404	5	Colchester . . .	" . . .	" "
23	1·4916	1½	" . . .	Ring . . .	" "
24	4·0000	4	Devizes . . .	Conical . . .	Limestone.
25	1·2500	1½	" . . .	" . . .	Chalk.
26	3·0000	3	" . . .	Triangular . .	Burnt clay.
27	11·5000	12	" . . .	Rectangular . .	Chalk.
28	9·0000	9½	" . . .	" . . .	Burnt clay.
29	3·0000	3½	" . . .	" . . .	Chalk.
30	3·6875	3¾	" . . .	" . . .	"
31	3·2500	3½	" . . .	" . . .	"
32	10·0000	10	Dorchester . . .	Triangular . .	Burnt clay.
33	2·7500	3	" . . .	" . . .	" "
33*	2·8750	3	" . . .	" . . .	Chalk.
34	1·6441	1¾	Edinburgh . . .	Domed . . .	Burnt clay.
35	1·4607	1½	" . . .	" . . .	" "
36	1·9375	2	Guildford . . .	Pyramidal . .	Chalk.
37	0·7537	1	Leicester . . .	Ring . . .	Burnt clay.
38	0·5326	¾	" . . .	" . . .	" "
39	2·6668	2¾	London (Guildhall)	Rounded . . .	" "
40	2·3041	2¼	" " .	Round, flat . .	" "
41	1·6794	1¾	" " .	" " . . .	" "
42	1·2506	1½	" " .	Ring . . .	" "
43	6·1523	6	Maidstone . . .	Pyramidal . .	" "
44	2·8906	3	" . . .	" . . .	" "
45	3·0215	3¼	" . . .	Cylindrical . .	" "
46	1·0039	1¼	" . . .	Rounded . . .	" "
47	1·8320	2	" . . .	Ring . . .	" "

TABLE I.—BURNT CLAY WEIGHTS—*continued*.

No.	Weight in Pounds Avoirdupois.	Units.	Reference.	Shape.	Material.
48	3·3448	3½	Northampton . .	Triangular . .	Burnt clay.
49	3·2862	3½	"	"	" "
50	4·3615	4½	"	"	" "
51	3·8789	4	"	"	" "
52	3·9062	4	"	"	" "
53	3·3991	3½	"	"	" "
54	2·1824	2½	"	"	" "
55	4·8008	5	"	"	" "
56	2·6513	3	"	"	" "
57	2·1322	2	"	"	" "
58	2·7097	2¾	"	"	" "
59	3·1660	3½	"	"	" "
60	1·5685	1¾	Norwich	"	" "
61	2·4411	2½	Reading	Cylindrical . .	" "
62	2·5430	2½	"	"	" "
63	2·2995	2½	Rochester	Flat, oblong . .	" "
64	1·4029	1½	"	"	" "
65	6·2201	6½	"	Pyramidal . . .	" "
66	1·4855	1½	"	Conical	" "
67	1·7103	1¾	Salisbury	"	" "
68	5·5733	5¾	"	"	Chalk.
69	1·5625	1¾	Worcester	Rounded	Burnt clay.
70	1·6562	1¾	"	Domed	" "
71	1·4256	1½	York	Oblong	Limestone.
72	2·7500	3	Hull	Triangular . . .	Burnt clay.
73	2·8275	3	Oxford	"	" "
74	1·3078	1½	"	Ring	" "
75	2·1875	2½	Taunton	Triangular . . .	" "
76	7·0625	7½	"	"	" "
77	1·6250	1¾	"	"	" "
78	3·1562	3½	"	"	" "
79	2·0000	2½	"	"	" "
80	3·9531	4	"	"	" "
81	2·7680	3	Aylesbury	"	" "

REMARKS ON TABLE II.

CARVED STONE BALLS.

In the course of the last 60 or 70 years a large number of these curious objects have been found in Scotland, scattered about the country from the Orkney Islands to the extreme south of Scotland. They have been formed out of spherical stone balls, varying in diameter from $1\frac{1}{2}$ inch to $3\frac{3}{8}$ inches, and in some cases they remain as spheres, more or less ornamented by superficial incised circles, from four to six in number. But frequently the interspaces between the incised circles have been so deeply cut away that the balls have to a great extent lost the shape of spheres; and in some cases they even present the appearance of a bunch of cylindrical knobs. But in all cases they have been formed with a great deal of skill and labour, and in many cases they are highly ornamented. They are undoubtedly of ancient date, and archæologists have placed them in the Late Celtic period. But the antiquaries have not as yet formed any reasonable conjecture as to the use and object of them. They are not adapted for tools of any sort, and they are not pierced with holes, or fitted with hooks or any means of attachment to other objects: so they must be supposed to have served some generally useful purpose by themselves alone. In the opinion of the Author they were either trade weights or were, at any rate, made in accordance with a trade-weight standard. And that standard would seem to have been the Avoirdupois pound, for the following reasons:—

The Author has obtained the weights of eighty-one of these objects, most of which are in the National Museum of Scottish Antiquities in Edinburgh. From a cursory examination of the weights it was seen that they could be grouped as shown in the Table, and the average weight of the balls in each group obtained. These averages correspond pretty closely to $\frac{1}{2}$ lb., $\frac{1}{4}$ lb., $\frac{1}{2}$ lb., $\frac{3}{4}$ lb., 1 lb., $1\frac{1}{4}$ lb., $1\frac{1}{2}$ lb., and 2 lbs. But the number of weights in the first three groups and the last two groups are not sufficient to establish their averages in a thoroughly reliable manner, and the Author prefers to rest his conclusions on the results of the weights of the three middle groups, viz., those corresponding to averages of $\frac{3}{4}$ lb., 1 lb., and $1\frac{1}{4}$ lb. These three groups comprise seventy-one weights out of the eighty-one, and the average weight of these seventy-one weights is 0.972 lb. And the average weight of the middle group, which comprises thirty-two of the weights, is 1.014 lb. The Author regards these two results as showing conclusively that these stone balls were in general intended to weigh 1 pound Avoirdupois. And, if this were the case, the smaller balls, which would also be intended to have definite weights, would proceed naturally by stages of $\frac{1}{2}$ lb., $\frac{1}{4}$ lb., and $\frac{1}{8}$ lb., and similarly with the larger balls. The conclusion to be derived from these stone balls is that the Avoirdupois system of weights was in use in Scotland in the Late Celtic period, which included the period of the Ancient Britons.

The most interesting individual weight of the series is the weight No. 5 in the Table. It is of bronze, and is the only weight of the whole number which is not

of stone. Its present weight is 0·472 lb., and it was no doubt intended for a $\frac{1}{2}$ lb. weight Avoirdupois. With the help of weights Nos. 4 and 6 this bronze weight proves that it was the weight, and not the size, of these objects which was the point of importance. For the diameter of this bronze weight is only $1\frac{1}{2}$ inch, whereas the diameter of the stone ball No. 4 is 2 inches, and that of the stone ball No. 6 is $2\frac{3}{8}$ inches : and they are all three of nearly the same weight. So that it is clear that the bronze ball was made smaller than the stone balls because it is made of much heavier material, and in order to keep it down to the required weight. All through the Table the sizes of stone balls of the same weight will be found to vary considerably according to the specific gravity of the stone of which they are made.

The reference numbers (A.S. 58, etc.) are the Museum numbers of the balls in the National Museum of Scottish Antiquities in Edinburgh.

TABLE II.—CARVED STONE BALLS.

No.	Reference.	Weight in Pounds Avoirdupois.	Averages.	Unit.	No.	Reference.	Weight in Pounds Avoirdupois.	Averages.	Unit.
1	A.S. 58	0·112	0·112	Lb. $\frac{1}{8}$	41	Br. Mus.	1·004		Lb.
2	" 35	0·243	—*		42	A.S. 42	1·008		
3	" 40	0·248	0·246	$\frac{1}{4}$	43	" 72	1·019		
4	" 62	0·423	—*		44	Aberdeen	1·025		
5	" 39	0·472	0·482	$\frac{1}{2}$	45	A.S. 27	1·025		
6	" 98	0·551	—*		46	" 77	1·027	1·014	1
7	" 29	0·655			47	Br. Mus.	1·030		
8	" 90	0·690			48	A.S. 60	1·034		
9	" 93	0·705			49	Aberdeen	1·034		
10	Aberdeen	0·707			50	"	1·036		
11	A.S. 100	0·725			51	A.S. 30	1·037		
12	" 41	0·737			52	" 96	1·042		
13	" 101	0·738			53	" 92	1·058		
14	" 16	0·750			54	" 28	1·061		
15	" 94	0·782			55	" 80	1·062		
16	" 15	0·791			56	Aberdeen	1·069		
17	" 2	0·792			57	A.S. 83	1·076		
18	" 95	0·792	0·783	$\frac{3}{4}$	58	" 86	1·077		
19	Aberdeen	0·793			59	" 82	1·103		
20	A.S. 81	0·796			60	Br. Mus.	1·106		
21	" 88	0·806			61	A.S. 9	1·110		
22	Br. Mus.	0·812			62	" 14	1·111		
23	A.S. 103	0·820			63	" 91	1·126	—*	
24	" 71	0·822			64	" 78	1·126		
25	" 97	0·829			65	" 36	1·136		
26	" 70	0·832			66	" 1	1·161		
27	" 4	0·849			67	" 6	1·163		
28	" 61	0·849			68	" 79	1·170		
29	Br. Mus.	0·859			69	" 10	1·175	1·190	$1\frac{1}{2}$
30	A.S. 31	0·866			70	" 84	1·197		
31	" 99	0·879	—*		71	" 104	1·199		
32	" 76	0·881			72	" 63	1·201		
33	" 7	0·890			73	Br. Mus.	1·215		
34	Aberdeen	0·895			74	A.S. 45	1·218		
35	A.S. 105	0·898			75	" 74	1·236		
36	" 5	0·931			76	" 12	1·248		
37	" 85	0·959			77	" 37	1·282		
38	" 23	0·976			78	Br. Mus.	1·370	—*	
39	Aberdeen	0·992			79	A.S. 34	1·406	1·436	$1\frac{1}{2}$
40	A.S. 13	0·993			80	" 43	1·531	—*	
					81	" 44	1·896	1·896	2

Average weight of seventy-one balls, No. 7 to No. 77, 0·972 lb.

" " thirty-two balls, No. 31 to No. 62, 1·014 lb.

T 2

REMARKS ON TABLE III.

ROMAN WEIGHTS.

With few exceptions, the weights in the Table have been found in Britain, chiefly on the sites of Roman towns, camps, and villas: the few exceptions are those of which the provenance is unknown or uncertain. They are all to be found in the museums of Great Britain. They are usually made of metal—tin, lead, or bronze—but generally lead, sometimes of hard stone, and occasionally of earthenware. Tin appears to have been used only in the south western counties, where that metal is found. In general, the weights are lighter than the Roman standard by reason of wear and tear and corrosion. But this is by no means always the case; in some cases the lead weights have gained weight considerably, from the corroded surface of the lead engaging a coat of siliceous matter, which adds to the weight. And sometimes it would appear that the weights have not originally been made true to the Roman standard. So that it has been necessary to examine every weight carefully, and to take account of all the circumstances which might have affected its weight before deciding upon the weight which it was intended to represent.

The Roman system of weights was as follows (omitting unnecessary subdivisions):—

.6 Siliquæ	=	1 Scrupulum.
24 Scrupula	=	1 Uncia.
12 Unciæ	=	1 Libra.

The siliqua, which was a very ancient unit of weight, and was originally the weight of a bean of the locust tree, corresponded to our modern “carat,” and had a weight of about 3 grains. For the purposes of the Table the following equivalents have been used:—

1 Siliqua	=	3 Grains.
1 Scrupulum	=	17.5 „
1 Uncia	=	421 „
1 Libra	=	5,050 „

As will be seen by the Table, the Romans had a separate weight for each multiple of the scrupulum from 1 to 24. They apparently used sub-multiples of the uncia to the extent of using separate weights for $1\frac{1}{2}$ uncia and $1\frac{1}{3}$ uncia (sesuncia), but no further. And similarly they seem to have used the $1\frac{1}{2}$ and $1\frac{1}{3}$ sub-multiples of the libra, but no others. They did not systematically mark their weights; some of the weights are marked by incised dots or dashes corresponding to the denomination of the weight, and sometimes the $\frac{1}{2}$ -lb. was marked with a rudely-formed S, to signify semis, or one-half. But this was not done systematically.

The Saxons had no system of trade weights of their own; they adopted the Roman system in England just as they found it. There is an interesting weight

in the British Museum which would seem to prove this. It is the weight No. 6 in the Table. This is a Roman $\frac{1}{2}$ -lb. weight of lead, and it is stamped on the top and bottom with the impressions of the top and bottom dies that were used in striking the silver pennies of King Alfred; and it would seem as if this coin-stamp was to be regarded as the official stamp of the King.

Weight No. 68 is a good example of the effect of corrosion in increasing the weight by engaging a coating of siliceous matter. The weight in question is from Silchester, and is unquestionably a weight of 3 Roman pounds; but it is heavily crusted, and weighs nearly an ounce more than the Roman standard. And to some degree the same is the case with a good many of the Melandra weights, Nos. 37 to 56.

TABLE III.—ROMAN WEIGHTS.

No.	Weight in Grains.	Units.			Weight of Units.	Reference, etc.
		Librae.	Unciae.	Scrupula		
1	9	..	..	$\frac{1}{2}$	9	Aberdeen. Glass.
2	9	..	..	$\frac{1}{2}$	9	" "
3	633	..	$1\frac{1}{2}$	..	631	" Bronze.
4	1,188	..	3	..	1,263	" "
5	859	..	2	..	1,842	British Museum. Stone.
6	2,562	..	6	..	2,525	" " Lead.
7	4,691	..	11	..	4,631	" " Stone.
8	1,701	..	4	..	1,684	Bury St. Edmunds. Bronze.
9	142	..	..	8	140	Cambridge. Hæmatite.
10	203	..	..	12	210	" "
11	247	..	..	14	245	" "
12	367	..	..	21	367	" "
13	381	..	..	22	385	" "
14	405	..	..	23	402	" Stone.
15	422	..	1	..	421	" Hæmatite.
16	69	..	..	4	70	Canterbury. Lead.
17	71	..	..	4	70	" "
18	102	..	..	6	105	" "
19	419	..	1	..	421	" Stone.
20	4,770	1	..	..	5,050	Cardiff. Bronze.
21	3,476	..	8	..	3,368	Chester. Lead.
22	3,397	..	8	..	3,368	" "
23	4,094	..	10	..	4,210	" "
24	6,280	$1\frac{1}{4}$	..	..	6,312	" "
25	1,640	..	4	..	1,684	{ Chesters (Cilurnum). Lead. (Four of the same weight).
26	3,280	..	8	..	3,368	" "
27	415	..	1	..	421	Colchester. Earthenware.
28	622	..	$1\frac{1}{2}$	..	631	" "
29	632	..	$1\frac{1}{2}$	..	631	" "
30	1,197	..	3	..	1,263	" Stone.
31	362	..	..	21	367	Edinburgh (Newstead). Lead.
32	1,924	..	5	..	2,105	" " "
33	2,012	..	5	..	2,105	" " "
34	5,038	1	..	..	5,050	" " Stone.
35	3,311	..	8	..	3,368	Ipswich. Lead.
36	1,006	$\frac{1}{16}$	..	..	1,010	London (Guildhall). Lead.
37	148	..	..	8	140	Melandra. Lead.
38	149	..	..	8	140	" "
39	177	..	..	10	175	" "
40	192	..	..	11	192	" "
41	219	..	..	12	210	" "
42	242	..	..	14	245	" "
43	299	..	..	17	297	" "
44	314	..	..	18	315	" "
45	331	..	..	19	332	" "

TABLE III.—ROMAN WEIGHTS—*continued*.

No.	Weight in Grains.	Units.			Weight of Units.	Reference, etc.
		Libre.	Unciæ.	Scrupula		
46	406	..	..	23	403	Melandra. Bronze.
47	435	..	1	..	421	" Lead.
48	535	..	1½	..	526	" "
49	625	..	1½	..	631	" "
50	919	..	2	..	842	" "
51	921	..	2	..	842	" "
52	1,188	..	3	..	1,263	" "
53	1,712	..	4	..	1,684	" "
54	1,728	..	4	..	1,684	" "
55	1,882	..	4	..	1,684	" "
56	4,744	..	11	..	4,631	" "
57	4,893	1	..	..	5,050	Northampton (Hunsbury). Lead.
58	5,024	1	..	..	5,050	" "
59	4,220	..	10	..	4,210	Peterboro'. Lead.
60	137	..	..	8	140	Reading (Silchester). Lead.
61	176	..	..	10	175	" "
62	358	..	..	21	367	" "
63	520	..	1½	..	526	" "
64	512	..	1½	..	526	" "
65	628	..	1½	..	631	" "
66	793	..	2	..	842	" "
67	818	..	2	..	842	" "
68	15,559	3	..	..	15,150	" "
69	891	..	2	..	842	Rochester. Lead.
70	4,024	..	10	..	4,210	" "
71	4,591	..	11	..	4,631	" "
72	387	..	..	22	385	Salisbury. Earthenware.
73	397	..	..	23	402	" "
74	1,128	..	3	..	1,263	Shrewsbury (Uriconium). Lead.
75	1,520	..	4	..	1,684	" "
76	1,575	..	4	..	1,684	" Earthenware
77	1,648	..	4	..	1,684	" Lead.
78	1,716	..	4	..	1,684	" Stone.
79	4,938	1	..	..	5,050	" "
80	246	..	..	14	245	Taunton. Tin.
81	314	..	..	18	315	" "
82	367	..	..	21	367	" "
83	411	..	1	..	421	" "
84	1,963	..	5	..	2,105	" "
85	1,985	..	5	..	2,105	" Lead.
86	5,031	1	..	..	5,050	Warrington (Wilderspool). Lead.
87	6,125	1½	..	..	6,312	" "
88	5,985	1½	..	..	6,312	" "
89	3,738	..	9	..	3,789	" "
90	442	..	1	..	421	" "
91	2,573	..	6	..	2,525	" "
92	212	..	..	12	210	York. Bronze.

TABLE III.—ROMAN WEIGHTS—*continued*.

No.	Weight in Grains.	Units.			Weight of Units.	Reference, etc.
		Librae.	Unciae.	Scrupula		
93	4,498	..	11	..	4,631	{ Taunton (Charterhouse-on- Mendip). } Lead.
94	3,066	..	7	..	2,947	" " " "
95	2,922	..	7	..	2,947	" " " "
96	2,514	..	6	..	2,525	" " " "
97	2,497	..	6	..	2,525	" " " "
98	2,449	..	6	..	2,525	" " " "
99	2,072	..	5	..	2,105	" " " "
100	1,985	..	5	..	2,105	" " " "
101	1,709	..	4	..	1,684	" " " "
102	1,662	..	4	..	1,684	" " " "
103 ¹	1,614	..	4	..	1,684	" " " "
104 ²	1,258	..	3	..	1,263	" " " "
105	1,255	..	3	..	1,263	" " " "
106	1,233	..	3	..	1,263	" " " "
107	1,181	..	3	..	1,263	" " " "
108	1,148	..	3	..	1,263	" " " "
109 ²	1,116	..	3	..	1,263	" " " "
110	797	..	2	..	842	" " " "
111	632	..	1½	..	632	" " " "
112	543	..	1¼	..	526	" " " "
113	522	..	1½	..	526	" " " "
114	432	..	1	..	421	" " " "
115	430	..	1	..	421	" " " "
116	411	..	1	..	421	" " " "
117	411	..	1	..	421	" " " "
118	396	..	..	23	402	" " " "
119	395	..	..	23	402	" " " "
120	377	..	..	22	385	" " " "
121	348	..	..	20	350	" " " "
122	192	..	..	11	192	" " " "
123	154	..	..	9	157	" " " "
124	104	..	..	6	105	" " " "
125	398	..	1	..	421	Sheffield. Stone.
126	402	..	1	..	421	" " " "
127	505	..	1¼	..	526	" " " "
128	2,487	..	6	..	2,525	" " " "
129	2,500	..	6	..	2,525	" " " "
130	2,540	..	6	..	2,525	" " " "
131	3,772	..	9	..	3,787	" " " "
132	4,112	..	10	..	4,210	" " " "
133	7,518	1½	..	..	7,575	" " " "
134	420	..	1	..	421	Cirencester. Bronze.
135	420	..	1	..	421	" " " "
136	364	..	..	21	367	" " " "
137	525	..	1¼	..	526	Caerleon. Earthenware.
138	633	..	1½	..	632	" " " "

¹ Marked ::² Marked |||.

REMARKS ON TABLE IV.

MONEYCHANGERS' WEIGHTS.

In several of the graves which have been opened in Anglo-Saxon cemeteries in the Isle of Thanet, there have been found the remains of a small weighing balance, and a set of small weights, most of which have been formed by rubbing down Roman brass coins with great care to the required weight. These articles evidently formed part of the trade equipment of a moneychanger, and it is found by carefully weighing the objects that a few of the weights correspond to recognized weights of the Roman system, while most of them do not conform to any recognized system of the period, and are apparently coin-weights applicable to the coins which were in circulation in those times. This conclusion is confirmed by noticing that many of the larger weights are multiples of the smaller ones, so as to be applicable to the weighing of coins of double, treble, etc., the weights of the smaller coins, or for weighing several of them at a time. Some of the weights are marked with dots punched upon them, but these appear to be private marks of individual moneychangers, and not in accordance with any recognized system. One of these weights, No. 13, is worthy of notice: it has the exact weight of the Anglo-Saxon silver pennies at the latter part of King Alfred's reign, when the silver penny had its maximum weight, and was very probably used for weighing those coins.

In forming Table IV, the weights found at Gilton, Sarre, and Ozingell, together with four weights of the same class in the museum of Canterbury, have been combined and arranged in order of magnitude. This has been done to simplify the Table, and to exhibit more clearly the multiples of the coin weights. And the weights in question are all of precisely the same nature and from the same district.

As in Table III, the weight adopted for the *Scrupulum* is 17·5 grains.

TABLE IV.—MONEYCHANGERS' WEIGHTS.

No.	Weight.	Units.	Weight of Units.	Remarks.	No.	Weight.	Units.	Weight of Units.	Remarks.
1	Grains. 8	Scrumpula. $\frac{1}{2}$	Grains. 9		28	Grains. 124	Scrumpula. Coin	Grains. ..	2 x No. 23.
2	8				29	125	8	140	
3	11				30	140			
4	12				31	144			
5	15				32	145	Coin		
6	16	Coin			33	145			
7	17				34	146			
8	18	1	17		35	165	Coin		5 x No. 18.
9	18				36	180	Coin		4 x Nos. 19, 20, and 21.
10	19				37	190	Coin		2 x Nos. 25 and 26.
11	19	Coin			38	210	12	210	
12	19				39	225	13	227	
13	24 $\frac{1}{2}$	Coin		{ Probably coin-weight for silver pennies.	40	243	14	245	
14	26				41	248	Coin		2 x Nos. 28 and 29.
15	27	Coin			42	280	16	280	2 x Nos. 31, 32, 33 and 34.
16	30	Coin		2 x Nos. 5 and 6.	43	292	Coin		
17	31				44	296	17	297	3 x No. 27.
18	32	Coin			45	300	Coin		5 x No. 23.
19	33				46	310	Coin		
20	45	Coin			47	312			
21	46				48	320	Coin		
22	51	3	52		49	341	Coin		
23	62	Coin		2 x Nos. 16 and 17.	50	379	Coin		2 x No. 37.
24	87	5	87		51	391	Coin		
25	94				52	555	Coin		
26	96	Coin		5 x Nos. 10, 11 and 12.	53	931	Coin		3 x Nos. 46 and 47.
27	100	Coin			54	1,063	Coin		

REMARKS ON TABLE V.

TROY WEIGHTS.

Amongst the weights found in different museums, and which come from sources of such undoubted authenticity as Silchester, Uriconium, and other Roman stations, there are a certain number of weights which can be nothing else than Troy weights, and these prove that the Troy system of weight was in use in England simultaneously with the Roman system. And this might easily have been the case during the last 250 years of the Saxon kingdom, as has been already shown. All the weights in the Table tell the same tale, but attention may be specially directed to Nos. 1 and 12, on account of their excellent condition and singular closeness of agreement with the Troy standard. Weight No. 14 shows the effect of corrosion in increasing the weight, in the same manner as was noticed in the Remarks on Table III.

The Table shows that in the time of the Saxons the Troy pound was subdivided decimally, and that Troy ounces were used as well. In forming the Table, the Troy pound has been taken at 5,760 grains, and the Troy ounce at 480 grains.

TABLE V.—TROY WEIGHTS.

No.	Weight in Grains.	Units.		Weight of Units.	Reference, etc.
		Troy Lbs.	Troy Oz.		
1	576	$\frac{1}{10}$	..	576	British Museum. Bronze.
2	2,433	..	5	2,400	Stone.
3	1,431	..	3	1,440	Cambridge. " Hæmatite.
4	5,708	1	..	5,760	Northampton. Lead.
5	1,925	..	4	1,920	" "
6	489	..	1	480	Peterborough. Earthenware.
7	927	..	2	960	" Lead.
8	731	..	$1\frac{1}{2}$	720	Reading (Silchester). Lead.
9	1,129	$\frac{2}{10}$	..	1,152	" " "
10	1,155	$\frac{2}{10}$	..	1,152	" " "
11	4,576	$\frac{8}{10}$	..	4,608	" " "
12	5,767	1	..	5,760	" " "
13	5,701	1	..	5,760	" " "
14	23,484	4	..	23,040	" " "
15	738	..	$1\frac{1}{2}$	720	Salisbury. Earthenware.
16	596	..	$1\frac{1}{2}$	600	" "
17	570	$\frac{1}{10}$	..	576	" "
18	489	..	1	480	" "
19	1,016	..	2	960	" "
20	969	..	2	960	Shrewsbury (Uriconium). Lead.
21	980	..	2	960	" " Earthenware.
22	2,366	..	5	2,400	" " Stone.
23	3,351	..	7	3,360	" " Earthenware.
24	33,250	6	..	34,560	Warrington. Lead.
25	5,657	1	..	5,760	" "
26	8,395	$1\frac{1}{2}$	..	8,640	{ Taunton (Charterhouse-on-) Lead. Mendip }
27	8,391	$1\frac{1}{2}$	..	8,640	" " "
28	5,667	1	..	5,760	" " "
29	4,847	..	10	4,800	" " "
30	4,824	..	10	4,800	" " "
31	1,950	..	4	1,920	" " "
32	1,914	..	4	1,920	" " "
33	1,506	..	3	1,440	" " "
34	1,348	..	3	1,440	" " "
35	742	..	$1\frac{1}{2}$	720	" " "
36	706	..	$1\frac{1}{2}$	720	" " "
37	704	..	$1\frac{1}{2}$	720	" " "
38	356	..	$\frac{3}{4}$	360	Sheffield. Stone.
39	370	..	$\frac{3}{4}$	360	" "
40	585	..	$1\frac{1}{2}$	600	" "

REMARKS ON TABLE VI.

AVOIRDUPOIS WEIGHTS.

The number of Avoirdupois weights in the Table is not large, but the provenance of them is unexceptionable. They were found in Roman stations or amongst Roman remains, and the conclusion is that, just as Troy weights were used for coinage purposes while the Roman system was in use for general purposes, so the Avoirdupois pound was in use to a certain extent as a standard weight for heavy goods, which has always been the peculiar province of this system. And these leaden Avoirdupois weights would be merely an extension or part of the system of burnt clay weights which have also been found amongst Roman remains, and had existed in Britain long before the Roman times.

The weight of the Avoirdupois pound is 7,000 grains.

TABLE VI.—AVOIRDUPOIS WEIGHTS.

No.	Weight in Grains.	Units in Pounds Avoirdupois.	Weight of Units.	Reference, etc.
1	6,723	1	7,000	Chester. Lead.
2	2,299	$\frac{1}{3}$	2,333	Northampton. Stone.
3	3,391	$\frac{1}{2}$	3,500	" Lead.
4	5,489	$\frac{8}{10}$	5,600	" "
5	7,125	1	7,000	Peterboro'. Lead.
6	7,010	1	7,000	" "
7	3,408	$\frac{1}{2}$	3,500	" "
8	8,985	$1\frac{1}{2}$	8,750	Shrewsbury. Stone.
9	9,769	$1\frac{1}{2}$	10,500	" Lead.
10	23,906	$3\frac{1}{2}$	24,500	" "
11	53,812	8	56,000	Warrington. "
12	55,392	8	56,000	" "
13	6,562	1	7,000	" "
14	10,366	$1\frac{1}{2}$	10,500	Taunton. Lead.
15	14,202	2	14,000	British Museum. Stone.
16	7,492	1	7,000	" " "
17	6,939	1	7,000	" " "
18	7,055	1	7,000	" " "
19	7,241	1	7,000	" " "

NOTE.—The Weights Nos. 15 to 19 were all found in Scotland.