Visualizing coherent vibrational motion in the molecular iodine B ${}^3\Pi_{0^+u}$ state using ultrafast XUV transient absorption spectroscopy

Sonia M. Poullain, 1,2* Yuki Kobayashi, 1,† Kristina F. Chang, 1 Stephen R. Leone 1,3,4*

¹ Department of Chemistry, University of California, Berkeley, CA 94720, USA.
² Departamento de Química Física, Facultad de Ciencias Químicas, Universidad Complutense de Madrid, 28040 Madrid, Spain.

³ Chemical Sciences Division, Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA.

⁴ Department of Physics, University of California, Berkeley, CA 94720, USA

† Present address: Stanford PULSE Institute, SLAC National Accelerator Laboratory, Menlo Park, California 94025, USA

* Email: smarggi@ucm.es (S.M.P)

* Email: srl@berkeley.edu (S.R.L)

Attosecond probing of core-level electronic transitions in molecules provides a sensitive tool for real-time observation of chemical dynamics. Here, we employ ultrafast extreme-ultraviolet (XUV) transient absorption spectroscopy to investigate the excited state electronic and nuclear dynamics in a prototype molecule, I_2 . A few-femtosecond visible pump pulse is employed to excite the I_2 molecule and an attosecond XUV pulse is used to probe the dynamics through iodine-4*d* core-to-valence transitions. A highly extended vibrational wave packet (v'=10-60, v'_{max}=25) is prepared by one-photon absorption in the valence excited B ${}^3\Pi_{0^+u}$ state of I_2 and its motion is directly mapped due to the strong shift of the XUV core-level transition with internuclear separation. Through the imaging of this vibrational motion, we directly reconstruct the transition energy between the valence and the core-excited states as a function of internuclear distance. Besides single-photon dynamics, distinct direct dissociation pathways arising from two-photon pump absorption are also revealed.

I. INTRODUCTION

Ultrafast light sources in the attosecond time regime (from tens of attoseconds up to a few femtoseconds) from both large-scale facilities such as free electron lasers and table-top experiments using high order harmonic generation (HHG), are characterized by the unique power to resolve the electronic dynamics in molecules. Recent examples include measured time delays in the photoionization of ethyl iodide [1] and reported charge migration in iodoacetylene [2]. In this context, ultrafast XUV transient absorption spectroscopy, characterized by excellent spectral and temporal resolution, has been shown to be an ideal tool to unravel the ultrashort electronic and nuclear dynamics in excited states [3-9]. In particular, a recent publication by our group demonstrates the power of this methodology to unravel the dynamics of a photodissociation reaction [9], where a visible pump pulse excites IBr molecules onto the B ${}^3\Pi_{0^+}$ electronic state and the nonadiabatic dissociation dynamics is probed by core-to-valence transitions in the XUV. The measured attosecond transient absorption spectra unravel the photodissociation dynamics and in particular directly observe the wave packet bifurcation and the electronic-character switching at a curve crossing. The aim in new work here is to visualize and quantify the real-time nuclear coherent motion of a molecule, in particular, a broad, highly extended vibrational wave packet created in the bound B $^3\Pi_{0^+u}$ state of the iodine molecule (I₂). The wave packet visualization is made possible by taking advantage of the dramatic shift in core-level XUV transition energies with vibrational excitation. In addition, this nuclear coherent motion is used to extract relevant information on the shape of the potential energy curves of the core-excited electronic states accessed through XUV transitions.

Molecular iodine constitutes a prototype for molecular dynamics from early photodissociation studies to recent XUV-IR experiments [10–12]. Its first absorption band lying between 420 nm and 800 nm is characterized by minor transitions to the repulsive A ${}^{3}\Pi_{1u}$ and B" ${}^{1}\Pi_{1u}$ excited states and by a major absorption to the bound B ${}^{3}\Pi_{0^{+}u}$ with an absorption maximum around 530 nm (see Figures 1 and 2) [13]. We note that, following Mulliken notation, the term associated with the Ω - ω coupling (Hund's case c) is specified as an extra label in the




FIG. 1. Relevant computed potential energy curves of I₂, including the first excited valence states populated following one- and two-photon absorption (visible pulse) along with the core-excited states populated by the XUV probe. (See Appendix A for more information on the electronic configuration of the core-excited states).

subscript [14]. In early experimental and theoretical work, the weak A ${}^{3}\Pi_{1u}$ state was shown to be excited in the red edge (in particular ~ 650-700 nm) and to undergo direct dissociation while absorption into the minor B" state was found in the blue edge with an at 490 absorption maximum nm [13,15]. Predissociation from the major B state, characterized by lifetimes in the nanosecond timescale, occur through a crossing with the B" repulsive state and was extensively investigated [16–20]. Pioneering femtosecond pump-probe experiments performed by Zewail and co-workers on the vibrational wave-packet dynamics produced by excitation of a few vibrational levels in the B state [10,21–23]. The light induced fluorescence (LIF) signal presented characteristic oscillations reflecting vibrational and rotational coherences. The results were analyzed in detail in terms of information extracted on the nuclear vibrational and rotational motion, rotation-vibration coupling and




FIG. 2 Absorption spectrum of I_2 , in the visible (blue line) compared to the spectrum characterizing the visible pump pulse (purple line). The spectral region where each excited state, A ${}^3\Pi_{1u}$, B ${}^3\Pi_{0+u}$ and B" ${}^1\Pi_{1u}$, absorbs are highlighted by a yellow, orange and violet area, respectively.

experimental determination of the potential energy curve. More recently. two simultaneous investigations have imaged the motion of the vibrational wave packet in the B state employing pump-probe X-ray diffraction [24] and ultrafast electron diffraction [25] with a temporal resolution of 30 fs and 230 fs, respectively. In both cases, analyses of the diffraction data allow the atomic distance as a function of the time delay to be experimentally derived, with a spatial resolution of 0.07 Å and 0.3 Å, respectively, for X-ray and electron diffraction.

In the present work, we show how attosecond transient XUV spectroscopy permits direct visualization of the coherent nuclear motion with outstanding temporal and spectral resolution, allowing also to directly reconstruct the transition energy as a function of interatomic distance (ranging between 2.7 Å and 3.8 Å) between the initially populated valence state and the core-excited states accessed by XUV transitions. As illustrated in Fig. 1, a broad vibrational wave packet is created in the B state upon excitation by a 13 fs visible pulse (500-650 nm) and its motion is probed by a time-delayed attosecond XUV pulse (40-70 eV) through XUV transitions into core-excited molecular states, corresponding to the excitation of an electron from an iodine 4d orbital $(4d_{5/2} \text{ or } 4d_{3/2})$ into a σ^* , π or π^* valence orbital (see Appendix A) [26]. These molecular transitions correlate in the asymptotic limit with well-known atomic transitions, i.e. I ²P_{3/2}

 \rightarrow $^{2}D_{5/2}$ (45.9 eV) and I* $^{2}P_{1/2} \rightarrow ^{2}D_{3/2}$ (46.7 eV), corresponding to an excitation from a 4d orbital into the valence 5p orbital. The experimental results are complemented by electronic-structure calculations and wave-packet simulations. Computed potential energy curves for valence and core-excited electronic states are depicted in Fig. 1 and the corresponding absorption probabilities between valence electronic states, in particular X $^1\Sigma^+{}_{0^+g},$ B $^3\Pi_{0^+u},$ Y $^3\Sigma^-{}_{0^+g}$ and Z ${}^{3}\Pi_{0^{+}_{g}}$, and the core-excited states are plotted in Figure A2 (see Appendix A). As observed, onephoton visible excitation leads to major population on the B ${}^{3}\Pi_{0+_{11}}$ state and subsequent one-photon excitation from the B state into the repulsive Y $^3\Sigma^-_{0^+{}_g}$ and $Z^{3}\Pi_{0_{g}}$, states is also favorable, as shown in Fig. 1. The absorption transient spectra following excitation at selected wavelengths between 500 nm and 600 nm have also been simulated by solving the time-dependent Schrödinger equation for the nuclear motion.

II. METHODS

A. Experimental set-up

attosecond transient-absorption The table-top apparatus has been previously described in [9]. A titanium: sapphire laser system (Femtopower Pro, Femtolasers GmbH) is employed, carrier-envelope-phase-stable producing infrared (NIR) femtosecond pulses centered at 790 nm (1.8 mJ, 1 kHz). The NIR output is focused into a stretched hollow core fiber (1.5 m, 400 µm, Fewcycle Inc.) filled with 1.9 bars of neon for spectral broadening while the resulting pulses are compressed using twelve chirped mirrors (PC 70, Ultrafast Innovations GmbH), a 2-mm thick ammonium dihydrogen phosphate crystal (United Crystals Inc.), and fused-silica wedges. Few-cycle ~3.8 fs broadband NIR pulses (0.9 mJ) with a spectrum extending from ~520 nm to ~900 nm are obtained and regularly characterized using a D-scan [27,28]. One part (0.3 mJ) is separated using a broadband beam splitter and used to generate the visible-pump pulse by employing two spectral separators for visible light (Layertec GmbH). This visible component of the input pulse, between 500 nm and 650 nm, is reflected by the separators while the NIR part is transmitted. Another part of the broadband

NIR pulses is focused into a quasi-static gas cell filled with argon to produce attosecond XUV pulses (40-70 eV, ~170 as according to previous streaking [27]) through high harmonic measurements generation while the residual NIR is removed by a 300-nm thick aluminum filter. The visible-pump pulse and the XUV-probe pulse are combined at a hole mirror, which are then reflected by a goldcoated toroidal mirror into an absorption gas cell (2mm path length with entrance and exit pinholes) filled with I₂ vapor. The molecular iodine sample (Sigma Aldrich, ≥99.8%) is heated at around 65 °C to create an adequate vapor pressure for the transient absorption measurements. The transmitted spectrum is recorded using a concave grating and an X-ray CCD camera. Well-known Fano resonances of neon between 40 eV and 50 eV [29] are used for XUV photon energy calibration while time overlap between visible-pump and XUV-probe pulses is determined by in situ measurement of shifts in coreexcited helium, obtaining a cross-correlation fitted to a Gaussian function and characterized by FWHM of agreement 13.0 ± 0.5 fs. in with previous characterization of the visible pulse using a FROG scan.

B. Theoretical method: Electronic structure

The electronic-structure calculations of I₂ are performed by using the spin-orbit general multiconfigurational quasidegenerate perturbation theory (SO-GMC-QDPT) implemented developer version of GAMESS US [30-32]. For all calculations, model core potentials with basis sets of triple-zeta quality (MCP-TZP) are used [33,34]. First, a Hartree-Fock calculation at the equilibrium distance of R_{eq}=2.63 Å is carried out, and the output molecular orbitals are used for subsequent multiconfigurational self-consistent calculations. Two active spaces are defined based on occupation-restricted-multiple-active-space the scheme [35]; a valence-active space consists of 10 electrons distributed in 6 orbitals (i.e. I 5p orbitals), and a core-active space consists of 20 electrons distributed in 10 orbitals (i.e. I 4d orbitals). The valence space is defined as a complete-active space, whereas only single excitations are allowed from the core-active space to the valence-active space, which depicts the $4d \rightarrow 5p$ core-to-valence transitions. In the state averaging, 186 electronic states are




FIG. 3: Measured differential absorption map and Fourier analysis. (a) Measured transient absorption spectra (in Δ OD) as a function of the time delay and of the XUV photon energy. (b) Fourier transformation along the time delay abscissa axis of the transient absorption map on panel (a). White dotted boxes highlight the major frequencies observed.

included; 36 neutral states (I + I), 30 ionic states (I⁺ + I⁻), and 120 core-excited states (I* + I). To accurately reproduce the spin-orbit couplings for the I 4d and I 5p shells, an effective nuclear charge of $Z_{\rm eff}$ = 71.5 was used and the spin-orbit matrix coupling constant for the I 4d shell was scaled down by 42%. In addition, a constant energy shift of +0.22 eV has been added to the I 4d core states to properly reproduce the experimental energy of the $4d \rightarrow 5p$ transition.

C. Theoretical method: Dynamics

The molecular dynamics on the X $^1\Sigma^+_{0^+g}$, B $^3\Pi_{0^+u}$, Y $^3\Sigma^-_{0^+g}$ and Z $^3\Pi_{0^+g}$ states as well as the time-resolved XUV absorption signals therein are simulated by numerically solving the time-dependent Schrödinger equation (TDSE) for the nuclear motion,

$$i\frac{\partial}{\partial t}\Psi(R,t) = \boldsymbol{H}(R,t)\Psi(R,t)$$
 (1)

where Ψ is the nuclear wave functions of the valence electronic states. Equations are expressed in atomic units unless otherwise noted. The Hamiltonian for the nuclear motion including the dipole interaction with the visible pump pulse is given by

$$\boldsymbol{H}(R,t) = -\frac{1}{2m} \frac{\partial}{\partial R^2} + \boldsymbol{V}(R) - E_{VIS}(t) \boldsymbol{\mu}(R) \quad (2)$$

where R is the internuclear distance, V is the potential energies, E_{VIS} is the electric field of the visible pump pulse, and μ represents the transition

dipole moments between the valence electronic states. The grid space spans from 2.0 Å to 7.0 Å with intervals of 0.01 Å, and nuclear wave packets are expressed by the sinc-function discrete variable representation [36]. Complex absorbing potentials are defined at the end of the grid to smoothly eliminate the dissociating components from the Y $^3\Sigma^-_{0^+g}$ and Z $^3\Pi_{0^+g}$ states. The visible pump is defined by a 10-fs Gaussian pulse centered at a variable wavelength from 500 nm to 600 nm. The XUV absorption signals at each delay time are obtained by convoluting the nuclear wave packets with the R-dependent core-to-valence absorption strengths (Fig. S2), wherein the contributions from different valence states are taken as an incoherent summation.

III. RESULTS AND DISCUSSION

The transient absorption spectra measured as a function of the time delay between the visible pump and the XUV probe pulse are presented in Fig. 3(a). The time delay varies from -50 fs to 2 ps with time steps of 10 fs while at each time delay the pump-probe spectrum ($I_{\text{Vis}+\text{XUV}}(E_{\text{XUV}},\tau)$) is collected for 120 frames (100 laser pulses per frame) and the probe-pulse only spectrum ($I_{\text{XUV}}(E_{\text{XUV}})$), similarly recorded at each time, is subtracted. In Fig. 3(a), the transients defined as variations in the optical density, $\Delta \text{OD} = -\ln[I_{\text{Vis}+\text{XUV}}(E_{\text{XUV}},\tau)/I_{\text{XUV}}(E_{\text{XUV}})]$, are plotted as a function of the time delay, τ , and of the XUV photon energy, E_{XUV} , between 45.0 eV and




FIG. 4 Simulated absorption maps in terms of absorbance (arb. units) as a function of the XUV photon energy and the time delay for different excitation energies.

52.0 eV. Clear oscillations, characterized by a negative Δ OD, are observed around 48.8 eV and 50.2 eV, reflecting vibrational coherences produced through ground-state depletion. Taking into account the low power characterizing the visible pulse, such coherences are likely produced through resonant impulsive stimulated Raman scattering. Besides these oscillations, some features shifting in energy as a function of the time delay are observed between 45.9 eV and 48.0 eV along with two major features lying at 45.9 eV and 46.7 eV and assigned to atomic iodine, I 2 P_{3/2} and I* 2 P_{1/2}, respectively, arising from fast photodissociation of I₂ within 100 fs (See Appendix B).

The Fourier transform analysis of the measured transient spectra has been performed along the time delay axis to evaluate the periodic frequencies and is plotted in Fig. 3(b). Two characteristic frequencies are obtained: ~27 meV (\pm 2 meV) at higher photon energies (between 48 eV and 52 eV) and ~11 meV (\pm 2 meV) at photon energies around 47.2 eV and 46.5 eV. The former is indeed consistent with the vibrational frequency, $\omega_e = 214.50 \text{ cm}^{-1}$ (26.7 meV) of the I₂ in its ground state while the latter reflects the vibrational motion induced in highly excited levels

of the B $^3\Pi_{0^+u}$ state (ω_e =125.69 cm $^{-1}$, *i.e.* 15.6 meV, and $\omega_e\chi_e$ =0.764 cm $^{-1}$ [37]) of I₂.

The simulated XUV absorption spectra including the contributions of the dynamics on all valence states considered in the calculations the X $^{1}\Sigma^{+}_{0^{+}g}$, B $^{3}\Pi_{0^{+}u}$, Y $^{3}\Sigma^{-}_{0^{+}g}$ and Z $^{3}\Pi_{0^{+}g}$ states are depicted in Fig. 4 for selected excitation wavelengths between 500 and 600 nm within the experimental pump pulse employed. Excitation into the B state is negligible for wavelengths above 600 nm as observed in Fig. 1(See Appendix C).

In contrast to the experimental data measuring a variation in absorption, ΔOD, these simulated maps directly reflect the absorption strength. Well-resolved oscillations around ~ 48.8 eV and ~ 50.2 eV are characterized here by a positive absorbance but give rise to a negative one since they reflect the vibrational coherences produced from the depletion of the ground state. While some oscillatory features lying between 45.9 eV and 48.0 eV reflecting the vibrational wave packet on the B state are well observed at wavelengths between 520 nm and 560 nm, at longer wavelengths the two features at 45.9 eV and 46.7 eV from atomic I and I* are observed due to the major dissociation on the into the Y and Z




FIG. 5. (a) Experimental transient absorption map (in ΔOD) following I_2 excitation by the visible pump pulse, as a function of the time delay and the XUV photon energy. Red arrows (labelled 1. phot.) highlight the observed vibrational wave packet motion by one-photon absorption as features significantly moving in energy with time. Green and gray arrows (labelled 2. phot.) indicate additional direct dissociation features due to two-photon excitation in the experimental data (see Fig. 6). (b) Simulated transient absorption (1. phot.) from the wave packet in B $^3\Pi_{0^+u}$ excited state following one-photon absorption at 520 nm.

states populated through two-photon absorption. At a shorter wavelength, 500 nm, the oscillatory structure from the B state is almost washed out and some dissociation from this state is observed. This dissociation pathway is however rather unfavorable and negligible with respect to the two-photon dissociation at longer wavelengths.

An expanded view of the measured transient absorption spectra is depicted in Fig. 5(a) for $E_{\rm XUV}$ between 45.5 eV and 48.2 eV where a number of features are observed that contain information about the induced photodynamics. Besides the two peaks at 45.9 eV and 46.7 eV corresponding to I $^2P_{3/2}$ and I* $^2P_{1/2}$ formation from dissociation, the time-dependent periodic features reflecting the vibrational motion on the B state are observed in detail now and highlighted in Fig. 5 (a) by red arrows. We note that

the core-excited states are characterized by two different angular momenta j=5/2 and j=3/2, giving rise to duplicated features: the periodic structures around 47.2 eV, *i.e.* lying between ~47 - 48 eV are from the $4d_{5/2} \rightarrow \sigma^*$ transition and the other ones, less intense, are from the $4d_{3/2} \rightarrow \sigma^*$ transition, observed between 46.5 - 46.0 eV [26]. The shift in energy as a function of τ characterizing these periodic features mainly reflects the shape of the core-excited potentials probed by the XUV pulse as the wave packet moves in the B state.

Vibrational coherences previously observed using transient spectroscopy typically arise from the depletion of the ground state and involve only a few vibrational levels; they are identified as a complete oscillatory feature characteristic of a wave packet that oscillates over a short range of internuclear distances [4-6,38]. In contrast, here a broad distribution of vibrational levels between v' = 10 and v' = 50 in the B state, with a maximum around v' = 25, is created according to the estimated excitation probability based on the visible pump pulse spectrum and on computed Franck-Condon factors between an assumed initial population on the $X^{1}\Sigma^{+}_{0+\sigma}$ (v = 0, 1, 2) and the B state (see Appendix C). In addition, the broad potential well of the B state allows us to probe a large range of internuclear distances and therefore a large extent of the coreexcited state potential versus internuclear distance.

The simulated XUV absorption spectra following one-photon excitation into B $^3\Pi_{0^+u}$ at 520 nm is depicted in Fig. 5 (b). Quasi-identical periodic features are observed, reflecting the vibrational wave packet motion on the B state. As observed in Fig. 5(a) and (b), a non-constant ΔOD characterizes these features. Taking into account the nearly constant absorption probability between the B state and the core-excited states obtained in the calculations (see Fig. S2), this irregular ΔOD directly reflects the wave packet broadening due to the anharmonicity of the potential energy curve, as discussed later.

While the formation of atomic iodine dominates the experimental transients, according to the simulations carried out, dissociation on the B state is not favorable even for the higher excitation energies around 500 nm, as observed in Fig. 4 and in Fig. 5 (b). In contrast, two-photon absorption into the Y $^3\Sigma^{-}_{0^+g}$ and Z $^3\Pi_{0^+g}$ repulsive states followed by direct fast dissociation is relatively favorable. A strong




FIG. 6. (a) Experimental transient absorption spectra (in ΔOD) as a function of the time delay and the XUV photon energy measured for short time delays, labeled with one- and two-photon arrows. (b) and (c) Simulated absorption spectra following excitation at 600 and 520 nm. One-photon vibrational dynamics on the B ${}^3\Pi_{0^+_u}$ state is indicated by red arrows while dissociation dynamics following two-photon absorption into the Y ${}^3\Sigma^-_{0^+_g}$ and Z ${}^3\Pi_{0^+_g}$ is shown by green and cyan arrows, respectively.

transition dipole moment for one-photon absorption from the B state into these excited states is indeed obtained (see Fig. A1), as this second transition step corresponds to a strong π - π * excitation. This fast dissociation is characterized by specific features at short-time delays. The transient absorption spectra measured for time delays varying between -5 fs and 80 fs, with time steps of 2 fs, collected for 60 frames (50 laser pulses per frame) are depicted in Fig. 6 (a) and are compared to the simulated absorption spectra following excitation at 600 nm and 520 nm. In addition to the fact that the structure starting at ~ 48 eV shifts in energy (red arrow), which reflects the vibrational motion on the B state, two other features characterize this temporal region (Fig. 6 (a)), both attributed to two-photon visible absorption: a feature lying at ~ 47 eV and another lying at ~ 46.5 eV; the latter clearly shifts to lower energies. Resonant twophoton excitation into the Y and Z states occurs only at lower excitation energies (560-600 nm), as reflected in Fig. 6 (b) and (c). The early-time simulated transient following excitation at 520 nm is dominated by the structure starting at ~ 48 eV, which reflects the vibrational motion on the B state, while two different features, in agreement with the additional structures observed in the experimental map, arise at 600 nm in the calculations. Dissociation on the Y state leads exclusively to the formation of I ²P_{3/2} and is characterized by the feature starting at ~ 46.5 eV; it shifts in energy as τ increases, which reflects the evolution of the wave packet on the repulsive potential, and reaches the I ²P_{3/2} atomic line

at 45.9 eV within 100 fs (green arrows, Fig. 6 (a) and (b)). In contrast, dissociation on the Z state is associated with the formation of I $^2P_{3/2} + I^{*2}P_{1/2}$, distinguished in the simulated transient by the two features crossing (cyan arrows). Although less clearly observed in the experimental map, this dissociation pathway is accordingly assigned to the feature lying around 47 eV. The corresponding transients for I $^2P_{3/2}$ and I* $^2P_{1/2}$ are included in Appendix B (Fig. B1).

In order to gain a deeper insight into the core-excited electronic states based on the vibrational motion on the B state monitored through transient spectroscopy, the XUV energy position corresponding to the maximum $\triangle OD$ in Fig. 5 (a) (red arrows) is extracted as a function of τ and plotted in Fig. 7 (a). This result is compared to a one-dimensional classical dynamics simulation carried out on the B state (see Appendix C) shown in Fig. 7 (b) where the internuclear distance, R, oscillates periodically with τ . A coherent vibrational wave packet is created upon visible onephoton excitation. This wave packet is initially located close to the inner turning point due to the different equilibrium distance characterizing the ground state and the B state ($R_{eq} = 2.67 \text{ Å vs.}$ $R_{eq} = 3.02$ Å, respectively). While the wave packet evolves in the B state as the internuclear distance R increases, the corresponding feature shifts to lower XUV photon energies mainly reflecting the shape of the core-excited potential energy curve. At $\tau \approx 200$ fs, the vibrational wave packet is located at larger internuclear distances, close to the outer turning




FIG. 7. (a) Photon energy position at the maximum ΔOD of the feature reflecting the vibrational dynamics in the B $^3\Pi_{0^+u}$ state observed in Fig. 2. (b) One-dimension classical dynamics simulation in the B $^3\Pi_{0^+u}$ excited state.

point (R around ~ 3.7 Å), and the XUV absorbance signal is large. Taking into account the anharmonic shape of the potential energy curve (See Fig. 1), the wave packet is considerably broadened at this point, covering a large range of R, but with a range of similar XUV energies. The wave packet is considerably spread when it starts to turn back to smaller R as reflected by both the experimental and the simulated absorption map in Fig. 5 (a) and (b), respectively. This spreading leads indeed to the decreased absorbance observed in the simulated transients (Fig. 5 (b)) while the feature disappears completely in the experiment, as observed in Fig. 5 (a). As the wave packet gets close to the inner turning point around $\tau \approx 390$ fs, some recompression of the wave packet occurs due to the sharp shape of the potential at shorter R, as revealed by the appearance of a sharp absorption feature around $\tau \approx 390$ fs. A strong signal enhancement is again observed at later times as the feature shifts to lower energy between $\tau \approx 450$ fs and $\tau \approx 600$ fs when the wave packet gets close to the outer turning point. This behavior, characterized by an increased and




FIG. 8. Computed XUV absorption strengths from the B $^3\Pi_{0^+}{}_{u}$ state into the core-excited states as a function of the transition energy and the internuclear distance. The color scale shows the normalized transition probability. Orange circles and orange lines: Experimental curve of core level transition energy versus internuclear separation extracted from the experimental transient absorption map.

decreased spectral dispersion, as the wave packet evolves between the outer and inner turning points has been previously reported [39] and is indeed well observed in the nuclear wave packet evolution as a function of the time delay depicted in Fig. C3. A partial recompression of the wave packet is produced each time the wave packet gets to the inner turning point at shorter R while the wave packet spreading on the way to or from the outer turning point produces a considerable decrease in signal. After a few oscillations, the feature characterizing the motion on the B state is almost indiscernible for $\tau \ge 1000$ fs, reflecting the dephasing of the wave packet due to the anharmonicity of the potential.

The comparison between the XUV absorption energies and the classical dynamics plotted in Fig. 7 allows us to assign, at each time delay, a core-to-valence transition energy to an internuclear distance, hence directly mapping the core-excited states. The results obtained for the absorption feature between 48 eV and 47 eV $(4d_{5/2} \rightarrow \sigma^*)$ are depicted in Fig. 8 overlaid with the computed transition probability between the valence B state and the core-excited states, showing excellent agreement. The same

mapping is performed for the shifting feature arising at 46.5-46 eV (4d_{3/2} \rightarrow σ *), although over a narrower region of R, and the result is shown in Fig. 8. By creating a vibrational wave packet on the B state, we directly probe the transition energy between the B state and the core excited states, obtaining valuable information on the shape of the potential of the latter. In addition, the wide potential well characteristic of the B state permits a mapping of a large portion of the core-excited state potential versus internuclear separation. The shape of such core-excited states can be understood in diatomic molecules by the equivalent core model, which assumes that removing a core electron is, for the outer electrons, equivalent to an increase in the nuclear charge by one unit. In this picture, the first resonant state is equivalent to the xenon iodide (XeI) ground state. Its potential energy curve is weakly bound (De~33 meV) due to a van der Waals attraction and presents indeed an overall repulsive shape [40]. In contrast, potential energy curves of core-excited states in larger polyatomic molecules are often not well-known and the present work opens the door for their experimental determination.

IV. CONCLUSION

Attosecond XUV transient absorption spectroscopy is employed to image coherent nuclear motion in real-time. One-photon visible-pump absorption is employed to create a broad vibrational wave packet in the valence excited B $^3\Pi_{0^+_{11}}$ state of I_2 while the dynamics are probed by core-to-valence transitions one-photon XUV absorption. vibrational motion in the B state is directly observed in real time for more than one picosecond, in excellent agreement with simulated absorption maps, while concurrent two-photon absorption and subsequent fast direct dissociation, within 100 fs, is discerned and discussed. In contrast to traditional reported vibrational coherences involving a few vibrational levels and often lasting picoseconds, by one-photon absorption a broad vibrational wave packet in the B-state is created here, from v' = 10 to v' = 50 with a maximum around v' = 25, and its motion is directly visualized in the XUV transient spectra as a characteristic feature shifting in energy. The wave packet spreading at the outer turning point and the later recompression at the inner turning point is clearly observed in agreement with the simulated absorption maps, while after a few oscillations the anharmonicity of the potential energy curve leads to the dephasing of the wave packet for $\tau > 1000$ fs. In contrast to the present work, previous reports of coherent nuclear motion on the B state particular employing in ultrafast electron diffraction [25] and X-ray diffraction [24] involve only a few vibrational levels ~ 5. Moreover, the wave packet evolution including its increased and decreased spectral dispersion at the outer and inner turning points was not observed before. In both ref. [23] and [25], further analysis was also required to derive the internuclear distance as a function of the time delay. Although XUV transient absorption spectroscopy does not allow to directly determine accurate geometrical information, it constitutes an ideal tool to unravel vibrational motion as a result of its unique spectral and temporal resolution. In addition, the observed shifting in energy associated with the vibrational motion in the B states reflects the transition energy between the valence and the coreexcited states as a function of the internuclear distance. It gives thus direct information on the potential energy curves of the core-excited states. The transition energy between the valence B state and the core-excited states as a function of the internuclear distance (ranging between 2.7 Å and 3.8 Å) is indeed experimentally derived by combining the ATAS experimental results with a simple onedimension classical calculation. Such information can be of particular interest in larger molecules, where ab initio calculations of core-excited states are particularly demanding.

ACKNOWLEDGEMENTS

This work is supported by the National Science Foundation (nos. CHE-1951317 and CHE-1660417) and the U.S. Army Research Office (no. W911NF-14-1-0383). S.M.P. acknowledges funding from the European Union's Horizon 2020 research and innovation program under the Marie Sklodowska-Curie grant agreement (no. 842539, ATTO-CONTROL). Y.K. acknowledges financial support by the Funai Overseas Scholarship.

APPENDIX A: ELECTRONIC STRUCTURE CALCULATIONS AND SIMULATED ABSORPTION SPECTRA USING THE SO-GMC-QDPT CODE

The transition dipole moments (TDMs) computed as a function of the internuclear distance R for one-

photon excitation from the I_2 ground state into A $^3\Pi_{1_u}$, B" $^1\Pi_{1_u}$ and B $^3\Pi_{0^+u}$ excited states are

depicted in Fig. A1 (a). The one-photon excitation of the B state is clearly favored at R_{eq} =2.63 Å while




FIG. A1: Computed transition dipole moments (TDM) (a) as a function of the internuclear distance R for one-photon excitation from the I_2 ground state into A ${}^3\Pi_{1_u}$ (yellow line), B" ${}^1\Pi_{1_u}$ (purple) and B ${}^3\Pi_{0^+_u}$ (red line) excited states, and (b) TDM for one-photon excitation from the populated B ${}^3\Pi_{0^+_u}$ state into the Y ${}^3\Sigma^-_{0^+_g}$ (green line) and Z ${}^3\Pi_{0^+_g}$ (cyan) excited states.




FIG. A2: Computed absorption probabilities between each valence electronic state and the core-hole excited states as a function of the core-to-valence transition energy and the internuclear distance R.

absorption into the A and B" states can be considered as negligible. In contrast, further two-photon dynamics cannot be ruled out. As observed in Fig. A1 (b), a large transition dipole moment is observed for one-photon excitation from the B state into the repulsive Y and Z states.

Since Λ and Σ are not good quantum numbers for this molecule which is better described by the Ω - ω coupling (Hund's case c), the term associated with the Ω - ω coupling is specified as an extra label in subscript. While A ${}^3\Pi_{1_u}$, B ${}^3\Pi_{0^+u}$ and B" ${}^1\Pi_{1_u}$ excited states have been well reported in experimental and theoretical studies, the Y ${}^3\Sigma^-_{0^+g}$ and Z ${}^3\Pi_{0^+g}$ excited states have not been experimentally reported to the best of our knowledge and they have been identified based on theoretical work [14,41].

The combination of the two iodine atoms with a configuration $5s^25p^5$ ²P leads to molecular states characterized by the electronic configuration $\sigma_g^2 \sigma_u^2 \sigma_g^m \pi_u^p \pi_g^q \sigma_u^n$. The different electronic states are therefore denoted as [mqpn]. In particular, the ground state is described as a [2440] configuration, while valence excited states A $^{3}\Pi_{1_{u}}$, B" $^{1}\Pi_{1_{u}}$ and $B^{3}\Pi_{0+n}$ correspond to a [2431] configuration. The transition from the ground state into the B state corresponds therefore to a $\pi^* \to \sigma^*$ excitation. Finally, the upper states, defined in the calculations as two 0^+_g states and attributed to the Y $^3\Sigma^-_{0^+_g}$ and Z ${}^{3}\Pi_{0^{+}_{g}}$ excited states based in particular on Mulliken's work [14] are characterized by a [2341] and a [2422] configuration, respectively. The configuration interaction coefficients as a function of the internuclear distance describing these two states are however strongly mixed as previously observed for IBr and ICl molecules [42] and their configuration is expected to change through avoided crossings and at the asymptotic limit. Thus, both excited states can be described to some extent as a [2341] configuration and their population from the B state is associated with a global $\pi \to \pi^*$ excitation. We note that core excited states of an electronic configuration [4d-¹][2441], [4d⁻¹][2432], [4d⁻¹][2342], and [4d⁻¹] ¹[1442], are included in the calculations to simulate the core-to-valence electronic transition $4d \rightarrow \sigma^*$, π or π^* used to probe the dynamics. The computed absorption probabilities between the valence electronic states and the core-excited states are depicted in Figure A2.

APPENDIX B: EXTRACTED I AND I* TIME TRACES

The transient spectra at each time delay from the map shown in Fig. 5(a) were fitted using two narrow Gaussian functions (fixed width ~ 0.15 eV) to describe the two features assigned to the formation of atomic I and I*, and two broad Gaussian functions (fixed width and position) to describe the underlying background (containing the shifting feature reflecting the motion on the B state). This procedure allows us to properly extract the time traces describing the iodine dissociation (see Fig. B1) as the amplitude of two corresponding narrow Gaussian functions as a function of the time delay. In addition, these two dissociation channels can be subtracted from the experimental map in order to properly extract the position of the maximum ΔOD characterizing the shifting feature from the vibrational motion on the B state (see Fig. 5 (a) and Fig. 7).




FIG. B1: Measured transient for the dissociation into I and I* atomic fragments. Time traces extracted from Fig. 5 (a): Amplitude of the Gaussians functions (circles) used to describe the features associated with the formation of I and I* at around 45.9 eV and 46.7 eV, as a function of time, and the corresponding fit to a Boltzmann sigmoidal function (line). Both transients are consistent with a fast dissociation with $\tau_{\rm diss} \sim 100$ fs.

APPENDIX C: EXCITATION PROBABILITY AND CLASSICAL DYNAMICS

The excitation probability has been estimated based on the visible pump pulse spectrum and on computed Franck-Condon factors between the initially populated X $^1\Sigma^+_{0^+g}$ and the B state. Morse potentials from spectroscopic measurements [43–45] have been considered for both the X $^1\Sigma^+_{0^+g}$ and the B $^3\Pi_{0^+u}$ states (See Table C1). Vibrational wave functions of each electronic state were obtained by the diagonalization of the Hamiltonian (through the finite elements method using 70 solutions). The computed Franck-Condon factors are then weighted by the experimental pump pulse spectrum to obtain the excitation probability.

TABLE C1: Morse Parameters characterizing the potential energy curves for the X and B states of I_2 . (from ref. [43-45])

	D _e (cm ⁻¹)	$\omega_{\rm e}~({\rm cm}^{-1})$	Req (Å)
X state	12439.4	214.5	2.6663
B state	5168.14	125.69	3.0247

The Franck-Condon factors, depicted in Fig. C1 (a) were calculated for three different initial vibrational populations: considering an initial v = 0 population only, a small fraction in v = 1 (0.2), with 0.8 in v = 0, and a small fraction in both v = 1 (0.2) and v = 2(0.1), with 0.7 in v = 0. The corresponding excitation probability for the three initial conditions is plotted in Fig. C1 (b). Although a major initial population on v = 0 is expected, we cannot rule out some population of v = 1 and v = 2 since the inlet system to the cell is heated at 65°C. As observed, the vibrational wave packet created is not significantly dependent on the initial vibrational population on the ground state. In all cases, the excitation probability shows a maximum around v' = 25, ranging from approximately v' = 10 to v' = 60, which correspond to an excitation wavelength from ~600 nm to ~500 nm.

One-dimension classical molecular dynamics simulations were performed in the Morse potential characterizing the B state. The dynamics are started at selected internuclear distances, within the Franck Condon region associated with the I_2 ground state.




FIG. C1: (a) Computed Franck Condon factors between the ground state and the B ${}^3\Pi_{0^+u}$ state as a function of the populated vibrational level on the B state. Three initial vibrational populations in the X state are considered: only $\nu=0$, $\nu=0$ (80%) and $\nu=1$ (20%), and $\nu=0$ (70%), $\nu=1$ (20%) and $\nu=2$ (10%). (b) Corresponding excitation probability using the pump pulse spectrum. Vertical purple arrows indicate the three starting points selected for the classical dynamics (Fig. C2 (b)).

The initial internuclear distances R_i are selected based on the computed excitation probability. The dynamics is carried out for the R_i associated with the intensity maxima at around $\nu'=25$ as well as with the lower and higher vibrational levels populated: around $\nu'=10$ and close to $\nu'=60$. The results are depicted in Fig. C2. Oscillations of R whose frequency strongly depends on the ν' level are observed characterizing the dynamics on the B state. The dynamics obtained for the intensity maxima at around $\nu'=25$ is consistent with the experimental results. The classical dynamics simulation is compared in Fig. C3 to nuclear wave packet evolution obtained by numerically solving the TDSE

for the nuclear coordinates which was performed within the calculations to simulate the transient absorption spectra. As expected, an excellent agreement is observed. While molecular dynamics obtained by solving the TDSE gives considerably more information, although requiring a bigger effort, a simple one-dimension classical dynamics simulation permits to extract the evolution of the internuclear distance as a function of time.




FIG. C2: (a) Morse potential characterizing the B state. Vertical lines indicate the three selected starting points, defined by the corresponding R_i distance, and associated with the intensity maxima of the excitation probability ($\nu' = 25$, orange line) as well as the lower (yellow) and higher (blue) vibrational levels populated. (b) Evolution of the internuclear distance as a function of time, resulting from the dynamics carried out in the B state. Three starting points are considered as indicated in panel (a).




FIG. C3: Nuclear wave packet evolution (colormap) in the B state, following excitation at 520 nm (obtained by numerically solving the TDSE for the nuclear motion) compared with the one-dimension classical dynamics (orange line).

REFERENCES

- [1] S. Biswas, B. Förg, L. Ortmann, J. Schötz, W. Schweinberger, T. Zimmermann, L. Pi, D. Baykusheva, H. A. Masood, I. Liontos, A. M. Kamal, N. G. Kling, A. F. Alharbi, M. Alharbi, A. M. Azzeer, G. Hartmann, H. J. Wörner, A. S. Landsman, and M. F. Kling, *Probing Molecular Environment through Photoemission Delays*, Nature Physics **16**, 7 (2020).
- [2] P. M. Kraus, B. Mignolet, D. Baykusheva, A. Rupenyan, L. Horný, E. F. Penka, G. Grassi, O. I. Tolstikhin, J. Schneider, F. Jensen, L. B. Madsen, A. D. Bandrauk, F. Remacle, and H. J. Wörner, Measurement and Laser Control of Attosecond Charge Migration in Ionized Iodoacetylene, Science 350, 790 (2015).
- [3] E. Goulielmakis, Z.-H. Loh, A. Wirth, R. Santra, N. Rohringer, V. S. Yakovlev, S. Zherebtsov, T. Pfeifer, A. M. Azzeer, M. F. Kling, S. R. Leone, and F. Krausz, *Real-Time Observation of Valence Electron Motion*, Nature **466**, 7307 (2010).
- [4] Z. Wei, J. Li, L. Wang, S. T. See, M. H. Jhon, Y. Zhang, F. Shi, M. Yang, and Z.-H. Loh, Elucidating the Origins of Multimode Vibrational Coherences of Polyatomic Molecules Induced by Intense Laser Fields, Nature Communications 8, 1 (2017).
- [5] Z. Wei, J. Li, S. T. See, and Z.-H. Loh, Spin-Orbit State-Selective C-I Dissociation Dynamics of the CH3I+ \tilde{X} Electronic State Induced by Intense Few-Cycle Laser Fields, The Journal of Physical Chemistry Letters 8, 6067 (2017).
- [6] H. Timmers, X. Zhu, Z. Li, Y. Kobayashi, M. Sabbar, M. Hollstein, M. Reduzzi, T. J. Martínez, D. M. Neumark, and S. R. Leone, Disentangling Conical Intersection and Coherent Molecular Dynamics in Methyl Bromide with Attosecond Transient Absorption Spectroscopy, Nature Communications 10, 1 (2019).
- [7] L. Drescher, G. Reitsma, T. Witting, S. Patchkovskii, J. Mikosch, and M. J. J. Vrakking, State-Resolved Probing of Attosecond Timescale Molecular Dipoles, J. Phys. Chem. Lett. 10, 265 (2019).

- [8] Y. Pertot, C. Schmidt, M. Matthews, A. Chauvet, M. Huppert, V. Svoboda, A. von Conta, A. Tehlar, D. Baykusheva, J.-P. Wolf, and H. J. Wörner, *Time-Resolved x-Ray Absorption Spectroscopy with a Water Window High-Harmonic Source*, Science **355**, 264 (2017).
- [9] Y. Kobayashi, K. F. Chang, T. Zeng, D. M. Neumark, and S. R. Leone, *Direct Mapping of Curve-Crossing Dynamics in IBr by Attosecond Transient Absorption Spectroscopy*, Science **365**, 79 (2019).
- [10] M. Dantus, R. M. Bowman, and A. H. Zewail, Femtosecond Laser Observations of Molecular Vibration and Rotation, Nature **343**, 6260 (1990).
- [11] M. Krikunova, T. Maltezopoulos, P. Wessels, M. Schlie, A. Azima, M. Wieland, and M. Drescher, *Ultrafast Photofragmentation Dynamics of Molecular Iodine Driven with Timed XUV and Near-Infrared Light Pulses*, J. Chem. Phys. **134**, 024313 (2011).
- [12] P. H. Bucksbaum, M. R. Ware, A. Natan, J. P. Cryan, and J. M. Glownia, *Characterizing Multiphoton Excitation Using Time-Resolved X-Ray Scattering*, Phys. Rev. X **10**, 011065 (2020).
- [13] J. Tellinghuisen, Transition Strengths in the Visible–Infrared Absorption Spectrum of I2, J. Chem. Phys. **76**, 4736 (1982).
- [14] R. S. Mulliken, *Iodine Revisited*, J. Chem. Phys. **55**, 288 (1971).
- [15] J. Tellinghuisen, Resolution of the Visible-infrared Absorption Spectrum of 12 into Three Contributing Transitions, J. Chem. Phys. 58, 2821 (1973).
- [16] M. Broyer, J. Vigué, and J. C. Lehmann, *Direct Evidence of the Natural Predissociation of the 12 B State through Systematic Measurements of Lifetimes*, J. Chem. Phys. **63**, 5428 (1975).
- [17] L. Brewer and J. Tellinghuisen, *Quantum Yield* for Unimolecular Dissociation of I2 in Visible Absorption, J. Chem. Phys. **56**, 3929 (1972).
- [18] J. Vigue, M. Broyer, and J. -C. Lehmann, *Predissociation Effects in the B 3Π0+u State of Iodine*, J. Chem. Phys. **62**, 4941 (1975).
- [19] G. A. Capelle and H. P. Broida, *Lifetimes and Quenching Cross Sections of I2(B 3\PiOu+)*, J. Chem. Phys. **58**, 4212 (1973).
- [20] J. Tellinghuisen, *Spontaneous Predissociation* in *I2*, J. Chem. Phys. **57**, 2397 (1972).

- [21] R. M. Bowman, M. Dantus, and A. H. Zewail, Femtosecond Transition-State Spectroscopy of Iodine: From Strongly Bound to Repulsive Surface Dynamics, Chemical Physics Letters **161**, 297 (1989).
- [22] M. Gruebele, G. Roberts, M. Dantus, R. M. Bowman, and A. H. Zewail, *Femtosecond Temporal Spectroscopy and Direct Inversion to the Potential: Application to Iodine*, Chemical Physics Letters **166**, 459 (1990).
- [23] M. Gruebele and A. H. Zewail, Femtosecond Wave Packet Spectroscopy: Coherences, the Potential, and Structural Determination, The Journal of Chemical Physics 98, 883 (1993).
- [24] J. M. Glownia, A. Natan, J. P. Cryan, R. Hartsock, M. Kozina, M. P. Minitti, S. Nelson, J. Robinson, T. Sato, and T. van Driel, *Self-Referenced Coherent Diffraction x-Ray Movie of Angstrom- and Femtosecond-Scale Atomic Motion*, Physical Review Letters **117**, 153003 (2016).
- [25] J. Yang, M. Guehr, X. Shen, R. Li, T. Vecchione, R. Coffee, J. Corbett, A. Fry, N. Hartmann, and C. Hast, *Diffractive Imaging of Coherent Nuclear Motion in Isolated Molecules*, Physical Review Letters **117**, 153002 (2016).
- [26] F. J. Comes, U. Nielsen, and W. H. E. Schwarz, *Inner Electron Excitation of Iodine in the Gaseous and Solid Phase*, J. Chem. Phys. **58**, 2230 (1973).
- [27] H. Timmers, Y. Kobayashi, K. F. Chang, M. Reduzzi, D. M. Neumark, and S. R. Leone, Generating High-Contrast, near Single-Cycle Waveforms with Third-Order Dispersion Compensation, Optics Letters 42, 811 (2017).
- [28] F. Silva, M. Miranda, B. Alonso, J. Rauschenberger, V. Pervak, and H. Crespo, Simultaneous Compression, Characterization and Phase Stabilization of GW-Level 1.4 Cycle VIS-NIR Femtosecond Pulses Using a Single Dispersion-Scan Setup, Optics Express 22, 10181 (2014).
- [29] K. Codling, R. P. Madden, and D. L. Ederer, *Resonances in the Photo-Ionization Continuum of Ne I (20-150 EV)*, Phys. Rev. **155**, 26 (1967).
- [30] M. W. Schmidt, K. K. Baldridge, J. A. Boatz, S. T. Elbert, M. S. Gordon, J. H. Jensen, S. Koseki, N. Matsunaga, K. A. Nguyen, and S. Su, General Atomic and Molecular Electronic

- Structure System, Journal of Computational Chemistry **14**, 1347 (1993).
- [31] T. Zeng, A Diabatization Protocol That Includes Spin-Orbit Coupling, The Journal of Chemical Physics **146**, 144103 (2017).
- [32] Y. Kobayashi, T. Zeng, D. M. Neumark, and S. R. Leone, *Ab Initio Investigation of Br-3 d Core-Excited States in HBr and HBr+ toward XUV Probing of Photochemical Dynamics*, Structural Dynamics **6**, 014101 (2019).
- [33] E. Miyoshi, Y. Sakai, K. Tanaka, and M. Masamura, Relativistic Dsp-Model Core Potentials for Main Group Elements in the Fourth, Fifth and Sixth Row and Their Applications, Journal of Molecular Structure: THEOCHEM 451, 73 (1998).
- [34] M. Sekiya, T. Noro, Y. Osanai, and T. Koga, *Contracted Polarization Functions for the Atoms Ca, Ga–Kr, Sr, and In–Xe*, Theoretical Chemistry Accounts **106**, 297 (2001).
- [35] J. Ivanic, Direct Configuration Interaction and Multiconfigurational Self-Consistent-Field Method for Multiple Active Spaces with Variable Occupations. I. Method, The Journal of Chemical Physics 119, 9364 (2003).
- [36] D. T. Colbert and W. H. Miller, A Novel Discrete Variable Representation for Quantum Mechanical Reactive Scattering via the S-Matrix Kohn Method, The Journal of Chemical Physics **96**, 1982 (1992).
- [37] K. P. Huber and G. Herzberg, Constants of Diatomic Molecules, in Molecular Spectra and Molecular Structure: IV. Constants of Diatomic Molecules, edited by K. P. Huber and G. Herzberg (Springer US, Boston, MA, 1979), pp. 8–689.
- [38] Z. Wei, J. Li, H. Zhang, Y. Lu, M. Yang, and Z.-H. Loh, *Ultrafast Dissociative Ionization* and Large-Amplitude Vibrational Wave Packet Dynamics of Strong-Field-Ionized Di-Iodomethane, The Journal of Chemical Physics **151**, 214308 (2019).
- [39] Th. Ergler, A. Rudenko, B. Feuerstein, K. Zrost, C. D. Schröter, R. Moshammer, and J. Ullrich, Spatiotemporal Imaging of Ultrafast Molecular Motion: Collapse and Revival of the D2 Nuclear Wave Packet, Phys. Rev. Lett. 97, 193001 (2006).
- [40] G. J. Hoffman, *Ab Initio Potentials for States of XeI, XeI- and XeI+*, Chemical Physics **361**, 68 (2009).

- [41] C. Teichteil and M. Pelissier, *Relativistic Calculations of Excited States of Molecular Iodine*, Chemical Physics **180**, 1 (1994).
- [42] T. Matsuoka and S. Yabushita, Quantum Interference Effects Theoretically Found in the Photodissociation Processes of the Second Absorption Bands of ICl and IBr Molecules, J. Phys. Chem. A 119, 9609 (2015).
- [43] B. Amstrup, R. J. Carlson, A. Matro, and S. A. Rice, Use of Pulse Shaping to Control the Photodissociation of a Diatomic Molecule: Preventing the Best from Being the Enemy of

- *the Good*, The Journal of Physical Chemistry **95**, 8019 (1991).
- [44] R. J. LeRoy, Molecular Constants and Internuclear Potential of Ground-State Molecular Iodine, J. Chem. Phys. **52**, 2683 (1970).
- [45] P. Luc, Molecular Constants and Dunham Expansion Parameters Describing the B-X System of the Iodine Molecule, Journal of Molecular Spectroscopy **80**, 41 (1980).