Synthesis and structure of mixed metal Zn₃Ni₂-complexes of tetradentate Schiff bases

Rajib Lal De* and Rajib Kumar De

Department of Chemistry, Inorganic Chemistry Section, Jadavpur University, Kolkata-700 032, India

E-mail : rajiblal@hotmail.com

Manuscript received 13 January 2014, revised 26 June 2014, accepted 03 July 2014


Abstract : The nickel(II) tetradentate Schiff base complexes, Ni(SALEN), Ni(S-BrSALEN), Ni(SALPN_x) and Ni(SALPN_y) underwent facile reactions with zinc perchlorate hexahydrate, Zn(ClO₄)₂.6H₂O resulting in excellent complex formations. Compounds of formula [{ZnL}₂Zn(H₂O)₂](ClO₄)₂.2NiL.¹/₂H₂O (where L = *N*,*N*'-ethylenebis(salicylideneiminato) dianion, (SALEN)²⁻; *N*,*N*'-ethylenebis(5-bromosalicylideneiminato) dianion, (5-BrSALEN)²⁻; *N*,*N*'-1,3-propylenebis(salicylideneiminato) dianion, (SALPN_x)²⁻; *N*,*N*'-1,2-propylenebis(salicylideneiminato) dianion, (SALPN_y)²⁻] were isolated as powdery solid materials and were characterized by spectroscopic methods and X-ray crystallographic structure analysis. Single cryatal X-ray crystallographic structure analysis performed on [{Zn(SALEN)}₂Zn(H₂O)₂](ClO₄)₂.2Ni(SALEN).¹/₂H₂O (1) showed it to crystallize in monoclinic space group, *C*/*c* with Z = 4, and *a* = 28.527(2), *b* = 10.175 (1), *c* = 24.161(2) Å, β = 111.892(5)°. The geometric centre of the molecule lies on a crystallographic two-fold axis. Two of the three Zn^{II} ions are in square planar coordination with two SALEN dianions whereas the centrally located Zn^{II} ion is coordinated to two water molecules and to four oxygen atoms of the two Zn(SALEN) fragments formed *in situ* during the course of the reaction, in a distorted octahedral fashion showing the presence of Zn^{II} ions in two different coordination environments in a single complex. The structure is completed with two perchlorate ions, two Ni(SALEN) molecules and there is only half water molecule per formula unit.

Keywords : Schiff base, dibasic tetradentate, hexadentate chelation, mixed-metal, nickel-zinc complexes, crystal structure.

Introduction

Tetradentate Schiff base (salen type) ligands and complexes play a profound role in homogeneous catalysis¹. In the past decade or so salen structures are found to be highly useful components of various supramolecular materials² which are multimetallic systems useful for catalytic operations³, macrocyclic compounds⁴ and new templating systems⁵. For all these purposes, it is important to understand and make effective use of the reactivity and stability characteristic of the salen building blocks monitoring the material properties. The most successful and usual approach to the synthesis of homo- and heteronuclear complexes is the use of suitable polydentate ligands with more than two coordination sites⁶⁻¹⁰. Another strategy that has been successfully exploited is the use of metal complexes as ligands i.e. metal complexes containing potential bonding groups for another metal or metal complexes with empty bonding sites¹¹⁻¹⁶. We recently have reported¹⁷ the isolation of mixed metal tetradentate Schiff base complexes containing Cu2Zn-triangular unit. Tetradentate Schiff base complexes of nickel(II) on the other hand are found to be undergoing facile reactions with zinc perchlorate hexahydrate, $Zn(ClO_4)_2.6H_2O$ leading to the isolation of unique supramolecular aggregates with Zn_3 -trinuclear unit present in them. Spectroscopic data and the results of single crystal X-ray crystallographic structure analysis performed on one of the compounds,

 $[\{Zn(SALEN)\}_2Zn(H_2O)_2].2Ni(SALEN).\frac{1}{2}H_2O$ are presented here.



 $\begin{array}{l} X = H; \ Y = -CH_2-CH_2-: \ SALENH_2 \\ X = 5\text{-}Br; \ Y = -CH_2-CH_2-: \ 5\text{-}BrSALENH_2 \\ X = H; \ Y = -CH_2-CH_2-CH_2-: \ SALPN_xH_2 \\ X = H; \ Y = -CH_2-CH-: \ SALPN_yH_2 \\ & & | \\ CH_3 \end{array}$

Experimental

The tetradentate Schiff bases (TSBH₂) were prepared by the usual method of condensation of salicylaldehyde/ 5-bromosalicylaldehyde with ethylenediamine/1,3diaminopropane/1,2-diaminopropane in 2 : 1 molar ratios in refluxing ethanol. The nickel(II) tetradentate Schiff base complexes [N, N'-ethylenebis(salicylaldiminato)] nickel(II), Ni(SALEN); [N,N'-ethylenebis(5-bromosalicylaldiminato)]nickel(II), Ni(5-BrSALEN); [N,N'-1,3propylenebis(salicylaldiminato)]nickel(II), Ni(SALPN_x) and [N, N'-1, 2-propylenebis(salicylaldiminato)]nickel(II), $Ni(SALPN_{v})$ were prepared as reported earlier^{18,19}. Crystalline zinc(II) perchlorate hexahydrate, Zn(ClO₄)₂.6H₂O (Aldrich) and all other chemicals were of reagent grade and was used as purchased. Solvents were dried and distilled before use. Microanalysis of C, H, N were performed on a Perkin-Elmer-2400 Series II CHN analyzer. Metal contents were estimated on a Perkin-Elmer atomic absorption spectrometer. Electronic spectra were recorded on a Shimadzu UV-Vis 1601 Spectrophotometer. A Perkin-Elmer FT IR Paragon 1000 Spectrometer was used to record the infrared spectra.

X-Ray crystallography :

A crystal of about $0.30 \times 0.20 \times 0.20$ mm size of (1) was mounted in a sealed glass capillary and measured at room temperature on a Nonius Kappa CCD-diffractometer using graphite monochromated MoK_{α} radiation ($\lambda =$ 0.71073 Å). The structure was solved by direct methods using SIR92²⁰ and structure refinement on F^2 was carried out with SHELXL97²¹. For molecular graphics ORTEP III²² was used.

Preparation of the heterometallic complexes :

 $Zn(ClO_4)_2.6H_2O$ (3.0 mmol) dissolved in 30 ml acetonitrile was added to the Ni(TSB) complexes (3.0 mmol) dissolved in 30 ml dichloromethane under constant stirring at room temperature and the mixtures were then refluxed for two hours. Filtered off when hot, the clear filtrate on cooling yielded dark crystalline solid which were collected by filtration, washed successively with acetonitrile and dichloromethane and finally dried *in vacuo*.

Caution! Perchlorate salts and perchlorate salts of metal complexes are potentially explosive. Although not

experienced any incident they should be handled with extreme care.

Results and discussion

Ni(SALEN) dissolved in dichloromethane showed facile reaction with $Zn(ClO_4)_2.6H_2O$ dissolved in acetonitrile at room temperature. The reaction mixture was allowed to reflux for 2 h to ensure completion of the reaction whereby the relatively large complex molecule comprising of three zinc and two nickel atoms, $[{Zn(SALEN)}_2Zn(H_2O)_2](ClO_4)_2.2Ni(SALEN).\frac{1}{2}H_2O$ (1) got stabilized. Reactions of Ni(5-BrSALEN), Ni(SALPN_x) and Ni(SALPN_y) with Zn(ClO₄)_2.6H₂O as well yielded similar complexes, $[{Zn(5-BrSALEN)}_2-Zn(H_2O)_2](ClO_4)_2.2Ni(5-BrSALEN).\frac{1}{2}H_2O$ (2), $[{Zn(SALPN_x)}_2Zn(H_2O)_2](ClO_4)_2.2Ni(SALPN_x).\frac{1}{2}H_2O$ (3) and $[{Zn(SALPN_y)}_2Zn(H_2O)_2](ClO_4)_2.2Ni(SALPN_y).\frac{1}{2}H_2O$ (4).

The products were isolated as dark red to pinkish red powdery solid. The reaction of Ni(SALPN_x) with Zn(ClO₄)₂.6H₂O was particularly found to be slow at room temperature. Appreciable reaction however took place when allowed to reflux for 2 h yielding analogous product. On the otherhand, Ni(SALHN) (SALHNH₂ = tetradentate Schiff base derived from salicylaldehyde and 1,6-diaminohexane) when brought into reaction with Zn(ClO₄)₂.6H₂O under identical conditions, no reaction took place at all suggesting that the longer the chain length of the diamine deriving the tetradentate Schiff base the lesser is the prospect of such reaction to take place.

Yields, m.p., results of elemental analysis and spectroscopic data of the complexes are presented in Table 1 and Table 2.

Infrared spectra :

The infrared spectra (IR) of the tetradentate Schiff bases and their metallic complexes has long been the subject of much discussion²³ which with some deviations are grossly applicable in these complexes also.

The IR spectra showed strong absorptions at 1630– 1620 cm⁻¹ assignable to v(C=N) vibrations²⁴ which remained nearly unchanged from that observed for the precursor complexes Cu(TSB) (dianion of the tetradentate

Table 1. Analytical and physical data of the complexes						
Complex/	M.p. (°C)	Analysis (%) : Found/(Calcd.)				
(colour, yield)	(dec.)	С	Н	Ν	Ni	
$[{Zn(SALEN)}_2$	282	47.14	3.68	7.08	7.10	
$Zn(H_2O)_2](ClO_4)_2.$		(47.37)	(3.79)	(6.94)	(7.24)	
2Ni(SALEN). ½H2O						
(l) (Orange red, 47%)						
$[{Zn(5-BrSALEN)}_2$	> 300	39.82	2.89	5.63	6.17	
$Zn(H_2O)_2](ClO_4)_2.$		(39.66)	(2.96)	(5.78)	(6.08)	
2Ni(5-BrSALEN).						
¹ / ₂ H ₂ O (2) (Red, 42%)						
$[{Zn(SALPN_x)}_2]$	212	47.94	3.94	6.95	7.26	
$Zn(H_2O)_2](ClO_4)_2.$		(47.70)	(3.88)	(6.84)	(7.17)	
2Ni(SALPN _x). ¹ / ₂ H ₂ O						
(3) (Pale red, 33%)						
$[{Zn(SALPN_y)}_2$	263	47.07	3.72	6.73	6.98	
$Zn(H_2O)_2](ClO_4)_2.$		(47.70)	(3.88)	(6.84)	(7.17)	
2Ni(SALPN _v). ¹ / ₂ H ₂ O						
(4) (Crimson red, 44%)					

De et al. : Synthesis and structure of mixed metal Zn₃Ni₂-complexes of tetradentate Schiff bases

Schiff bases).

The v(C–O) phenolic bands appeared around 1340– 1300 cm⁻¹ were shifted more appreciably than in Cu(TSB) precursor complexes. The shift was again more appreciable compared to what were observed for free Schiff bases and was attributed to the coordination of phenolic oxygen to both the metal centres^{7,25} indicative of a strong reduction of the C–O bond order due to complexation. Besides there were bands due to v(C=C), v(C-C) and v(C-N) which complicated the exact assignments of all the bands. The medium but sharp bands at 770–750 cm⁻¹ were assigned as the out-of-plane C–H deformation of the phenyl ring. Presence of strong bands in the range 1110–1080 cm⁻¹ (antisymmetric stretch) and medium but sharp bands at 627–621 cm⁻¹ (antisymmetric bend) indicated the presence of uncoordinated perchlorate ion^{26,27}. The v(M–N) and v(M–O) vibrations were observed at 540–520 cm⁻¹ and 480–460 cm⁻¹ respectively.

Electronic spectra :

The electronic spectra of the Zn_3Ni_2 complexes (1-4) showed two intense bands in the near ultraviolet region assignable to $\pi \to \pi^*$ and ligand (σ_L) \to metal (e_g) charge transfer transitions^{28,29} respectively. Both the bands appeared at shorter wavelengths (at 270–280 nm and 320– 340 nm) compared to those observed for the precursor tetradentate Schiff base complexes of nickel(II). The complexes (1-4) showed medium to low intensity d-d bands (~ 540 nm) at nearly the same wavelength as those of the precursor complexes assignable to the ${}^{1}A_1 \to {}^{1}B_1$ transitions³⁰.

Crystal structure analysis of $[{Zn(SALEN)}_2Zn(H_2O)_2]$ (ClO₄)₂.2Ni(SALEN). $\frac{1}{2}H_2O$ (1):

The crystal turned out to belong to the monoclinic

		Table 2.	Electronic and I	IR (cm ⁻¹) spectra	al data of the com	plexes		
Complex	$\lambda_{max}(nm)$	v(C=N)	v(C-O)	$v_{as}(ClO_4^-)$	$\delta_{as}(ClO_4^-)$	δ(C-H)	v(M-N)	v(M-O)
	(log ε)		(phenolic)			(phenyl)		
1	276(4.58),	1629(vs),	1338(m)	1121(vs),	624(m)	770(s)	516(w,br)	474(m)
	351(4.18),	1602(s)		1091(s)				
	578(sh)							
2	278(4.12),	1627(vs)	1320(m)	1108(vs)	626(m)	768(s)	542(w)	470(m)
	367(4.10),							
	552(2.39)							
3	273(4.20),	1628(vs)	1332(w)	1092(vs)	623(s)	756(vs)	539(m)	470(m)
	341(3.88),							
	408(3.42),							
	568(sh)							
4	273(4.34),	1625(vs),	1312(sh),	1110(vs),	626(s)	761(s)	522(w)	467(m)
	322(3.93),	1601(vs)	1288(s)	1089(vs)				
	405(sh),							
	533(sh)							

J.	Indian	Chem.	Soc.,	Vol.	91,	December	2014
----	--------	-------	-------	------	-----	----------	------


Table 3. Crystal data and struct	ure refinement for complex (1)
Empirical formula	$C_{64}H_{61}Cl_2N_8O_{18.5}Ni_2Zn_3$
Formula weight	1622.64
Temperature (K)	293(2)
Wavelength (Å)	0.71073
Crystal system	monoclinic
Space group	C2/c
Unit cell dimensions	
<i>a</i> (Å)	28.527(2)
<i>b</i> (Å)	10.175(1)
<i>c</i> (Å)	24.161(2)
β (°)	111.892(5)
Volume (Å ³)	6507.1(9)
Ζ	4
$D_{\text{calc}} (\text{mg m}^{-3})$	1.656
Absorption coefficient (mm ⁻¹)	1.820
<i>F</i> (000)	3316
Crystal size (mm)	$0.30 \times 0.20 \times 0.20$
θ Range for data collection (°)	1.54 to 24.59
Limiting indices	$-33 \le h \le 33, -11 \le k \le 11,$ $-28 \le l \le 28$
Reflections collected/unique	21866/5409 [$R_{\rm int} = 0.0663$]
Completeness to $\theta = 24.59$	98.8%
Absorption correction	Semi-empirical from equivalents
Max. and min. transmission	0.765 and 0.632
Refinement method	Full-matrix least-squares on F^2
Data/restraints/parameters	5409/70/490
Goodness-of-fit on F^2	1.076
Final <i>R</i> indices $[I > 2\sigma(I)]$	$R_1 = 0.0648, wR_2 = 0.1551$
R indices (all data)	$R_1 = 0.1254, wR_2 = 0.1961$
Largest difference peak and hole	0.771 and -0.863
(e.Å ⁻³)	


space group C2/c with Z = 4 and a = 28.527(2), b = 10.175(1), c = 24.161(2) Å, $\beta = 111.892(5)$, V = 6507.1(9) Å³. Solution and refinement of the crystal structure revealed the composition of the crystal as $[{Zn(SALEN)}_2Zn(H_2O)_2](CIO_4)_2.2Ni(SALEN)_2$. $\frac{1}{2}H_2O$ (1). The H₂O molecules in the complex molecule are assumed to stem from water traces in the solvents used for synthesis. The final R_1 value for the composition (1) is 0.0648.

The crystal structure of (1) consists of a trinuclear species $[{Zn(SALEN)}_2Zn(H_2O)_2](ClO_4)_2$, two Ni(SALEN) and $\frac{1}{2}H_2O$ molecules. $Zn(2)^{2+}$ is coordi-

nated bidentally by two [Zn(1)(SALEN)] molecules and by two $O(H_2O)$ atoms. Zn(2) lies on a crystallographic two-fold axis. The Zn coordination polyhedron defined by 2×2 O atoms of the [Zn(SALEN)] ligands and the two additional O (H₂O) ligands is a distorted octahedron (see Fig. 1). A simplified view of the molecule cation showing only the Zn centres and the coordination framework is shown in Fig. 2 and the sterioview of the molecule is shown in Fig. 3. The Zn-O(water) distance of 2.056(5) Å is in the range of distances found, e.g. in hexahydrate-zinc complexes^{31,32}. The two independent Zn-O(SALEN) distances (2.104(4) and 2.182(4) Å) differ by 0.078(4) Å. Similar differences have been observed²² where Gd-O(SALEN) distances range from 2.30 to 2.44 Å. The closeness of the bite of Zn(1)(SALEN) as bidentate ligand is the main cause of distortion (O(1)-Zn(2)-O(2), 69.97(17)°). O(2), O(2ⁱ), O(3), O(3ⁱ) are roughly forming a plane with O(1) and $O(1^{i})$ atoms in axial positions, the coordination around Zn(2) ion is thus found to be distorted octahedral although the octahedral geometry around Zn ion is not very $common^{33,34}$. The average Ni-O (1.865(5) Å) and Ni-N (1.837(6) Å) distances in the neutral molecules are in the comparable ranges reported for other structures containing [Ni(SALEN)] molecules (Ni-O: 1.846(1)-1.863(1) Å; Ni-N : 1.842(1)-1.856(1) Å)^{16,35}. The perchlorate anion was two fold disordered. The disordered positions were located in successive difference Fourier map and refined.

The Fourier peak corresponding to lattice water O10 was rather feeble and hence it was decided to freely refine its site occupancy factor during refinement. The occupance factor refined to the value 0.264 within the limits of standard deviation. The value was rounded to 0.25 and fixed during final stages of refinement. The final difference Fourier map showed no specific disorder for the atom but a rather feebly smeared electron density distribution in the region. Anisotropic refinement was not carried out for O10 as the diplacement parameters may not represent true thermal motion in such situation. The water hydrogens were ignored. All other hydrogen atoms of the structure were geometrically fixed at chemi-





 $\label{eq:Fig. 1. An ORTEP drawing of the complex molecule [{Zn(SALEN)}_2Zn(H_2O)_2](ClO_4)_2.2Ni(SALEN).\frac{1}{2}H_2O~(1).$




Fig. 2. Molecular structure of the cation $[\{Zn(SALEN)_2Zn(H_2O)_2]^{2+}.$

J. Indian Chem. Soc., Vol. 91, December 2014




Fig. 3. Sterioview of the molecule (1).

Table 4. Selected bond lengths (Å) and bond angles (°) for complex (1)				
Bond lengths :				
N(1)-Zn(l)	1.835(7)	O(3)-Zn(2)	2.056(5)	
N(2)-Zn(l)	1.825(6)	O(4)-Ni(l)	1.854(5)	
N(3)-Ni(1)	1.838(6)	O(5)-Ni(l)	1.858(5)	
N(4)-Ni(l)	1.836(6)	Cl(1)-O(6)	1.378(9)	
O(1)-Zn(1)	1.848(4)	Cl(1)-O(8)	1.401(9)	
O(1)-Zn(2)	2.104(4)	Cl(1)-O(9)	1.413(10)	
O(2)-Zn(1)	1.840(5)	Cl(1)-O(7)	1.419(9)	
O(2)-Zn(2)	2.182(4)	Zn(1)-Zn(2)	3.091(1)	
Bond angles :				
N(4)-Ni(1)-N(3)	86.4(3)	O(3)-Zn(2)-O(3)#1	109.6(3)	
N(4)-Ni(1)-O(4)	178.2(2)	O(3)-Zn(2)-O(1)#1	87.70(18)	
N(3)-Ni(1)-O(4)	93.9(2)	O(3)#1-Zn(2)-O(1)#1	89.75(18)	
N(4)-Ni(1)-O(5)	94.1(2)	O(3)#1-Zn(2)-O(1)	87.70(18)	
N(3)-Ni(1)-O(5)	177.6(2)	O(1)#1-Zn(2)-O(1)	175.6(2)	
O(4)-Ni(1)-O(5)	85.6(2)	O(3)-Zn(2)-O(2)#1	89.77(17)	
N(2)-Zn(1)-N(1)	85.6(3)	O(3)#1-Zn(2)-O(2)#1	151.67(18)	
N(2)-Zn(1)-O(2)	96.1(3)	O(1)#1-Zn(2)-O(2)#1	69.97(17)	
N(1)-Zn(1)-O(2)	177.2(2)	O(1)-Zn(2)-O(2)#1	113.64(18)	
N(2)-Zn(1)-O(1)	179.4(2)	O(3)#1-Zn(2)-O(2)	89.77(17)	
N(1)-Zn(1)-O(1)	94.7(3)	O(1)#l-Zn(2)-O(2)	113.64(18)	

De et al. : Synthesis and structure of mixed metal Zn₃Ni₂-complexes of tetradentate Schiff bases

Table-4 (Contd.)

O(2)-Zn(1)-O(1)	83.6(2)	O(2)#l-Zn(2)-O(2)	81.1(2)		
O(3)-Zn(2)-O(1)	89.75(18)				
O(1)-Zn(2)-O(2)	69.97(17)				
O(3)-Zn(2)-O(2)	151.68(18)				
Symmetry transformations used to generate equivalent atoms : $\#1-x+2$, y, $-z+3/2$					

cally meaningful positions and were given riding model refinement.

Supplementary data

Crystallographic data for the structural analysis have been deposited with the Cambridge Crystallographic Data Centre, CCDC no. 791624. Copies of this information may be obtained free of charge from the Director, CCDC, 12 Union Road, Cambridge, CB2 IEZ, UK (Fax : +44-1223-336-033; E-mail : deposit@ccdc.cam.ac.uk).

Acknowledgement

The authors thank Sophisticated Analytical Instrument Facility, IIT Madras, India for diffractometer facility and UGC, New Delhi, India for financial assistance (fellowship to RKD and grant to RLD).

References

- D. J. Darensbourg, *Chem. Rev.*, 2007, **107**, 2388; J. F. Larrow and E. N. Jacobsen, *Top. Organomet. Chem.*, 2004, **6**, 123.
- S. J. Wezenberg and A. W. Kleij, Angew. Chem. Int. Ed., 2008, 47, 2354.
- C. Mazet and E. N. Jacobsen, *Angew. Chem. Int. Ed.*, 2008, 47, 1762.
- 4. S. Akine, S. Kagiyama and T. Nabeshima, *Inorg. Chem.*, 2007, **46**, 9525.
- S. Akine, S. Sunaga, T. Taniguchi, H. Miyazaki and T. Nabeshima, *Inorg. Chem.*, 2007, 46, 2959.
- E. Sinn and C. M. Harris, Coord. Chem. Rev., 1969, 4, 391.
- M. Tadokoro, H. Okawa, N. Matsumoto, M. Koikawa and S. Kida, J. Chem. Soc., Dalton Trans., 1991, 1637.
- S. Ohtsuku, M. Kodera, K. Motoda, M. Ohba and H. Okawa, J. Chem. Soc., Dalton Trans., 1995, 2599.
- P. Chaudhari and K. Order, J. Chem. Soc., Dalton Trans., 1990, 1597.
- S. K. Mandal, L. K. Thompson, K. Nag and J. Charland, *Inorg. Chem.*, 1987, 26, 1391.

- A. Bencini, C. Benelli, A Ganeschi, R. L. Carlin, A. Dei and D. Gatteschi, J. Am. Chem. Soc., 1985, 107, 8128.
- 12. A. Bencini, C. Benelli, A. Dei and D. Gatteschi, Inorg. Chem., 1986, 25, 572.
- R. Kurtaran, L. T. Yildirim, A. D. Azaz, H. Namli and O. Atacol, J. Inorg. Biochem., 2005, 99, 1937.
- 14. S. Akine, T. Taniguchi and T. Nabeshima, *Inorg. Chem.*, 2008, **47**, 3255.
- F. Z. C. Fellah, J-P. Costes, F. Dahan, C. Duhayon, G. Novitchi, J-P. Tuchagues and L. Vendler, *Inorg. Chem.*, 2008, 47, 6444.
- L. S. Felices, E. C. Escudero-Adán, J. Benet-Buchholz and A. W. Kleij, *Inorg. Chem.*, 2009, 48, 846.
- R. L. De, R. K. De, I. Banerjee, M. MondaI, L. Roy, J. Mukherjee and E. Keller, J. Indian Chem. Soc., 2013, 90, 27.
- M. J. O'Connor and B. O. West, Aust. J. Chem., 1967, 20, 2077.
- 19. D. W. Gruenvedel, Inorg. Chem., 1968, 7, 495.
- 20. J. E. Kovacic, Spectrochim. Acta, 1967, 23A, 183.
- 21. G. C. Percy and D. A. Thornton, J. Inorg. Nucl. Chem., 1972, 34, 3357.
- 22. R. Nagar, R. C. Sharma and R. K. Parashar, *Spectrochim. Acta*, 1990, **46A**, 401.
- 23. B. Bosnich, J. Am. Chem. Soc., 1968, 90, 627.
- R. S. Downing and F. L. Urbach, J. Am. Chem. Soc., 1969, 91, 5977.
- N. H. Pilkinton and R. Robson, Aust. J. Chem., 1970, 23, 2225.
- 26. A. B. P. Lever, "Inorganic Electronic Spectroscopy", Elsevier, Amsterdam, 1985.
- M. D. Hobday and T. D. Smith, Coord. Chem. Rev., 1973, 9, 311.
- A. Altamore, G. Cascarano, C. Giacovazzo and A. Guagliardi, J. Appl. Cryst., 1993, 26, 343.
- 29. G. M. Sheldrick, SHELXL-97, Program for Crystal Structure Refinement, University of Göttingen, Göttingen, Germany, 1997.
- 30. L. Farrugia, ORTEP III, version 1.0.2 for Windows

32, University of Glasgow, UK, 1998.

- 31. K. Stadnicka, A. M. Glazer and M. Koralewski, *Acta Crystallogr.*, 1988, **B44**, 356.
- M. A. Araya, F. A Cotton, M. N. Daniels, L. R. Falvello and C. A. Murillo, *Inorg. Chem.*, 1993, 32, 4853.
- 33. M. Sekerci and E. Tas, *Heteroatom. Chem.*, 2000, **11**, 254.
- N. Raman, S. Ravichandran and C. Thangaraja, J. Chem. Sci., 2004, 116, 215.
- L. Carbonaro, M. Isola, P. L. Pegna, L. Senatore and F. Marchetti, *Inorg. Chem.*, 1999, 38, 5519.