

References 1: List of studies reporting the identity of nest predators included in the analysis

- Almalki, M. (2021). Breeding biology of Saunders's tern (*Sterna saundersi*) in the Farasan Islands, Kingdom of Saudi Arabia. *Saudi Journal of Biological Sciences*, 28(3), 1931–1937. <https://doi.org/10.1016/j.sjbs.2020.12.044>
- Andes, A. K., Shaffer, T. L., Sherfy, M. H., Hofer, C. M., Dovichin, C. M., & Ellis-Felege, S. N. (2019). Accuracy of nest fate classification and predator identification from evidence at nests of Least Terns and Piping Plovers. *Ibis*, 161(2), 286–300. <https://doi.org/10.1111/ibi.12629>
- Anthony, R. M., Grand, J. B., Fondell, T. F., & Miller, D. A. (2006). Techniques for identifying predators of goose nests. *Wildlife Biology*, 12(3), 249–256. [https://doi.org/10.2981/0909-6396\(2006\)12\[249:TFIPOG\]2.0.CO;2](https://doi.org/10.2981/0909-6396(2006)12[249:TFIPOG]2.0.CO;2)
- Bader, T. J., & Bednarz, J. C. (2009). Reproductive success and causes of nest failures for Mississippi Kites: A sink population in Eastern Arkansas? *Wetlands*, 29(2), 598–606. <https://doi.org/10.1672/08-53.1>
- Barbraud, C., des Monstiers, B., Chaigne, A., Marteau, C., Weimerskirch, H., & Delord, K. (2021). Predation by feral Cats threatens Great Albatrosses. *Biological Invasions*, 23(8), 2389–2405. <https://doi.org/10.1007/s10530-021-02512-9>
- Bell, C. B. (2011). *Nest site characteristics and nest success of translocated and resident Greater Sage-Grouse at clear lake national wildlife refuge* (Master's thesis, California State University, USA). California State University, USA. <https://scholarworks.calstate.edu/>. Retrieved from <https://scholarworks.calstate.edu/concern/theses/q524jr19v>
- Benson, T. J., Brown, J. D., & Bednarz, J. C. (2010). Identifying predators clarifies predictors of nest success in a temperate passerine. *Journal of Animal Ecology*, 79(1), 225–234. <https://doi.org/10.1111/j.1365-2656.2009.01604.x>
- Bolton, M., Butcher, N., Sharpe, F., Stevens, D., & Fisher, G. (2007). Remote monitoring of nests using digital camera technology. *Journal of Field Ornithology*, 78(2), 213–220. <https://doi.org/10.1111/j.1557-9263.2007.00104.x>
- Brown, K. P., Moller, H., Innes, J., & Jansen, P. (1998). Identifying predators at nests of small birds in a New Zealand forest. *Ibis*, 140(2), 274–279. <https://doi.org/10.1111/j.1474-919X.1998.tb04389.x>
- Burnside, R. J., Brighten, A. L., Collar, N. J., Soldatov, V., Koshkin, M., Dolman, P. M., & Ten, A. (2020). Breeding productivity, nest-site selection and conservation needs of the endemic Turkestan Ground-jay *Podoces panderi*. *Journal of Ornithology*, 161(4), 1175–1183. <https://doi.org/10.1007/s10336-020-01790-9>
- Burr, P. C., Robinson, A. C., Larsen, R. T., Newman, R. A., & Ellis-Felege, S. N. (2017). Sharp-Tailed Grouse nest survival and nest predator habitat use in North Dakota's Bakken oil field. *PLOS ONE*, 12(1), e0170177. <https://doi.org/10.1371/journal.pone.0170177>
- Carter, G. M., Legare, M. L., Breining, D. R., & Oddy, D. M. (2007). Nocturnal nest predation: A potential obstacle to recovery of a Florida Scrub-Jay population. *Journal of Field Ornithology*, 78(4), 390–394. <https://doi.org/10.1111/j.1557-9263.2007.00127.x>
- Chen, P., Chen, T., Liu, B., Zhang, M., Lu, C., & Chen, Y. (2020). Snakes are the principal nest predators of the threatened Reed Parrotbill in a coastal wetland of Eastern China. *Global Ecology and Conservation*, 23, e01055. <https://doi.org/10.1016/j.gecco.2020.e01055>
- Chiavacci, S. J., Benson, T. J., & Ward, M. P. (2018). Linking landscape composition to predator-specific nest predation requires examining multiple landscape scales. *Journal of Applied Ecology*, 55(4), 2082–2092. <https://doi.org/10.1111/1365-2664.13090>
- Coates, P. S., Connelly, J. W., & Delehanty, D. J. (2008). Predators of Greater Sage-Grouse nests identified by video monitoring. *Journal of Field Ornithology*, 79(4), 421–428. <https://doi.org/10.1111/j.1557-9263.2008.00189.x>

- Collingwood, T. D., Watson, J. E. M., Kearney, S., Brown, A., Ross, A., Kulka, G., ... Kutt, A. S. (2020). Native and exotic nest predators of Alwal (Golden-Shouldered Parrot *Psephotellus chrysopterygius*) on Olkola Country, Cape York Peninsula, Australia. *Emu - Austral Ornithology*, 120(2), 168–172. <https://doi.org/10.1080/01584197.2020.1750963>
- Colombelli-Négrel, D., Robertson, J., & Kleindorfer, S. (2009). A new audio-visual technique for effectively monitoring nest predation and the behaviour of nesting birds. *Emu - Austral Ornithology*, 109(1), 83–88. <https://doi.org/10.1071/MU08048>
- Conkling, T. J., Pope, T. L., Smith, K. N., Mathewson, H. A., Morrison, M. L., Wilkins, R. N., & Cain III, J. W. (2012). Black-Capped Vireo nest predator assemblage and predictors for nest predation. *The Journal of Wildlife Management*, 76(7), 1401–1411. <https://doi.org/10.1002/jwmg.388>
- Conner, L. M., Rutledge, J. C., & Smith, L. L. (2010). Effects of mesopredators on nest survival of shrub-nesting songbirds. *The Journal of Wildlife Management*, 74(1), 73–80. <https://doi.org/10.2193/2008-406>
- Cossa, N. A., Fasola, L., Roesler, I., & Reboreda, J. C. (2018). Incubating Upland Goose (*Chloephaga picta*) differential response to livestock, human, and predator nest disturbance. *The Wilson Journal of Ornithology*, 130(3), 739–745. <https://doi.org/10.1676/17-105.1>
- Cox, W. A., Thompson, F. R., III, & Faaborg, J. (2012). Species and temporal factors affect predator-specific rates of nest predation for forest songbirds in the Midwest. *The Auk*, 129(1), 147–155. <https://doi.org/10.1525/auk.2012.11169>
- Da Silva, L. R. (2015). *Predadores de ninhos em uma comunidade de aves da mata atlântica do estado de são paulo* (Master's thesis, Universidade federal de São Carlos, centro de ciências e tecnologia para a sustentabilidade). Universidade federal de São Carlos, centro de ciências e tecnologia para a sustentabilidade. Retrieved from <https://repositorio.ufscar.br/handle/ufscar/8369>
- Davis, H. T., Long, A. M., Baumgardt, J. A., Campbell, T. A., & Morrison, M. L. (2019). Factors affecting nest success and predator assemblage of breeding birds in semiarid grasslands. *Rangeland Ecology & Management*, 72(2), 385–395. <https://doi.org/10.1016/j.rama.2018.09.005>
- Davis, H. T., Long, A. M., Campbell, T. A., & Morrison, M. L. (2018). Nest defense behavior of Greater Roadrunners (*Geococcyx californianus*) in South Texas. *The Wilson Journal of Ornithology*, 130(3), 788–792. <https://doi.org/10.1676/17-060.1>
- DeGregorio, B. A., Sperry, J. H., Kovar, D. G., & Steen, D. A. (2019). Southern Flying Squirrels (*Glaucomys volans*) as major predators of avian nest boxes in Conecuh National Forest, Alabama. *Southeastern Naturalist*, 18(3), 476–488. <https://doi.org/10.1656/058.018.0313>
- DeGregorio, B. A., Weatherhead, P. J., Ward, M. P., & Sperry, J. H. (2016). Do seasonal patterns of Rat Snake (*Pantherophis obsoletus*) and Black Racer (*Coluber constrictor*) activity predict avian nest predation? *Ecology and Evolution*, 6(7), 2034–2043. <https://doi.org/10.1002/ece3.1992>
- Demers, S. A., & Robinson-Nilsen, C. W. (2012). Monitoring Western Snowy Plover nests with remote surveillance systems in San Francisco Bay, California. *Journal of Fish and Wildlife Management*, 3(1), 123–132. <https://doi.org/10.3996/062011-JFWM-036>
- Denmon, P., Watts, B. D., & Smith, F. M. (2013). Investigating American Oystercatcher (*Haematopus palliatus*) nest failure on Fisherman Island National Wildlife Refuge, Virginia, USA. *Waterbirds*, 36(2), 156–165. <https://doi.org/10.1675/063.036.0205>
- DeVault, T. L., Douglas, M. B., Castrale, J. S., Mills, C. E., Hayes, T., & Rhodes, O. E. Jr. (2005). Identification of nest predators at a Least Tern colony in Southwestern Indiana. *Waterbirds*, 28(4), 445–449. [https://doi.org/10.1675/1524-4695\(2005\)28\[445:IONPAA\]2.0.CO;2](https://doi.org/10.1675/1524-4695(2005)28[445:IONPAA]2.0.CO;2)
- Dreibelbis, J. Z., Melton, K. B., Aguirre, R., Collier, B. A., Hardin, J., Silvy, N. J., & Peterson, M. J. (2008). Predation of Rio Grande Wild Turkey nests on the Edwards Plateau, Texas. *The Wilson Journal of Ornithology*, 120(4), 906–910. <https://doi.org/10.1676/07-183.1>
- Dyson, M. E., Slattery, S. M., & Fedy, B. C. (2020). Nest predators of Ducks in the Boreal forest. *Wildlife Society Bulletin*, 44(3), 631–639. <https://doi.org/10.1002/wsb.1114>

- Ekanayake, K. B., Sutherland, D. R., Dann, P., Weston, M. A., Ekanayake, K. B., Sutherland, D. R., ... Weston, M. A. (2015). Out of sight but not out of mind: Corvids prey extensively on eggs of burrow-nesting penguins. *Wildlife Research*, 42(6), 509–517. <https://doi.org/10.1071/WR15108>
- Ekanayake, K. B., Whisson, D. A., Tan, L. X. L., Weston, M. A., Ekanayake, K. B., Whisson, D. A., ... Weston, M. A. (2015). Intense predation of non-colonial, ground-nesting bird eggs by corvid and mammalian predators. *Wildlife Research*, 42(6), 518–528. <https://doi.org/10.1071/WR15080>
- Ellis, K. S., Cavitt, J. F., Larsen, R. T., & Koons, D. N. (2018). Using remote cameras to validate estimates of nest fate in shorebirds. *Ibis*, 160(3), 681–687. <https://doi.org/10.1111/ibi.12607>
- Ellis-Felege, S. N. (2005). *Nest predation ecology of the northern bobwhite in the southeastern USA* (Doctoral thesis, University of Georgia, USA). University of Georgia, USA. Retrieved from <https://getd.libs.uga.edu/>
- Engelbrecht, D. (2016). Galagos as avian nest predators in South Africa. *Primates*, 57(4), 455–458. <https://doi.org/10.1007/s10329-016-0559-6>
- Farnsworth, G. L., & Simons, T. R. (2000). Observations of Wood Thrush nest predators in a large contiguous forest. *The Wilson Bulletin*, 112(1), 82–87. [https://doi.org/10.1676/0043-5643\(2000\)112\[0082:OOWTNP\]2.0.CO;2](https://doi.org/10.1676/0043-5643(2000)112[0082:OOWTNP]2.0.CO;2)
- Franzreb, K. E. (2007). Reproductive success and nest depredation of the Florida Scrub-Jay. *The Wilson Journal of Ornithology*, 119(2), 162–169. <https://doi.org/10.1676/05-075.1>
- Friesen, L. E., Casbourn, G., Martin, V., & Mackay, R. J. (2013). Nest predation in an anthropogenic landscape. *The Wilson Journal of Ornithology*, 125(3), 562–569. <https://doi.org/10.1676/12-169.1>
- Fu, Y., Chen, B., Dowell, S. D., & Zhang, Z. (2016). Nest predators, nest-site selection and nest success of the Emei Shan Liocichla (*Liocichla omeiensis*), a vulnerable babbler endemic to Southwestern China. *Avian Research*, 7(1), 18. <https://doi.org/10.1186/s40657-016-0054-1>
- Goguen, C. B., & Murray, L. D. (2020). Nest survival, predator assemblage, and patterns of predation at Veery (*Catharus fuscescens*) nests in a mature forest landscape. *The Wilson Journal of Ornithology*, 132(2), 284–294. <https://doi.org/10.1676/1559-4491-132.2.284>
- Grant, T. A., Madden, E. M., Shaffer, T. L., Pietz, P. J., Berkey, G. B., & Kadrmach, N. J. (2006). Nest survival of Clay-Colored and Vesper Sparrows in relation to woodland edge in mixed-grass prairies. *The Journal of Wildlife Management*, 70(3), 691–701. [https://doi.org/10.2193/0022-541X\(2006\)70\[691:NSOCAV\]2.0.CO;2](https://doi.org/10.2193/0022-541X(2006)70[691:NSOCAV]2.0.CO;2)
- Hargrove, L., & Unitt, P. (2017). Poor reproductive success of Gray Vireos in a declining California population. *Journal of Field Ornithology*, 88(1), 16–29. <https://doi.org/10.1111/jfo.12189>
- Harmon, K. C., Wehr, N. H., & Price, M. R. (2021). Seasonal patterns in nest survival of a subtropical wading bird, the Hawaiian Stilt (*Himantopus mexicanus knudseni*). *PeerJ*, 9, e10399. <https://doi.org/10.7717/peerj.10399>
- Herring, G., Ackerman, J. T., Takekawa, J. Y., Eagles-Smith, C. A., & Eadie, J. M. (2011). Identifying nest predators of American Avocets (*Recurvirostra americana*) and Black-Necked Stilts (*Himantopus mexicanus*) in San Francisco Bay, California. *The Southwestern Naturalist*, 56(1), 35–43. <https://doi.org/10.1894/KF-14.1>
- Holloran, M. J., & Anderson, S. H. (2003). Direct identification of Northern Sage-grouse, *Centrocercus urophasianus*, nest predators using remote sensing cameras. *The Canadian Field-Naturalist*, 117(2), 308–310. <https://doi.org/10.22621/cfn.v117i2.804>
- Hu, Y.-B., Zhao, Q.-S., Lou, Y.-Q., Chen, L.-J., González, M. A., & Sun, Y.-H. (2017). Parental attendance of Chestnut Thrush reduces nest predation during the incubation period: Compensation for low nest concealment? *Journal of Ornithology*, 158(4), 1111–1117. <https://doi.org/10.1007/s10336-017-1476-1>
- Jara, R. F., Crego, R. D., Samuel, M. D., Rozzi, R., & Jiménez, J. E. (2020). Nest-site selection and breeding success of passerines in the world's southernmost forests. *PeerJ*, 8, e9892. <https://doi.org/10.7717/peerj.9892>

- Jefferies, M. M., Garrido Coria, P. S., & Llambías, P. E. (2021). Nest predator identity and nest predation rates of three songbirds in the Central Andes of south temperate Argentina. *The Wilson Journal of Ornithology*, 133(1), 117–124. <https://doi.org/10.1676/19-00149>
- Khamcha, D., & Gale, G. (2020). Predation behaviour of the bridle snake (*Lycodon cf. Davisonii*) on Asian tropical evergreen forest bird nests. *The Raffles Bulletin of Zoology*. <https://doi.org/10.26107/RBZ-2020-0091>
- King, D. I., & DeGraaf, R. M. (2006). Predators at bird nests in a Northern hardwood forest in New Hampshire. *Journal of Field Ornithology*, 77(3), 239–243. <https://doi.org/10.1111/j.1557-9263.2006.00048.x>
- Kirby, W. B., Stanbury, A. J., Lewis, J., Smith, D. L., Cross, A. V., Grice, P. V., & Bellamy, P. E. (2018). Nest survival, causes of failure and productivity of British Hawfinches *Coccothraustes coccothraustes*. *Bird Study*, 65(3), 279–289. <https://doi.org/10.1080/00063657.2018.1506424>
- Kirkham, C. B. S., & Davis, S. K. (2013). Incubation and nesting behaviour of the Chestnut-Collared Longspur. *Journal of Ornithology*, 154(3), 795–801. <https://doi.org/10.1007/s10336-013-0945-4>
- Kirkpatrick, C., & Conway, C. J. (2010). Nest predators of ground-nesting birds in montane forest of the Santa Catalina Mountains, Arizona. *The Wilson Journal of Ornithology*, 122(3), 614–617. <https://doi.org/10.1676/09-166.1>
- Klug, P. E., Wolfenbarger, L. L., & McCarty, J. P. (2010). Snakes are important nest predators of Dickcissels in an agricultural landscape. *The Wilson Journal of Ornithology*, 122(4), 799–803. <https://doi.org/10.1676/09-203.1>
- Knight, E., Mahony, N., & Green, D. (2014). Crop type influences edge effects on the reproduction of songbirds in sagebrush habitat near agriculture. *Avian Conservation and Ecology*, 9(1). <https://doi.org/10.5751/ACE-00662-090108>
- Latif, Q. S., Heath, S. K., & Ballard, G. (2012). The nest predator assemblage for songbirds in Mono Lake Basin riparian habitats. *Western North American Naturalist*, 72(3), 276–287. <https://doi.org/10.3398/064.072.0302>
- Li, H., Goodale, E., & Quan, R.-C. (2019). Nest predation on an abundant generalist bird in tropical China. *The Wilson Journal of Ornithology*, 131(3), 514–523. <https://doi.org/10.1676/18-115>
- Liebezeit, J. R., & George, T. L. (2002). Nest predators, nest-site selection, and nesting success of the Dusky Flycatcher in a managed Ponderosa pine forest. *The Condor*, 104(3), 507–517. <https://doi.org/10.1093/condor/104.3.507>
- Liebezeit, J. R., & Zack, S. (2008). Point counts underestimate the importance of Arctic Foxes as avian nest predators: Evidence from remote video cameras in Arctic Alaskan oil fields. *Arctic*, 61(2), 153–161.
- Liljeström, M., Fasola, L., Valenzuela, A., Rey, A. R., & Schiavini, A. (2014). Nest predators of Flightless Steamer-Ducks (*Tachyeres pteneres*) and Flying Steamer-Ducks (*Tachyeres patagonicus*). *Waterbirds*, 37(2), 210–214. <https://doi.org/10.1675/063.037.0209>
- Lockyer, Z. B., Coates, P. S., Casazza, M. L., Espinosa, S., & Delehanty, D. J. (2013). Greater Sage-Grouse nest predators in the Virginia Mountains of Northwestern Nevada. *Journal of Fish and Wildlife Management*, 4(2), 242–255. <https://doi.org/10.3996/122012-JFWM-110R1>
- Luepold, S. H. B., Hodgman, T. P., McNulty, S. A., Cohen, J., & Foss, C. R. (2015). Habitat selection, nest survival, and nest predators of Rusty Blackbirds in Northern New England, USA. *The Condor*, 117(4), 609–623. <https://doi.org/10.1650/CONDOR-14-215.1>
- Lusk, J. J., Smith, S. G., Fuhlendorf, S. D., & Guthery, F. S. (2006). Factors influencing Northern Bobwhite nest-site selection and fate. *The Journal of Wildlife Management*, 70(2), 564–571. [https://doi.org/10.2193/0022-541X\(2006\)70\[564:FINBNS\]2.0.CO;2](https://doi.org/10.2193/0022-541X(2006)70[564:FINBNS]2.0.CO;2)
- Lyons, T. P., Miller, J. R., Debinski, D. M., & Engle, D. M. (2015). Predator identity influences the effect of habitat management on nest predation. *Ecological Applications*, 25(6), 1596–1605. <https://doi.org/10.1890/14-1641.1>
- Macdonald, M. A., & Bolton, M. (2008). Predation on wader nests in Europe. *Ibis*, 150(s1), 54–73. <https://doi.org/10.1111/j.1474-919X.2008.00869.x>

- Major, R. E., & Gowing, G. (1994). An inexpensive photographic technique for identifying nest predators at active nests of birds. *Wildlife Research*, 21(6), 657–665. <https://doi.org/10.1071/wr9940657>
- Mallord, J. W., Orsman, C. J., Cristinacce, A., Butcher, N., Stowe, T. J., & Charman, E. C. (2012). Mortality of Wood Warbler *Phylloscopus sibilatrix* nests in Welsh Oakwoods: Predation rates and the identification of nest predators using miniature nest cameras. *Bird Study*, 59(3), 286–295. <https://doi.org/10.1080/00063657.2012.669359>
- Marzluff, J. M., Withey, J. C., Whittaker, K. A., David Oleyar, M., Unfried, T. M., Rullman, S., & Delap, J. (2007). Consequences of habitat utilization by nest predators and breeding Songbirds across multiple scales in an urbanizing landscape. *The Condor*, 109(3), 516–534. <https://doi.org/10.1093/condor/109.3.516>
- Maziarz, M., Grendelmeier, A., Wesolowski, T., Arlettaz, R., Broughton, R. K., & Pasinelli, G. (2019). Patterns of predator behaviour and Wood Warbler *Phylloscopus sibilatrix* nest survival in a primeval forest. *Ibis*, 161(4), 854–866. <https://doi.org/10.1111/ibi.12679>
- McCallum, C. A., & Hannon, S. J. (2001). Accipiter predation of American Redstart nestlings. *The Condor*, 103(1), 192–194. <https://doi.org/10.1093/condor/103.1.192>
- McKinnon, L., & Bêty, J. (2009). Effect of camera monitoring on survival rates of High-Arctic shorebird nests. *Journal of Field Ornithology*, 80(3), 280–288. <https://doi.org/10.1111/j.1557-9263.2009.00231.x>
- Meixell, B. W., & Flint, P. L. (2017). Effects of industrial and investigator disturbance on Arctic-nesting geese. *The Journal of Wildlife Management*, 81(8), 1372–1385. <https://doi.org/10.1002/jwmg.21312>
- Morrison, S. A., & Bolger, D. T. (2002). Lack of an urban edge effect on reproduction in a fragmentation-sensitive Sparrow. *Ecological Applications*, 12(2), 398–411. [https://doi.org/10.1890/1051-0761\(2002\)012\[0398:LOAUEE\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2002)012[0398:LOAUEE]2.0.CO;2)
- Murray, L. (2015). Success and predation of bird nests in grasslands at Valley Forge National Historical Park. *Northeastern Naturalist*, 22(1), 10–19. <https://doi.org/10.1656/045.022.0103>
- Ong-in, T., Pierce, A. J., Gale, G. A., Browne, S. J., & Savini, T. (2016). Nesting ecology and nest site selection of Green-Legged Partridge. *Raffles Bulletin of Zoology*, 64, 89–97.
- Perkins, A. J., Hancock, M. H., Butcher, N., & Summers, R. W. (2005). Use of time-lapse video cameras to determine causes of nest failure of Slavonian Grebes *Podiceps auritus*. *Bird Study*, 52(2), 159–165. <https://doi.org/10.1080/00063650509461386>
- Perrella, D. F., Zima, P. V. Q., Ribeiro-Silva, L., Biagolini Jr, C. H., Carmignotto, A. P., Galetti Jr, P. M., & Francisco, M. R. (2020). Bats as predators at the nests of tropical forest birds. *Journal of Avian Biology*, 51(1). <https://doi.org/10.1111/jav.02277>
- Peterson, B. L., Kus, B. E., & Deutschman, D. H. (2004). Determining nest predators of the Least Bell's Vireo through point counts, tracking stations, and video photography. *Journal of Field Ornithology*, 75(1), 89–95. <https://doi.org/10.1648/0273-8570-75.1.89>
- Pietz, P. J., & Granfors, D. A. (2000). Identifying predators and fates of grassland Passerine nests using miniature video cameras. *The Journal of Wildlife Management*, 64(1), 71–87. <https://doi.org/10.2307/3802976>
- Powell, L. A., Giovanni, M. D., Groepper, S., Reineke, M. L., & Schacht, W. H. (2012). Attendance patterns and survival of Western Meadowlark nests. In *Studies in Avian Biology: Vol. 43. Video surveillance of nesting birds* (Ribic, C.A., Thompson, F.R., Pietz, P.J., pp. 61–66). University of California Press. <https://doi.org/10.1525/9780520954090-008>
- Praus, L., Hegemann, A., Tieleman, B. I., & Weidinger, K. (2014). Predators and predation rates of Skylark *Alauda arvensis* and Woodlark *Lullula arborea* nests in a semi-natural area in the Netherlands. *Ardea*, 102(1), 87–94. <https://doi.org/10.5253/078.102.0112>
- Rader, M. J., Teinert, T. W., Brennan, L. A., Hernández, F., Silvy, N. J., & Wu, X. B. (2007). Identifying predators and nest fates of Bobwhites in Southern Texas. *The Journal of Wildlife Management*, 71(5), 1626–1630. <https://doi.org/10.2193/2006-185>

- Reidy, J. L. (2009). Nest predators of Lance-Tailed Manakins on Isla Boca Brava, Panamá. *Journal of Field Ornithology*, 80(2), 115–118. <https://doi.org/10.1111/j.1557-9263.2009.00199.x>
- Reidy, J. L., Stake, M. M., & Thompson, F. R., III. (2008). Golden-Cheeked Warbler nest mortality and predators in urban and rural landscapes. *The Condor*, 110(3), 458–466. <https://doi.org/10.1525/cond.2008.8473>
- Renfrew, R. B., & Ribic, C. A. (2003). Grassland passerine nest predators near pasture edges identified on videotape. *The Auk*, 120(2), 371–383. <https://doi.org/10.1093/auk/120.2.371>
- Ribeiro-Silva, L., Perrella, D. F., Biagolini-Jr, C. H., Zima, P. V. Q., Piratelli, A. J., Schlindwein, M. N., ... Francisco, M. R. (2018). Testing camera traps as a potential tool for detecting nest predation of birds in a tropical rainforest environment. *Zoologia (Curitiba)*, 35. <https://doi.org/10.3897/zoologia.35.e14678>
- Ribic, C., Guzy, M. J., Anderson, T. J., Sample, D. W., & Nack, J. L. (2012). Bird productivity and nest predation in agricultural grasslands.
- Robinson, W. D. (2005). Videography of Panama bird nests shows snakes are principal predators. *Ornitologia Neotropical*. Retrieved from https://www.academia.edu/323130/Videography_of_Panama_Bird_Nests_Shows_Snakes_Are_Principal_Predators
- Rodewald, A. D., & Kearns, L. J. (2011). Shifts in dominant nest predators along a rural-to-urban landscape gradient. *The Condor*, 113(4), 899–906. <https://doi.org/10.1525/cond.2011.100132>
- Sabine, J. B., Schweitzer, S. H., & Meyers, J. M. (2006). Nest fate and productivity of American Oystercatchers, Cumberland Island National seashore, Georgia. *Waterbirds*, 29(3), 308–314. [https://doi.org/10.1675/1524-4695\(2006\)29\[308:NFAPOA\]2.0.CO;2](https://doi.org/10.1675/1524-4695(2006)29[308:NFAPOA]2.0.CO;2)
- Samsonov, S. V., Makarova, T. V., & Shitikov, D. A. (2018). Nest predator species of open nesting songbirds of abandoned fields in ‘Russky Sever’ national park (Russia). *Nature Conservation Research. Заповедная Наука*, 3(2), 100–103.
- Sanders, M. D., & Maloney, R. F. (2002). Causes of mortality at nests of ground-nesting birds in the Upper Waitaki Basin, South Island, New Zealand: A 5-year video study. *Biological Conservation*, 106(2), 225–236. [https://doi.org/10.1016/S0006-3207\(01\)00248-8](https://doi.org/10.1016/S0006-3207(01)00248-8)
- Schlesselmann, A.-K. V., O’Donnell, C. F. J., Monks, J. M., & Robertson, B. C. (2018). Clearing islands as refugia for black-fronted tern (*Chlidonias albastriatus*) breeding colonies in braided rivers. *New Zealand Journal of Ecology*, 42(2), 137–148.
- Small, S. L. (2005). Mortality factors and predators of Spotted Towhee nests in the Sacramento Valley, California. *Journal of Field Ornithology*, 76(3), 252–258. <https://doi.org/10.1648/0273-8570-76.3.252>
- Smith, K. N., Cain, J. W., III, Morrison, M. L., & Wilkins, R. N. (2012). Nesting ecology of the Black-Capped Vireo in Southwest Texas. *The Wilson Journal of Ornithology*, 124(2), 277–285. <https://doi.org/10.1676/11-134.1>
- Smith, M. L. (2004). Edge effects on nest predators in two forested landscapes. *Canadian Journal of Zoology*, 82(12), 1943–1953. <https://doi.org/10.1139/Z05-003>
- Stake, M. M., & Cimprich, D. A. (2003). Using video to monitor predation at Black-Capped Vireo nests. *The Condor*, 105(2), 348–357. <https://doi.org/10.1093/condor/105.2.348>
- Stake, M. M., Faaborg, J., & Thompson, F. R. (2004). Video identification of predators at Golden-cheeked Warbler nests. *Journal of Field Ornithology*, 75(4), 337–344. <https://doi.org/10.1648/0273-8570-75.4.337>
- Staller, E. L., Palmer, W. E., Carroll, J. P., Thornton, R. P., & Sisson, D. C. (2005). Identifying predators at Northern Bobwhite nests. *The Journal of Wildlife Management*, 69(1), 124–132. [https://doi.org/10.2193/0022-541X\(2005\)069<0124:IPANBN>2.0.CO;2](https://doi.org/10.2193/0022-541X(2005)069<0124:IPANBN>2.0.CO;2)
- Stevens, D. K., Anderson, G. Q. A., Grice, P. V., Norris, K., & Butcher, N. (2008). Predators of Spotted Flycatcher *Muscicapa striata* nests in Southern England as determined by digital nest-cameras. *Bird Study*, 55(2), 179–187. <https://doi.org/10.1080/00063650809461520>

- Stien, J., & Ims, R. A. (2016). Absence from the nest due to human disturbance induces higher nest predation risk than natural recesses in Common Eiders *Somateria mollissima*. *Ibis*, 158(2), 249–260. <https://doi.org/10.1111/ibi.12338>
- Stojanovic, D., Webb, M. H., Alderman, R., Porfirio, L. L., & Heinsohn, R. (2014). Discovery of a novel predator reveals extreme but highly variable mortality for an endangered migratory bird. *Diversity and Distributions*, 20(10), 1200–1207. <https://doi.org/10.1111/ddi.12214>
- Stracey, C. M. (2011). Resolving the urban nest predator paradox: The role of alternative foods for nest predators. *Biological Conservation*, 144(5), 1545–1552. <https://doi.org/10.1016/j.biocon.2011.01.022>
- Summers, R. W., Willi, J., & Selvidge, J. (2009). Capercaillie *Tetrao urogallus* nest loss and attendance at Abernethy Forest, Scotland. *Wildlife Biology*, 15(3), 319–327. <https://doi.org/10.2981/08-036>
- Tarwater, C. E. (2008). Predators at nests of the Western Slaty Antshrike (*Thamnophilus atrinucha*). *The Wilson Journal of Ornithology*, 120(3), 620–624.
- Taylor, J. D., Holt, R. D., Orning, E. K., & Young, J. K. (2017). Greater Sage-Grouse nest survival in Northwestern Wyoming. *The Journal of Wildlife Management*, 81(7), 1219–1227. <https://doi.org/10.1002/jwmg.21296>
- Thompson, F. R., & Burhans, D. E. (2003). Predation of songbird nests differs by predator and between field and forest habitats. *The Journal of Wildlife Management*, 67(2), 408–416. <https://doi.org/10.2307/3802781>
- Thompson, F. R., Dijak, W., & Burhans, D. E. (1999). Video identification of predators at Songbird nests in old fields. *The Auk*, 116(1), 259–264. <https://doi.org/10.2307/4089477>
- Vasseur, P. L., & Leberg, P. L. (2015). Effects of habitat edges and nest-site characteristics on Painted Bunting nest success. *Journal of Field Ornithology*, 86(1), 27–40. <https://doi.org/10.1111/jfo.12086>
- Visco, D. M., & Sherry, T. W. (2015). Increased abundance, but reduced nest predation in the chestnut-backed antbird in costa rican rainforest fragments: Surprising impacts of a pervasive snake species. *Biological Conservation*, 188, 22–31. <https://doi.org/10.1016/j.biocon.2015.01.015>
- Weidinger, K. (2009). Nest predators of woodland open-nesting songbirds in central Europe. *Ibis*, 151(2), 352–360. <https://doi.org/10.1111/j.1474-919X.2009.00907.x>
- Weston, M. A., Ekanayake, K. B., Lomas, S., Glover, H. K., Mead, R. E., Cribbin, A., ... Cardilini, A. P. A. (2017). Case studies of motion-sensing cameras to study clutch survival and fate of real and artificial ground-nests in Australia. *Bird Study*, 64(4), 476–491. <https://doi.org/10.1080/00063657.2017.1387517>
- White, C. L., Strauss, L. R., & Davis, S. K. (2010). Video evidence of Piping Plover nest predation. *Northwestern Naturalist*, 91(2), 202–205.
- Williams, G. E., & Wood, P. B. (2002). Are traditional methods of determining nest predators and nest fates reliable? An experiment with Wood Thrushes (*Hylocichla mustelina*) using miniature video cameras. *The Auk*, 119(4), 1126–1132. <https://doi.org/10.1093/auk/119.4.1126>
- Winder, V. L., Herse, M. R., Hunt, L. M., Gregory, A. J., McNew, L. B., & Sandercock, B. K. (2016). Patterns of nest attendance by female Greater Prairie-Chickens (*Tympanuchus cupido*,) in Northcentral Kansas. *Journal of Ornithology*, 157(3), 733–745. <https://doi.org/10.1007/s10336-016-1330-x>
- Winter, M., Johnson, D., Dechant, J. A., Donovan, T. M., & Svedarsky, W. D. (2001). *Evaluation of the bird conservation area concept in the Northern Tallgrass Prairie: Annual report 2001*. USGS Northern Prairie Wildlife Research Center. Retrieved from USGS Northern Prairie Wildlife Research Center website: <https://digitalcommons.unl.edu/usgsnpwrc/93>
- Zielonka, N. B., Hawkes, R. W., Jones, H., Burnside, R. J., & Dolman, P. M. (2019). Placement, survival and predator identity of Eurasian Curlew *Numenius arquata* nests on lowland grass-heath. *Bird Study*, 66(4), 471–483. <https://doi.org/10.1080/00063657.2020.1725421>

References 2: List of references for the activity patterns of predators

- Alterio, N., & Moller, H. (1997). Daily activity of Stoats (*mustela erminea*), feral Ferrets (*mustela furo*) and feral House Cats (*felis catus*) in coastal grassland, Otago peninsula, New Zealand. *New Zealand Journal of Ecology*, 21(1), 89–95.
- Ball, R. L., & Ford, N. B. (1999). Courtship and mating behaviour in the Diadem Snake, *Spalerosophis diadema cliffordi* (Colubridae). *African Journal of Herpetology*, 48(1–2), 27–31. <https://doi.org/10.1080/21564574.1999.9651068>
- Benson, I. W., Sprayberry, T. L., Cornelison, W. C., & Edelman, A. J. (2019). Rest-site activity patterns of Eastern Spotted Skunks in Alabama. *Southeastern Naturalist*, 18(1), 165–172.
- Birds of the World—Comprehensive life histories for all bird species and families. (n.d.). Retrieved 9 November 2022, from <https://birdsoftheworld.org/bow/home>
- Bretagnolle, V. (1988). Social behaviour of the Southern Giant Petrel. *Ostrich*, 59(3), 116–125. <https://doi.org/10.1080/00306525.1988.9633712>
- Bridges, A. S., Vaughan, M. R., & Klenzendorf, S. (2004). Seasonal variation in American Black Bear *Ursus americanus* activity patterns: Quantification via remote photography. *Wildlife Biology*, 10(4), 277–284. <https://doi.org/10.2981/wlb.2004.033>
- Brito, J. (2003). Seasonal and daily activity patterns of *Vipera latastei* in Northern Portugal. *Amphibia-Reptilia*, 24(4), 497–508. <https://doi.org/10.1163/156853803322763954>
- Bruseo, J. A., & Barry, R. E. (1995). Temporal activity of syntopic *Peromyscus* in the Central Appalachians. *Journal of Mammalogy*, 76(1), 78–82. <https://doi.org/10.2307/1382316>
- Calder, W. A. (1968). The diurnal activity of the Roadrunner, *Geococcyx californianus*. *The Condor*, 70(1), 84–85.
- Cameron, G. N., Kincaid, W. B., & Carnes, B. A. (1979). Experimental species removal: Temporal activity patterns of *Sigmodon hispidus* and *Reithrodontomys fulvescens*. *Journal of Mammalogy*, 60(1), 195–197. <https://doi.org/10.2307/1379771>
- Chitwood, M. C., Lashley, M. A., Higdon, S. D., DePerno, C. S., & Moorman, C. E. (2020). Raccoon vigilance and activity patterns when sympatric with Coyotes. *Diversity*, 12(9), 341.
- Cove, M., Gardner, B., Simons, T., Kays, R., & O'Connell, A. (2018). Free-ranging Domestic Cats (*Felis catus*) on public lands: Estimating density, activity, and diet in the Florida Keys. *Biological Invasions*, 20. <https://doi.org/10.1007/s10530-017-1534-x>
- Cox, M. P. G. & Cox, Chris R. Dickman and Warren G. (2000). Use of habitat by the Black Rat (*Rattus rattus*) at North Head, New South Wales: An observational and experimental study. *Austral Ecology*, 25(4), 375–385. <https://doi.org/10.1046/j.1442-9993.2000.01050.x>
- Daan, S., & Koene, P. (1981). On the timing of foraging flights by Oystercatchers, *Haematopus ostralegus*, on tidal mudflats. *Netherlands Journal of Sea Research*, 15(1), 1–22.
- Davidge, C. (1978). Activity patterns of Chacma Baboons (*Papio ursinus*) at Cape Point. *African Zoology*, 13(1), 143–155.
- de Souza Mattos, F., Barnett, A., & Ortiz, D. (2017). Active male-male competition for mate access in the Giant Parrot Snake *Leptophis ahaetulla* (Squamata: Colubridae), in the southwest Amazon, Brazil. *Herpetological Bulletin*, 140, 38–39.
- Dearing, M. D., & Cork, S. (1999). Role of detoxification of plant secondary compounds on diet breadth in a mammalian herbivore, *Trichosurus vulpecula*. *Journal of Chemical Ecology*, 25(6), 1205–1219.
- DeGregorio, B. A., Gale, C., V. Lassiter, E., Massey, A., Roberts, C. P., & T. Veon, J. (2021). Nine-Banded Armadillo (*Dasypus novemcinctus*) activity patterns are influenced by human activity. *Ecology and Evolution*, 11(22), 15874–15881. <https://doi.org/10.1002/ece3.8257>

- DeGregorio, B. A., Sperry, J. H., Ward, M. P., & Weatherhead, P. J. (2015). Wait until dark? Daily activity patterns and nest predation by snakes. *Ethology*, 121(12), 1225–1234. <https://doi.org/10.1111/eth.12435>
- Degregorio, B. A., Weatherhead, P. J., & Sperry, J. H. (2016). Ecology and predation behavior of Corn Snakes (*Pantherophis guttatus*) on avian nests. *Herpetological Conservation and Biology*, 11(1), 150–159.
- DeGregorio, B. A., Weatherhead, P. J., Ward, M. P., & Sperry, J. H. (2016). Do seasonal patterns of Rat Snake (*Pantherophis obsoletus*) and Black Racer (*Coluber constrictor*) activity predict avian nest predation? *Ecology and Evolution*, 6(7), 2034–2043. <https://doi.org/10.1002/ece3.1992>
- Dhamorikar, A., Kawalkar, D., Gurjarpadhye, P., & Manchi, S. (2020). Crepuscular hunting of Swiftlets (Family: *Apodidae*) by Besra (Family: *Accipitridae*) in the urban areas of the Andaman Islands, India. *Journal of Threatened Taxa*, 12(17), 17323–17329. <https://doi.org/10.11609/jott.5397.12.17.17323-17329>
- Di Bitetti, M. S., Paviolo, A., & De Angelo, C. (2006). Density, habitat use and activity patterns of Ocelots (*Leopardus pardalis*) in the Atlantic forest of Misiones, Argentina. *Journal of Zoology*, 270(1), 153–163. <https://doi.org/10.1111/j.1469-7998.2006.00102.x>
- Díaz-Ruiz, F., Caro, J., Delibes-Mateos, M., Arroyo, B., & Ferreras, P. (2016). Drivers of Red Fox (*Vulpes vulpes*) daily activity: Prey availability, human disturbance or habitat structure? *Journal of Zoology*, 298(2), 128–138. <https://doi.org/10.1111/jzo.12294>
- Doebel, J. H., & McGinnes, B. S. (1974). Home range and activity of a Gray Squirrel population. *The Journal of Wildlife Management*, 38(4), 860–867. <https://doi.org/10.2307/3800057>
- Doody, J. S., James, H., Ellis, R., Gibson, N., Raven, M., Mahony, S., ... McHenry, C. R. (2014). Cryptic and complex nesting in the Yellow-Spotted Monitor, *Varanus panoptes*. *Journal of Herpetology*, 48(3), 363–370.
- D'souza, A., Gale, G. A., Marshall, B. M., Khamcha, D., Waengsothorn, S., & Strine, C. T. (2021). Space use and activity of *Boiga cyanea* – A major songbird nest predator in a seasonal tropical forest in Thailand. *Global Ecology and Conservation*, 32, e01875. <https://doi.org/10.1016/j.gecco.2021.e01875>
- Ensing, E. P., Ciuti, S., Wijs, F. A. L. M. de, Lentferink, D. H., Hoedt, A. ten, Boyce, M. S., & Hut, R. A. (2014). GPS based daily activity patterns in European Red Deer and North American Elk (*Cervus elaphus*): Indication for a weak circadian clock in ungulates. *PLOS ONE*, 9(9), e106997. <https://doi.org/10.1371/journal.pone.0106997>
- Farías, V., Fuller, T. K., & Sauvajot, R. M. (2012). Activity and distribution of Gray Foxes (*Urocyon cinereoargenteus*) in Southern California. *The Southwestern Naturalist*, 57(2), 176–181.
- Flores-Morales, M., Vázquez, J., Bautista, A., Rodríguez-Martínez, L., & Monroy-vilchis, O. (2018). Response of two sympatric carnivores to human disturbances of their habitat: The Bobcat and Coyote. *Mammal Research*, 64. <https://doi.org/10.1007/s13364-018-0385-x>
- Galsworthy, M. J., Amrein, I., Kuptsov, P. A., Poletaeva, I. I., Zinn, P., Rau, A., ... Lipp, H.-P. (2005). A comparison of wild-caught Wood Mice and Bank Voles in the Intellicage: Assessing exploration, daily activity patterns and place learning paradigms. *Behavioural Brain Research*, 157(2), 211–217. <https://doi.org/10.1016/j.bbr.2004.06.021>
- Gálvez, N., Meniconi, P., Infante, J., & Bonacic, C. (2021). Response of mesocarnivores to anthropogenic landscape intensification: Activity patterns and guild temporal interactions. *Journal of Mammalogy*, 102(4), 1149–1164. <https://doi.org/10.1093/jmammal/gyab074>
- Gannon, V. P. J., & Secoy, D. M. (1985). Seasonal and daily activity patterns in a Canadian population of the Prairie Rattlesnake, *Crotalus viridis viridis*. *Canadian Journal of Zoology*, 63(1), 86–91. <https://doi.org/10.1139/z85-016>

- Garin, I., Aihartza, J., Zuberogoitia, I., & Zabala, J. (2002). Activity pattern of European Mink (*Mustela lutreola*) in Southwestern Europe. *Zeitschrift Für Jagdwissenschaft*, 48(2), 102–106.
- Geiser, F. (1987). Hibernation and daily torpor in two Pygmy Possums (*Cercartetus Spp.*, *Marsupialia*). *Physiological Zoology*, 60(1), 93–102.
- Gibson, A. R., & Falls, J. B. (1979). Thermal biology of the Common Garter Snake *Thamnophis sirtalis* (L.). I. Temporal variation, environmental effects and sex differences. *Oecologia*, 43(1), 79–97.
- Goodwin, H. T. (2008). Sciuridae. In *Evolution of Tertiary Mammals of North America: Volume 2: Small Mammals, Xenarthrans, and Marine Mammals* (Janis, C.M., Gunnell, G.F., and Uhen, M.D., pp. 355–376). Cambridge University Press. Retrieved from [10.1017/CBO9780511541438.022](https://doi.org/10.1017/CBO9780511541438.022)
- Goth, A., & Vogel, U. (2002). Social behaviour of two free-ranging chicks of Australian Brush-Turkey *Alectura lathami*. *Corella*, 26(2), 55–58.
- Gracanin, A., & Mikac, K. M. (2022). Camera traps reveal overlap and seasonal variation in the diel activity of arboreal and semi-arboreal mammals. *Mammalian Biology*, 102(2), 341–355. <https://doi.org/10.1007/s42991-021-00218-y>
- Gray, B. S. (2011). Seasonal activity and natural history observations of five snake species from the Central Lowland Province of Erie County, Pennsylvania. *Journal of Kansas Herpetology*, 38, 24.
- Greene, H. W. (1979). Behavioral convergence in the defensive displays of snakes. *Experientia*, 35(6), 747–748.
- Hacker, G. M., Brown, R. N., Fedorova, N., Girard, Y. A., Higley, M., Clueit, B., & Lane, R. S. (2018). Spatial clustering of *Borrelia burgdorferi sensu lato* within populations of Allen's Chipmunks and Dusky-Footed Woodrats in northwestern California. *PLOS ONE*, 13(4), e0195586. <https://doi.org/10.1371/journal.pone.0195586>
- Hatano, F. H., Vrcibradic, D., Galdino, C. A. B., Cunha-Barros, M., Rocha, C. F. D., & Van Sluys, M. (2001). Thermal ecology and activity patterns of the lizard community of the restinga of Jurubatiba, Macaé, RJ. *Revista Brasileira de Biologia*, 61, 287–294.
- Heckrotte, C. (1960). *The effect of environmental factors on the locomotory activity of the Plains Garter Snake* (*Thamnophis radix radix*) (Doctoral thesis, University of Illinois at Urbana-Champaign). University of Illinois at Urbana-Champaign, United States -- Illinois. Retrieved from <https://www.proquest.com/docview/301900508/citation/C0C6FCBF3CE41F6PQ/1>
- Hernández-Sánchez, A., & Santos-Moreno, A. (2022). Drivers of activity patterns of two sympatric Skunks (*Carnivora: Mephitidae*). *Journal of Mammalogy*, gyac038. <https://doi.org/10.1093/jmammal/gyac038>
- Hoogenboom, I., Daan, S., Dallinga, J. H., & Schoenmakers, M. (1984). Seasonal change in the daily timing of behaviour of the Common Vole, *Microtus arvalis*. *Oecologia*, 61(1), 18–31.
- Howze, J. M., & Smith, L. L. (2012). Factors influencing Eastern Kingsnake diel activity. *Copeia*, 2012(3), 460–464.
- Human, K. G., Weiss, S., Weiss, A., Sandler, B., & Gordon, D. M. (1998). Effects of abiotic factors on the distribution and activity of the invasive Argentine Ant (*Hymenoptera: Formicidae*). *Environmental Entomology*, 27(4), 822–833. <https://doi.org/10.1093/ee/27.4.822>
- Ibrahim, A. A. (2002). Activity area, movement patterns, and habitat use of the Desert Monitor, *Varanus griseus*, in the Zaranik protected area, North Sinai, Egypt. *African Journal of Herpetology*, 51(1), 35–45. <https://doi.org/10.1080/21564574.2002.9635460>
- Ikeda, H., Izawa, M., Baba, M., Takeishi, M., Doi, T., & Ono, Y. (1983). Range size and activity pattern of three nocturnal carnivores in Ethiopia by radio-telemetry. *Journal of Ethology*, 1(1–2), 109–111. <https://doi.org/10.1007/BF02347837>
- Jafari, A., Faghihi, F., Asadolahizoj, S., Amiri, M., Hosseini-Chegeni, A., & Telmadarraiy, Z. (2021). A survey on Hard Ticks as potential vectors of Crimean-Congo hemorrhagic fever collected from

- Long-Eared Hedgehog (*Hemiechinus auritus*) in South East of Iran: First report of *Hyalomma asiaticum* from Hedgehog in Iran. *Munis Entomology & Zoology*, 16(1), 312–316.
- Jefferies, M. M., Garrido Coria, P. S., & Llambías, P. E. (2021). Nest predator identity and nest predation rates of three songbirds in the Central Andes of South temperate Argentina. *The Wilson Journal of Ornithology*, 133(1), 117–124.
- Jiménez, C. F., Quintana, H., Pacheco, V., Melton, D., & Tello, G. (2010). Camera trap survey of medium and large mammals in a montane rainforest of Northern Peru. *Revista Peruana de Biología*, 17(2), 191–196.
- Julien-Laferriere, D. (1997). The influence of moonlight on activity of Woolly Opossums (*Caluromys philander*). *Journal of Mammalogy*, 78(1), 251–255. <https://doi.org/10.2307/1382659>
- Keast, A. (1994). Temporal vocalization patterns in members of a Eucalypt forest Bird community: The effects of weather on song production. *Emu*, 94(3), 172–180. <https://doi.org/10.1071/mu9940172>
- Khamcha, D., & Gale, G. (2020). Predation behaviour of the Bridle Snake (*Lycodon cf. Davisonii*) on Asian tropical evergreen forest bird nests. *The Raffles Bulletin of Zoology*. <https://doi.org/10.26107/RBZ-2020-0091>
- Kirk, E. C. (2006). Effects of activity pattern on eye size and orbital aperture size in primates. *Journal of Human Evolution*, 51(2), 159–170. <https://doi.org/10.1016/j.jhevol.2006.02.004>
- Klug, P., Fill, J., & With, K. (2011). Spatial ecology of Eastern Yellow-Bellied Racer (*Coluber constrictor flaviventris*) and Great Plains Rat Snake (*Pantherophis emoryi*) in a contiguous tallgrass-prairie landscape. *Herpetologica*, 67, 428–439. <https://doi.org/10.1655/HERPETOLOGICA-D-10-00076.1>
- Kobayashi, S., Placksanoi, J., Taksin, A., Waengsothorn, S., Aryuthaka, C., Panha, S., & Izawa, M. (2020). Activity pattern and resource use of two *Callosciurus* species in different habitats in Northeastern Thailand. *Raffles Bulletin of Zoology*, 68, 654661. <https://doi.org/10.26107/RBZ-2020-0080>
- Kolbe, J. A., & Squires, J. R. (2007). Circadian activity patterns of Canada Lynx in Western Montana. *The Journal of Wildlife Management*, 71(5), 1607–1611. <https://doi.org/10.2193/2005-727>
- Körtner, G., & Geiser, F. (2000). Torpor and activity patterns in free-ranging Sugar Gliders *Petaurus breviceps* (Marsupialia). *Oecologia*, 123(3), 350–357. <https://doi.org/10.1007/s004420051021>
- Kowalczyk, R., Jędrzejewska, B., & Zalewski, A. (2003). Annual and circadian activity patterns of Badgers (*Meles meles*) in Białowieża primeval forest (Eastern Poland) compared with other Palaearctic populations. *Journal of Biogeography*, 30(3), 463–472. <https://doi.org/10.1046/j.1365-2699.2003.00804.x>
- Kupferman, C. A., Crupi, A. P., Waits, L. P., & Gilbert, S. L. (2021). Spatial and temporal partitioning of mustelids in Southeast Alaska. *Ecosphere*, 12(11), e03827. <https://doi.org/10.1002/ecs2.3827>
- Larson, R. N., & Sander, H. A. (2022). Seasonal activity patterns of sympatric Eastern Gray Squirrels (*Sciurus carolinensis*) and Fox Squirrels (*Sciurus niger*) in a Midwestern metropolitan region. *Urban Ecosystems*. <https://doi.org/10.1007/s11252-022-01245-4>
- LeBrun, E. G., Tillberg, C. V., Suarez, A. V., Folgarait, P. J., Smith, C. R., & Holway, D. A. (2007). An experimental study of competition between Fire Ants and Argentine Ants in their native range. *Ecology*, 88(1), 63–75. [https://doi.org/10.1890/0012-9658\(2007\)88\[63:AESOCB\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2007)88[63:AESOCB]2.0.CO;2)
- Leone, M., Loss, A., Rocha, R., Paes⁴, R., & Costa, L. (2019). *To stripe or not to stripe? Natural selection and disruptive coloration in two sympatric species of Neotropical marsupials from the genus Monodelphis* (Mammalia, Didelphidae).
- Lindzey, F. G. (1971). *Ecology of Badgers in Curlew Valley, Utah and Idaho with emphasis on movement and activity patterns* (Master's thesis, Utah State University, USA). Utah State University, USA. <https://digitalcommons.usu.edu/>. Retrieved from <https://digitalcommons.usu.edu/>.

- Lira, P. K., & dos Santos Fernandez, F. A. (2009). A comparison of trapping-and radiotelemetry-based estimates of home range of the Neotropical Opossum *Philander frenatus*. *Mammalian Biology*, 74(1), 1–8.
- Lodé, T. (2010). Activity pattern of Polecats *Mustela putorius* L. in relation to food habits and prey activity. *Ethology*, 100, 295–308. <https://doi.org/10.1111/j.1439-0310.1995.tb00334.x>
- Loretto, D., & Vieira, M. V. (2008). Use of space by the marsupial *Marmosops incanus* (*Didelphimorphia*, *Didelphidae*) in the Atlantic forest, Brazil. *Mammalian Biology*, 73(4), 255–261.
- Lucas, V., & Izar, P. (2021). Black Capuchin Monkeys dynamically adjust group spread throughout the day. *Primates*, 62(5), 789–799. <https://doi.org/10.1007/s10329-021-00926-6>
- McManus, J. J. (1974). *Didelphis virginiana*. *Mammalian Species*, (40), 1–6. <https://doi.org/10.2307/3503783>
- Mella-Méndez, I., Flores-Peredo, R., Pérez-Torres, J., Hernández-González, S., González-Urbe, D. U., & del Socorro Bolívar-Cimé, B. (2019). Activity patterns and temporal niche partitioning of Dogs and medium-sized wild mammals in urban parks of Xalapa, Mexico. *Urban Ecosystems*, 22(6), 1061–1070. <https://doi.org/10.1007/s11252-019-00878-2>
- Monteverde, M. J., & Piudo, L. (2011). Activity patterns of the Culpeo Fox (*Lycalopex Culpaeus Magellanica*) in a non-hunting area of Northwestern Patagonia, Argentina. *Mammal Study*, 36(3), 119–125. <https://doi.org/10.3106/041.036.0301>
- Mori, E., Fedele, E., Greco, I., Giampaoli Rustichelli, M., Massolo, A., Miniati, S., ... Zaccaroni, M. (2022). Spatiotemporal activity of the Pine Marten *Martes martes*: Insights from an island population. *Ecological Research*, 37(1), 102–114. <https://doi.org/10.1111/1440-1703.12269>
- Moura, L., Machado, C., Silva, A., Conceição, B. M., Ferreira, A., & Faria, R. (2015). Predation of *Ameivulla ocellifera* (Spix, 1825) (Squamata:Teiidae) by *Scolopendra* sp. (Linnaeus, 1758) (Chilopoda: *Scholopendridae*) in the vegetation of the Caatinga biome, northeastern Brazil. *Herpetology Notes*, 8, 389–391.
- Nelson, K. J., & Gregory, P. T. (2000). Activity patterns of Garter Snakes, *Thamnophis sirtalis*, in relation to weather conditions at a fish hatchery on Vancouver Island, British Columbia. *Journal of Herpetology*, 34(1), 32–40. <https://doi.org/10.2307/1565235>
- Norambuena, H. V., & Muñoz-Pedrerros, A. (2012). Diurnal activity of the Austral Pygmy Owl (*Glaucidium nana*) in Southern Chile. *The Wilson Journal of Ornithology*, 124(3), 633–635. <https://doi.org/10.1676/11-118.1>
- Ohashi, H., Saito, M., Horie, R., Tsunoda, H., Noba, H., Ishii, H., ... Kaji, K. (2014). Erratum to: Differences in the activity pattern of the Wild Boar *Sus scrofa* related to human disturbance. *European Journal of Wildlife Research*, 59. <https://doi.org/10.1007/s10344-012-0661-z>
- Olson, T. L., Squibb, R. C., & Gilbert, B. K. (1998). Brown Bear diurnal activity and human use: A comparison of two Salmon streams. *Ursus*, 10, 547–555.
- Owings, D. H., & Lockard, R. B. (1971). Different nocturnal activity patterns of *Peromyscus californicus* and *Peromyscus eremicus* in lunar lighting. *Psychonomic Science*, 22(1), 63–64. <https://doi.org/10.3758/BF03335941>
- Pauwels, O. S., David, P., Chanhom, L., Vogel, G., Chan-ard, T., & Orlov, N. L. (2005). On the status of *Boiga ocellata* kroon, 1973, with the designation of a neotype for *Boiga siamensis* Nootpand, 1971 (Serpentes, *Colubridae*). *Russian Journal of Herpetology*, 12(2), 102–106.
- Peabody, F. E. (1958). A Kansas drouth recorded in growth zones of a Bullsnaek. *Copeia*, 1958(2), 91–94. <https://doi.org/10.2307/1440547>
- Posillico, M., Paola, S., & Lovari, S. (1995). Activity patterns of the stone marten *Martes foina* Erxleben, 1777, in relation to some environmental factors. *Hystrix : The Italian Journal of Mammalogy*, 7(1–2). <https://doi.org/10.4404/hystrix-7.1-2-4056>

- Price, E. O. (1971). Effect of food deprivation on activity of the Least Weasel. *Journal of Mammalogy*, 52(3), 636–640. <https://doi.org/10.2307/1378612>
- Quaglietta, L., Mira, A., & Boitani, L. (2018). Extrinsic and intrinsic factors affecting the daily rhythms of a semiaquatic carnivore in a Mediterranean environment. *Hystrix, the Italian Journal of Mammalogy*, 29(1), 128–136. <https://doi.org/10.4404/hystrix-00022-2017>
- Refinetti, R., & Menaker, M. (1992). Body temperature rhythm of the Tree Shrew, *Tupaia belangeri*. *Journal of Experimental Zoology*, 263(4), 453–457. <https://doi.org/10.1002/jez.1402630413>
- Reidy, J. L. (2009). Nest predators of Lance-Tailed Manakins on Isla Boca Brava, Panamá. *Journal of Field Ornithology*, 80(2), 115–118. <https://doi.org/10.1111/j.1557-9263.2009.00199.x>
- Reymond, L. (1987). Spatial visual acuity of the falcon, *Falco berigora*: A behavioural, optical and anatomical investigation. *Vision Research*, 27(10), 1859–1874. [https://doi.org/10.1016/0042-6989\(87\)90114-3](https://doi.org/10.1016/0042-6989(87)90114-3)
- Richardson, M. L., Weatherhead, P. J., & Brawn, J. D. (2006). Habitat use and activity of Prairie Kingsnakes (*Lampropeltis calligaster calligaster*) in Illinois. *Journal of Herpetology*, 40(4), 423–428.
- Rivard, D. H. (1976). *Biology and conservation of Eastern Fox Snakes Elaphe Vulpina Gloydi Conant* (Master's thesis, Carleton University). Carleton University. <https://curve.carleton.ca/>. Retrieved from <https://curve.carleton.ca/>.
- Robbers, Y., Koster, E. A., Krijbolder, D. I., Ruijs, A., van Berloo, S., & Meijer, J. H. (2015). Temporal behaviour profiles of *Mus musculus* in nature are affected by population activity. *Physiology & Behavior*, 139, 351–360.
- Rodríguez-Robles, J. A. (2002). Feeding ecology of North American Gopher Snakes (*Pituophis catenifer*, Colubridae). *Biological Journal of the Linnean Society*, 77(2), 165–183. <https://doi.org/10.1046/j.1095-8312.2002.00098.x>
- Rojas, J. A., & Martínez, M. M. (2022). Living near water: Ecological observations on the Ecuador Sipo, *Chironius grandisquamis* (Peters 1869) (Serpentes: Colubridae), in the Middle Magdalena River Valley, Colombia. *Reptiles & Amphibians*, 29(1), 46–51. <https://doi.org/10.17161/randa.v29i1.16026>
- Samson, C., & Raymond, M. (1995). Daily activity pattern and time budget of Stoats (*Mustela erminea*) during summer in Southern Québec. *Mammalia*, 59, 501–510. <https://doi.org/10.1515/mamm.1995.59.4.501>
- Schweiger, B. R., & Frey, J. K. (2021). Weather determines daily activity pattern of an endemic Chipmunk with predictions for climate change. *Climate Change Ecology*, 2, 100027. <https://doi.org/10.1016/j.ecochg.2021.100027>
- Scott, A. C., & Grant, T. (1997). *Impacts of water management in the Murray-Darling Basin on the Platypus (Ornithorhynchus anatinus) and the Water Rat (Hydromys chrysogaster)* (No. 23/97). CSIRO Land and Water Canberra. <http://aerg.canberra.edu.au/>. Retrieved from <http://aerg.canberra.edu.au/>.
- Secor, S. M., & Nagy, K. A. (1994). Bioenergetic correlates of foraging mode for the Snakes *Crotalus cerastes* and *Masticophis flagellum*. *Ecology*, 75(6), 1600–1614. <https://doi.org/10.2307/1939621>
- Selvan, K. M., Krishnakumar, B. M., Ramasamy, P., & Thinesh, T. (2019). Diel activity pattern of meso-carnivores in the suburban tropical dry evergreen forest of the Coromandel Coast, India. *Journal of Threatened Taxa*, 11(8), 13960–13966. <https://doi.org/10.11609/jott.4850.11.8.13960-13966>
- Smith, C. C. (1968). The adaptive nature of social organization in the genus of three Squirrels *Tamiasciurus*. *Ecological Monographs*, 38(1), 31–63. <https://doi.org/10.2307/1948536>
- Smith, K. N., Cain, J. W., Morrison, M. L., & Wilkins, R. N. (2012). A novel songbird nest predator: The Greater Arid-Land Katydid. *The American Midland Naturalist*, 167(1), 210–212.

- Smith, S. M., Angielczyk, K. D., Schmitz, L., & Wang, S. C. (2018). Do bony orbit dimensions predict diel activity pattern in Sciurid rodents? *The Anatomical Record*, 301(10), 1774–1787. <https://doi.org/10.1002/ar.23900>
- Sperry, J. H., Ward, M. P., & Weatherhead, P. J. (2013). Effects of Temperature, Moon Phase, and Prey on nocturnal activity in Ratsnakes: An automated telemetry study. *Journal of Herpetology*, 47(1), 105–111. <https://doi.org/10.1670/11-325>
- Stake, M. M., Thompson, F. R., Faaborg, J., & Burhans, D. E. (2005). Patterns of snake predation at songbird nests in Missouri and Texas. *Journal of Herpetology*, 39(2), 215–222. <https://doi.org/10.1670/150-04A>
- Steiner, A. J., & Leatherman, S. P. (1981). Recreational impacts on the distribution of Ghost Crabs *Ocypode quadrata* fab. *Biological Conservation*, 20(2), 111–122. [https://doi.org/10.1016/0006-3207\(81\)90022-7](https://doi.org/10.1016/0006-3207(81)90022-7)
- Suzuki, S., Kitamura, S., Kon, M., Poonswad, P., Chuailua, P., Plongmai, K., ... Wohandee, P. (2007). Fruit visitation patterns of small mammals on the forest floor in a tropical seasonal forest of Thailand. *Tropics*, 16(1), 17–29. <https://doi.org/10.3759/tropics.16.17>
- Tertil, R. (1972). The effect of behavioural thermoregulation on the daily metabolism of *Apodemus agrarius* (Pallas, 1771). *Acta Theriologica*, 17(22), 295–313.
- Thorstrom, R., Ramos, J. D., & Morales, C. M. (2000). Breeding biology of Barred Forest-Falcons (*Micrastur ruficollis*) in Northeastern Guatemala. *The Auk*, 117(3), 781–786. <https://doi.org/10.1093/auk/117.3.781>
- Tonkin, J. M. (1983). Activity patterns of the Red Squirrel (*Sciurus vulgaris*). *Mammal Review*, 13(2–4), 99–111. <https://doi.org/10.1111/j.1365-2907.1983.tb00271.x>
- Valenzuela, D., & Ceballos, G. (2000). Habitat selection, home range, and activity of the White-Nosed Coati (*Nasua narica*) in a Mexican tropical dry forest. *Journal of Mammalogy*, 81(3), 810–819.
- Veltman, C. J., & Hickson, R. E. (1989). Predation by Australian Magpies (*Gymnorhina tibicen*) on pasture invertebrates: Are non-territorial birds less successful? *Australian Journal of Ecology*, 14(3), 319–326. <https://doi.org/10.1111/j.1442-9993.1989.tb01440.x>
- Vieira, E. M., & Baumgarten, L. C. (1995). Daily activity patterns of small mammals in a Cerrado area from central Brazil. *Journal of Tropical Ecology*, 11(2), 255–262.
- Vissia, S., & van Langevelde, F. (2022). The effect of body size on co-occurrence patterns within an African carnivore guild. *Wildlife Biology*, 2022(2), e01004. <https://doi.org/10.1002/wlb3.01004>
- Vitali, S. D., & Richardson, K. C. (1998). Evaluation of pulmonary volumetric morphometry at the light and electron microscopy level in several species of passerine birds. *Journal of Anatomy*, 193(4), 573–580. <https://doi.org/10.1046/j.1469-7580.1998.19340573.x>
- Wade, R. R., Loaiza-Phillips, E. M., Townsend, V. R., Jr., & Proud, D. N. (2011). Activity patterns of two species of Neotropical Harvestmen (*Arachnida: Opiliones*) from Costa Rica. *Annals of the Entomological Society of America*, 104(6), 1360–1366. <https://doi.org/10.1603/AN11018>
- Webster, M. S. (1994). Female-defence polygyny in a Neotropical bird, the Montezuma Oropendola. *Animal Behaviour*, 48(4), 779–794. <https://doi.org/10.1006/anbe.1994.1302>
- Wilson, R. R., Krausman, P. R., & Morgart, J. R. (2009). Behavior and activity budgets of Sonoran Pronghorns (*Antilocapra americana sonoriensis*). *The Southwestern Naturalist*, 54(1), 45–54.
- Wójcik, J. M., & Wolk, K. (1985). The daily activity rhythm of two competitive rodents: *Clethrionomys glareolus* and *Apodemus flavicollis*. *Acta Theriologica*, 30(14), 241–258.
- Zapata-Ríos, G., & Branch, L. C. (2016). Altered activity patterns and reduced abundance of native mammals in sites with feral Dogs in the high Andes. *Biological Conservation*, 193, 9–16. <https://doi.org/10.1016/j.biocon.2015.10.016>

- Zielinski, W. J., Slauson, K. M., & Bowles, A. E. (2008). Effects of off-highway vehicle use on the American Marten. *The Journal of Wildlife Management*, 72(7), 1558–1571.
<https://doi.org/10.2193/2007-397>
- Zoller, H., & Drygala, F. (2013). Activity patterns of the invasive Raccoon Dog (*Nyctereutes procyonoides*) in North East Germany. *Folia Zoologica*, 62(4), 290–296.
<https://doi.org/10.25225/fozo.v62.i4.a6.2013>
- Zschille, J., Stier, N., & Roth, M. (2009). Gender differences in activity patterns of American Mink in Germany. *European Journal of Wildlife Research*, 56(2), 187–194.
<https://doi.org/10.1007/s10344-009-0303-2>
- Zumdahl, K. A. (2020). *Franklin's Ground Squirrel (Poliocitellus franklinii) social distancing: Home range size and overlap of a relatively asocial ground Squirrel* (Master's thesis, University of Manitoba, Canada). University of Manitoba, Canada. <https://mspace.lib.umanitoba.ca/>. Retrieved from <http://hdl.handle.net/1993/35037>