



Biomass Coverage in European Union (non Mediterranean) Region



Biomass Coverage Over Time in European Union (non Mediterranean) Region  
Stocks with highest average biomass




Taxonomy Group

- Gadids
- Pleuronectids
- Forage Fish
- Sebastids
- Carangids-Mackerels
- Other Marine Fish
- Elasmobranchs


Biomass Coverage Over Time in European Union (non Mediterranean) Region

Stocks with lowest average biomass




Blue whiting Northeast Atlantic – European Union (non Mediterranean) Region

Stock represents 19% of average absolute surplus production




# Mackerel ICES Northeast Atlantic – European Union (non Mediterranean) Region

Stock represents 13% of average absolute surplus production




Herring ICES 3a–4–7d – European Union (non Mediterranean) Region

Stock represents 8% of average absolute surplus production




# Horse mackerel ICES 2a–4a–5b–6a–7–8 – European Union (non Mediterranean) Region

Stock represents 3% of average absolute surplus production




# Blue whiting Northeast Atlantic in European Union (non Mediterranean) Region




First and last years with recorded surplus production are labeled



# Mackerel ICES Northeast Atlantic in European Union (non Mediterranean) Region




# Herring ICES 3a–4–7d in European Union (non Mediterranean) Region



First and last years with recorded surplus production are labeled

# Horse mackerel ICES 2a-4a-5b-6a-7-8 in European Union (non Mediterranean) Region



First and last years with recorded surplus production are labeled