



Biomass Coverage in Shrimps Taxonomy Group



Biomass Coverage Over Time in Shrimps Taxonomy Group

Stocks ordered from lowest to highest average biomass




Region

Canada East Coast	European Union (non Mediterranean)	South America
Canada West Coast	Mediterranean-Black Sea	US East Coast


Northern shrimp Shrimp Fishing Area 6 – Shrimps Taxonomy Group

Stock represents 62% of average absolute surplus production




Northern shrimp Shrimp Fishing Area 5 – Shrimps Taxonomy Group

Stock represents 16% of average absolute surplus production




Nylon shrimp Central–Southern Chile – Shrimps Taxonomy Group

Stock represents 2% of average absolute surplus production




Northern shrimp ICES 3a(west)–4a(east) – Shrimps Taxonomy Group

Stock represents 8% of average absolute surplus production




Northern shrimp Shrimp Fishing Area 6 in Shrimps Taxonomy Group




First and last years with recorded surplus production are labeled

Northern shrimp Shrimp Fishing Area 5
in Shrimps Taxonomy Group




First and last years with recorded surplus production are labeled

Nylon shrimp Central–Southern Chile in Shrimps Taxonomy Group



Northern shrimp ICES 3a(west)–4a(east)
in Shrimps Taxonomy Group



First and last years with recorded surplus production are labeled