

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 315 Hole 1564D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
413A					
12411481	4H-3A	151.4	✓		
12411511	4H-4A	151.8	✓		
12414161	9H-1A		✓		DE
12414191	9H-2A	143.9	✓		
12414221	9H-3A	149.8	✓		
12414251	9H-4A	150.5	✓		
12414281	9H-5A	151.10	✓		
12414311	9H-6A	150.5	✓		
12414341	9H-7A	80.5	✓		
12414371	9H-CC A	26.4	✓		
12414821	10H-1A	149.2	✓		
12414851	10H-2A	143.9	✓		
12414881	10H-3A	152.0	✓		
12414911	10H-4A	152.1	✓		
12414941	10H-5A (+6-7)	154.5	✓	(10H-5A re-run)	
12415321	11H-1A	148.1	✓		
12415351	11H-2A	143.5	✓		
12415381	11H-3A	148.6	✓		
12415411	11H-4A	149.1	✓		
12415441	11H-5A	148.0	✓		
12415471	11H-6A	145.7	✓		
12415501	11H-7A	52.0	✓		
12415531	11H-CC A	18.5	✓		
12415951	12H-1A	149.3	✓		
12415981	12H-2A	143.5	✓		
12416011	12H-3A	148.4	✓		
12416041	12H-4A	147.0	✓		↓

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole ~~15~~ 1564D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
12416071	12H-5A	146.0	✓		DE
12416101	12H-6A	152.4	✓		
12416131	12H-7A	51.0	✓		
12416161	12H-CC A	24.1	✓		
12416401	13H-1A	147.5	✓		
12416431	13H-2A	142.0	✓		
12416461	13H-3A	148.2	✓		
12416491	13H-4A	149.3	✓		
12416521	13H-5A	149.3	✓		
12416551	13H-6A	149.1	✓		✓
12416581	13H-7A	147.8	✓		
12416611	13H-CCA	32.5	✓		
12416991	14H-1A	147.3	✓		
12417011 12417021	14H-2A			forget	
12417051	14H-3A	151.3	✓		
12417081	14H-4A	147.4	✓		
12417111	14H-5A	147.7	✓		
12417141	14H-6A	148.3	✓		
12417171	14H-7A	89.4	✓		
12417201	14H-CCA	17.5	✓		
12417511	15H-1A	146.6	✓		
12417541	15H-2A	143.2	✓		
12417571	15H-3A	148.1	✓		
12417601	15H-4A	148	✓		
12417631	15H-5A	151.5	✓		
12417661	15H-6A	107.7	✓		
12417691	15H-7A	74.5	✓		
12417721	15H-CCA	28	✓		
12418061	16H-1A	146.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564D

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
1241 1241801	1564D 16H 2A	145	✓		CJ
1241812	16H 3A	147.4	✓		TW
1241815	16H 4A	146.6	✓		
1241818	16H 5A	146.9	✓		
1241821	16H 6A	149.3	✓		
1241851	17H 1A	147	✓		
1241854	16H 7A	97	✓		
1241827	16H CCA	27.5	✓		
1241855	17H 2A	141.8	✓		
1241858	17H 3A	146.8	✓		
1241861	17H 4A	146.4	✓		
1241864	17H 5A	146.9	✓		
1241867	17H 6A	146.2	✓		
1241870	17H 7A	86.7	✓		
1241873	17H CCA	26.5	✓		
1241918	18H 1A	146.4	✓		
1241921	18H 2A	146.4 149	✓		
1241924	18H 3A	146.8	✓		
1241927	18H 4A	146.7	✓		
1241930	18H 5A	147.2	✓		
1241933	18H 6A	147.1	✓		
1241936	18H 7A	97.1	✓		
1241939	18H CCA	32.9	✓		
1241956	18H 9 1A		✓		
1241956	19H 2A	140.9	✓		
1241959	19H 3A	146.3	✓		
1241962	19H 4A	146.1	✓		
1241965	19H 5A	146.8	✓		
1241968	19H 6A	146.2			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

385 Exp. 1564 Hole D

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
12419711	19H 7A	88.7	✓		TW
12419741	19H CCA	12	✓		
12420161	20H 1A	146.5	✓		
12420191	20H 2A	140.7	✓		
12420221	20H 3A	145.8	✓		
12420251	20H 4A	146.9	✓		
12420281	20H 5A	146.6	✓		
12420311	20H 6A	147.5	✓		
12420341	20H-7A	100.6	✓		DE
12420371	20H-CCA	25.0	✓		
12420491	21H-1A	148.0	✓		
12420521	21H-2A	149	✓		
12420551	21H-3A	148	✓		
12420581	21H-4A	146	✓		
12420611	21H-5A	148	✓		
12420641	21H-6A	143	✓		
12420671	21H-7A	83	✓		
12420701	21H-CCA	22.0	✓		
12421261	22H-1A	145.0	✓		SoC
	22H-2A	141.5	✓		
	22H-3A	147.1	✓		
	22H-4A	146.2	✓		
	22H-5A	147.4	✓		
	22H-6A	146.0	✓		
	22H-7A	97.4	✓		
	22H-CC	20	✓		
	23H-1	146.1	✓		
	23H-2	141.1	✓		
	23H-3	128.1	✓		

Length
do not
match

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 385 Hole 1564D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	23H 4	53.7	✓		
	23H-CC	15	✓		
	24-1	146.1	✓		
	24-2		✓		
	24-3	132.5	✓		
	24-4	50.0	✓		
	24-CC	23.2	✓		
	25-1	144.5	✓		
	25-2	140.7	✓		
	25-3	135.3	✓		
	25-4	50.5	✓		
	25-CC	15.0	✓		
	No 26 (drill interval)	—			
	27-1	150.2	✓		
	27-2	148.5	✓		
	27-3	128.5	✓		
	27-4	51.0	✓		
	27-CC	13.0	✓		
	28-1	52	✓		
	28-2		✓		
	28-3	130.2	✓		
	28-4	18.0	✓		
	28-CC	18.0	✓		
	29-1	148.4	✓		
	29-2	151.0	✓		
	29-3	126.5	✓		
	29-4	49.5	✓		
	29-CC	17.5	✓		
	30K-1	148.3			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1564 D

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	30X-2	144.0	✓		
	30X-3	150.0	✓		
	30X-4	149.0	✓		
	30X-5	150.0	✓		
	30X-6	105.5	✓		
	30X-CC	31.0	✓		
	31X-1	126.7	✓		
	31X-CC	122.0 N/A	—	(too broken to be useful)	
	32X-1	150.0			
	32X-2	141	✓		CJ
	32X-3	157	✓		CJ
	32X-4	151	✓		CJ
	32X-5	151	✓		RPT
	32X-6	140	✓		RPT
	32X-7	51	✓		CJ
	32X-CC	35	✓		CJ
	33X-1	157	✓		
	33X-2	141	✓		
	33X-3	150	✓		
	33X-4	150	✓		SM.
	33X-5	150	✓		SM
	33X-6	138	✓		SM.
	33X-7	52	✓		
	33X-1C	40			
	34X-1A	151		5 EXCLUDE cm top	CJ
	34X-2A	141			CJ
	34X-3A	149.5	✓		TW
	34X-4A	150.8	✓		TW
	34X-5A	150.6			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 01564D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
12425071	34X 6A	139.3	✓		TW
1242501	34X 7A	50.3	✓		
12425121	34X CC1A	26.	✓		↓
12425391	35X 1A	51	✓		
12425721	35X 2A	141	✓		
12425451	35X 3A	150	✓		
12425481	35X - 4A	150	✓		
12425511	35X - 5A	151	✓		
12425541	35X - 6A	139	✓		
12425571	35X - 7A	51			
1245601	35X - CCA	26			
12425841	36X - 1A	151.4	✓		
12425871	36X - 2A	140.7	✓		
12425901	36X - 3A	151.2	✓		
12425931	36X - 4A	151.6	✓		
12425961	36X - 5A	150	✓		
12425991	36X 6A	141	✓		
12426021	36X 7A	44	✓		
12426051	36X CCA	33	✓		
12426111	37X 1A	150.1	✓		
124260541	37X 2A	150	✓		
124260571	37X 3A	150.2	✓		
124260601	37X 4A	150			
124260631	37X 5A	151.1	✓		
124260691	37X 6A	137.3	✓		
124260721	37X 7A	151			
124260821	37X CC				
124260821	38X 1A	150			
124260851	38X 2A	152			

124260721

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1564D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
12426881	38X 3A	150	✓		
	38X 4A	172.4	✓		
	38X 5A	150.2	✓		
	38X 6A	126.8	✓		
12427001	38X 7A		✓		
	38X CC 1A	17.5	✓		
	39X 1A	150.7	✓		
12427301	39X 2A	140.6	✓		
	39X 3A	151.2	✓		
	39X 4A	150.5	✓		
	39X 5A	135.9	✓		
	39X - 6A	51.6	✓		
	39X - CC	21.9	✓		
	40X - 1	149.5	✓		
	40X - 2	150.2	✓		
	40X - 3	70.8	✓		
	40X - CC	36.7	✓		
	41X - 1	149.7	✓		
	41X - 2	138.9	✓		
	41X - 3	149.5	✓		
	41X - 4	149.1	✓		
	41X - 5	150.3	✓		
	41X - 6	149.0	✓		
	41X - CC	15.7	✓		
	42X - 1	149.8	✓		
	42X - 2	139.4	✓		
	42X - 3	149.4	✓		
	42X - 4	150.3	✓		
	42X - 5	149.6	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564 D

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	42X-6A	133	✓		
	42Y-CC	22.5	✓		
	43X-1A	150.0	✓		
	43X-CC	22.0	✓		
	43X-6	112.0	✓		
	43X-2	139.3	✓		
	43X-3	148.5	✓		
	43X-4	149.6	✓		
	43X-5	149.4	✓		
	44X-1	149.4	✓		
	44X-2	138.9	✓		
	44X-3	150.0	✓		
	44X-4	149.2	✓		
	44X-5	150.2	✓		
	44X-6	119.0	✓		
	44X-CC	23.4	✓		
	45-1 & -4		✓		
	45X-5	133.0	✓		
	45X-2	140.0	✓		
	45X-3	149.5	✓		
	45X-6	60.0	✓		
	45X-CC	18.5	✓		
	46X-1	148.9	✓		
	46X-2	138.9	✓		
	46X-3	145.6	✓		
	46X-4	150.0	✓		
	46X-5	149.8	✓		
	46X-6 rec	130.9	✓		
	47X-1	148.9	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1564D

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	47X-2	139.9	✓		
	47X-3	149.2	✓		
	47X-4	150.1	✓		
	47X-5	145.0	✓		
	47X-6	130.2	✓		
	47X-7	160.3	✓		
	47X-CC	17.8	✓		
	48X-1	149.3	✓		
	48X-2	138.8	✓		
	48X-3	147.9	✓		
	48X-4A	150	✓		
	48X-5A	146.9	✓		
	48X-CC	27	✓		
	49X 1A	149.8	✓		
	49X 2A	140	✓		
	49X 3A	150	✓		
	49X 4A	150	✓		
	49X 5A	150	✓		
	49X 6A	150 152.7	✓		
	49X 7A	152.7	✓		
	49X CCA	40	✓		
	50X 1A	151.2	✓		
	50X 2A	149.9	✓		
	50X 3A	72	✓		
	50X CCA	23.6	✓		
	51X 1A	150.3	✓		
	51X 2A	149			
	51X 3A	150.3			
	51X 4A	150			

calibrated

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564D

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	51X-5A	191.4			
	51X-6A	126.5			
	51X-7A	52.4			
	51X-CCA	45			
	52X-1A	150			
	52X-2A	151			
	52X-3A	150.8			
	52X-4A	150.4			
	52X-5A	150.3			
	52X-6A	142.5			
	52X-7A	57.54			
	52X-CCA	35			
	53X-1A	150			
	53X-2A	150			
	53X-3A	149			
	53X-4A	150			
	53X-5A	103			
	53X-6A	53			
	53X-CCA	27			
	54X-1A	150.1			
	54X-2A	147			
	54X-3A	150.7			
	54X-4A	150.6			
	54X-5A	150.9			
	54X-6A	135.5			
	54X-7A	52.9			
	54X-CCA	22.5			
	55X-1A	150.9			
	55X-2A	140.4			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564 D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	55X-3A	150.9	✓		
	55X-4A	156.4			
	55X-5A	151.4			
	55X-6A	131			
	55X-7A	52			
	55X-CCA	21			
	56X-1A				
	56X-2A	141			
	56X-3A	150.6			
	56X-4A	151.1			
	56X-5A	150.5			
	56X-6A	139.1			
	56X-7A	52.6			
	56X-CCA	34	✓		
	58X-1	157.5	✓		
	58X-2	140.4	✓		
	58X-3	149.6	✓		
	57X-1	149.5	✓		
	57X-2	140.4	✓		
	57X-3	150.4	✓		
	57X-4		✓		
	57X-5	150.0	✓		
	57X-6		✓		
	57X-7	51.1	✓		
	57X-CC	44.0	✓		
	58X-4	153.0			
	58X-6	138.8			
	58X-7	55.8			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 385 Hole 1564D

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	58X - CC	41.8			
	59-1				
	59X-2				
	59X-3				
	59X-4				
	59X-5				
	59X-6				
	59X-7				
	59X-CC				
	60X-1	151.2			
	60X-2				
	60X-3				
	60X-4				
	60X-5	154.6			
	60X-6	136.8			
	60X-7	52.6			
	60X-CC	83.1			
	61X-1	151.2			
	61X-2	151			
	61X-3	150.7			
	61X-4	151.7			
	61X-5				
	61X-6	138.3			
	61X-7	52.4			
	61X - CC	40.7			
	62X-1	150.9			
	62X-2	139.9			
	62X-3	151.1			
	62X-4	151.2			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564D

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	62X - 5A	153.9			
	62X - 6A	131.4			
	62X - 7A				
	62X - CC	44.9			
	63X - 1				
	63X - 2				
	63X - 3				
	63X - 4	149.5			
	63X - 5	132.0			
	63X - 6	118.1			
	63X - 7	56.0			
	63X - CC				
	64X - 1	150.4			
	64X - 2	137.2			
	64X - 3	150.7			
	64X - 4	143.8			
	64X - 5	51.5			
	64X - CC				
	65X - 1A	151			CJ
	65X - 2A	138			RPT
	65X - 3A	150			CJ
	65X - 4A	150			CJ
	65X - 5A	150			
	65X - 6A	144			
	65X - CC	34			CJ
	66X - 1A	151			
	66X - 2A	150			
	66X - 3A	150			
	66X - 4A	150			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1504D

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	66X 5A	151			
	66X 6A				
	66X 7A	52.5			
	66X CCA	35		excluded 0-8 cm	
	67X 1A	151			
	67X 2A	130			
	67X 3A	152	✓		
	67X 4A	151			
	67X 2A	130			
	67X - 5A	150			
	67X - 6A	150			
	67X - 7A	82			
	67X - CC	39			
	68X - 1A	150.7			
	68X - 2A	130.8			
	68X - 3A	149			
	68X - 4A	149			
	68X - 5A	153			
	68X - 6A	135			
	68X - 7A	53			
	68X - CCA	37			
	69X - 1A	150			
	69X - 2A	131			
	69X - 3A	151			
	69X - 4A	149			
	69X - 5A	151			
	69X - 6A	117			
	84X - CCA	40.5			
	70X - 1A	152			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 1564 Hole D/E

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	70X 2A	138	✓		
	70X 3A	151	✓		
	70X 4A	149	✓		
	70X 5A	151	✓		
	70X 6A	125	✓		
	70X CCA	39.5	✓		
	71X 1A	148.6	✓		
	71X 2A	130	✓		
	71X 3A	150	✓		
	71X 4A	152	✓		
	71X 5A	151	✓		
	71X-6	124.6	✓		
	71X-7	53.7	✓		
	71X-CC	35.0	✓		
	73X-1		✓		
	73X-2	129.9	✓		
	73X-3	77	✓		
	73X-CC		✓		
	74X-1	129.6	✓		
	74X-2	98.7	✓		
	74X-CC	36.5	✓		
	72X-1	48.9	✓		
	72X-CC	23.4	✓		
Hole E →	1H-1	149.5	✓		
	1H-2	148.7	✓		
	1H-3	150.2	✓		
	1H-4	116.9	✓		
	1H-CC	12.8	✓		
	2H-1	148.9			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1564E

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	2H-2	148	✓		
	2H-3	149.9	✓		
	2H-4	149.9	✓		
	2H-5	149.4	✓		
	2H-6	150.1	✓		
	2H-7	78.3	✓		
	2H-cc	17.5	✓		
	3H-2	149.0	✓		
	3H-3	149.6	✓		
	3H-4	149.2	✓		
	3H-5	149.4	✓		
	3H-1	-	✓		
	3H-6	147.1	✓		
	3H-7	68	✓		
	3H-cc	-	✓		
	4H-cc	57	✓		
	4H-7	-	✓		
	4H-6	143.8			
	4H-5	144.6			
	4H-4	145			
	4H-3	-			
	4H-2	145			
	4H-1	144			
	5H-1	145.5			
	5H-2	144.6			
	5H-3	154.8		mbig was scanned	
	5H-4	145.8			
	5H-5	145.3			
	5H-6	145.7			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564E

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	5H-7	96.1			
	5H-CC	21.6			
	6H-1	144.6			
	6H-2	146.1			
	6H-3	18 145.4			
	6H-4	146.5			
	6H-5	145.8			
	6H-6	145.4			
	6H-7	99.7			
	6H-CC	20.0			
	7H-1	145.2			
	7H-2	145.5			
	7H-3	146			
	7H-4	145			
	7H-5	146.6			
	7H-6	1			
	7H-7	90			
	7H-CC	39			
	8H-1				
	8H-2	148.0			
	8H-3				
	8H-4	148.7			
	8H-5	149.1			
	8H-6				
	8H-7				
	8H-CC	30.0			
	9H-1A	147.6			
	9H-2A	148.			
	9H-3A				

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 385 Hole 1564E

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	U1564E 9H-4A				
	↓ 9H-5A	150			
	↓ 9H-6A	148			
	9H-7A	70			
	9H-CCA	25			
	10H-1A			0-29 excluded	
	10H-2A	149			
	10H-3A	149.1			
	10H-4A				
	10H-5A	149.4			
	10H-6A	147.8			
	10H-7A	54			
	10H-CCA	40			
	11H-1A	149		0-30 excl.	
	11H-2A	148			
	11H-3A	151			
	11H-4A	149			
	11H-5A	149			
	11H-6A	149			
	11H-7A	74			
	11H-CCA	37			
	12H-1A	149			
	12H-2A	151			
	12H-3A	148.1			
	12H-4A	147.9			
	12H-5A	149			
	12H-6A	148.7			
	12H-7A				
	12H-CCA	25.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1564E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	395 U1564E 13H1A	147.2			
	13H 2A	151			
	13H 3A	149.5			
	13H 4A	152			
	13H 5A	148.4			
	13H 6A	148.1			
	13H 7A				
	13H CC				
	14H 1	151.3			
	14H 2	151.2			
	14H 3	148			
	14H 4	148.3			
	14H 5	150			
	14H 6	147			
	14H 7	84			
	14H CC	27			
	15H 1A	151			
	15H 2A	148			
	15H 3A	149			
	15H 4A	149			
	15H 5A	150			
	15H 6A	146			
	15H 7A	79			
	15H CC1A	37.5			
	16H 1A	150.5			
	16H 2A	148.5			
	16H - 3A	154			
	16H - 4A	148			
	16H - 5A	149			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 385 Hole 1564 E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	U1564E 16H 6A	149	✓		
	16H 7A	710			
	16H CCA	28			
	17H 1A	147			
	17H 2A	148			
	17H 3A	150			
	17H 4A	149			
	17H 5A	148.6			
	17H 6A	149.8			
	17H 7A	78.5			
18H →	17H CC	25			
	18H - 1	148.5			
	17H-CC			Rem	
	18H-2	149.2			
	18H-3		↓		
	18-4	148.0	✓		
	18-5	150.7	✓		
	18-6	147.5	✓		
	18-7, #	91.2	✓		
	19H-1	147.3	✓		
	19H-2	147.0	✓		
	19H-3	148.0			
	19H-4				
	19H-5	149.5			
	19H-6	150.3			
	19H-7	50.8			
	19H-CC	22.1			
	20H-1				
	20H-2				

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 398 Hole 1564E

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	20H-3	147.9	✓		
	20H-4	149.5	✓		
	20H-5	148.2	✓		
	20H-6	149.7	✓		
	20H-7	82.1	✓		
	20H-CC	27.3	✓		
	21H-1	149.3	✓		
	21H-2	148	✓		
	21H-3	148.4	✓		
	21H-4		✓		
	21H-5	149.1	✓		
	21H-6	148.0	✓		
	21H-7	67.9	✓		
	21-CC	27.6	✓		
	22H-1		✓		
	22H-2	147.4	✓		
	22H-3	147.3	✓		
	22H-4	147	✓		
	22H-5	149.2	✓		
	22H-6	148	✓		
	22H-CC		✓		
	23X-1		✓		
	23X-2	150.7	✓		
	23X-3	150.0	✓		
	23X-4	149.9	✓		
	23X-5	150.4	✓		
	23X-6	127.1			
	23X-7	60.7			
	23X-CC	35.6			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564E

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	24X-1	150.4	✓		
	24X-2	149.1	✓		
	24X-3	149.6	✓		
	24X-4	149.7	✓		
	24X-5	149.5	✓		
	24X-6	128	✓		
	24X-7	58.5	✓		
	24X-CC	32.3	✓		
	25X-1	150			
	25X-2	133.5			
	25X-3	151.0			
	25X-4	151.2			
	25X-5	150			
	25X-6				
	25X-7	59.7	✓		
	25X-CC	39.6	✓		
	26X-2	148.6	✓		
	26X-1	149	✓		
	26X-2		✓		
	26X-3	1	✓		
	26X-4	149.3	✓		
	26X-5	149.6	✓		
	26X-6	133.5	✓		
	26X-7	57.6	✓		
	26X-CC	21.7	✓		
	27X-1		✓		
	27X-2	149.8	✓		
	27X-3		✓		
	27X-4		✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	27X-5				
	27X-6A	128.9			
	27X-7A	61.5			
	27X-CC	Not scanned - too deformed			
	28X-1A	142.4			
	28X-2A	151.0			
	28X-3A	149.6			
	28X-4A	151			
	28X-5A				
	28X-6A	130			
	28X-7A	60.6			
	28X-CCA	21.1			
	U1551H-1A				
END OF U1564E					

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1554G

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	U1554G 1H-1A	144.4			
	1H 2-A	145			
	1H 3-A	144			
	1H 4A	79.8			
	1H 4 CA	8			
	2H - 1A	151.1			
	2H - 2A	143			
	2H - 3A	149			
	2H - 4A	150			
	2H - 5A	150			
	2H - 6A	150.2			
	2H - 7A	78			
	2H - CCA	9			
	3H 2A	145			
	3H 1A	150			
	3H 3A	150			
	3H 4A	150			
	3H 5A	150.6			
	3H 6A				
	3H 7A	95			
	3H CCA	9			
	4H 1A	151		excl. 0-91	
	4H 2A	145			
	4H 3A	151			
	4H 4A	149			
	4H 5A	151			
	4H 6A				
	4H 7A	67			
	4H CCA	27			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 05549

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	5H-1A	151.3			
	5H-2A				
	5H-3A				
	5H-4A				
	5H-5A	150.8			
	5H-6A	150.9			
	5H-7A	77.4			
	5H-7CC	26.5			
	6H-1A	151			
	6H-2A	145			
	6H-3A	151			
	6H-4A	151			
	6H-5A	151.7			
	6H-6A	149.9			
	6H-7A	66.5			
	6H-CC	14			
	7H-1A	151.3			
	7H-2A	145.7			
	7H-3A	150.3			
	7H-4A	151			
	7H-5A	150			
	7H-6A	151			
	7H-7A	76.5			
	7H-CCA	21.5			
	8H-1A	151.7			
	8H-2A	144.5			
	8H-3				
	8H-4	149.7			
	8H-5	148.9			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554G

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	8H-6	150.1	✓		
	8H-7	71.3	✓		
	8H-cc	20.9	✓		
	9H-1	150.1	✓		
	9H-2	145.1	✓		
	9H-3	147.5	✓		
	9H-4	149.0	✓	(exclude soupy intervals/wids)	
	9H-5	149.6	✓	↓ "	
	9H-6	45.0	✓	"	
	9H-7	75.2	✓	"	
	9H-cc	10.0	✓	"	
	10H-1	150.1	✓		
	10H-2	146.2	✓		
	10H-3	153.2	✓		
	10H-4	151.5	✓		
	10H-5 150.9	150.3	✓		
	10H-6	132.3	✓		
	10H-cc	26.4	✓		
	11H-1A	150.4	✓		
	11H-2A	—	✓		
	11H-3A	147.9	✓		
	11H-4	148.8	✓		
	11H-5	132.5	✓		
	11H-cc	7.3	✓		
	12H-1	149.3	✓		
	12H-2	145.5	✓		
	12H-3	149.6	✓		
	12H-4	148.1	✓		
	12H-5	148.1	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554G

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	12H-6	148.0	✓		
	12H-7	76.7	✓		
	12H-CC	7.7	✓		
	13H-1	148.1	✓		
	13H-2	142.6	✓		
	13H-3	149.4	✓		
	13H-4	150.7	✓		
	13H-5	149.6	✓		
	13H-6	148.0	✓		
	13H-7	77.2	✓		
	13H-CC	27.1	✓	stone @ bottom	
	14H-1	148.7	✓	top soupy	
	14H-2	153.6	✓		
	14H-3	148.9	✓		
	14H-4	143.8	✓		
	14H-5	146.6	✓		
	14H-6	149.4	✓		
	14H-7	53.4	✓		
	14H-CC	26.1	✓		
	15H-1		✓		
	15H-2	141.0	✓		
	15H-3	146.4	✓		
	15H-4	147.0	✓		
	15H-5	145.8	✓		
	15H-6	149.0			
	15H-CC	21			
	15H-7	77			
	16H-1	147			
	16H-2	147			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1554G

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	16H-3		✓		
	16H-4	147.8	✓		
	16H-5		✓		
	16H-6	147.1	✓		
	16H-7	84.8	✓		
	16H-CC		✓		
	17H-1A	147.6			
	17H-2A	141			
	17H-3A	146.6			
	17H-4A	147			
	17H-5A	112			
	17H-6A	115			
	17H-7A	150			
	17H-CCA	24			
	18H-1A	146.6			
	18H-2A	142.5			
	18H-3A	147.9			
	18H-4A	147.9			
	18H-5A	148.6			
	18H-6A	148.3			
	18H-7A	80.6			
	18H-CCA	30			
	19H-1A	147.5			
	19H-2A	140.9			
	19H-3A	147.5			
	19H-4A	148			
	19H-5A	145			
	19H-6A	140			
	19H-7A	80			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1554G

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	19H CC-A	31			
	20H 1-A				
	20H 3-A	146			
	20H 4-A	147			
	20H - 5A	147			
	20H - 6A	144			
	20H 7A	61			
	20H - CCA	18			
	21H - 1A	146	✓	0-45 skipped CS	
	21H - 2A	140	✓		
	21H - 3A	146.5	✓		
	21H - 4A	146			
	21H - 5A	146			
	21H - 6A	69			
	21H - 7A	79.5			
	21H - CCA	12			
	22H - 2A	139.5			
	22H - 3A	147			
	22H - 4A	146			
	22H - 5A	146			
	22H - 1A	23.5			
	23H - 1A	144.5			
	23H - 2A	139.5			
	23H - 3A	145			
	23H - 4A	145	✓		
	23H - 5A	146	✓		
	23H - 6A	145.5	✓		
	23H - 7A	99.5			
	23H - CCA	22.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1554 G

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	U1554G 24H 2A	143	✓		
	24H - 3A	147			
	24H - 4A	149			
	24H - 5A				
	24H - 6A	148			
	24H - 7A	23			
	24H - 10A	18			
	24H - 1A	147.5			
	25H - 2	144.5			
	25H - 3	149.0			
	25H - 4	148.3			
	25H - 5	147.9			
	25H - 6	144.5	✓		
	25H - 7	71.6	✓		
	25H - CC	20.4	✓		
	- 26H - v. disturbed / gap - no SHMSL -				
	27H - 1	147.7	✓		
	27H - 2	142.9	✓		
	27H - 6	146.5	✓		
	27H - 5	149.	✓		
	27H - 3	149.2	✓		
	27H - 4	148.6	✓		
	27H - 7	80.2	✓		
	27H - CC	27.9	✓		
	28H - 1	147.4	✓		
	28H - 2	146	✓		
	28H - 3	148	✓		
	28H - 4	147	✓		
	28H - 5	147.7	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554 G

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	28H-6	150.1	✓		
	28H-7	89.8	✓		
	28H-cc	21.0	✓		
	29H-1	149.2	✓		
	29H-2	143.7	✓		
	29H-3	148.0	✓		
	29H-4	147.9	✓		
	29H-5	148.5	✓		
	29H-6	"	✓		
	29H-7	97.1	✓		
	29H-cc	24.4	✓		
	30H-1	148	✓		
	30H--2	143.3	✓		
	30H-3	149.0	✓		
	30H-4	148.1	✓		
	30H-5	150.1	✓		
	30H-6		✓		
	30H-7	49.7	✓		
	30H-cc	24.9	✓		
	31H-1	149	✓		
	31H-2	149	✓		
	31H-3	149	✓		
	31H-4	148.9	✓		
	31H-5	148.5	✓		
	31H-6	148.5	✓		
	31H-7	76.5	✓		
	31H-cc	20.2	✓		
	32F-2	143.4	✓		
	32F-3	126.0	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 15546

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	32F-4	54.2	✓		
	32F-CC	18.3	✓		
	32F-1	147.9	✓		
	33F-1	147.4	✓		
	33F-2	149.7	✓		
	33F-3	127.5	✓		
	33F-4	51.1	✓		
	33F-CC	21.6	✓		
	34F-1	148.3	✓		
	34F-2	143.2	✓		
	34F-3	133.5	✓		
	34F-4	51.6	✓		
	34F-CC	14.1	✓		
	35X-1	148.8			
	35X-2	148.8			
	35X-2	106.5			
	35X CCA				
	36X 1A				
	36X 2A	147	✓		
	36X 3A	148	✓		
	36X 4A	147	✓		
	36X 5A	147.5	✓		
	36X 6A	146	✓		
	36X 7A	52	✓		
	36X CCA	24	✓		
	37X 1A	147	✓		
	37X 2A	138.5	✓		
	37X 3A	148	✓		
	37X 4A	147	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1554G

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	37X 5A	147	✓		
	37X 6A	141	✓		
	37X 7A	50	✓		
	37X CCA	26	✓		
	38X 1A	148.5	✓		
	38X 2A	140	✓		
	38X 3A	147	✓		
	38X 4A	147	✓		
	38X 5A	147	✓		
	38X 6A	144	✓		
	38X 7A	50.5	✓		
	38X CC		✓		
	39X 1 A	148	✓		
	39X 2A	137	✓		
	39X 3A	148	✓		
	39X 4A	148	✓		
	39X 5A		✓		
	39X 6A	143	✓		
	39X 7A	51.5			
	39X CC		✓		
	40X 1A	148			
	40X 2A	138			CJ
→	39X 4A	148		RESCANNED - wrong cap	
→	39X 5A			RESCANNED - Wrong Cap HI	
	40X 3A	148			
	40X 4A	149			
	40X 5A	148			
	40X 6A	146.5			
	40X - 7A	49			

ONLY EXCLUDE SOUPY (AS IN REALLY SOUPY!)

(34)

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1554G

[illegible]

ONLY

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole H

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	395 U15544-1H2A	148.5	✓		
	1H1A	148	✓		
	1H3A	148	✓		
	1H4A	148.5	✓		
	1H5A	149	✓		
	1H6A	99.5	✓		
	1H7A	77.5	✓		
	1HCCA	11	✓		
	2H 1A	148	✓		
	2H 2A	149	✓		
	2H 3A		✓		
	2H-4	150.4	✓		
	2H-5	149.8	✓		
	2H-6		✓		
	2H-7	67.7	✓		
	2H-cc	13.3	✓		
	3H-1	149.5	✓		
	3H-2	150.0	✓		
	3H-3	149.7	✓		
	3H-4	149.3	✓		
	3H-5	149.2	✓		
	3H-6	149.7	✓		
	3H-7	61.1	✓		
	3H-cc	11.2	✓		
	4H-1	149.6	✓		
	4H-2	147.2	✓		
	4H-3	149.6	✓		
	4H-4	149.6	✓		
	4H-5	149.9	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554H

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	4H-6	148.1			
	4H-7	55.1			
	4H-CC	41.0			
	5H-1A	149			
	5H-2A	150			
	5H-3A	150			
	5H-4A	149			
	5H-5A	149			
	5H-6A	150			
	5H-CC	21			
	5H-7A	71			
	6H-1A	150			
	6H-2A	148			
	6H-3A	149			
	6H-4A	149			
	6H-5A	149			
	6H-6A	147			
	6H-7A	78.6			
	6H-CCA	27.4			
	7H-1+2	150		disturbed	not run
	7H-3	150			
	7H-4	149			
	7H-5	150.6			
	7H-6				
	7H-CC	21			
	8H-CC	17			
	8H-1A	78			
	8H-1A	149			
	8H-2A	148			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 298 Hole 81554H

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	8H-3A	149	✓		
	8H-4A	149			
	8H-5A	149			
	8H-6A	149			
	8H-7A 9H-1A	147			
	9H-2A	147			
	9H-3A	147			
	9H-4A	148			
	9H-5A	147			
	9H-6A	148			
	9H-CC	22			
	9H-7A	87	✓		
	10H-CC	25	✓		
	10H-7A	67	✓		
	10H-6A	150	✓		
	10H-5	147.7	✓		
	10H-4	147.5	✓		
	10H-3	148.6	✓		
	10H-2	147.6	✓		
	10H-1	148.1	✓		
	11H-1	150.0	✓		
	11H-2	148.1	✓		
	11H-3	147.4	✓		
	11H-4	147.2	✓		
	11H-5	148.1	✓		
	11H-6	147.1	✓		
	11H-7	80.4	✓		
	11H-CC	36.0	✓		
	12H-1	147.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554H

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	12H-2	148.4	✓		
	12H-3A	142	✓		
	12H-4A	147.5	✓		
	12H-5A	147.5	✓		
	12H-6A	147.5	✓		
	12H-7A	61	✓		
	12H-CC	28	✓		
	13H-1A	147.5			
	13H-2A	148			
	13H-3A	148			
	13H-4A	148			
	13H-5A				
	13H-6A	147			
	13H-7A	55			
	13H-CCA	40			
	14H-1A	148			
	14H-2A	147.5			
	14H-3A	147.5			
	14H-4A	147.5			
	14H-5A	147			
	14H-6A	147.5			
	15H-1A	147			
	15H-2A	147			
	15H-3A	147			
	15H-4A	147			
	16H-1A	147			
	14H-7A	56			
	14H-7CC	28			
	15H-5A	147			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554 H

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	15H-6A	148.5			
	15H-7A	66			
	15H-CC	31.5			
	16H-2A	147			
	16H-3A	147.5			
	16H-4A	147			
	16H-5A	147.5			
	16H-6A	147.5			
	16H-7A	147.5			
	16H- CC CC	43			
	17H-1A	147.5			
	17H-2A	148			
	17H-3A				
	17H-4A				
	17H-5A	147.5			
	17H-6A	147			
	17H-7A	48.5	✓		
	17H-CCA	36.5	✓		
	18H-1A	147.5	✓		
	18H-2A	147.5	✓		
	18H-3A	146.5	✓		
	18H-4A	147	✓		
	18H-5A	147	✓		
	18H-6A	147.5	✓		
	18H-7A	70	✓		
	18H-CCA	20	✓		
	19H-1A	146	✓		
	19H-2A	147.5	✓		
	19H-3A	147			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1554 H

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	19H-4A	146.5	✓		
	19H-5A	147.5	✓		
	19H-6A	147.5	✓		
	19H-7A	75	✓		
	19H-CC	31	✓		
	20H-1		✓		
	20H-2A	148.5	✓		
	20H-3A	147	✓		
	20H-4A	147	✓		
	20H-5A	147	✓		
	20H-6A	147	✓		
	20H-7A	50	✓		
	20H-7CCA	21	✓		
	21H-1A	147.5	✓		
	21H-2A	147	✓		
	21H-3A	147	✓		
	21H-4A	147.5	✓		
	21H-5A	148	✓		
	21H-6A	145	✓		
	21H-7H	55	✓		
	21H-CC	27	✓		
	22H-1	147.1	✓		
	22H-2	147.2	✓		
	22H-3	148.2	✓		
	22H-4	148.3	✓		
	22H-5	147.8	✓		
	22H-6	147.7	✓		
	22H-7	49.7	✓		
	22H-CC	21.6	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1554H

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	23H-1	147.4	✓		
	23H-2	148.0	✓		
	23H-3	148.6	✓		
	23H-4		✓		
	23H-5b	147.0	✓		
	23H-7	66.5	✓		
	23H-CC	40.1	✓		
	24H-1	147.2	✓		
	23H 24H-2	148.1	✓		
	24H-3	147.6	✓		
	24H-4	148	✓		
	24H-5	149	✓		
	24H-6	149	✓		
	24H-7	77	✓		
	24H-CC	22	✓		
	25H-1A	148	✓		
	25H-2A	149	✓		
	25H-3A	149	✓		
	25H-4A	149	✓		
	25H-5A	149	✓		
	25H-6A	135	✓		
	25H-7A	61	✓		
	25H-CC	37	✓		
	26-1	147.1	✓		
	26-2	147.9	✓		
	26-3	146.5	✓		
	26-4	148	✓		
	26-5	148	✓	Skip 75-122	
	26-6	136	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 15544

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	26-7	68	✓		
	26-8C	26	✓		
	27-1	148.1	✓		
	27-2	147.5	✓		
	27-3	147.6	✓		
	27-5	148.0	✓		
	27-4	147.9	✓		
	27-86	147.1	✓		
	27H-7	69.2	✓		
	27H-CC		✓		
	28-1	147.5	✓		
	28-2	147.0	✓		
	28-3	147.1	✓		
	28-4	148.1	✓		
	28-5	147.5	✓		
	28-6		✓		
	28H-7	75	✓		
	28H-CC	28	✓		
	29H-1 (0-86) ^{sooty}	148	✓		
	2	148	✓		
	3	146	✓		
	4	148	✓		
	5	148	✓		
	6	148	✓		
	7	71	✓		
	29H-CC	40			
	30H-1A	148			
	30H-2A	147			
	30H-3A	147			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1554H

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	30H-4A	140.3			
	30H-5A	147			
	30H-6A	147.			
	30H-7A	69.2			
	30H-CCA	25.3			
	31X-CCA	3.3			
	31X-6A	L			
	31X-5A	150			
	31X-4A	150			
	31X-3A	150			
	31X-2A	150			
	31X-1A	149			
	31X-5A	150		Rescanned	
	32X-1A	148		0-10 cm exci.	CJ
	32X-2A	148			CJ
	32X-3A	149		0-4 exci.	LS
	32X-4A	148			
	32X-5A	149			
	32X-6A	137.5			
	32X-7A	52.5			
	32X CCA	24.5			
	33X 1A	149			
	33X 2A	150			LL
	33X 3A	150			LL
	33X 4A	149			
	33X 5A	147.5			CJ
	33X 6A	139			
	33X 7A	53			LL
	33X CC	39			LL

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1554H

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	34X - 1A	148			CJ
	34X - 2A	148.5			
	34X - 3A	149			
	34X - 4A	149			
	34X - 5A	149			
	34X - 6A	139.5			CJ
	34X - 7A	50.5			CJ
	34X - CCA	28.5			
	35 35X - 1A	148.5 150			
	35X - 2A	149			
	35X - 3A	149			
	35X - 4A	147		excl 0-2 cm	CJ
	35X - 5A	50.5			
	35X - CC	42			
	36X - 1A	148.5			
	36X - 2A	149			
	36X - 2A	149			
	36X - 3A	147.5			
	36X - 4A	149			
	36X - 5A	150			
	36X - 6A	140			
	36X - 7A CCA	26			
	37X - 1A	149			
	37X - 2A	148			
	37X - 3A	148			
	37X - 4A	149			
	37X - 5A	149			
	37X - 6A	140			
	37X - 7A	51			

37X - CCA 36

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 385 Hole 1554 H

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	38X-1A	146	✓		
	38X-2A	148.5	✓		
	38X-3A	146	✓		
	38X-4A	149	✓		
	38X-5A	149	✓		
	38X-6A	138	✓		
	38X-CCA	50.5	✓		
→ 1562C	1H-1A	146	✓		
	1H-2A	149	✓		
	1H-3A	148	✓		
	1H-4A	82	✓	1H-CC: all to PAL	
	3H-1A	150.5	✓		
	3H-2A	149	✓		
	3H-3A	149.5	✓		
	3H-4A	149.5	✓		
	3H-5A	149.5	✓		
	3H-6A	149	✓		
	3H-7A	59	✓		
	3H-CCA	15.5	✓		
	2H-1A	150	✓		
	2H-2A	149	✓		
	2H-3A	148	✓		
	2H-4A		✓		
	2H-5A	148	✓		
	2H-6	147	✓		
	2H-7	61	✓		
	4H-CC	19.3	✓		
	4H-7	75.6	✓		
	4H-1	150.1	✓		

EOH EOS

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1562C

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	4H-6	149.3	✓		
	4H-5	150.1	✓		
	4H-2	150.7	✓		
	4H-3	149.7	✓		
	4H-4	150.1	✓		
	6H-1	150.2	✓		
	6H-2	150.1	✓		
	6H-3	149.8	✓		
	6H-4		✓		
	6H-5	152.4	✓		
	6H-6	149.7	✓		
	6H-7	78.2			
	6H-CC	1			
	6H-1	149	✓	exc. 12-64cm	
	7H-2	150	✓		
	7H-3	148	✓		
	7H-4	150	✓		
	7H-5	148	✓		
	7H-6	149.7	✓		
	7H-7	89.7	✓		
	7H-CC	25.0	✓		
	8H-1	142.2	✓		
	8H-2	147.3	✓		
	8H-3	146.7	✓		
	8H-4	148.0			
	8H-5	146.9			
	8H-6				
	8H-7	97.1			
	8H-CC	25			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1562C

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	9H-1A	147	✓		
	9H-2A	148	✓		
	9H-3A	147	✓		
	9H-4A	147	✓		
	9H-5A	147	✓		
	9H-6A	146	✓		
	9H-7A	73			
	9H-CC	19	✓		
	10H-1	177	✓	18-93 flow in	
	10H-2A	148	↓		
	10H-3A	149			
	10H-4A	149			
	10H-5A	148			
	10H-6A	149			
	10H-7A	85.5			
	11H-1A	147	✓		
	11H-2A	147	↓		
	11H-3A	146.5			
	11H-4A	147.5			
	11H-5A	147			
	11H-6A	146.9			
	11H-7A	81			
	11H-CC	?			
	12H-1	147.5	✓		
	12H-2	148.5	✓		
	12H-3	148.5	✓		
	12H-4	147.4	✓		
	12H-5	147.1	✓		
	12H-6	148.5	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1562c

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	12H-CC	21.0	✓		
	12H-7	81.8	✓		
	13H-1	145.5	✓		
	13H-2	145.9			
	13H-3	145.5			
	13H-4	145.3			
	13H-5	146.2			
	13H-6	144.7			
	13H-7	89.7			
	13H-CC	25.2	✓		
	14H-1A	145.6			
	14H-2A	146.5			
	14H-3A	146			
	14H-4A	146.5			
	14H-5A	147			
	14H-6A	146			
	14H-7A	90			
	14H-CCA	17			
	15H-1A	144			
	15H-2A	145			
	15H-3A	144			
	15H-4A	144			
	15H-5A	145			
	15H-6A	138.5			
	15H-7A	51			
	15H-CCA	30			
	17F-1A	145			
	17F-2A				
	17F-3A	123			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1562C

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	17F-4A	51.5	✓		
	17F-CCA	17	✓		
	16HF-1A	146	✓		
	16HF-2A	145	✓		
	16HF-3A	145	✓		CS
	16HF-4A	146	✓		
	16HF-5A	145	✓		CS
	16HF-6A	144	✓		YC
	16HF-7A	90	✓		
	16HF-CCA	18	✓		
	18HF-1A	145	✓		
	18HF-2A	148	✓		
	18HF-3A	128	✓		
	18HF-CCA	17	✓		
	20F-1A	148	✓		
	20F-2A	148.5	✓		
	20F-3A	125.5	✓		
	20F-4A	51	✓		
	20F-CCA	15	✓		
	21F-1A	149	✓		exclude 27.5-70
	21F-2A	149	✓		
	21F-3A	129.5	✓		
	21F-4A	48.5	✓		
	21F-CC	13	✓		
	22F-1A	149	✓		
	22F-2A	148	✓		
	22F-3A	122.5	✓		
	22F-4A	51.5	✓		
	22F-CCA	13.5	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hold 1562C

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	23F-1A	148	✓		
	23F-2A	148	✓		
	23F-3A	115	✓		
	23F-4A	50.5	✓		
	23F-CCA	14.5	✓		
	25F-1A	148.5	✓		
	25F-2A	149	✓		
	25F-3A	124.5	✓		
	25F-4A	49	✓		
	25F-CCA	12	✓		
	26F-1A	148	✓		
	26F-2A	148	✓		
	26F-3A	126	✓		
	26F-4A	50.5	✓		
	26F-CCA	62.5	✓		
	27F-1A	147	✓		
	27F-2A	148	✓		
	27F-3A	126.5	✓		C.J.
	27F-4A	51	✓		
	27F-CCA	16	✓		
	28F-1A	150	✓		
	28F-2A	149	✓		
	28F-3A	120	✓		
	28F-4A	52	✓		
	28F-CCA	17	✓		
	29F-1A	148	✓		
	29F-2A	149	✓		
	29F-3A	112	✓		
	29F-4A	49	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 41562C

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	29F-CCA	18.1			
	30F-1A	148			
	30F-2A	148			
	30F-3A	122			
	30F-4A	50.5			
	30F-CCA	17			
	31F-1A	149			
	31F-2A	148			
	31F-3A	130.5			
	31F-4A	50.5			
	31F-CC	16.5			
	32F-1	148.2			
	32F-2	148.5			
	32F-3	115.4			
	32F-4	58.7			
	32F-CC	14		exc. 0-4 cm	
	33F-1	148.7		exc. 6-9+16-27cm	
	33F-2	149.5			
	33F-3	117.5			
	33F-CC	23			
	33F-4	51.1			
	34F-1	149			
	34F-2				
	34F-3	125			
	34F-CC	16.8			
	34F-4	50.1			
	35F-1A	150			
	35F-2	150.6			
	35F-3	99.9			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1562C

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	35F-4	48.9			
	35F-CC	150.3 16.7			
	36F-1	150.3			
	36F-2	150.6			
	36F-3	127.7			
	36F-4	50.8		No 36F-CC (too small to SHMSL)	
	37F-1	148			
	37F-2	148.4			
	37F-3	124.9			
	37F-CC	14			
	37F-4	49.8			
	39F-1	149.3			
	39F-2	148.7			
	39F-3	114.3			
	39F-4	50.2			
	39F-CC	18.8			
	40F-1	148.5			
	40F-2	149.3			
	40F-3	115.6			
	40F-CC	19.9			
	40F-4	49.9			
	41F-1	147.9			
	41F-2	147			
	41F-3	118			
	41F-4	59			
	41F-CC	22		exc 0-2.5cm	
	42F-1	147.3			
	42F-2	147			
	42F-3	121.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1562C

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	42F-4	60.0	✓		
	42F-CC	21.0			
	44F-1	147.9			
	44F-2	146.9			
	44F-3	120.3			
	44F-4				
	44F-CC	21.9	↓		
	45F-1 45F-1	147.2	✓		
	45F-2	147.4	✓		
	45F-3	117.8	✓		
	45F-4	60.0	✓		
	45F-CC	20.5	✓		
	46F-1	146.2	✓		
	46F-2	147	✓		
	46F-3	119.8	✓		
	46F-4	59.1	✓		
	46F-CC	24.9	✓		
	47F-1A	149	✓		
	47F-2A	147	✓		
	47F-3A	118	✓		
	47F-4A	60	✓		
	47F-CC		✓		
	48F-1A	148	✓		
	48F-2A	149			
	48F-3				
	48F-4	61			
	48F-CC	1820.4			
	49F-1A	149			
	49F-2A	148			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1562 C

[illegible]

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning
Exp. 375 Hole U1602B

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	2H - 1A	139			
	2H - 2A	140			
	2H - 3A	139.5			
	2H - 4A	149			
	2H - 5A	149.5			
	2H - 6A				
	2H - 7A	65			
	2H - CC	22			
	3H - 1A	149			
	3H - 2A	144			
	3H - 3A	150			
	3H - 4A	180			
	3H - 5A	149.5			
	3H - 6A	125			
	3H - 7A	50.5			
	3H - CC				
	4H - 1A				
	4H - 2A	144			
	4H - 3A	150.5			
	4H - 4A	150			
	4H - 5A	149.5			
	4H - 6A	149.5			
	4H - 7A	65			
	4H - CC	44			
	5H - 1A	149			
	5H - 2A	149.5			
	5H - 3A	149			
	5H - 4A	149.5			
	5H - 5A	150			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. ~~1102-B~~ 395 Hole U1602-B

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	5H-6A	149	✓		
	5H-7A	72			
	5H-CC A	20			
	6H-1A	148.5			
	6H-2A	143.5			
	6H-3A	150			
	6H-4A	150			
	6H-5A	150			
	6H-6A	150			
	6H-7A	72			
	6H-CC	23			
	7H-1A	150			
	7H-2A	143.5			
	7H-3A	149.5			
	7H-4A	150			
	7H-5A	149.5			
	7H-6A	148.5			
	7H-7A	51			
	7H-CCA	34			
	8H-1A	150			
	8H-2A	144.5			
	8H-3A	150			
	8H-4A	149.5			
	8H-5	149.3			
	8H-6	149.7			
	8H-7	60.1			
	8H-CC	27.0	✓		
	9H-1	150.0	✓		
	9H-2	144.2			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1602-B

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	9H-3	150.1	✓		
	9H-4	149.0	✓		
	9H-5	149.0	✓		
	9H-6	149.1	✓		
	9H-7	64.5	✓		
	9H-cc	23.0	✓		
	10H-1	150.1	✓		
	10H-2	149.2	✓		
	10H-3	150.4	✓		
	10H-4	99.8	✓		
	10H-5	64.2	✓		
	10H-6	149.0	✓		
	10H-7	135.0	✓		
	10H-8	50.2	✓		
	10H-cc	37.0	✓		
	11H-2	143.4	✓		
	11H-3	149.6	✓		
	11H-4	148	✓		
	11H-5	149	✓		
	11H-6	148.1	✓		
	11H-7	51.3	✓		
	11H-cc	14.1	✓		
	12H-1	148.8	✓	exc. 0-14 cm	
	12H-2		✓		
	12H-3	151.0	✓		
	12H-4	150.7	✓		
	12H-5	150.3	✓		
	12H-6	130.0	✓		
	12H-7	51.8	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole J1562B

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	12H-CC	26.0	✓		
	13H-1	148.1	✓		
	13H-2	143.5	✓		
	13H-3	150.6	✓		
	13H-4	149.0	✓		
	13H-5	150.3	✓		
	13H-6	148.6	✓		
	13H-7	60	✓		
	13H-CC	28	✓	Skip PAL	
	14H-1	148	✓		
	14H-2	143	✓		
	14H-3	147	✓		
	14H-4	148	✓		
	14H-5	149	✓		
	14H-6	148	✓		
	14H-7	73	✓		
	14H-CC	33	✓	Skip PAL	
	15H-1	147.2	✓		
	15H-2	142.1	✓		
	15H-3	148.8	✓		
	15H-4	147.6			
	15H-5	147.4			
	15H-6	147.0			
	15H-7	86.9			
	15H-CC	28 26		Skip PAL	
	16H-1A	147			
	16H-2A				
	16H-3A	147.5			
	16H-4A	146.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1602B

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	11- 5A	148			
	16- 6A	147			
	16- 7A	64			
	16H CC	26.5			
	17F - 1	148			
	17F-2	142			
	17F-3	120.5			
	17F-4A	64			
	17F - CC	10.5			
	18F - 1A	146			
	18F - 2A	147			
	18F - 3A	106			
	18F - 4A	58.5			
	19F 1A	147.5			
	19F 2A	141			
	19F 3A	118.5			
	19F 4A	60			
	19F CCA	19			
	20F 1A	146.5			
	20F 2A	148			
	20F 3A	119.5			
	20F 4A	59.5			
	20F CC	24			
	21F 1A	146			
	21F 2A	140.5			
	21F 3A	127.5			
	21F 4A	51.5			
	21F CCA	33			
	22F 1A	148.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602B

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	22F-2A	91			
	22F-3A	75			
	22F-CCA	— SKIPPED		— large void	
	23F-1A	147.5	✓		
	23F-2A	143	✓		
	23F-3A	120.5	✓		
	23F-4A	50.5	✓		
	23F-CCA	30	✓		
	24F-1A	147	✓		
	24F-2A	146.5	✓		
	24F-3A	126	✓		
	24F-4A	51.5	✓		
	24F-CC	23	✓		
	25F-1A	148	✓		
	25F-2A	144	✓		
	25F-3A	129.5	✓		
	25F-4A	121	✓		
	25F-CC	22	✓		
	26F-1A	146	✓		
	26F-2A	148	✓		
	26F-3	127.0	✓		
	26F-CC	15.1	✓		
	27F-1	147.2	✓		
	27F-2	142.1	✓		
	27F-3	119.4	✓		
	27F-4	52.2	✓		
	27F-CC	27.1	✓		
	28F-1	150	✓		
	28F-2		✓		

CEJ

7067
OK

62

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1602B

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	28F-3	152.8	✓		
	28F-CC	20.0	✓		
	29F-1	150.2	✓		
	29F-2	144.8	✓		
	29F-3	122.7	✓		
	29F-4	-	✓		
	29F-CC	15	✓		
	30F-1	148.3	✓		
	30F-2	150.8	✓		
	30F-3	123.2	✓		
	30F-4	51.6	✓		
	30F-CC	13.0			
	31F-1	148.9			
	31F-2A	151			
	31F-3A	123.1			
	31F-4A	51			
	31F-CCA	23			
	32F-1	150.0		exc. 0-3 cm	
	32F-2	149.3			
	32F-3	122.0			
	32F-4	51.2			
	32F-CC	29			
	33F-1A	150			
	33F-2A	143			
	33F-3A	116.6			
	33F-4A	50.2			
	33F-CC	25			
	34F-1A	148.4			
	34F-2A	148.6			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1602B/C

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	0602B 34F-3	118	✓		
	34F-4	120.5	✓		
	34F-CC	19.8	✓		
	35F-1	149.9	✓		
	35F-2	143.7	✓		
	35F-3	123.3	✓		
	35F-4	50.4	✓		
	35F-CC	23.2	✓		
	36F-1	149.9	✓		
	36F-2	150.8	✓		
	36F-3	120.6	✓		
	36F-4	50.1	✓		
	36F-CC	16.2	✓		
	37F-1	150.0	✓		
	37F-2	143.9	✓		
	37F-3	121.5	✓		
	37F-4	51.2	✓		
	37F-CC	23.0	✓		
	38F-1	150.1	✓		
	38F-2	150.2	✓		
	38F-3	120.6	✓		
	38F-4	50.7	✓		
EOH	38F-CC	22.3	✓		
	C-1H-3	148	✓		
	1H-4	146.6	✓		
	1H-5A		✓		
	1H-CC	12	✓		
	2H-CC	18.5	✓		
	2H-7A	67.7	✓		

~~0602B~~
0602C



Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602C

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	2H-6A	146.9	✓		
	2H-1A	146.2	✓		
	1H-1A	147.1	✓		
	1H-2A	147.7	✓		
	2H-2A	146.1	✓		
	2H-3	148.0	✓		
	2H-4	144.8	✓		
	2H-5	148.3	✓		
	3H-1	149.0	✓		
	3H-2	148.0			
	3H-3A	148			
	3H-4A	149			
	3H-5A	144			
	3H-6A	136			
	3H-7A	91			
	3H-CC	165			
	4H-1A	147			
	4H-2A	148			
	4H-3A	146.5			
	4H-4A	146.5			
	4H-5A	149.5			
	4H-6A	147.5			
	4H-7A	97			
	4H-CC	12			
	4H-1A	146.5			
	4H-2A	147.5			
	5H-1A				
	5H-2A				
	5H-3A	146			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602C

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	5H-4A	147			
	5H-CC	15		skip void	
	5H-5A	148			
	5H-6A	147.5			
	5H-7A	86			
	6H-1A	145.5			
	6H-2A	146			
	6H-3A	146.5			
	6H-4A	146			
	6H-5A	147			
	6H-6A	147			
	6H-7A	94			
	6H-CCA	15			
	9H-1A	148.5			
	9H-2A	149			
	9H-3A	149			
	9H-4A	149			
	7H-1A	148			
	7H-2A	147			
	9H-5A	148.5			
	9H-6A	148			
	7H-3A	148.5			
	9H-7A				
	9H-CCA	23			
	7H-4A	148.5			
	7H-5A	147			
	7H-6A	146.5			
	7H-7A	84.5			
	7H-CCA	22			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	10H - 1A - 1A	148.5	✓	Exclude 0-61.5	
	10H - 2A	147.5	✓		
	10H - 3A	148.5	✓		
	10H - 4A	148.5	✓		
	10H - 5A	135	✓		
	10H - 6A	51	✓		
	10H - CCA	23	✓		
	11H 1A	148.5	✓		
	11H 2A	149	✓		
	11H 3A	149	✓		
	11H 4A	147	✓		
	11H 5A	145.5	✓		
	11H 6A	145.5	✓		
	11H 7A	80.5	✓		
	11H CC	25.5	✓		
	12H 1A	148.5	✓		
	12H 2A	148.5	✓		
	12H - 3A	148	✓		
	12H - 4A	147	✓		
	12H - 5A	147.5	✓		
	12H 6	149	✓		
	12H - 7	86.5	✓		
	12H - CC	23.2	✓		
	13H - 1	149.4	✓		
	13H - 2	150.0	✓		
	13H - 3	150.6	✓		
	13H - 4	150.3	✓		
	13H - 5	149.6	✓		
	13H - 6	149.7	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1602C

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	13H-7	59.2	✓		
	13H-CC	22.1	✓		
	14H-1	149.8	✓		
	14H-2	150.2	✓		
	14H-3	150.6	✓		
	14H-4	150.2	✓		
	14H-5	150.2	✓		
	14H-6	149.1	✓		
	14H-7	12.6	✓		
	14H-CC	24.3	✓		
	15H-1	150.4	✓		
	15H-2	149.6	✓		
	15H-3	151.3	✓		
	15H-AA	150	✓		
	15H-5A	149	✓		
	15H-6A	149	✓		
	15H-7A	57.6	✓		
	15H-CC	27.5	✓		
	16H-1A	147.9	✓		
	16H-2A	147.5			
	16H-3A	148.7			
	16H-AA	152			
	16H-5A	149			
	16H-6A				
	16H-7A	60.8			
	16H-CC				
	17H-1A	147.7		exc. 0-7cm	
	17H-2A				
	17H-3A	148.1	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602 C

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	17H-4A				
	17H-5	150.1	✓		
	17H-6	150.2	✓		
	17H-7	74.6	✓		
	17H-CC	22.0	✓		
	18H-1	150.3	✓		
	18H-2	149	✓		
	18H-3	132	✓		
	18H-4	127	✓		
	18H-5	137	✓		
	18H-6	118	✓		
	19H-7	67			
	19H-1				
	19H-2A	150			
	19H-3		✓		
	19H-4		✓		
	19H-5				
	19H-6A	150			
	19H-7A	61.3			
	19H-CC	21.8			
	20H-1A	149.3		exc. 0-4 cm	
	20H-3A	68			
	20H-5A	59			
	20H-7A	100			
	20H-7A	101			
	20H-CC	12			
	21F-1A	147.5		exc. 0-8 cm	
	21F-2A	143.4		exc. 0-4 cm	
	21F-3A	113.4			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602C

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	21F-4A	50.	✓	dropstone 26-28cm	
	21F-CCA	23.3	✓	exc-0-2cm	
	22F-1	149.8	✓		
	22F-2	149.6	✓		
	22F-3	102.4	✓		
	22F-4	81.6	✓		
	22F-CC	21.0	✓		
	23F-1	149.3	✓		
	23F-2	150.3	✓		
	23F-3	118.4	✓		
	23F-4	49.7			
	23F-CC	24.5			
	24F-1A	148.5			
	24F-2A				
	24F-3A	118.4			
	24F-4A	50.5			
	24F-CC	24.5			
	25F-1A	151			
	25F-2A	150			
	25F-3A	118			
	25F-4A	51.5			
	25F-CC	24.5			
	26F-1A	149			
	26F-2A	150			
	26F-3A	116			
	26F-4A	51			
	26F-CCA	25.5			
	27F-1A	147			
	27F-2A	148.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602C

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	27F-3A	112.5			
	27F-4A	59.5			
	27F-CC	22.5			
	28F-1A	149.5			
	28F-2A	150.5			
	28F-3A	111.5			
	28F-4A	59			
	28F-CCA	23		0-lam excluded	
	29F-1A	147.5			
	29F-2A	147			
	29F-3A	118.5			
	29F-4A	59.5			
	29F-CCA	29			
	30F-1A	147			
	30F-2A	147			
	30F-3A	114.5			
	30F-4A	60			
	30F-CCA	20.5			
	31F-1A	149.5			
	31F-2A	146.5			
	31F-3A	97.5			
	31F-4A	58.5			
	31F-CCA	31.5			
	32F-1A	147			
	32F-2A	148			
	32F-3A	94.5			
	32F-4A	59.5			
	32F-CCA	20.5			
	33F-1A	146.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1602C

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	33F-2A	148			
	33F-3A	119			
	33F-4A	61			
	34F-1A				
	34F-2A	147.5			
	34F-3A	109			
	34F-4A	57.5			
	34F-CC	22.5			
	35F-1A	108			
	35F-2A				
	35F-3A	115			
	35F-4A	59.5			
	35F-CCA	21			
	36F-1A	148			
	36F-2A	144.5			
	36F-3A	120			
	36F-4A	51			
	36F-CCA	19.			
	37F-1A	148			
	37F-2A	149			
	37F-3A	119			
	37F-4A	50			
	37F-CCA	24			
	38F-1A	148.5			
	38F-2A	144.5			
	38F-3A	122.5			
	38F-4A	51			
	38F-CC	20			
	39F-1A				

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1602 C/D

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	39F-2A	148.5	✓		
(39-4/cc excluded - soup)	39F-3A	87.5	✓		
	4A	61	✓		
U1602D	1H-6	137.7	✓		
	1H-7	50.6	✓		
	1H-CC	14.8	✓		
	1H-5	149.8	✓		
	1H-4	150.2	✓		
	1H-3	150.3	✓		
	1H-2	149.2	✓		
	1H-1	150.2	✓		
	2H-6	149.2	✓		
	2H-5	149.8	✓		
	2H-7	58.7	✓		
	2H-CC	23.8	✓		
	2H-4	149.8	✓		
	2H-3	149.7	✓		
	2H-2	150.1	✓		
	2H-1	149.8	✓		
	3H-1	149.8	✓		
	3H-2	149	✓		
	3H-3	149	✓		
	3H-4	148	✓		
	3H-5A	151	✓		
	3H-6A		✓		
	3H-7A	53	✓		
	3H-CC	20	✓		
	4H-1A	151	✓		
	4H-2	149	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole V16 02-D

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
1602D	4H-3	1148	✓		
	4H-4	149	✓		
	4H-5	149	✓		
	4H-6	148	✓		
	4H-7	57	✓		
	4H-CC	20	✓		
	5H-1	148	✓		
	5H-2	149	✓		
	5H-3A	150	✓		
	5H-4A	150	✓		
	5H-5A	148	✓		
	5H-6A	148	✓		
	5H-7	55.7	✓		
	5H-CC	31.5	✓		
	6H-1	149.5	✓		
	6H-2	150.2	✓		
	6H-3	150.7	✓		
	6H-4	149.6	✓		
	6H-5	149.1	✓		
	6H-6	148	✓		
	6H-7	62.3	✓		
	6H-CC	21.2	✓		
	7H-2	150.8	✓		
	7H-3	149.2	✓		
	7H-4	149.0	✓		
	7H-5	149.6	✓		
	7H-6	149.0	✓		
	7H-7	52.8	✓		
	7H-CC	31.0	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602D

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	7H-1 A	149.8	✓	excl. top 35 cm (scrap)	
	8H-1 A	149.6	✓		
	8H-2 A	"	✓		
	8H-3 A	149.1	✓		
	8H-4 A	148	✓		
	8H-5 A	149.2	✓		
	8H-6 A	147.5	✓		
	8H-7 A	64.4	✓		
	8H-CC	23	✓		
	9H-1 A	149.1	✓		
	9H-2 A	151	✓		
	9H-3	148.2	✓		
	9H-4	150.1	✓		
	9H-5	149	✓		
	9H-6	149.6	✓		
	9H-7	75.5	✓		
	9H-CC	22.2	✓		
	10H-2	150.4	✓		
	10H-3	149.7	✓		
	10H-4	150.3	✓		
	10H-5	150.2			
	10H-6	141.6			
	10H-7A	51			
	10H-CCA	28			
	10H-1A	150			
	11H 1A	149			
	11H 2A	149			
	11H 3A	149.5			
	11H-4A	149			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1602D

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	11H-4A	149			
	11H-5A	149			
	11H-6A	148			
	11H-7A	64.5			
	11H-CCA	24			
	12H 1A	147			
	12H 2A	146.5			
	12H 3A	147			
	12H 4A	147			
	12H 5A	147			
	12H-6A	148			
	12H-7A	89			
	12H-CCA	20.5			
	13H-1A	149			
	13H 2A	146.5			
	13H 3A	148			
	13H 4A	147.5			
	13H 5A	147			
	13H 6A	146			
	13H 7A	78.5			
	13H CC	25.5			
	14H 1A	147.5			
	14H 2A	148.5			
	14H 3A	147			
	14H 4A	147.5			
	14H 5A	146.5			
	14H 6A	140.5			
	14H-7A	80			
	14H-CCA	33			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602D

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	15H - 1A	147			
	15H 2A	147			
	15H 3A	147			
	15H - 4A	148			
	15H - 5A	147.5			
	15H - 6A	147			
	15H - 7A	71			
	15H - CC	22.5			
	16H - 1A	147			
	16H - 2A	146			
	16H - 3A	148			
	16H - 4A	77			
	16H CCA	26			
	17H - 1A	147.5			
	17H - 2A	149			
	17H - 3A	149			
	17H - 4A	148			
	17H - 5A	147.5			
	17H - 6A	145			
	17H 7A	69			
	17H CCA	12			
	18H 1A	149			
	18H 2A	149			
	18H 3A	148			
	18H 4A	148.5			
	18H - 5	149			
	18H - 6	136			
	18H - 7	51			
	18H - CC	24			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
1607D	19H-1	148	✓	0-48 skip	
	19H-2	149			
	19H-3	150			
	19H-4	149.7			
	19H-5	150			
	19H-6	121			
	19H-7	71			
	19H-CC	6			
	20F-1A	149			
	20F-2A	148			
	20F-3A	117			
	20F-4A	57			
	20F-CC	27			
	21F-1A	149			
	21F-2A	150			
	21F-3A	117			
	21F-4A	56			
	21F-CC	21			
	22F-1A	150			
	22F-2A	150			
	22F-3A	114			
	22F-4A	57			
	22F-CC	20			
	23F-1	147.		ex 0-5cm	
	23F-2	149.3			
	23F-3	125			
	23F-4	55			
	23F-CC	22			
	24F-1	150	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1602D

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	24F-2	150	✓		
	24F-3	120	✓		
	24F-4	50	✓		
	24F-CC	25	✓		
	25F-1	150	✓		
	25F-2	157	✓		
	25F-3	125	✓		
	25F-4	2050	✓		
	25F-CC	20	✓		
	26F-1	150	✓		
	26F-2	150	✓		
	26F-3	123	✓		
	26F-4	50	✓		
	26F-CC	25	✓		
	27F-1A	151	✓		
	27F-2A	151	✓		
	27F-3A	120	✓		
	27F-4A	50	✓		
	27F-CCA	25	✓		
	28F-1	149	✓		
	28F-2	150	✓		
	28F-3	110	✓		
	28F-4	52	✓		
	28F-CC	24	✓		
	29F-1	150	✓		
	29F-2	157	✓		
	29F-3	119	✓		
	29F-4*	52	✓		
	29F-CC		✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1602 D)

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	30F-1 A	148	✓		
	30F-2 A	151	✓		
	30F-3 A	125	✓		
	30F-4 A	51	✓		
	30F-CC A	31	✓		
	31F-1 A	150	✓		
	31F-2 A	151	✓		
	31F-3 A	126	✓		
	31F-4 A	52	✓		
	31F-CC A	23.	✓		
	32F-1 A	151	✓		
	32F-2 A	149.7	✓		
	32F-3 A	121.1	✓		
	32F-4 A	50	✓		
	32F-CCA	24.3	✓		
	33F-1 A	148.9	✓	exc. 0-18cm	
	33F-2 A	150.0	✓		
	33F-3 A	117.1	✓		
	33F-4 A	50.8	✓	exc. 42-45cm	
	33F-CCA	24.3	✓		
	34F-1 A	149	✓		
	34F-2 A	149.3	✓		
	34F-4 A	50.7	✓		
	34F-CCA	23.2	✓		
	35F-1 A	149	✓		
	35F-2 A	148.9	✓		
	35F-3 A	123.3	✓		
	35F-4 A	52.6	✓		
	35F-CC	23	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602D

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	36F-1A	149.5			
	36F-2A	149.5			
	36-3A	148			
	36-4A	52			
	36-CC A	24			
	36 37F-1A	148			
	37F-2A	144			
	37F-3A	135			
	38X-1A	149			
	38X-2A				
	38X-3A	149			
	38X 4A	148.5			
	38X 5A	134			
	38X CCA	27			
	39X 1A	148.5			
	39X 2A	142			
	39X 3A	149.5			
	39X 4A	149			
	39X - 5A	149.5			
	39X 6A	117			
	39X CCA	17			
	40X 1A	148			
	40X 2A	142			
	40X 3A	107			
	40X 4A	60			
	40X CC	18			
	41X 1A 1A	150.5			
	41X 2A	141.5			
	41X 3A	148.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	41X-4A	148.5			
	41X-5A	149.5			
	41X 6A	75.5			
	41X CCA	30			
	42X-1A	150.5			
	42X-2A	142			
	42X-3A	150			
	42X-4A	149			
	42X-5A	137			
	42X-6A	59			
	42X-CCA	28.5			
	43X-1A	149.5			
	43X-2A	142.5			
	43X 3A	149			
	43X-4A	140.5			
	43-5A				
	43X CCA	15			
	44X 1A	120			
	44X 2A	122			
	44X 3A	79.5			
	44 X CCA	12.5			
	45X-1A	149			
	45X-2A	142			
	45X-3A	148.5			
	45X-4A	148.5			
	45X-5A	125.6			
	45X-CCA	32			
	46X-1A	148			
	46X-2A	142			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602D

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	46X 3A	149.5			
	46X-4A	123.5			
	46X-5A	35			
	46X-CC	31			
	47X-1	148			
	47X-2	149			
	47X-3	150			
	47X-4	110			
	47X-5	458			
	47X-CC	36			
	48X-1A	149			
	48X-2A	73			
	48X-CC	27			
	49X-1A	149			
	49X-2A	101			
	49X-CC	37			
	50X-1A	150			
	50X-2A	130			
	51X-1A	150			
	51X-2A	150			
	51X-3A	151			
	51X-4A	150			
	51X-5A	151			
	51X-6A	124.35			
	51X-7A	52			
	51X-CC	42			
	52X-1A	150			
	52X-2A	150			
	52X-3A	149			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395- Hole 1602D

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	52X-4A	148.2	✓		
	52X-5A	149.1	✓		
	52X-6A	103	✓		
	52X-CCA	34	✓		
	53X-1C	25	✓		
	54X-1	150	✓		
	54X-2	139	✓		
	54X-3	150	✓		
	54X-6	94	✓		
	54X-CC	12	✓		
	54X-4	150	✓		
	54X-5	149	✓		
	56X-1A	151	✓		
	56X-2A	139	✓		
	56X-3A	149	✓		
	56X-4A	149	✓		
	56X-5A	149	✓		
	56X-6		✓		
	56X-7	48	✓		
	56X-CC	30	✓		
	57X-1		✓		
	57X-2	140	✓		
	57X-3	149	✓		
	57X-4	150	✓		
	57X-5	150	✓		
	57X-6	131	✓		
	57X-CC	21	✓		
	58X-2	139	✓		
	58X-3	149	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1608-1

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	58X-4	150	✓		
	58X-5	149			
	58X-1	149			
	58X-6	129			
	58X-7	59			
	58X-CC	32			
	59X 1A	148.5			
	59X 2A	139			
	59X 3A	150			
	59X 4A	149.5			
	59X 5A	149.5			
	59X 6A	149			
	59X 7A	60			
	59X CCA	21.5			
	60X 1A	149			
	60X 2A	138.5			
	60X 3A	149			
	60X 4A	149			
	60X 5A	147			
	60X CCA	34			
	61X 1A	149			
	61X 2A	141			
	61X 3A	120.5			
	61X 4A	100			
	61X 5A	84			
	61X CCA	47.5			
	62X 1A	149			
	62X 2A	141			
	62X 3A	149			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
U1602D	62X 4A	126			
	62X 5A	86.5			
	62X CC	24			
	63X 1A	147.5			
	63X 2A	142.5			
	63X 3A	135			
	63X CC	26			
	64X 1A	141			
	64X 2A	57			
	64X CCA	26			
	65X 1A	149			
	65X 2A	132.5			
	65X 3A	51			
	65X CC	38			
	66X 1A	105.5			
	66X CC	22.5			
<hr/>					
U1602E	2R-1A	150	✓		
	2R-2A	139	✓		
	2R-3	149	✓		
	2R-4	144	✓		
	2R-5	88	✓		
	2R-6		✓		
	2R-CC	7	✓		
	3R-1	133	✓		
	3R-2	137	✓		
	3R-3	149	✓		
	3R-4	139	✓		
	3R-5	126	✓		
	3R-CC	10			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole U1602E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	4R-1	150	✓		
	4R-CC	13	✓		
	4R-4	98	✓		
	4R-3	135	✓		
	4R-2	138			
	5R-1A	185			
	5R-2A	139			
	5R-3A	149.5			
	5R-4A	149			
	5R-5A	57			
	5R-CC			NOT SHMSL'D! INTENTIONALLY	
	6R 1A	148.5			
	6R 2A	138			
	6R 3A	149			
	6R 4A	150.5			
	6R 5A	113			
	6R 6A	49.5			
	6R CC	26			
	7R 1A	146		Exc. 0-4 cm D.D.	
	7R 2A	139			
	7R 3A	134		Exc. 80-90 cm D.D.	
	7R 4A	150			
	7R 5A	58			
	7R CC	18			
	8R 1A	156			
	8R 2A	139		Exc. D-1 gap.	
	8R 3A	149		Exc. 21-25	
	8R 4A	53			
	8R CC	16			

ALLY
TOO
BROKEN.

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
U1602 E	9R-1A	140			
	9R-2A	95.5			
	9R-3A	144.5			
	9R-4A	147.5			
	9R-5A	134.5			
	9R-6A	65			
	9R-CC		NOT	SHMSL'D - too broken.	
	10R-1A	149			
	10R-2A	137			
	10R-3A	149		Exc. 0-2 cm gap	
	10R-4A	150			
	10R-5A	119		Exc. 0-2 cm gap	
	10R-CC	7			
	11R-1A	123			
	11R-2A	140			
	11R-3A	147.5			
	11R-4A	148.5			
	11R-5A	133			
	11R-6A	126.5			
	11R-7	80		(no cc - all to PM)	
	12R-1A	133			
	12R-2A	133			
	12R-3A	145			
	12R-4A	149			
	12R-5A	145			
	12R-6A				
	12R-CC	40			
	13R-1A	144.5			
	13R-2A	137.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602E

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
1	13R-3A	141	✓		
	13R-4A				
	13R-5A	24			
	13R-CC				
	14R-1A	148			
	14R-2A				
	14R-3A	141			
	14R-4A	137			
	14R-5A	100			
	14R-6A	56			
	14R-CC	33			
	14 15R-1	91 148			
	15R-2	137 137			
	15R-3	139			
	15R-4	138	✓		
	15R-CC	9	✓		
	16R-1	149	✓		
	16R-2	133	✓		
	16R-3	151			
	17R-1A	151			
	17R-2A	136			
	17R-3A				
	17R-4A				
	17R-5A	70			
	18R-1	144			
	18R-2	133			
	18R-3	147			
	18R-4A	130			
	18R-5A	76			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	19R 1A	147			
	19R 2A	148.5			
	19R 3A	80.5			
	19R 4A	101.5			
	19R 5A	55.5			
	20R 1A	147			
	20R 2A	114.5			
	20R 3A	125.5			
	20R 4A	122.5			
	21R 1A	147			
	21R 2A	138.5			
	21R 3A	80			
	21R 4A	96			
	21R 5A	107.5			
	21R 6A	78			
	22R 1A	125.5			
	22R 2A	98.5			
	22R 3A	150			
	22R 4A	86			
	22R 5A				
	23R 1A	144			
	23R 2A	116			
	23R 3A	141			
	23R 4A	84			
	23R CCA	8			
	24R 1A	137			
	24R - 2A	153			
	24R - 3A	153			
	24R - 4A	184			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602E

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	24R SA	149			
	24R-CC	20			
	25R-5A	65			
	4A	92			
	25R-3A	151			
	25R-2A	99			
	25R-1A	92			
	26R-1A	143.8			
	26R-2A	132.9			
	26R-3A				
	27R-1A	124.1			
	27R-4A	135			
	27R-2A	150			
	27R-3A	101			
	27R-5A	121			
	28R-1A	144			
	28R-2A	190			
	28R-3A	131			
	28R-4A	148			
	28R-5A	131			
	29R-1A	148.5			
	2A	109			
	3A	149			
	29R-4A	146			
	29R-5A	144			
	30R-1A	136			
	30R-2A	120			
	30R-3A	96			
	30R-4A	126			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602E

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	31R - 1A	148.5			
	31R - 2A	147			
	31R - 3A	140			
	31R - 4A	68.5			
	32R - 1A	116.5			
	32R - 2A	125.5			
	32R - 3A	136.5			
	32R - 4A	82			
	33R - 1A	103			
	33R 2A	145.5			
	33R 3A	110		Exc. 58-71	
	34R 1A	124.5		Exc. 11-16	
	34R 2A	148		Exc. 51-58	
	34R 3A	62.5		Exc. 54-58	
	35R 1A	131.5			
	35R 2A	102			
	35R 3A	148.5			
	35R 4A	149.5			
	35R CCA	11.5			
	36R 1A	98			
	36R 2A	141.5			
	36R 3A	118.5			
	36R 4A	145			
	36R 5A	112			
	36R 6A	58			
	37R 1A	139.5			
	37R 2A	101			
	37R 3A	115.5			
	37R 4A	126.5			
	37R 5A	138.5			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602E

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	37R - 6A	85			
	38R-1A	149			
	2A	127			
	3A	152			
	4A	119			
	5A	116			
	6A	102			
	39R-1A	116			
	2A				
	39R-3A				
	39R-4A	144			
	39R-5A	185			
	39R-6A	144			
	39R-7A	114			
	40R-1	97			
	40R-2	150			
	40R-3	180			
	4	145			
	5	128.4			
	40R-6A	113.7			
	41R-1A	155			
	41R-2A	133			
	41R-3A	115			
	41R-4A				
	41R-CC				
	42R-1				
	42R-2	105			
	42-3	124			
	42R-4A	150			
	42R-5A	74			

EXC. 49.55

93

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. U1602 Hole E

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	42 R 6A	105			
	43 R 1A	136.5			
	43 R 2A	134.5		Exc. 0-5	
	43 R 3A	111.5			
	43 R 4A	60		Exc 46.9-49	
	44 R CC	18			
	45 R 1A	149		Exc. 52-53	
	45 R 2A	141			
	45 R 3A	151		Exc 141.5-146	
	46 R 1A	130		Exc. 0-2, 20-26	
	46 R 2A	125.5			
	46 R 3A	172.5			
	46 R 4A	64.5			
	47 R 1A	147.5			
	47 R 2A	94.5			
	47 R 3A	136.5		65-78 Exc.	
	47 R 4A	149.5			
	47 R 5A	107.5			
	47 R 6A	107		0-2, 99-102	
	47 R 7A	78.5			
	48 R 1A	131.5		12-18.5, 40-43	
	48 R 2A	136			
	48 R 3A	147.5			
	48 R 4A				
	48 R - 5A	140			
	28 R - 3A	118.0		Re-scan	
	28 R - 4A	148		Re-scan	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	1602E ATR-1A			Repeat (R)	
	4Y 2A			"	
	3A	65-TS exclude			
	4A				
	5A	108			
	6A				
	7A	79 exclude above 52 based			
	28R 1A	143			
	48 1A	182			
	2A				
	3A				
	4A				
	5A	141			
	6A				
	46R-1A	132			
	46R-2A	127			
	3A	113			
	46R-4A	66			
	28R-2A	#8			
	28R-3A	118			
	28R-5A	131.5			
	49R-1A				
	2A	130			
	3A				
	4A	150			
	5A	137			
	6A	71			
	50R-1A	115			
	50R-2A				

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	50R-3A				
	50R-4A	49			
	29R-1A	147.2		repeated - dry	
	29R-2A	106.3		redone	
	29R-3A	148.0		4	
	29R-4A	144		11	
	29R-5A	142.1		redone - exc. 93-100 cm	
	30R-1A	136		redone	
	30R-2A	107		redone - exc 57-89 cm	
	30R-3A	96		redone	
	30R-4A	124		11	
	31R-1A	143		11	
	31R-2A	148.5		11	
	31R-3A	140			
	31R-4A	69		11	
	32R-1A	116		11	
	32R-2A	126		11	
	32R-3A	137		✓	
	52R-1A	131		✓	
	52R-2A	118			
	52R-3A	-		✓	
	52R-4A				
	52R-5A				
	52R-6A	126			
	52R-7A	112			
	32R-4A	110		redone	
	32R-5A	82.5		redone exclude 25-45	
	51R-CC	NOT	SHMSLD INTENTIONALLY.		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	32-4A		RE-SHMSL'D		
	52R 1A	149		9-14 excl.	
	33-2A		RE-SHMSL'D		
	34-1A		✓		
	34-3A		✓		
	35-3A		✓		
	52R 2	119	114-119		
	52R 3A	148.5			
	52R 4A	94			
	52R 5A	146			
	52 6A	125.5			
	52R 7A	112			
	51R 1A	112		0-3, 15-25; 54-58	
	51R 2A	92		0-1, 15.5-17, 92-end	
	53R 1A	146		Exc 135.5-136.5	
	53R 2A	113.5			
	53R 3A	115			
	53R 4A	78.5			
	36R 1A	97.5		rescan	
	36R 2A	141		rescan	
	36R 3A	145		rescan exc 0-1	
	36R 6A	58		0-2 rescan	
	37R 3A	115			
	37R 5A	138.5			
	38R 1A	148			
	38R 2A	126.5		43-53; 70-100 exc.	
	38R 5A	116		43-53; 70-100 excl.	
	38R 6A	101		58-63 excl.	
	54R 1A.	149		0-18 excl.	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole E
1602

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	54R 2A	103			
	54R 3A	148		62-63 excld.	
	54R 4A	150.5		exc. 0-1	
	54R 5A	150.5		" 0-2	
	54R 6A	129		86.5-88, 110-115	
	54R 7A	63		121-123 excld.	
	39R 1A	149		0-11, 24-31	
	39R 2A	116		redo	
	39R 6A	143.5		40.5-42.5	
	39R 7A	112		0-14,	
	40R 1A	97		rescan	
	40R 2A	150.5		rescan	
	40R 3A	148.5		25-28, 36-38 rescan	
	40R 5A	127		84-119	
	41R 1A	141.5		"	
	41R 2A	131		"	
	41R 4A	147.5		"	
	42R 2A	105.5		"	
	42R 4A	149.5		"	
	42R 6A	105.5		"	
	55R 1A	135		18-19, 124-125.5	
	55R 2A	107.5			
	55R 3A	140			
	55R 4A	139.5			
	55R 5A	132.5			
	55R 6A	123.5			
	55R 7A	67.5			
	43R-1A	136		rescan	
	43R-2A	133		11 exc. 0-5, 8-10 54-61, 134-140	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1602E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	43R-4A	59.6		rescan	
	45R-1A	149.1		//	
	45R-2A	140.5		//	
	45R-3A	150		// exc. 141-146	
	56R 1A	150			A
	56R 1A	150	same	exact location no	excludes
	56R 1A	150	missed	added excludes	
	56R-2A	133			
	57R-1A	98			
	57R-2A	72		1	
	58R-1A	124	Δ	lots of skips	
	58R-2A	111	L	//	
	58R-CC	08	L		
	58R				
	59R-2	106			
	60R-1A	128.5		0-7, 26.5-29, 96-100	
	60R-2A	116.5			
	60R-3A	143		123-127, 73-80, 35.5-37.5	
	61R 1A	144		119-109.5, 88-90, 96.5-98, 52-57, 0-2, 16-14	
	61R-2A	92		20-39, 58.5-60, 83.5-85	
	61R-3A	81		24-29	
	61R CCA	13.5			
	62R 1A	138.5		0-1, 4-10, 13-14, 23-24, 72-78,	
	62R 2A	123		43-45, 81.5-82.5	
	62R 3A	111		96-97.5, 0-36, 50-69	
	62R 4A	104		0-36, 80-100, 50-53, 58-70	
	62R CCA	76			
	63R 1A	55.5		0-2, 18-27, 33-35, 56, 46-48	
	63R 2A	76		0-1, 22-23, 45-51, 55-59.5, 67-68	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602E

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	64R 1A	59.5		27-35(excl'd)	
	67R 1A	112		4 intervals excluded	
	67R 2A	128		5 intervals excluded	
	68R 1A	124		0-3, 10-14.5, 22-25,	
	68R 2A	103.5		8-13, 34-36, 41-43, 58-61, 87-90	
	69R 1A	147		0-13.5, 74-76, 136.5-139,	
	69R 2A	143		61-74.5, 109-113, 117-118, 124-128.5	
	69R 3A	150		0-1, 16-18, 25-26, 70.5-72, 78.5-80,	
	69R 4A	55		0-1, 41-43, 49-50, 52.5-53.5,	
	70R 1A	130		0-7,	
	70R 2A	127.5		0-8, 119-121	
	70R 3A	109		7-8, 65-66	
	71R-1A				
	71R-2A				
	72R-1A				
	72R-2A				
	72R-3A				
	73R-1A				
	73R-2A				
	74R-3A				
	74R-2A				
	74R-1A	126		9-13, 35-42, 119-122	SKIP
	74R-1A 75R-3A	103		0-1, 11-13, 18-20, 24-25.5, 54.5-57	
	75R-2A	138		0-2, 15-18, 25.5-27, 49.5-51, 85.5-87	
	75R-1A	143		91-93, 95.5-97, 99-101, 125-127, 133-136	
	76R-1A	143		0-1, 11-15, 22-25, 42-43, 74.5-76, 81-82.5, 93-95, 135-137, 121.5-123	
	76R-2A	106.5		0-5, 21-22, 66-70, 82-83, 88-89, 108-110	
	76R-3A	132		35-36, 90-91, 111-113,	
	77R-1A			12-14, 130-31, 83-87	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1602E

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	77R-1A	139		24-25, 49-50, 53-54, 66-72	
	77R-2A	132 75		0-1, 11-15	
	77R-CCA	18		0-1	
	78R-1A	148		14-16, -	
	78R-2A	131		102-103	
	78R-3A	148		34, 10-11, 58-59, 86-100	
	78R-4A	93		38-40, 78-80, 87-88	
	79R-1A	151		5-8, 15-17, 25-70, 40-50, 60-86, 90-92	
	79R-2A	115		45-47, 95-97	104-106
	79R-3A	115		4-15/28-53	73-99
	80R-1A	139		0-48/66-68/89-112	116-118/121-133
	80R-2A	125		55-58	
	80R-3A	142		35-37	
	80R-4A	65		17-19/30-38/47-49	58-66
	81R-1A	95		0-10/23-32/51-60	75-78
	81R-2A	62			
	82R-1A	145		0-10/20-22/29-49/87-89	
	82R-2A	124		63-65/90-93	
	82R-3A	150		19-21/30-38/49-51/59-62	69-82/131-134
	82R-4A	90		17-34	
	82R-5A	70			
	83R-1A	142		0-3/11-13/54-56/77-82	94-131/138-140
	83R-2A	146		0-3/10-19/29-53/61-84	106-131
	83R-3A	132		0-3/42-44/53-73/101-106	
	83R-4A			122-126	
	84R-1A	105		0-9, 13-15, 16-21, 35-37, 41-47.5, 50-59.5, 74-78, 79-82, 94-96, 80-86, 10-12, 31-33, 61-69, 72-76,	
	84R-2A	123 110		0-3, 16-17, 28-29, 47-48	
	84R-3A	55		0-1, 2.5-4.5, 16-18, 40-46	
	85R-1A	48			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1602E

[illegible]

0-2, 29-37, 74-84, 98-103
96-98, 100-104.5, 107-111, 118-121.5,

0-6/35-47	55-71	
-----------	-------	--



— XX — EOH — XX —

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395

Hole 1564F ~~2A~~

Text ID SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	2R-4A	151.7	✓		
	2R-5A	150.6	✓		
	2R-2A	122	✓	10-12/39-41/58-85/92-97/	
	2R-1A	92	✓	0-20	
	2R-6A	92	✓		
	2R-3A		✓		
	3R-1A	134	✓	0-8	
	3R-2A	149	✓		
	3R-3A	146	✓	40-50/82-90	
	3R-4A		✓		
	3R-5A	147	✓	84-88	
	3R-6A	150	✓	59-68/112-125	
	3R-CC	—	—	exclude —	
	5R-1A		✓		
	5R-2A	144	✓	39-55/115-124	
	3R-7A	57	✓	0-29/51-base	
	5R-3A	118	✓		
	5R-4A	149		35-40/53-55/75-77/118-126/126-128/	
	5R-5A	144		44-51/63-71/79-85/94-98/104-107/121-134	
	5R-6A	149.5		19-73, 0-2	
	5R-7A	97		66-68	
	NO 5R-CC - TOO BROKEN				
	6R-1A	147.5			
	6R-2A	138.5			
	6R-3A	147.5			
	6R-4A	147.5			
	6R-5A	146			
	6R-6A	44			
	7R-1A	144			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564F

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	7R-2A	148		excl 87-98	
	7R-3A	134.5		0-26	
	7R-4A	147.5		7	
	7R-5A	148		101-124 excl	
	7R-6A	147			
	7R-7A	64			
	CCA -	NO SHMSL - HIGHLY FRAG			
	8R-1A	137			
	8R-2A	139.5			
	8R-3A	145			
	8R-4A	146		0-2, 122-125	
	8R-5A	147			
	8R-6A	86.5			
	9R-1A	133		0-5, 9-17, 121-126	
	9R-2A	134.5		17-19, 25-29,	
	9R-3A	59		27-41, 59-base excl	
	9R-4A	117		0-2,	
	9R-5A	115		0-19, 97-104	
	9R-6A	114		0-8	
	9R-7A	96			
	9R CCA	26		0-5	
	10R-2A	139			
	10R-3A	137.5			
	10R-1A	148.5			
	10R-4A	147.5		14-19, 33-42	
	10R-5A	150			
	10R-6A	95			
	10R-7A	67			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564F

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	11R-1A	147	✓	0-23/35-48/55-63/74-77	
	11R-2A	136	✓		
	11R-3A	143	✓		
	11R-4A		✓		
	11R-5A	142	✓		
	11R-6A	119	✓	0-6/21-24/	
	11R-7A	91	✓	0-55/66-75	
	11R-CC		X	excluded	
	12R-1A	143	✓		
	12R-2A	113		46-51/79-82	
	12R-3A	87		44-46/58-60/74-76	
	13R-1A	114		69-71/	
	13R-2A	142		87-89	
	13R-3A	149		87-89	
	13R-4A	117			
	13R-5A	126		120-126/	
	13R-6A	114		89 -21	
	13R-7A	95			
	13R-8A & CC			excluded	
	14R-1A	146		0-6/70-72/122-124	
	14R-2A	139		130-133	
	14R-3A	146		0-2/69-71/124-136	
	14R-4A	143		106-124	
	14R-5A	150		0-27/91.5-91.5	
	14R-6A	111		100-104	
	14R-7A	61		32-34/40-44/51-53	
	15R-7A	61		0-5/38-52	
	15R-6A	89		89-base	
	15R-CC			excluded	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564 F

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	15R-5A	144		18-22/68-71/105-107/126-128	
	15R-4A	148		37-39/54-57/112-114	
	15R-3A	128		0-3/57-59/74-76	
	15R-2A	138		30-58/67-68/121-123	
	15R-1A	145		37-40/79-81/126-134	
	16R-1A	149			
	16R-2A	132		18-20,	
	16R-3A	149		19-40	
	16R-4A	149			
	16R-5A	148.5		17-18, 44.5-48, 101-119	
	16R-6A	147			
	16R-7A	58.5			
	16R-CCA	31			
	17R-1A	148		89-91, 109-110	
	17R 2A	120		89-91, 109-110	
	17R 3A	135		0-8	
	17R 4A	143			
	17R 5A	147		B. 27, 83-99, 123-127	
	17R 6A	86		40-44, 50-57, 78	
	18R 1A	140		0-41	
	18R 2A	136.5			
	18R 3A	148			
	18R 4A	147.5		44-50, 102-124	
	18R 5A	77			
	18R 6A	146		14-58, 105-113	
	18R 7A	41			
	18R CC	TOO	FRAGMENTED NOT SCANNED		
	19R 1A	149			
	19R 2A	120			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564F

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	19R 3A	60			
	20R 1A	144		14-15, ²¹⁻³⁹ 21-22, 26-27	
	20R 2A	145			
	20R 3A	128			
	20R 4A	131			
	20R 5A	95			
	21R 1A	109			
	21R 2A	144		112-115/127-129/135-138	
	21R 3A	141		22-46/0-6	
	21R-4A	122		21-23/27-29/67-70/76-80	
	21R-5A	149			
	21R-6A	81		49-53/0-2	
	22R-4A	18	-	18-base	
	22R-1A	149	-	0-25/89-91	
	22R-2A	139	-	48-50/86-87/100-102	
	22R-3A	151	-	53-55/127-129	
	22R-4A	110	-	0-2/41-43/55/57/78-80/	
	22R-5A	128	-	0-26/46-51/98-100/	
	22R-6A	145	-	0-60/109-139	
	22R-7A				
	22R-CC		-	excluded	
	23R-1A	148		0-3/36-38/67-122	
	23R-2A	137		14-16/25-33/	
	3A	149		86-149	
	4A	150		0-93/141-145	
	5A	152		14-36	
	6A	135			
	7A	90		72-80	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564 F

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	24R-1A	144		95-97/124-127	
	24R-2A	135		12-18/	
	24R-3A	122		16-18/77-78	
	24R-4A	136			
	24R-5A	131		0-3/	
	24R-6A	86			
	7A	73		71-73	
	25R-5A	93		0-3/76-78	
	25R-AA	78			
	25R-3A	119			
	25R-2A	140			
	25R-1A	147		0-8/25-28/16-121	
redo wet →	26R-1A	149		11-32 exclude	
	26R-2A	139		0-37/76-80	
	7A			8-9/12-65	
	26R-3A	150		0-3/24-27/69-73/	
	26R-4A	149		125-127/146-150	
	26R-5A	138			
	26R-6A	128 121		60-68	
	27R-1A	140			
	27R-2A	142		63-68, 129-135	
	27R-3A	148		8-10, 54-106	
	27R-4A	154			
	27R-5A	77		58-61	
	27R-6A	58		42-46,	
	28R-1A	149		0-2, 49-52, 59-60,	
	28R-2A	142		20-27, 64-81,	
	28R-3A	149.5			
	28R-4A	147			

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	28R 5A	115		32-44, 115-bottom	
	28R 6A	122		0-71	
	28R 7A				
	28R CCA	> 100		FRAGMENTED	
	29R 1A	148			
	29R 2A	142			
	29R 3A	146			
	29R 4A	102		102	
	29R 5A	105		Too frag	
	29R 6A				
	29R 7A				
	30R 1A	125			
	31R 1A	149		17-33	
	31R 2A	125			
	31R 3A	119.5			
	31R 4A	145			
	31R-5A	104		26-30	
	32R-1A	142		0-4/11-19/93-98	
	32R-2A	146			
	32R-3A	139		32-43/82-95	
	32R-4A	119		6-T/11-17/29-31/49-50/54-66/	
				73-82/99-96	
	32R-5A	150		47-49/T4-T7/90-93/	
	6A	86		102-107/	
	1A	77		37-46/33-37	
	33R-1A	147	✓	66-68	
	2A	140		0-16/37-40/61-64/25-140	
	3A	124	✓		
	4A	119	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564F

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	33R - 5A	148		19-23	
	6A	121		53-121	
	7A	106		19-23/	
	8A	115	X	115-115	
				are done.	17 2023 Aug 3
	34 - 8A	66		6-20/28-39/50-52	see other logs.
	34 - 7A	109		19-21	
	34 - 6A	150.5		6-1/23-29/72-73/124-125	
	34 - 5A	127		42-44/81-87/101-105	
	34R-4A	107			
	34R-3A	144			
	34R-2A	109		34-36/	
	34R-1A	148		0-3/37-40/80-86/131-135	93/
	35R-1A	139		0-2, 11-12	
	2A	144		0-6/55-57	
	3A	108		8-13/101-102	
	35R 4A	139			
	35R-5A	133		45-47/66-70/96-92/106-113	
	35R-6A	87		24-26/75-83	
	35R-7A	73		37-41/92-73	
	36R-1A	129		0-2/17-18/83-93	
	2A	140		21-34/50-65/93-100/118-135	
	3A	87		48-63/82-87	
	4A	74		5-6/23-25/35-43/	
	37R-1A	146		6-10/	
	37R-2A	145		14-16/38-40/71-72/	
	3A	149		5-7/73-86/	
	37R-4A	138		114-118,	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1564F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	37R 5A	107		0-9	
	37R 6A	70.5		40-45	
	38R 1A	142		56-63, 71-73, 109-112, 127-134	
	38R 3A	114		8-4	
	38R 2A	118		10-28, 85-97	
	38R 4A	148.5			
	38R 5A	148.5			
	38R 6A	97.5			
	38R 7A	106			
	39R 1A	122		0-6	
	39R 2A	142			
	39R 3A	149			
	39R 4A	148		42-61, 67-69, 97-100, 129-132	
	39R 5A	64		22.5-23.5, 36-37, 52-55, 0-2	
	40R 1A	76		54-55, 59-62, 66-69	
	41R 1A	142.5		17-22, 79-93	
	41R 2A	105		40.5-41.5,	
	41R 3A	81		67-69, 0-1	
	42R 1A	78		0-2, 9-9	
	43R 1A	95.5		0-5/9-10.5/15-16.5/23-86/	
	43R 2A	90		0-4/9-11/32-35/39-41/	
				44-50/54-56/60.62/75-81	
	44R - 1A	130		0-5/39-41/46-49/58-60/	
				88-97/114-120	
	44R - 2A		✓		
	44R - 3A	125		0-1.5/33-36/44-47/	
				73.5-76.5/100-112	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole V1564F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	44R - 4A			0-1.5/72-74.5/78.5-86/	
		145		83-85/92-94/130-132.5/	
				137-139/	
	44R - 5A	142.5		9-14/18-20/24-34/	
				39-43/63.5-65/	
				77-79.5/95.5-98/	
				112.8-115.5/135-138.5	
	44R - 6A	62		94-149-22,	
				8.5-11, 19-22, 31-36,	
				42.5-53	
	45R - 1A	127.5		0-5, 8-10.5, 33-40, 67-113.5	
	45R - 2A	143		0-2, 40-41.5, 61.5-63.5, 85-90.5,	
				129-132,	
	45R - 3A	134		0-2, 34-39.5, 42-45, 53-72.5,	
				103.5-106.5, 115-118,	
	45R - 4A	135		0-3, 10-12, 16.5-18, 30-32,	
				39-44, 70-71.5, 80-81, 101.5-105.5,	
				111-119.5	
	45R - 5A	108		0-1, 14-17, 24-37, 61.5-65, 83.5-90,	
	45R - 6A	111.5		0-2.5, 4-5, 12-13.5, 28-30, 45-47.5,	
	46R - 1A			65.5-66.5, 91-94, 102.5-109	
	46R - 1A	142		2-5/10-14/18-26/39-40/42-44/	
				51-54/56-57/60-62/66-71/	
				80-83/86-88/90-92/95-100/	
				103-108/116-124/	
	46R - 2A	141		19-20/24-31/37-40/42-49/	
				52-54/57-61/62-68/	
				83-87/135-139/	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	46R - 3A	146		0-2/ 21-23/ 44-48/	
	46R - 4A			62-66/ 69-73/ 88-91/	
	↓			106-111/ 112-115/ 125-128/	
		143		12-17/ 22-25/ 28-34/	
		1		45-49/ 51-53/ 56-58/	
				60-62/ 65-77/ 87-90/	
				97-100/ 109-112/ 119-123/	
				127-130/	
	46R - 5A	53		0-2/ 9-13/ 21-24/ 39-43/	
	47R - 1A			45-48/	
	47R - 1A	120		2-4/ 18-21/ 90-98	
	47R - 2A	142		62-68/ 121-124/ 126-129/	
				131-134/ 136-139/	
	47R - 3A	133		21-29/ 39-31/ 33-42/ 47-50/	
				115-119/	
	47R - 4A	21			
	48R - 1A	146		5-8/ 11-13/ 88-94/ 96-100/	
				108-114/ 116-119/ 132-141/	
	48R - 2A	141		0-8/ 10-13/ 16-18.5/ 35-46/ 42.5-44/	
				65-68/ 74-83/ 99-105/ 112-114/	
				124-121	
	48R - 3A	143		8-11/ 14-21/ 26-28/ 33-36/	
				41-43/ 45-48/ 53-56/	
				62-67/ 72-74/ 76-80/ 82-88/	
				92-95/ 97-106/ 109-111/ 113-116/	
				119-121/ 124-126/	
	48R - 4A	76		42-45/ 53-64/ 67-69/	
	49R - 1A	145		0-2, 10.5-12, 18.5-22, 25-28.5, 41-42.5,	
				59-99.5	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 41567F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	49R-2A	147		0-15, 26-28, 35-37, 41-45, 58.5-65, 70.5-72.5, 87-89, 103-107, 116.5-119, 126-127, 135-136.5,	
	49R-3A	137.5		0-1, 15.5-17, 28-34.5, 39.5-41.5, 49.5-50.5, 76.5-79.5, 112-115.5, 121-122.5, 131-133	
	49R-4A	86		0-3, 9-22.5, 28-29.5, 44-52, 64.5-82	
	50R-1A	141		6-9, 11-13, 18-21, 24-27, 29-32, 93-96, 105-109, 125-127, 131-139,	
	52R-2A	140		0-4 skip	
	52R-3A	138		99-111 skip	
	52R-4A	86		7-17, 77-81	
	50R-2A	129		6-20, 43-45, 53-56, 63-75, 81-83, 109-113, 25-28, 30-33, 34-37, 60-62, 67-69, 72-80, 90-97,	
	50R-3A	132		0-3, 5-16, 20-22, 24-28, 38-41,	
	50R-4A	102		2-4, 10-12, 17-18, 20-24, 30-37, 45-50, 58-64, 95-97	
	51R-2A	136.		62-70, 99-102, 110-118,	
	51R-3A	106		0-2, 12-15, 16.5-28.5, 29.5-32, 40.5-43, 54-57, 65-69, 76-79, 86-88.5, 95-97.5,	
	52R-1A	18		0-10.5	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564F

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploaded?</u>	<u>Comments</u>	<u>Operator</u>
	53R - 1A	144		0-8.5, 20-25, 30.5 - 38,	
	53R - 2A	7		53.5-94.5, 96-101, 107.5-138.5,	
	53R - 2A	146		0-6, 11-19.5, 24-25, 33.5-36.5, 39-45,	
				49-50, 53-75, 84-88, 92-94.5, 102-120, 134-139,	
	53R - 3A	148		43-48, 54-65, 67.5-71.5, 81.5-85, 90-95,	
				98-127, 132-143,	
	53R - 4A	134		8-12, 23-27, 45-48, 50-51,	
				60-74, 84-88, 90.5-99,	
				113-116, 121-129, 134	
	54R - 1A	147		0-1.5, 3-6.5, 8.5-16, 21.5-24.5,	
				30.5-33, 35.5-38, 58.5-72,	
				80-82.5, 88.5-91, 97-106,	
				115.5-124, 140-142	
	54R 2A	140		72-77	
	54R 3A	114		0-1, 12-15.5, 18-20.5, 41-42, 107-108,	
	54R 4A	146.5		12.5-13.5, 20.5-21.5, 46-48, 50.5-57,	
				60.5-62, 68.5-71.5, 84-88, 95-98, 100-106,	
				113-115.5, 137.5-143, 146.5	
	55R 1A	114		0-3.5-19, 31-33, 49-52, 65.5-68,	
				77-80.5, 88-90.5, 100.5-102.5,	
				109.5-113.5	
	55R 2A	122		0-1, 31-33.5, 41.5-47, 56-60.5,	
				75.5-81, 95.5-98.5, 101-105,	
				110.5-113.5	
	55R 3A	128.5		0-1, 30-32, 43-46, 52-55,	
				61-65, 79.5-83, 111-116,	
				121-124	
	55R - 4A	23		0-1, 10.5-12.5,	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	56R - 1A	125		0-4, 9-11, 72-75, 83.5-91, 93-97,	
	56R - 2A	142		42-45, 50-53, 57-63,	
	56R - 3A			67-76, 87-92, 99-102,	
	↓			108-110, 113-116, 120-123,	
		12			
	57R - 1A	144		5-7	
	57R - 2A	128		0-11, 124-127, 128	
	57R - 3A	137			
	57R - 4A	107.5		0-6,	
	58R - 1A	148		0-5, 15-19, 21-23,	
	58R - 2A			32-40, 85-88,	
	↓	99.5			
	58R - 3A	143			
	58R - 4A	142 138		100-105, 125-127.5, 131-135, 138	
	58R - 5A	23		0-1, 4-6, 10, 12, 23	
	59R - 1A	143.5		4-12, 136-142	
	59R - 2A	113		0-3, 77-80, 91-95,	
	59R - 3A			98-102	
	59R - 3A	118		44-50, 57-60, 71-74, 82-86,	
	59R - 4A			98-101, 110-112,	
	↓	49		9.5-12, 26-29, 32-35,	
	60R - 1A			42-44,	
	↓	143		0-1, 5-7, 17-26, 35-39, 41-43, 62-66, 81-85, 87-94, 104-106, 114-117, 120-122, 130-134, 137-139	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole U1564F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	60R-2A	122.5		0-9.5, 17-30, 38.5-41,	
				45-47.5, 54.5-57.5,	
				70.5-73, 93-118	
	60R-3A	32		0-2.5, 8.5-21, 25-29.5,	
	61R-1A	118.5		0-9, 22-25, 59-61.5, 82.5-85.5,	
				104-107	
	61R-2A	134		0-2, 12-15, 27.5-33, 39-50,	
				54.5-57.5, 67-70.5, 74-85,	
				90-95, 104-107.5, 117.5-120.5,	
				129-132.5	
	61R-3A	19		0-3, 10.5-15.5	
	62R-1A	51		0-15, 31-34	
	63R-1A	124		0-2, 4.5-9, 14-72.5, 84.5-87,	
				95-97.5, 109-112.5,	
	63R-2A	52		0-2, 17-25, 33-37, 41-52	
	64R-1A	137		0-7, 19.5-21.5, 23.5-76, 40-42,	
				54-61, 67-69.5, 77-79.5,	
				87-91, 100-116.5,	
	64R-2A			121-126	
	↓	135		17-19, 56-59, 76-79,	
				112-122	
	64R-3A	115		64-68, 72-75, 76-86,	
				96-97, 106-107	
	65R-1A	140		0-1, 3-6, 19-29, 40-48,	
	65R-2A	150		0-3, 15-20, 124-150	
	65R-3A	113		0-1, 5-20, 29-50, 56-67,	
				72-76, 80-89, 92-95,	
				98-101, 105-110,	

MA

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. _____ Hole _____

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	66R - 1A	134		0-6, 8-12, 15-18,	
				24-27, 60-68, 70-73,	
	66R - 2A	93		77-119, 126-129,	
	↓			0-1, 6-11, 20-25, 28-47,	
				51-65, 68-81, 86-89,	
	67R - 1A	149		0-8, 29-34, 37-40, 43-48	
				52-55, 64-71, 73-82,	
				104-117, 126-131, B7-140	
	67R - 2A	142		0-1, 2-5, 23-27, 86-91,	
				99-104, 110-120, 123-125	
				137-142.	
	67R - 3A	119		14-15.5/19-28/41-42/47-49/	
				58-65/71-73/77-84/83-99/	
				102-108/	
	68R - 1A	137		0-5/97-106	
	69- 1A			0-6	
	69- 2A	124.5		0-3, 25-26.5, 35.5-36.5, 70-71, 101-102,	
		124.5		104.5-105.5	
	62-3A	110		34-35, 84.5-85.5, 0-2	
		63		33.5-34.5	
	68R - 2A	142		0-4, 51-53, 66-71, 73-78,	
				90-93	
	68R - 3A	111		0-1, 31-33, 55-57,	
				84-86, 100-102	
	70R - 1A	143		22-25, 47.5-50, 95.5-96.5, 110-124, 30.5-	
				135	
	70R - 2A	139		7-9, 16-18.5, 43.5-73, 77-79, 81.5-83,	
		±		90-93.5, 102-105, 131-135,	

(118)

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564 F

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Comments	Operator
	70R-3A	140		22-25/20-45/52-54/57-78/	
				85-88/91-118/121-126/132-135/	
	71R-1A	92		0-13/28-31/40-42/48-51	
				56-66/69-73/86-88/	
	71R-2A	131		0-1/8-10/15-17/24-26/	
				30.5-31.5/35-38/	
				43-64/68-69.5/79-81.5/	
				88-93/102-106/110-120/	
	71R-3A	43		7.5-40.5/	
	72R-1A	123		0-11/20-24/	
	72R-2A	135		93-106	
	72R-3A	138		36-44/51-59/62-64.5/	
				73-75.5/81-91.5/94-112/	
	73R-1A	149		0-1/4-7/12-20/33.5-36/	
				50-60/62.5-77/84-94/	
				98-106/109-112/118-123/	
				132-135/138-140	
	73R-2A	89		0-1/4-6/15-19/22-24/33-42/	
				56-60/	
	74R-2A	93		0-7/12-18/23-46/51-87	
	74R-1A	135		0-4/10-16/24-32/37-45/	
				52-54/76-80/	
				83.5-86/89-101/115-124	
	75R-1A	137		0-2/4-7/10.5/-12.5/43-58.5/	
				68-71/77-80/88-97/	
				108-116/120-124/128-132/	
	75R-2A	101		0-4/9.5-12/25-35/	
				40-61/72-76/84-88/	

Logsheets for SHMSL (Color Reflectance & Magnetic Susceptibility Point Source) scanning

Exp. 395 Hole 1564F

[illegible]

(120)