

INDEX

- Africa Antarctica, separation, 918
- Agulhas Plateau, 949
- Albian foraminifera assemblages, 750
- Albian-Cenomanian foraminifera, 747
- Amphipyndax enesseffi* Zone, 774
- Amsterdam-St. Paul volcanic complex, 924
- Angiosperms, 816
- Angular unconformity, 283, 288
- Antarctic Bottom Water, 918
- Antarctica, separation of Africa, 918
- Argon, nonradiogenic, 514
- Argon analyses, 513
- Artostrobium urna* Zone, 772, 774, 775
- Aseismic ridges, 571, 910
- Australian continental margin, 419
- Australian plate, 233
- Authigenic garnet, 80, 85, 593, 594, 915
- Basalt, 80, 161, 162, 238, 301, 329, 331, 336, 466
 - classification of tholeiites, 480
 - criteria for recognizing altered, 472
 - crystallization differentiation, 481
 - electrical resistivity of, 505
 - grain-size range, 533
 - hematite in, 533
 - normative compositions, 477
 - ocean ridge, 484
 - olivine, 28, 235, 299, 329, 478
 - petrography of, 466
 - phase chemistry, 484
 - plagioclase feldspars in, 485
 - porphyritic, 471
 - pyroxenes in, 484
 - rare-earth elements in, 569
 - sill, 466
 - Site 250, 487, 914
 - Site 251, 489, 915
 - Site 253, 489
 - Site 254, 489
 - Site 256, 489
 - Site 257, 466, 489
 - thermal conductivity, 454
 - thermally unstable state of, 529
 - trace elements in, 483
 - xenoliths, 470
- Basalt flows, graded, 470
- Basalt-sediment contact, 467
- Basaltic flows, 418
- Basaltic terrain, 244
- Basis for age determination,
 - foraminifera, 13
 - nannoplankton, 13
- Beach gravels, 929
- Bengal Fan, 919
- Biogenic ooze, 235
- Bottom current, 23, 140, 914
- Bottom current circulation, 34, 918
- Bottom water, 937
- Boundaries, criteria used to locate, 678
- Boundary, biostratigraphic, 677
 - foraminifera,
 - Miocene/Pliocene, 678
 - Oligocene/Miocene, 678
 - Pleistocene/Holocene, 680
 - Pliocene/Miocene, 687
 - Pliocene/Quaternary, 679
 - Quaternary/Pliocene, 677, 687
- Brachiopod, 167
- Broken Ridge, 8, 9, 233, 243, 281, 288, 359, 370, 418, 925, 950
- Broken Ridge-Naturaliste Plateau, 7
- Bryozoans, 166, 167
- Calcareous nannoplankton, Site 251, 84
- Calcispheres, 335, 747
- Campanian-lower Eocene unconformity, 619
- Carbon emission spectrography, 541
- Carbon-carbonate analysis, 16
- Carbonate compensation depth, 140, 306, 336, 419, 950
- Carlsberg Ridge, Central Indian Ridge, spreading on, 913
- Celadonite, 471
- Cenozoic species, nannoplankton, 619
- Central Indian Basin, 418
- Ceratolithus tricorniculatus* Zone, 623
- Chemical analysis, authigenic, garnet, 594
- Chemical analysis of pyroclastics, 560
- Chemistry of basalts, 472
- Chert, 745
- Circumpolar current, 7, 9, 135, 140, 359, 929
- Classification of pyroclastics, 553
 - tholeiites, 480
- Climatic shifts, 613
- Conglomerates, 237
- Coniacian/Santonian foraminifera, 750
- Coniacian/Santonian boundary, 750
- Contamination, foraminifera, 677
- Corals, 167
- Cretaceous, nannoplankton, 669
 - Paleogene, nannoplankton, 669, 670
 - sedimentation, 938
 - systematics, foraminifera, 751
- Cretaceous magnetic lineations, 951
- Cretaceous zonation, Radiolaria, 773
- Cretaceous/Tertiary boundary, 32
- Crinoids, 166, 167, 745
- Crozet Basin, 135, 140, 418, 913, 915
- Crustal ages, 9, 34
 - Wharton Basin sites, 930
- Crystallization differentiation, basalt, 481
- Crystallization fractionation, 489
- Current, Bottom, 23, 34, 140, 914
- Darling Fault Zone, 947
- Datum levels, 677

- Davie Ridge, 949
- Deccan traps, 949
- Detrital clay, 299, 329
- Detrital sediments, 914
- Deuteric oxidation, 533
- Diamantina Fracture Zone, 359, 925
- Diamictites, 237, 244, 553
- Diatoms, 671
- Dictyomitra veneta* Zone, 772, 773, 774, 775
- Differentiation of magma, 489
- Direct-reading spectrography, 541
- Discoaster asymmetricus* Zone, 623
 - barbadiensis* Zone, 670
 - druggi* Zone, 623
 - exilis* Zone, 623, 625
 - quinqueramus* Zone, 623
 - saipanensis* Subzone, 167, 670
 - tani nodifer*, 167
- Disconformities, 34, 914
- Dissolution effects, 85
- Dissolution facies, 7, 9, 930, 932, 934
- Dissolved organic carbon, 615
- Distribution of sediments, Indian Ocean, 7
- Dolomite, 28
- Drag folding, 922
- Drake passage, 950
- Drilling mud usage, 573
- Ebriidians, 671
- Echinoids, 167
- Eiffelithus turriseiffeli* Zone, 306, 625, 633
- Electrical resistivity of basalt, 505
- Endiopsode field, 484
- Environment of deposition, 617
- Fauna, shallow-water, 168
- Fish debris, stratigraphic results, 910
 - system of descriptors, 827
- Fission track method, 515
- Foraminifera,
 - Albian-Cenomanian, 747, 750
 - basis for age determination, 13
 - Coniacian-Santonian, 750
 - contamination, 677
 - Cretaceous, systematics, 751
 - early Miocene, 678
 - Globigerinatheka semiinvoluta* Zone, 167
 - larger, 167
 - lower Pliocene, 678
 - method of preparation, 675
 - middle Miocene, 678
 - middle Miocene/upper Miocene Boundary, 678
 - middle Pliocene, 679
 - Miocene/Pliocene boundary, 241, 678
 - Oligocene marker species, 678
 - Pleistocene/Holocene, boundary, 687
 - Pliocene/Quaternary, boundary, 679
 - Quaternary, 680
 - Quaternary/Pliocene boundary, 241, 687
 - Site 250, 32, 680
 - Site 251, 83, 681
 - Site 252, 687
 - Site 253, 166, 687
 - Site 254, 241, 690
 - Site 255, 287, 690
 - Site 256, 304, 695
 - Site 257, 335, 695
 - Site 258, 368, 695
 - Turonian, 750
 - upper Pliocene, 679
 - Zone N21, 84, 687
 - Zone N20, 84
 - Zone N19, 84
 - Zone N16-N18, 681
 - Zone N4-N8, 33, 681
 - Zone P21, 166
 - Zone P18, 166
- Framboidal pyrite, 603, 604
- Garnet, authigenic, 80, 85, 593, 594
- Gartnerago obliquus* Zone, 626, 635, 672
- Gastropods, 241
- Geochemical measurements,
 - Site 250, 29
 - Site 251, 81
 - Site 252, 138
 - Site 253, 163
 - Site 254, 239
 - Site 255, 285
 - Site 256, 303
 - Site 257, 332
 - Site 258, 365
- Geochemistry, 542
- Geochemistry, rare-earth element concentrations in pyroclastics, 563
- Geochemistry of pyroclastics, 560
- Geochemistry of basalt, 567, 569
- Geochemistry of sediments, 542, 547
- Geophysical measurements, 417
- Geothermal measurements, 451
 - sediment temperatures, 456
 - Site 251, 456
 - Site 253, 456
 - Site 254, 458
 - Site 256, 460
 - Site 257, 461
- Gephyrocapsa oceanica* Zone, 623
- Gingin chalk, 626, 633, 636, 751
- Glass, fresh, 470
- Globigerinatheka semiinvoluta* Zone, 167
- Gondwanaland, 7, 9, 281, 295, 327, 359, 910, 918, 929, 945
- Graded basalt flows, 470
- Grain-size analyses, 15
- Grain-size range, basalt, 533
- Gypsum, 605
- Harmonic mean thermal conductivity, 454
- Hematite in basalt, 533
 - as an alteration product of basalt, 507
- Hiatus,
 - Late Cretaceous, 932
 - Oligocene, 935
 - formation in the deep sea, model for, 937
 - in the Eastern Indian Ocean, 933
- High-temperature oxidation, 529
- Holocene/Pleistocene boundary, 695
- Hydrogarnets, 597

- Indian Ocean, 910
 - distribution of sediments, 7
 - formation of, 910
 - oldest sediment, 7
 - sediment thickness distribution, 910
 - southwestern, 911
- Indian Ocean Ridge, southeast branch, 417
- Indian plate, 233
- Indonesia, 947
- Indus Cone, 950
- Inoceramus, 287, 745, 750, 751
- Intrabasalt hiatus, 930
- Invertebrate fossils, 167
- Investigator Fracture Zone, 932
- Iron postdepositional migration of, 563
- Iron-rich tholeiitic basalt, 570
- Isotope fractionation, 615
- Kamptnerius magnificus* Zone, 626, 635
- Kerguelen Plateau, 281, 925, 950
- Lanthanum and samarium enrichment factors, 549
- Lapilli, 161, 553
- Larger foraminifera, 167
- Late Cretaceous hiatus, 932, 933
- Late Pliocene and Quaternary, paleoclimate, 743
- Limestone, 745
- Lithiophorite, 299
- Lithologic nomenclature, 14
- Lithology, 26, 78, 137
- Lithology, site 253, 157
 - Site 254, 235
 - Site 255, 283
 - Site 256, 299
 - Site 257, 329
 - Site 258, 363
- Lithraphidites alatus* Zone, 625, 635
- Lower Miocene/middle Miocene boundary, foraminifera, 678
- Lower Pliocene foraminifera, 678
- Lysocline, 34, 85, 305, 306
- M sequence of magnetic anomalies, 932
- Macrofossil debris, 237
- Macrofossils, 244
- Madagascar Basin, 417
- Maghemite, 533
- Magma, differentiation of, 489
- Magnetic anomalies, 520, 919
- Magnetic lineations, 945
- Magnetic measurements, correlation of resistivity with petrology, 507
- Magnetic susceptibility, 517
- Major elements, 542
- Manganese, postdepositional migration of, 563
- Mantle plume, 549, 571
- Marker species foraminifera, Oligocene, 678
- Marthasterites furcatus* Zone, 626, 635, 672
- Median destructive field, 519
- Mesozoic species, nannoplankton, 620, 625
- Method of preparation, foraminifera, 675
- Methods, X-ray mineralogy, 573
- Methods of resistivity measurements in basalt, 505
- Methods of laboratory measurements, seismic velocity, 509
- Microcontinental fragments, 8
- Microscopic pyrite, 603
- Micula staurophora* Zone, 626, 635
- Mid-latitude Neogene sequence, 83
- Mid-Ocean Ridge, 7
- Middle Eocene sedimentation, 939
- Middle Miocene foraminifera, 678
- Middle Miocene/upper Miocene boundary, foraminifera, 678
- Middle Pliocene, foraminifera, 679
- Miocene, subdivision of the, 678
- Miocene/Oligocene boundary, 690
- Miocene/Pliocene boundary, foraminifera, 241, 678
- Molluscs, 166, 242
- Mozambique Basin, 21, 33, 466, 913, 914, 918
- Mozambique Plateau, 417
- Mudstone, 235
- Nannoplankton,
 - basis for age determination, 13
 - Cenozoic species, 619
 - Cretaceous, 669
 - Mesozoic species, 620
 - Paleoenvironment, 670
 - Paleogene, 669
 - preservation of, 622
 - Site 250, 33, 626, 669
 - Site 251, 628, 669
 - Site 252, 628, 670
 - Site 253, 167, 628, 670
 - Site 254, 242, 632, 671
 - Site 255, 288, 632
 - Site 256, 306, 633, 671
 - Site 257, 634, 671
 - Site 258, 369, 635, 672
 - solution of, 670
 - taxonomy, 636
- Nannoplankton zonation,
 - Ceratolithus tricorniculatus* Zone, 623
 - Discoaster asymmetricus* Zone, 623
 - Discoaster barbadiensis* Zone, 670
 - Discoaster druggi* Zone, 623
 - Discoaster exilis* Zone, 623, 625
 - Discoaster quinqueramus* Zone, 623
 - Discoaster saipanensis* Subzone, 167, 670
 - Discoaster tani nodifer* Zone, 167
 - Eiffellithus turriseiffeli* Zone, 306, 625, 633
 - Gartnerago obliquum* Zone, 626, 635, 672
 - Gephyrocapsa oceanica* Zone, 623
 - Kamptnerius magnificus* Zone, 626, 635
 - Lithraphidites alatus* Zone, 625, 635
 - Marthasterites furcatus* Zone, 626, 635, 672
 - Mesozoic, 625
 - Micula staurophora* Zone, 335, 626, 635
 - Prediscosphaera cretacea* Zone, 625, 634, 672
 - Reticulofenestra hillae* Subzone, 670
 - Reticulofenestra pseudumbilica* Zone, 623
 - Rhabdosphaera inflata* Subzone, 671
 - Sphenolithus heteromorphus* Zone, 623
 - Triquetrorhabdulus carinatus* Zone, 623
- Natal Basin, 417
- Natural remanent magnetization, 519
- Naturaliste Plateau, 8, 9, 281, 327, 359, 370, 419, 925, 950
- Nematath, 153

- Neogene sequence, mid-latitudinal, 83
- Neutron activation analysis, 548
- Ninetyeast Ridge, 7, 8, 9, 153, 168, 233, 243, 281, 418, 521, 549, 910, 919
 - aseismic ridges, 571
 - former mantle plume, 563
 - mantle-plume activity, 571
 - oceanic andesite, 570
 - petrography of basalt, 470
 - petrography of pyroclastics, 553
 - stratigraphy and geology of the, 920
 - tectonic history, 920
 - tholeiitic basalt, 570
- Nonradiogenic argon, 514
- Normative compositions, basalt, 477
- North Australian Basin, 945
- Ob Trench, 359, 418, 925
- Ocean ridge basalt, 484
- Oceanic andesite, 570
- Oligocene, early Tertiary,
 - dissolution facies, 932
 - hiatus, 933, 935
 - marker species foraminifera, 678
 - unconformities, 932
- Oligocene/Miocene, boundary, 678
- Olivine, basalt, 235, 299, 329
- Olivine-normative, basalt, 478
- Olivine-rich, basalt, 28
- Ommatartus penultimus* Zone, 139, 772
- Opaque minerals, 533
- Operations, 23, 77, 135
 - Site 253, 155
 - Site 254, 246
 - Site 255, 283
 - Site 256, 299
 - Site 257, 327
 - Site 258, 359
- Organic carbon, 613, 615
- Osborn Knoll, 919
- Ostracods, 241, 242
- Oxidation, deuteric, 533
 - high-temperature, 529
- Pacific-Antarctic Ridge, 7, 910
- Palagonite, 595
- Paleoclimate, late Pliocene and Quaternary, 743
- Paleoecological data, 617
- Paleoecology, 751
- Paleoecology and paleogeography, palynomorphs, 816
- Paleoenvironment, nannoplankton, 670
- Paleolatitude, 519, 522, 523
- Paleomagnetic data, 520, 950
- Paleontology,
 - Site 250, 32
 - Site 251, 83
 - Site 252, 139
 - Site 253, 166
 - Site 254, 241
 - Site 255, 285
 - Site 256, 304
 - Site 257, 335
 - Site 258, 367
- Palynomorphs,
 - angiosperms, 816
 - paleoecology and paleogeography, 816
 - pollen, 815
 - spores, 815
 - taxonomic notes, 816
 - Tertiary microfloras, 816
- Pelecypods, 167, 241, 745
- Perth Abyssal Plain, 419
- Petrography of basalt, 466, 467, 470, 471
- Petrography of pyroclastics, 553
- Phase chemistry, basalt, 484
- Phase splitting, 529
- Phormocyrtis striata striata* Zone, 772
- Physical properties, 16, 83
- Picritic basalt, 470
- Plagioclase feldspars in basalt, 485
- Pleistocene/Holocene boundary, foraminifera, 680
- Pliocene, foraminifera 679
 - subdivision of the, 678
- Pliocene/Miocene, boundary, foraminifera, 687
- Pliocene/Miocene boundary, 690, 695
- Pliocene/Pleistocene boundary, 305
- Pliocene/Quaternary boundary, 287, 679
- Polar wandering curve, 523, 527
- Pollen, 241, 815
- Porphyritic basalt, 471
- Postdepositional migration of iron, 563
 - manganese, 563
- Potassium analyses, 513
- Potassium argon analytical data, 513
- Prediscosphaera cretacea* Zone, 625, 634, 672
- Preservation of, nannoplankton, 622
- Pyrite, early diagenetic, 606
 - nebuloids, 604
- Pyroclastic sequence, 560
 - classification of, 553
 - geochemistry of, 560
- Pyroxenes in basalt, 484
- Quartz-normative basalt, 477
- Quaternary foraminifera, 680
- Quaternary/Pliocene boundary, 166, 241, 368, 677, 687, 690, 695
- Radiolaria zonation,
 - Amphipyndax enesseffi* Zone, 774
 - Ariostrobium urna* Zone, 772, 774, 775
 - Cretaceous zonation, 773
 - Dictyomitra veneta* Zone, 772, 773, 774, 775
 - Ommatartus penultimus* Zone, 139, 772
 - RK2/RK3 boundary, 775
 - RK4/RK5 boundary, 775
 - RK6/RK7 boundary, 775
 - Rotaforma hessi* Zone, 775
 - Sethocapsa cetia* Assemblage, 775
 - Sethocapsa trachyostraca* assemblage, 775
 - Sphaerostylus lanceola* Zone, 774
 - Staurosphaera septemporata* Zone, 774, 775
 - Stichocapsa tenuis* Zone, 774
 - Taxonomy, 775
 - Theocapsomma comys* Zone, 774
 - Thyrsoyrtis bromia* Zone, 772
 - Thyrsoyrtis tuberosa* Zone, 772
- Radiometric ages, 669
- Random errors, 514
- Rare-earth element concentrations in pyroclastics, 563
 - in basalt, 569
- Rare-earth elements, 548

- Resistivity measurements in basalt, methods of, 505
- Reticulofenestra hillae* Subzone, 670
- Reticulofenestra pseudoumbilica* Zone, 623
- Reversed polarity subzone, 521
- Reversed subzone, 522
- Rhabdosphaera inflata* Subzone, 671
- Rhodochrosite, 301
- Rifting, Australia from Antarctica, 950
- RK2/RK3 boundary, 775
- RK4/RK5 boundary, 775
- RK6/RK7 boundary, 775
- Rotaforma hessi* Zone, 775
- Sandstone, 235
- Scoria, 161
- Sea-floor spreading, 945, 950
- Secular variation, 522
- Sediment temperatures, 456
- Sediment-basalt contact, 471
- Sedimentation,
 - Cretaceous, 938
 - early Oligocene, 940
 - middle Eocene, 939
 - present-day, 940
- Sedimentation rate, 85, 140, 243, 699
- Sedimentation rates,
 - Site 250, 33
 - Site 253, 167
 - Site 254, 243
 - Site 255, 288
 - Site 256, 306
 - Site 257, 335
 - Site 258, 370
- Sedimentation through time, 937
- Seismic velocity, methods of laboratory measurements, 509
- Seismic velocity of ocean floor rock, 509
- Separation of Africa and Antarctica, 918
- Sethocapsa cetia* Assemblage, 775
- Sethocapsa trachyostraca* Assemblage, 775
- Seychelles Bank, 950
- Shallow-water littoral environment, 244
- Shallow-water, fauna, 168
- Shock remanent magnetization, 520
- Siderite nodules, 28
- Silicoflagellates, 671
- Silicification, 745
- Sill, basalt, 466
- Sinking curve, 910
- Site 250
 - alkalinity, 30
 - basalt, 487, 914
 - detrital sediments, 914
 - disconformity, 914
 - foraminifera, 32, 680
 - geochemical measurements, 29
 - geochemistry of sediments, 542
 - nannoplankton, 33, 626, 669
 - paleontology, 32
 - petrography of basalt, 466
 - pH, 30
 - physical properties, 31
 - Radiolaria, 771
 - salinity, 29
 - sedimentation rates, 33
 - subbottom reflections, 32
- Site 251, 75
 - alkalinity, 83
 - authigenic garnet, 915
 - basalt, 489, 915
 - correlation of, seismic reflection profiles with drilling results, 83
 - Cretaceous/Paleogene, nannoplankton, 669
 - foraminifera, 83, 681
 - geochemical measurements, 81
 - geochemistry of sediments, 542
 - geothermal measurements, 456
 - microscopic pyrite, 603
 - nannoplankton, 84, 628
 - paleontology, 83
 - pH, 82
 - Radiolaria, 771
 - salinity, 82
 - petrography of basalt, 467
- Site 252, 135
 - correlation of seismic reflection profile with drilling results, 139
 - Cretaceous/Paleogene, nannoplankton, 670
 - Crozet Basin, 915
 - foraminifera, 687
 - geochemical measurements, 138
 - geochemistry of sediments, 542
 - nannoplankton, 628
 - paleontology, 139
 - paleontology, 139
 - physical properties, 139
 - Radiolaria, 772, 918
 - radiolarian clay, 915
- Site 253, 153, 919
 - alkalinity, 163
 - basalt, 489
 - chemical analysis of pyroclastics, 560
 - correlation of seismic reflection profile with drilling results, 164
 - Cretaceous/Paleogene, nannoplankton, 670
 - foraminifera, 166, 687
 - geochemical measurements, 163
 - geochemistry of pyroclastics, 560
 - geochemistry of basalts, 567
 - geochemistry of sediments, 542
 - geothermal measurements, 456
 - lithology, 157
 - nannoplankton, 167, 628
 - operations, 155
 - paleoclimate, late Pliocene and Quaternary, 743
 - paleontology, 166
 - petrography of basalt, 470
 - petrography of pyroclastics, 553
 - pH, 163
 - physical properties, 163
 - pyroclastic sequence, 560
 - Radiolaria zonation, 772
 - salinity, 163
 - sedimentation rates, 167
- Site 254, 233, 920
 - alkalinity, 239
 - basalt, 489

- correlation of seismic profile with drilling results, 241
- foraminifera, 241, 690
- geochemical measurements, 239
- geochemistry of basalt, 569
- geochemistry of sediments, 542
- geothermal measurements, 458
- lithology, 235
- molluscs, 242
- nannoplankton, 242, 632, 671
- operations, 235
- ostracods, 242
- paleontology, 241
- petrography of basalt, 470
- pH, 239
- physical properties, 239
- Radiolaria, 772
- salinity, 239
- sedimentation rate, 243
- Site 255, 281
 - broken ridge, 925
 - correlation of seismic reflection profile with drilling results, 285
 - foraminifera, 287, 690
 - geochemical measurements, 285
 - geochemistry of sediments, 547
 - lithology, 283
 - nannoplankton, 288, 632
 - operations, 283
 - paleontology, 285
 - physical properties, 285
 - Radiolaria, 772
 - sedimentation rates, 288
 - uplift, 288
- Site 256, 295, 930
 - basalt, 489
 - correlation of seismic reflection profile with drilling results, 304
 - detrital clay, 299
 - foraminifera, 304, 695
 - geochemical measurements, 303, 460
 - geochemistry of sediments, 547
 - lithology, 299
 - nannoplankton, 306, 633, 671
 - operations, 299
 - paleontology, 304
 - physical properties, 304
 - Radiolaria, 772
 - sedimentation rates, 306
 - Wharton Basin petrography of basalt, 470
- Site 257, 327, 930
 - alkalinity, 333
 - basalt, 466, 489
 - calcispheres, 335
 - foraminifera, 335, 695
 - geochemical measurements, 332, 461
 - lithology, 329
 - nannoplankton, 634, 671
 - operations, 327
 - paleontology, 335
 - petrography of basalt, 471
 - pH, 333
 - physical properties, 333
 - Radiolaria, 772
 - sedimentation rates, 335
- Site 258, 359
 - alkalinity, 365
 - correlation of seismic reflection profile and drilling results, 367
 - foraminifera, 368, 695
 - geochemical measurements, 365
 - geochemistry of sediments, 547
 - lithology, 363
 - nannoplankton, 369, 635, 672
 - operations, 359
 - paleontology, 367
 - pH, 365
 - physical properties, 365
 - Radiolaria, 772
 - sedimentation rates, 370
- Solution of nannoplankton, 670
- Somali Basin, 949
- Somali Coast, 949
- South Atlantic Ocean, 947
- Southeast Branch, Indian Ocean Ridge, 7, 135, 140, 417, 910, 913, 929, 950
- Southwest Branch, Indian Ocean Ridge, 7, 8, 9, 75, 85, 40, 135, 911, 918, 947
 - petrography of basalt, 467
 - spreading rate and age of, 913
- Spectrography,
 - carbon emission, 541
 - direct-reading, 541
- Spessartine, 593
- Sphaerostylus lanceola* Zone, 774
- Sphenolithus heteromorphus* Zone, 623
- Spores, 815
- Spreading rate, 85, 918
 - and the age of the southwest branch, 913
- Stable carbon isotope, 614
- Staurosphaera septemporata* Zone, 774, 775
- Stichocapsa tenuis* Zone, 774
- Stratigraphic results, fish debris, 910
- Stratigraphy and geology of the Ninetyeast Ridge, 920
- Stratigraphy and sedimentation Wharton Basin, 930
- Subbottom reflections, 32
- Subdivision of the, Miocene, 678
 - Pliocene, 678
- Submarine basalts, 533
- Surface water temperatures, 613
- Survey data, 13
- System of descriptors, fish debris, 827
- Systematic errors, 514
- Systematic paleontology, 701
- Systematics, foraminifera, Cretaceous, 751
- Taxonomy, nannoplankton, 636
 - palynomorphs, 816
 - radiolaria zonation, 775
- Tectonic history, Ninetyeast Ridge, 920
- Terrestrial carbon, 613
- Tertiary microfloras, 816
- Theocapsomma comys* Zone, 774
- Thecotyle cryptocephala cryptocephala* Zone, 772
- Thermal conductivity, basalt, 454
 - harmonic mean, 454
- Thermal conductivity measurements, 452
- Thermally unstable state of basalt, 529
- Tholeiites, classification of, 480
- Thoeitic basalt, Ninetyeast Ridge, 570
- Thyrsocyrtis bromia* Zone, 772
- Thyrsocyrtis tuberosa* Zone, 772
- Titano magnetite, 533
- Trace elements, 542
 - enriched, 542
 - in basalt, 483
- Transform fault, 153
- Transparent sediment, 418
- Triquetrorhabdulus carinatus* Zone, 623

Turonian foraminifera, 750
 Unconformities, 9, 932, 934
 angular, 283, 288
 Campanian/lower Eocene, 619
 dissolution facies, 7
 Oligocene/early Tertiary, 932
 Uplift, site 255, 288
 Upper Cretaceous, Western Australia, 750
 Upper Miocene foraminifera, 678
 Upper Pliocene foraminifera, 679
 Virtual geomagnetic pole, 523
 Viscous remanent magnetization, 519
 Vitric ashes, 553
 Volcanic ash, 160, 161
 Wallaby Plateaus, 295
 Western Indian Ocean, 932
 Wharton Basin, 295, 306, 327, 335, 418, 419, 919, 945, 947
 crustal ages, 930
 oldest sediment in, 930
 petrography of basalt, 470, 471
 stratigraphy and sedimentation, 930
 X-ray diffraction methods, 16
 X-ray mineralogy methods, 573
 Xenoliths, 470
 Yama Fracture Zone, 418
 Zambezi Fan, 918
 Zambezi Canyon, 23, 913
 Zonal schemes, 677
 Zone N21, 84, 687
 Zone N20, 84
 Zone N19, 84
 Zone N16-N18, 681
 Zone N4-N8, 33, 681
 Zone P18, 166