

INDEX

- Albatross Cordillera, 698
- Age determination, basis for, 15
- Algae, calcareous, 83, 85, 87
- Alpine fault, 679
- Andesitic conglomerate, 407
- Amygdaloidal Zone, 402
- Anchor Cay drill hole, 664
- Antarctic plate, 700
- Antarctic Polar Front, 681
- Antidune cross-stratification, 425, 429
- Ash, See Volcanic ash
- Aure Trough, 7
 - folding of, 703
- Antarctic Bottom Water, 680
- Antarctic Circumpolar Current, 680
- Antarctica, 680
- Australia plate, 89
- Australia and Indonesia, collision of, 667
- Autolithification, 445
- Baked contact, 32
- Basalt
 - Site 286, 73, 409
 - Site 287, 142
 - Site 289, 241
- Bathymetry, Coral Sea Basin, 679
- Bedding
 - flaser, 434, 436
 - graded, 134, 428, 435, 436, 437
 - lenticular, 434, 436
 - wavy, 434, 435
- Bellona Island, 659
- Benioff Zone, 87
- Biogenic structures, 427
- Bismarck Trench, 3
- Blackites rectus* Zone, 663
- Boundary undercurrent, 680
- Bottom currents, 434, 437, 440, 441
- Bottom waters, Southwest Pacific, 680
- Broinsonia parca* Zone, 190, 583
- Bryozoa, 83, 85, 87
- Burrows, 32, 71, 178, 236, 240, 425, 427, 428, 429, 430, 433
- Calcareous algae, 83, 85, 87
- Calcareous nannofossils, See Nannofossils, calcareous
- Calocycletta costata* Zone, 186, 191, 254
 - virginis* Zone, 191, 254, 507, 515
- Cannartus petterssoni* Zone, 191, 254, 515
- Campbell Plateau, 663, 698, 700
- Cape Johnson Trough, 3
- Carbon and carbonate analyses, 19, 687
- Carbonate compensation depth, 30, 42, 45, 147
- Carbonate diagenesis, 444, 474
- Caroline Basin, 3
- Caroline Ridge, 696
- Catinaster calyculus* Subzone, 41, 189, 559, 597
 - coalithus* Zone, 559
- Cenozoic Radiolaria, 489, 499
- Ceratolithus acutus* Subzone, 38, 555
 - primus* Subzone, 38, 597
 - rugosus* Zone, 80, 84, 555
 - tricorniculatus* Zone, 555
- Chert, porcellanite, 446
 - quartzose, 446
- Chert nodules, 177, 233, 240, 419, 420, 422, 434, 435, 436, 446, 447, 454, 472, 473
- Chertification, 494
- Chiasmolithus oamaruensis* Zone, 663
 - gigas* Zone, 147, 150, 152, 563
 - gigas* Subzone, 563
- Chill zone, 32, 42, 242, 401, 411, 412, 483
- Chondrites, 32, 71, 427
- Clinoptilolite, 446, 455, 459, 486
- Coral Sea, 7, 8, 439, 597, 653, 698, 700
- Coral Sea Abyssal Plain, 648, 650, 653, 660, 696
- Coral Sea Basin, 8, 13, 423, 440, 441, 444, 660, 667, 693, 704
 - bathymetry of, 648
 - seismic reflection profiles, 650
 - sequence of events in, 143
 - summary of tectonic history, 660
- Coromandel Peninsula, 44
- Coscinodiscus plicatus* Zone, 539
- Cristobalite, 445, 459
- Cruciplacolithus tenuis* Zone, 190, 543, 583
- Cruise summary, 3
- Currents, bottom, 437, 440, 441
 - turbidity, 73, 88, 432, 437, 438, 439, 440
- Cyclicargolithus reticulatus* Zone, 81, 563
- Cyclococcolithina formosa* Zone, 84, 563
 - macintyreii* Subzone, 549
 - robusta* Zone, 186, 190, 583
- Coarse-tail graded beds, 426, 429, 430, 431, 438, 440
- Coccolithus staurion* Subzone, 563
 - subdistichus* Subzone, 542
- Collosphaerids, 489, 481
- Colville Ridge, 667
- Conglomerate, andesitic, 407
 - volcanic, 408
- Content grading, 429, 438
- Contour currents, 430
- Cook Fracture Zone, 619
- Debris flow, 432, 438, 439
- Deep-water environment, 429, 432
- d'Entrecasteaux Fracture Zone, 650, 660, 661, 696
- Dewatering pipes, 427, 431, 434, 438
- Diabase zone, 402
- Diabase sill, 32
- Diagenesis, 444
 - of carbonate, 474
 - effects on O₂ and C isotope composition of sediments, 422
 - of sediments, Site 288, 454

- of sediments, Site 289, 456
- of silica, 445
- Diagenetic alteration, 422
- Diagenetic processes, 444
- Diatoms, 539
 - Coscinodiscus plicatus* Zone, 539
- Dictyocha aspera* Zone, 539
- Discoaster/Chiasmolithus* ratio, 147
- Discoaster barbadiensis* Zone, 81, 84, 563
 - berggrenii* Zone, 559, 597
 - brouweri* Zone, 84, 549
 - deflandrei* Subzone, 597
 - diastypus* Zone, 565
 - druggi* Subzone, 597
 - elegans* Zone, 664
 - exilis* Zone, 41, 189, 190, 559, 597
 - hamatus* Zone, 41, 142, 189, 191, 539, 542, 597
 - kugleri* Zone, 39
 - lodoensis* Zone, 564
 - mohleri* Zone, 583
 - multiradiatus* Zone, 565
 - neohamatus* Zone, 38, 41, 189, 539, 544, 559, 597
 - nobilis* Zone, 565
 - quinqueramus* Zone, 38, 41, 189, 555, 583, 597
 - saipanensis* Subzone, 81, 84, 87, 542, 543
 - strictus* Subzone, 564
 - sublodoensis* Zone, 147, 150, 564
 - tamalis* Zone, 80, 84, 549
 - triradiatus-Pseudoemiliania lacunosa* Zonal Interval, 84, 150, 189
 - "*Discoaster*" *pentaradiatus* Zone, 84, 549
 - Discoasteroides kuepperi* Subzone, 147, 150
- Dissolution of nannofossils, 539
 - opaline silica 491, 503, 505, 507, 508
- Distephanus longispinus* Zone, 539
- Dolomite, 409
- Dorcadospyrus alata* Zone, 191, 254
 - ateuchus* Zone, 191, 254, 505, 507
- Drakes Passage, 680, 681
- Earthquakes, 70
- Eastern Australian Current 680
- Eastern Coral Sea, geology of, 647
- East Rennell Island Ridge, 650, 659, 660, 661, 703
- Eiffelithus augustus* Zone, 190, 583
 - turrisseiffeli* Zone, 190, 583
 - annula* Subzone, 549
- Emerald Basin, 667, 702
- Emiliania husleyi/Gephyrocapsa oceanica* Zonal Interval, 84, 150, 189, 549
- Eocene-Oligocene Stratigraphic hiatus, 8, 9, 89, 133, 143, 149, 150, 252, 419, 445, 501, 506, 508, 517, 603, 680, 693
- Equatorial currents, 681
- Eua Island, 28
- Fasciculithus tympaniformis* Zone, 583
- Faulting, 7, 44, 45
 - transform, 659, 660, 661
- Fiji Plateau, 70, 661, 704
- Flame structures, 426, 427, 428, 429, 438
- Flaser bedding, 181, 434, 436
- Foraminifera
 - Mesozoic, 599
 - Site 285, 40
 - Site 286, 82
 - Site 287, 147
 - Site 288, 187
 - Site 289, 248
 - solution depth of 17, 88, 236, 241, 243, 691, 693
 - Site 286, zonation of 81, 82
 - Globorotalia kugleri* Zone, 148
 - G. miotumida miotumida* Zone, 40
 - Globotruncana formicata-stuartiformis* Zone, 600
 - Globotruncana contusa-stuartiformis* Zone, 599, 600, 601
 - Globotruncana gansseri* Subzone, 186, 188, 599, 600, 601
 - Rotalipora cushmani-greenhornensis* Subzone, 600, 601
 - Rotalipora* ss. Zone, 600
 - Rugotruncana subcircumnodifer* Subzone, 600
 - Zone N4, 148
 - Zone N8
 - (*Globigerinoides sicanus*/*Globigerina tella insueta* Zone), 187
 - Zone N9, 40, 189
 - Zone N10 (*Globorotalia peripheroacuta* Zone), 186, 187
 - Zone N12 (*Globorotalia fohsi* Zone), 187
 - Zone N14, 248
 - Zone N16, 186, 187
 - Zone P8, 152
 - Zone P9, 147
 - Zone P9/P10 boundary, 149
 - Zone P10, 149, 188
 - Zone P11, 81, 83, 87, 147, 149, 152
 - Zone P14, 83
 - Zone P16, 81
 - Zone P17, 81
 - Zone P17/P18 boundary, 81
 - Zone P18 (*Globigerina tapuriensis*), 81, 83, 507
 - Zone P19, 81, 149, 186, 188, 189
 - Zone P19/P20 boundary, 81
 - Zone P20, 187
 - Zone P21, 83, 187
 - Zone P22, 148, 187
- Fracture zone, 653
- Frelanga Limestone, 624
- Futuna Limestone, 624
- Gabbro, 409
- Gartnerago obliquum* Zone, 186, 190, 583
- Geochemical properties, methods of measuring, 21
- Geochemistry of sediments, Site 285, 34
 - Site 286, 76
 - Site 287, 143
 - Site 288, 181
 - Site 289, 243
- Geological history, Southwest Pacific, 698
- Gephyrocapsa caribbeanica* Zone, 84, 150, 184, 549
 - oceanica* Zone, 80, 541, 542
- Gippsland Basin, 663
- Globorotalia kugleri* Zone, 148
 - miotumida miotumida* Zone, 40
- Globotruncana formicata-stuartiformis* Zone, 600
- Globotruncana contusa-stuartiformis* Zone, 599, 600, 601
- Globotruncana gansseri* Subzone, 186, 188, 599, 600, 601
- Gonwanaland continental margin, 659

- Graded beds, 134, 425, 426, 427, 435, 436, 437
 coarse-tail, 431, 438
 content, 438
 reversed, 431
 rhythmic, 433
- Grain-size analysis, 19, 685
- Grape measurements, method of, 22
- Great Barrier Island, 28, 42, 693
- Great Barrier Reef, 664
- Hebrides Basin, 441
- Hebrides Islands, 87
- Helicopontosphaera kamptneri* Subzone, 559, 597
- Helolithus kleinpelli* Zone, 190, 583, 664
- Hydrogen sulfide gas in cores, 233
- Hydrological boundaries, 677, 680
- Hydrothermal activity, 483
- Hydrothermal alteration, 422
- Hunter Fracture Zone, 617, 627
- Igneous rocks 401
 Site 285, 401
 Site 286, 407
 Site 287, 411
 Site 289, 412
- India-Pacific plate boundary, 661
- India plate, 7, 87, 89, 660, 698, 700
- Indispensable Reef, 659
- Induration, 446
- In-phase waves, 425, 426, 429
- Ismolithus recurvus* Zone, 81
- Kaikoura Orogeny, 625
- Kermadec Ridge, 667
- Koro Mbasansa volcanics, 624
- Kupe Abyssal Plain, 620, 625, 626, 630
- Laminae, parallel, 435
- Lau-Colville Ridge, 617, 624
- Lau-Havre Basin, 5, 7
- Lau-Havre Trough, 28, 617, 704
- Lau Ridge, 5, 7, 8, 28, 45, 438, 617, 667, 691, 702
- Lau-Tonga Ridge, 42, 630
- Lenticular bedding, 434, 436
- Lithification, 422, 454
- Lithologic nomenclature, 15
- Lithraphidites quadratus* Zone, 190, 583
- Lord Howe Rise, 5, 7, 444, 663, 700
- Louisiade Fracture Zone, 653, 657, 696
- Louisiade Islands, 7, 659, 702
- Louisiade Ridge, 650, 657
- Louisiade Rise, 653, 657, 660, 661, 696, 704
- Loyalty Basin, 89
- Loyalty Islands, 8, 87, 88, 629
- Loyalty Ridge, 660, 661, 696
- Lussatite, 445
- Lynchnocanoma elongata* Zone, 191, 254, 507
- Macquarie Ridge 667, 679
- Macrofossils, 189
- Magellan Rise, 444
- Malaita, 7, 176
- Malekula Island, 8, 69, 87, 431, 432, 433, 440, 441
 geology of, 70
- Mango basalt, 624
- Manganese, 486
 nodules, 485, 486
- Manus Island, 703
- Marginal basins, 441
 facies sequences in, 437
- Marginal seas, generation of, 704
- Mariana Basin, 696
- Marine transgression, 663, 664
- Marthasterites furcatus* Zone, 190, 583
- Matanui Group, 440
- Mesozoic-Cenozoic boundary, 664, 680
- Micro-cross laminae, 424, 425, 427, 428, 429, 433, 436
 climbing, 425
- Micronodules, 71, 134, 140
- Micula decussata* Zone, 190, 583
mura Zone, 583
- Minerva Abyssal Plain, 620, 624, 627, 630
- Miocene-Pliocene Boundary, 7
- Miocene-Pliocene stratigraphic hiatus, 9, 186
- Miocene stratigraphic hiatus, 597
- Mottling, 432
- Nannofossils, calcareous, 539, 542
 dissolution of, 539
 overgrowth of, 539
 Site 285, 40
 Site 286, 83, 539
 Site 287, 150, 542
 Site 288, 189, 543
 Site 289, 253, 544
 solution depth, 17, 88, 146, 150, 620, 691, 693
 Site 286, 84
 zonation, 539
Blackites rectus Zone, 663
Broinsonia parca Zone, 190, 583
Catinaster calyculus Subzone, 41, 189, 559, 597
C. coalithus Zone, 559
Ceratolithus acutus Subzone, 38, 555
C. primus Subzone, 38, 597
C. rugosus Zone, 80, 84, 555
C. tricorniculatus Zone, 555
Chiasmolithus oamaruensis Zone, 663
C. gigas Zone, 147, 150, 152, 563
C. gigas Subzone, 563
Coccolithus staurion Subzone, 563
C. subdistichus Subzone, 542
Cruciplacolithus tenuis Zone, 190, 543, 583
Cyclicargolithus reticulatus Zone, 81, 563
Cyclococcolithina formosa Zone, 84, 563
C. macintyreii Subzone, 549
C. robusta Zone, 186, 190, 583
Discoaster/Chiasmolithus ratio, 147
Discoaster barbadiensis Zone, 81, 84, 563
D. berggrenii Zone, 559, 597
D. brouweri Zone, 84, 549
D. deflandrei Subzone, 597
D. diastypus Zone, 565
D. druggi Subzone, 597
D. elegans Zone, 664
D. exilis Zone, 41, 189, 190, 559, 597
D. hamatus Zone, 41, 142, 189, 191, 539, 542, 597
D. kugleri Zone, 39
D. lodoensis Zone, 564
D. mohleri Zone, 583
D. multiradiatus Zone, 565

- D. neohamatus* Zone, 38, 41, 189, 539, 544, 559, 597
- D. nobilis* Zone, 565
- D. quinqueramus* Zone, 38, 41, 189, 555, 583, 597
- D. saipanensis* Subzone, 81, 84, 87, 542, 543
- D. strictus* Subzone, 564
- D. sublodoensis* Zone, 147, 150, 564
- D. tamalis* Zone, 80, 84, 549
- D. triradiatus-Pseudoemiliana lacunosa* Zonal interval, 84, 150, 189
- "Discoaster" *pentaradiatus* Zone, 84, 549
- Discoasteroides *kuepperi* Subzone, 147, 150
- Eiffelithus augustus* Zone, 190, 583
- E. turriseiffeli* Zone, 190, 583
- E. annula* Subzone, 549
- Emiliana husleyi*/*Gephyrocapsa oceanica* Zonal interval, 84, 150, 189, 549
- Fasciculithus tympaniformis* Zone, 583
- Gartnerago obliquum* Zone, 186, 190, 583
- Gephyrocapsa caribbeanica* Zone, 84, 150, 184, 549
- G. oceanica* Zone, 80, 541, 542
- Helicopontosphaera kamptneri* Subzone, 559, 597
- Heliolithus kleinpellii* Zone, 190, 583, 664
- Ismolithus recurvus* Zone, 81
- Lithraphidites quadratus* Zone, 190, 583
- Marthasterites furcatus* Zone, 190, 583
- Micula decussata* Zone, 190, 583
- M. mura* Zone, 583
- Nannotetrina fulgens* Zone, 147, 150, 564
- N. quadrata* Zone, 542
- Pseudoemiliana lacunosa* Zone, 549, 554
- Reticulofenestra hillae* Zone, 81, 84, 186, 190, 563
- R. umbilica* Zone, 81, 84, 483, 554, 563
- Rhabdosphaera inflata* Subzone, 147, 150
- Sphenolithus belemnus* Zone, 559
- S. distentus* Zone, 84, 147, 150, 152, 190, 563
- S. heteromorphus* Zone, 39, 41, 186, 189, 539, 559, 597
- S. predistentus* Zone, 81, 190, 544, 563
- Tetralithus trifidus* Zone, 186, 190, 583
- Tribrachiatulus orthostylus* Zone, 147, 565
- Triquetrorhabdulus carinatus* Zone, 190, 544, 559, 597
- T. rugosus* Subzone, 555
- Nannotetrina fulgens* Zone, 147, 150, 564
- quadrata* Zone, 542
- Nalithoni Limestone, 624
- New Britain, 7, 703
- New Caledonia, 70, 87, 89, 659, 660, 661
- New Caledonia Basin, 5, 7, 444, 620, 667, 700
- New Caledonia Ridge, 660
- New Guinea, 433, 434, 439, 679, 703
- New Guinea Basin, 7
- New Hebrides Arc, 703
- New Hebrides Basin, 423, 483, 629, 650, 660, 661, 667, 691, 693, 700
- New Hebrides Island, 3, 7, 8, 88, 440, 661, 703
- New Hebrides Trench, 3, 8, 69, 70, 88, 661, 693
- New Zealand slope, 625
- Neogene paleocirculation, 667
- Nodules, chert, 422, 434, 435, 436, 446, 447, 454, 473
- manganese, 485, 486
- Norfolk Basin, 5, 7, 700
- Norfolk Ridge, 5, 28, 44, 617, 619, 667
- North New Hebrides Trench, 8
- Ommatartus antepenultimus* Zone, 38, 41, 186, 191, 254, 500, 515
- penultimus* Zone, 254, 507, 515
- tetrathalmus* Zone, 254, 507, 515
- Ontong-Java Plateau, 7, 8, 9, 13, 423, 440, 446, 489, 515, 693, 698, 700, 702, 703
- decoupling from central portion of the Pacific plate, 418
- Radiolaria events on, 513
- sequence of events on, 243
- Opal-CT, 445
- Owen Stanley metamorphics, 7
- Owen Stanley range, 153, 439, 700
- Oxygen isotopes, 696
- analytical methods used, 419
- composition of sediments as related to diagenesis, 422
- composition of sediments, Site 287, 420
- Pacific plate, 7, 87, 89, 660, 698, 700, 703
- rate of motion, 417
- Pacific-India plate boundary, 3, 660, 661, 696, 698
- convergence of, 661, 703
- Paleocirculation, Neogene, 667
- Southwest Pacific, 679
- Paleocene-Eocene stratigraphic hiatus, 186, 679
- Paleogeography, Southwest Pacific, 667
- Paleolatitudes, 415, 700
- Paleomagnetic investigation, methods of, 415
- Site 289, 415
- Paleopositions, coastline, 679
- Paleotemperatures, 542
- Palygorskite, 459, 485
- Panama Basin, 494
- Pandora Basin, 667
- Papua, 7
- Papuan Peninsula, 7, 659, 700, 702, 703
- Papuan Plateau, 653
- Papuan Ultramafic Belt, 154, 661, 702
- Parallel laminae, 425, 426, 427, 428, 429, 433, 434, 435
- Phoenix plate, subduction of, 700
- Phormocyrtis striata striata* Zone, 151, 503
- Physical properties, methods of measuring, 21
- Site 286, 76
- Site 287, 144
- Site 288, 181
- Site 289, 243
- Planolites, 427
- Plate boundary, 700
- Pacific and India, 3, 660, 661, 696, 698
- Plate motions, Pacific and India, 647
- South Fiji Basin, 630
- Southwest Pacific, 696
- Plate tectonics, 474
- Pliocene-Pleistocene stratigraphic hiatus, 183, 583
- Pocklington Ridge, 649, 657
- Pocklington Trough, 649, 657, 661, 696
- Podocyrtis ampla* Zone, 81
- chalara* Zone, 85, 254, 501, 506, 508
- goetheana* Zone, 85, 254, 501, 506, 508
- mitra* Zone, 81, 85, 151, 254, 501, 503, 506
- Porcelanitic chert, 446

- Port Sandwich formation, 440
- Principal results and conclusions, Leg 30, 8
- Pseudoemiliania lacunosa* Zone, 549, 554
- Pseudoenotia doliolus* Zone, 541
- Pterocanium prismatium* Zone, 254, 507
- Queensland Plateau, 7, 648, 650, 653, 664, 696, 700
- Quench texture, 409
- Radiolaria, Cenozoic, 489, 499
- collosphaerid, 489, 491
- correlation at Eocene-Oligocene boundary, Sites 286 and 289, 506
- dissolution of, 489
- events, Ontong-Java Plateau, 503
- Site 285, 41, 499
- Site 286, 84, 500
- Site 287, 150, 501
- as compared to Site 210, 503
- Site 288, 191, 503
- Site 289, 253, 506, 509
- spyrid, 491
- systematic paleontology, 517
- zonation, 499
- Calocyclus costata* Zone, 186, 191, 254
- C. virginis* Zone, 191, 254, 507, 515
- Cannartus petterssoni* Zone, 191, 254, 515
- Dorcaospyris alata* Zone, 191, 254
- D. ateuchus* Zone, 191, 254, 505, 507
- Lychnocanoma elongata* Zone, 191, 254, 507
- Ommatartus antephenultimus* Zone, 38, 41, 186, 191, 254, 500, 515
- O. penultimus* Zone, 254, 507, 515
- O. tetrathalmus* Zone, 85, 191, 254, 501, 506
- Phormocyrtis striata striata* Zone, 151, 503
- Podocyrtis ampla* Zone, 81
- P. chalara* Zone, 85, 254, 501, 506, 508
- P. goetheana* Zone, 85, 254, 501, 506, 508
- P. mitra* Zone, 81, 85, 151, 254, 501, 503, 506
- Pterocanium prismatium* Zone, 254, 507
- Site 286, 501
- Site 287, 503
- Site 288, 505
- Spongaster pentas* Zone, 191, 254, 507
- Stichocorys peregrina* Zone, 38, 254, 500, 507
- Thecampe mongolfieri* Zone, 147, 150, 503
- Theocyrtis tuberosa* Zone, 191, 254, 501, 505, 506, 507, 508
- T.-Dorcadospyrus ateuchus* Zone boundary, 85, 517
- Thyrsoyrtis bromia* Zone, 85, 191, 501, 506, 507, 509
- T.-Theocyrtis tuberosa* Zone boundary, 254, 501, 505
- T. triacantha* Zone 151, 503
- Reef talus, 440
- Reflection profiles, correlation with drilling results
- Site 285, 36
- Site 286, 80
- Site 287, 146
- Site 288, 183
- Site 289, 245
- Rennell Fracture Zone, 659, 659, 660, 661, 696
- Rennell Island, 659, 661
- Rennell Island Ridge, 649, 657, 659, 660
- Rennell Trough, 650, 659, 660
- Reticulofenestra hillae* Zone, 81, 84, 186, 190, 563
- R. umbilica* Zone, 81, 84, 483, 554, 563
- Reverse graded beds, 431
- Reworking, 541
- Rhabdosphaera inflata* Subzone, 147, 150
- Rhythmites, 424, 433
- Rifting, Australia from Antarctica, 700
- Ripples, 425, 428
- Roncador homocline, 9
- Rotalipora cushmani-greenhornensis* Subzone, 600, 601
- Rotalipora* ss. Zone, 600
- Rugotruncana subcircumnodifer* Subzone, 600
- Santa Ysabel Island, 7
- Sediment accumulation rates, 17, 429, 621
- method for determining, 17
- Site 285, 42
- Site 286, 76, 81, 85, 87, 542
- Site 287, 140, 142, 151
- Site 288, 191
- Site 289, 254, 495
- Sediments, comparison between Sites 210 and 287, 650
- Sediment-basalt contact, 483
- Sedimentary facies, description of, 424
- Sedimentary structures, 233, 239, 483, 487
- Facies 1, 424
- Seismic refraction profiles, Coral Sea Basin, 650
- Seismic survey, Site 285, 28
- Site 286, 88
- Site 288, 447, 469
- Site 289, 447, 467
- Sepiolite, 459
- Silicoflagellates, 539
- Dictyocha aspera* Zone 539
- Distephanus longispinus* Zone, 539
- Pseudoenotia doliolus* Zone 541
- Site 285, South Fiji Basin, 27
- background and objectives, 28
- carbonate compensation depth, 42, 45
- comparison with Site 287, 152
- correlation of reflection profiles with drilling results, 36
- Foraminifera, 40
- geochemistry of sediments, 34
- igneous rocks, 401
- lithology, 28
- nannofossils, 40, 539
- operations, 28
- physical properties, 34
- principal results, 27
- Radiolaria, 41, 499
- sediment accumulation rate, 42
- seismic survey of, 28
- sonobuoy profile, 28
- subsidence, 76
- summary and conclusions, 42
- turbidite deposition, 621
- Site 286, 8, 69, 483
- basalt, 73, 409
- comparison with Site 285, 76
- correlation of reflection profiles with drilling results, 80

- foraminifera, 82
- foraminifera solution depth, 81, 82
- geochemical measurements, 76
- igneous rocks, 407
- lithology, 70
- main objectives, 70
- nannofossils, 539
- nannofossil solution depth, 84
- operations, 70
- physical properties, 76
- Radiolaria, 84, 500, 501
- sediment accumulation rate, 76, 81, 85, 87, 542
- seismic profiles, 88
- sonobuoy profile, 80
- stratigraphic hiatus, 71
- subsidence, 76
- summary and conclusions, 85
- Site 287, Coral Sea, 8, 9, 133, 419
- background and objectives, 133
- basalt, 142
- comparison with Site 210, 142, 650
- comparison with Site 285, 152
- correlation of reflection profiles with drilling results, 146
- foraminifera, 147
- geochemical measurements, 143
- igneous rocks, 411
- lithology, 134, 419
- nannofossils, 150, 542
- operations, 134
- oxygen and carbon isotope composition of sediments, 420
- physical properties, 144
- Radiolaria, 150, 501, 503
- sediment accumulation rate, 140, 142, 151
- sonobuoy profile, 146
- stratigraphic hiatus, 419
- summary and conclusions, 152
- Site 288, Ontong-Java Plateau, 9, 175, 447
- background and objectives, 176
- calcium carbonate in sediments, 447
- correlation of reflection profiles with lithology, 183
- diagenesis of sediments, 454
- foraminifera, 187
- geochemistry of sediments, 181
- lithology, 176
- nannofossils, 189, 543
- operations, 176
- physical properties, 181, 447
- Radiolaria, 191, 503, 505
- sediment accumulation rates, 191
- seismic reflectors, 447, 469
- siliceous fossils, 447
- stratigraphic hiatus, 495, 597
- summary and conclusions, 191
- Site 289, Ontong-Java Plateau, 9, 231, 447
- age of basement, 417
- background and objectives, 231
- basalt, 241
- calcium carbonate in sediments, 447
- carbonate compensation depth, 253
- chill zone, 242
- correlation of seismic reflectors with drilling results, 245
- diagenesis of sediments, 456
- dissolution of silica, 491
- foraminifera, 248
- geochemistry of sediments, 243
- igneous rocks, 412
- lithology, 232
- nannofossils, 253, 544
- paleomagnetic investigation, 415
- physical properties, 243, 447
- Radiolaria, 253, 506, 509
- sediment accumulation rates, 254, 495
- seismic reflectors, 447, 467
- siliceous fossils, 447
- sonobuoy profiles, 232
- stratigraphic hiatus, 9, 245, 417
- summary and conclusions, 255
- Slickensides, 472
- Slump breccia, 434
- Slump folds, 425
- Sonic velocity measurements, methods of, 23
- Sonobuoy profile, 70
- Site 285, 28
- Site 286, 80
- Site 287, 146
- Site 289, 232
- Spherules, siliceous, 446
- Spirhyicos*, 427, 430
- Spyrid Radiolaria, 491
- Solomon Islands, 3, 696, 702
- Solomon Sea, 7, 657
- Solomon Trench, 3
- South Fiji Basin, 5, 8, 13, 423, 441, 620, 626, 667, 691, 696
- drilling results, 620
- formation of crust of, 629
- geologic history of, 629
- plate motions in, 630
- South Fiji Sea, 8
- South New Hebrides Trench, 8, 617
- South Solomon Trench, 649, 657
- South Tasman Rise, 680
- Southwest Pacific bottom waters, 680
- paleocirculation, 679
- paleogeography, 667
- regional unconformities, 663
- surface waters, 681
- Sphenolithus belemnoides* Zone, 559
- distentus* Zone, 84, 147, 150, 152, 190, 563
- heteromorphus* Zone, 39, 41, 186, 189, 539, 559, 597
- predistentus* Zone, 81, 190, 544, 563
- Spongaster pentas* Zone, 191, 254, 507
- Stewart Arch, 9
- Stewart Island, 176
- Stichocorys peregrina* Zone, 38, 254, 500, 507
- Stratigraphic hiatuses, 446
- Eocene-Oligocene, 8, 9, 89, 133, 143, 149, 252, 419, 445, 501, 508, 517, 653, 663, 680, 693
- Miocene, 597

- Miocene-Pliocene, 9, 186
- Paleocene, 286
- Paleocene-Eocene, 664
- Pliocene-Pleistocene, 183, 583
- Site 206, 663
- Site 208, 665
- Site 286, 71
- Site 288, 495, 597
- Site 289, 9, 245, 417
- Southwest Pacific, 583
- Stylolites, 460, 472
- Subduction zone, 625, 661
- Submarine fan, 88, 430
- Submarine geology, South Fiji Basin, 617
- Subsidence, 88, 438, 661
 - Site 285, 76
 - Site 286, 76
- Tasman Basin, 3, 667, 679
- Tasman Sea, 5, 134, 698, 700, 703, 704
- Tectonic events, Oligocene, 702
- Teichnites*, 427
- Tetralithus trifidus* Zone, 186, 190, 583
- Theocampe mongolfieri* Zone, 147, 150, 503
- Theocyrtis tuberosa* Zone, 191, 254, 501, 505, 506, 507, 508
 - T.-Dorcadospyrus ateuchus* Zone boundary, 85, 517
- Three Kings Rise, 5, 7, 8, 28, 40, 44, 617, 619, 626
- Timor, 679
- Tonga Ridge, 4, 7, 28, 625, 667
- Tonga Trench, subduction into, 698
- Tonga-Kermadec Trench, 3, 5, 698
- Transform fault, 653, 657, 659, 770, 661, 700
- Tribrachiatulus orthostylus* Zone, 147, 565
- Tridymite, 445, 459
- Triquetrorhabdulus carinatus* Zone, 190, 544, 559, 597
 - rugosus* Subzone, 555
- Tropical water indicators, 543
- Tuffs, vitric, 241
- Turbidite sedimentation, 7, 9, 430, 433, 438, 439, 440, 650, 693
 - coarse-tail, 440
 - Site 285, 621
 - volcaniclastic, 438
- Turbidity currents, 73, 88, 429, 430, 432, 437, 438, 439, 440, 653
 - Type 1 sequence, 427
 - Type 2 sequence, 428
 - Type 3 sequence, 428
 - Type 4 sequence, 428
- Unconformities, regional Southwest Pacific, 663
- See also Stratigraphic hiatuses
- Underway geophysical data, Leg 30, 693
- Vening Meinesz Fracture Zone, 28, 619, 625
- Vitiaz Trench, 3
- Volcanic ash, 435, 469
- Volcanic conglomerate, 408, 431
- Volcanic glass, 483, 485, 622
- Volcanic material, 459, 471
- Volcaniclastic turbidites, 438
- Volcanism, 7, 45, 76, 88, 422, 693
- Wainimala Groups, 625
- Wavy bedding, 434, 435
- Western New Hebrides Basin, geology of, 647
- Woodlark Basin, 7
- X-ray mineralogy, 21, 603
 - methods of, 603
- Zonation, fossil, See Specific fossil group
- Zoophycos*, 32, 71, 236, 427