

INDEX

- Absolute ages, 78
- Accretion, 331
- Accumulation rate, volcanic material, 579
- Actinocyclus oculus* Zone, 783, 785, 789, 790, 797
- Age determination of sediments, 16
- Aimelik Formation, 848
- Akistero Formation, 840
- Aleutian Trench, 330
- Alkalinity of sediments, 140, 174, 199, 284, 327, 358, 416, 445, 639, 642
- Alteration of igneous rocks, 607
- Altered basalt, 53
- Ammodochium rectangulare* Zone, 361, 766
- Anaerobic bottom conditions, 842
- Analytical methods, determination of,
 - calcium, 640
 - chloride, 640
 - dissolved, silica, 640
 - K-Ar, 599
 - magnesium, 640
 - manganese, 641
 - pH, alkalinity, salinity, 639
 - potassium, 642
 - strontium, 641
 - sulfate, 641
- Anomalies, magnetic, Site 294/295, 191
- Anticline, 322
- Apatite, 585
- Apron feeding channels, 619
- Apron levels, 618
- Apron sediments, 26, 33, 34, 132, 143
- Arc-arc collision, 849
- Arctic and sub-Arctic diatom floras, 419
- Arenaceous foraminifera, 682
- Ash deposits, 320
- Babelthuap Formation, 848
- Basalt, 6, 53, 78
 - altered, 53
 - Eocene, 70
 - pillow, 53
 - Site 292, 69
 - tholeiitic, 173
- Basalt petrography
 - Site 292, 69
 - Site 293, 138
 - Site 294, 173
- Basalt-clay contact, 56
- Basaltic crust, 50
- Basalts-pillow, 30
- Basement highs, 67
- Basement relief, 49
- Basin crust, 26
- Basin genesis, Philippine Sea, 857
- Basin origin, 50
- Bathymetry, Sea of Japan, 693
- Bedding, 320
- Benham Bank, 67
- Benham Rise, 6, 71, 76, 78, 587, 619, 709
 - age of sediments, 599
 - nodular chert, 527
 - Site 292, 599
- Benthonic foraminifera, 33, 842
 - Site 292, 142
 - Site 294/295, 176
- Biogenic deposits, sedimentary structures in, 471
- Biostratigraphic gap, 682
- Biotite, 585
- Bioturbated sediments, 194, 203, 484, 487
- Bonin Arc system, 857
- Brown glass, 584
- Brunhes-Matuyama magnetic boundary, 446
- Brunhes-Matuyama paleontologic boundary, 418
- Bulk density, *see* physical properties
- Bulk density versus lithology, 560
- Burrows, 30, 136
- Cagayan River, 143, 615
- Calcium, 644
- Calcium carbonate compensation depth, *see* carbonate compensation depth
- Calocyclus costata* Zone, 18, 203, 286, 714
- Calocyclus virginis* Zone, 77, 203, 709, 714
- Cannartus laticonus* Zone, 203, 714
- Cannartus pettersoni* Zone, 203, 714
- Cannopilus hemisphaericus* Zone, 766
- Carbon, geochemistry of, 633
- Carbon isotopic values, 638
- Carbonate analyses, 12
- Carbonate compensation depth, 6, 31, 32, 34, 136, 143, 281, 320, 444, 677, 680, 695, 696, 699
 - Site 291, 56, 57
 - Site 292, 599, 78
 - Site 293, 141, 662
 - Site 294/295, 173
 - Site 296, 191, 192
 - Site 297, 285, 288
 - Site 299, 362
 - Site 301, 419
 - Site 302, 447
- Carbonization levels of sediments, 621
- Cementation, 529
- Central Basin Fault, 6, 25, 26, 34, 131, 132, 143, 169, 615, 619, 677, 709
 - tectonism, 132
- Ceratolithus primus* Zone, 77
- Chalcedonic quartz, 528
- Chalk, 69
- Channel deposits, 354, 361
- Chloride, 640
- Chlorophyll derivatives, 629
- Climatic deterioration, 849
- Clinopyroxene, 585
- Colloform texture, 515

- Compaction, definition, 569
- Compaction of, sediments as related to subduction, 328
- Composite bedding, 474
- Compressional wave velocities, 607
- Consolidation, definition, 569
- Consolidation characteristics, sediments, 569
- Contourite, 133, 142
- Cool temperate biofacies, foraminifera, 446
- Coring disturbance, physical properties, 558
- Cretaceous, 30, 32, 33
 - foraminifera, 34
 - Palau-Kyushu Ridge, 34
- Cristobalite, 525, 527, 528
 - lussatite, 526, 528
- Cyclicargolithus abisectus* Subzone, 202
- Cyclococcolithina macintyreii* Subzone, 33, 54, 286, 661, 671
- Daijima nonmarine deposits, 359, 850
- Davao limestone, 848
- Debris cone, 361
- Debris flow, 30, 487
- Debris flow deposits, 471, 497, 505
- Decollement, 330
- Deep-sea fan, 490
- Deformation, 328
- Deformation of sediments as related to subduction, 328
- Densiyama Formation, 18, 841
- Density, *see* physical properties
- Denticula seminae* Zone, 783, 785, 789, 790
 - Denticula seminae* v. *fossilis* Zone, 783, 785, 790
 - D. seminae* v. *fossilis*-*D. kamtschatica* Zone, 783, 785, 789
 - D. kamtschatica* Zone, 783, 785, 789
- Diagenesis, 529, 577
 - of organic material, 638
 - of lapilli tuffs, 198
- Diatom floras, arctic and subarctic, 419
- Diatom porcelanite, 519, 528
- Diatoms, 203, 328
 - Actinocyclus oculatus* Zone, 783, 785, 789, 790, 797
 - Denticula seminae* Zone, 783, 785, 789, 790
 - Denticula seminae* v. *fossilis* Zone, 783, 785, 790
 - D. seminae* v. *fossilis*-*D. kamtschatica* Zone, 783, 785, 789
 - Denticula kamtschatica* Zone, 783, 785, 789
 - fresh-water species, 361, 418, 783
 - glacial Pleistocene, 361
 - Neogene, 779
 - North Pacific diatom zones
 - I, 740
 - II, 740
 - IV, 740
 - V, 790
 - VI, 790
 - VII, 789
 - IX, 789
 - X, 789
 - Pleistocene, 405
 - Plio-Pleistocene boundary, 361, 418, 447, 785
 - Pseudoeunotia doliolus* Zone, 328, 782
 - Quaternary, 203, 286
 - Rhizosolenia curvirostris* Zone, 783, 785, 789, 790, 797
 - Site 296, 782
 - Site 297, 286, 782
 - Site 298, 783
 - Site 299, 361, 783
 - Site 300, 405, 785
 - Site 301, 418, 785
 - Site 302, 446, 785
 - Subarctic, 405
 - sublittoral species, 286, 361
 - systematic paleontology, 797
 - tropical species, 203
 - Dictyocha subarcticus* Zone, 418, 766
 - Discoaster barbadiensis* Zone, 55, 77
 - Discoaster bifax* Subzone, 141
 - Discoaster exilis* Zone, 202, 671
 - Discoaster kugleri* Subzone, 202
 - Discoaster neohamatus* Zone, 529
 - Disconformity, Miocene, 76, 78
 - Displacement of sediments, horizontal, 330
 - Dissolution, 529
 - Dissolved, silica, 642
 - silica, analytical methods, 640
 - Distal turbidites, 280, 362, 490
 - Distephanus octangulatus* Zone, 361, 766
 - Distephanus quinquangellus* Zone, 446, 766
 - Distephanus subarcticus* Zone, 361
 - Dorcadospyrus alata* Zone, 18, 714
 - Dorcadospyrus ateuchus* Zone, Radiolaria, 77
 - Dorcadospyrus ateuchus*-*Lychnocanoma elongata* Zone, 714
 - Drilling characteristics, 9
 - Drilling program
 - Site 290, 27
 - Site 291, 50
 - Site 292, 68
 - Site 293, 132
 - Site 294, 170
 - Site 295, 171
 - Site 296, 192
 - Site 297, 276
 - Site 298, 318
 - Dwarf foraminifera, 55
 - Earthquakes, 7
 - Eastern Philippine Sea, 857
 - Ebridian stratigraphy, 765
 - Ebridians
 - Japan Sea, 765
 - Philippine Sea, 763
 - Site 299, 766
 - Ebriopsis antiqua* Zone, 418, 766
 - Effective pressure, 569
 - Effective stress, 570
 - Elastic constants, 607
 - Emiliania annula* Subzone, 202, 286
 - Emiliania huxleyi* Zone, 202, 285, 327, 359, 360, 405, 418, 671
 - Eocene, 30, 32, 33, 34
 - basalt, 70
 - Discoaster barbadiensis* Zone, 55
 - foraminifera, 680
 - ichthyoliths, 821
 - nannofossils, 6, 661, 662

- Radiolaria, 54
- volcanism, Palau-Kyushu Ridge, 34
- Eocene/Miocene, foraminifera, 55
- nannofossils, 176
- Eocene/Oligocene, basement, 177
- clay, 52
- foraminifera, 55
- Radiolaria, 51
- Epidote, 585
- Erosional contacts, 484
- Eruptive volcanic activity, patterns of, 586
- Ethane gas, 361, 418, 693, 699, 785
- Eustatic lowering of sea level, 362
- Euxinic conditions, 517
- Explanatory notes, 8
- Fabric, 505
- grain-to-grain relationship, 499
- Fan channel, 618
- Fan deposits, 362
- Fanshulid Formation, 849
- Fan Valley, 490
- Fan-channel deposits, 359
- Far east letter stages, 841
- Faulting, 143
- Faunal reference list, Plio-Pleistocene foraminifera, 700
- Floating grain, 499
- Floating/free grain ratio, 505
- Fluxoturbidites, 497
- Fold axes, 328
- Foraminifera, 33
- arenaceous, 682
- benthonic, 33, 841
- benthonic, Site 292, 142
- biostratigraphic gap, 682
- cool temperate biofacies, 446
- Cretaceous, 34
- dwarf, 55
- Eocene, 680
- Eocene-Miocene, 55
- Eocene-Oligocene, 55
- Holocene, 141
- larger, 683
- Late Cretaceous, 142
- Miocene, hiatus, 677, 680, 693
- Miocene-Oligocene boundary, 679
- Miocene/middle Miocene boundary, 201
- N or P-plus-numeral system, 679
- Oligocene, 680, 682
- Oligocene succession, Hole 292, 679
- Oligocene/Eocene boundary, 680
- Paleocene, 6, 142, 176
- Paleocene-Eocene, 55
- Pleistocene, 682, 693
- Pliocene, 141, 142, 679, 682, 683, 693
- Quaternary, 680, 682
- reworked, 677
- sample preparation, 696
- shallow-water fauna, 286
- Site 290, 679
- Site 291, 54, 55, 679
- Site 292, 77, 680
- Site 293, 682
- Site 294, 682
- Site 294/295, 176
- Site 295, 682
- Site 296, 202, 682
- Site 297, 286, 683
- Site 298, 327, 683
- Site 299, 360, 696
- Site 300, 405, 699
- Site 301, 418, 699
- Site 302, 446, 700
- Sub-Arctic biofacies, 405
- West Philippine Basin, 34
- Zone N4/N3, 839
- Zone N6/N5, 683
- Zone N14/N13, 680
- Zone N15/N14, 680
- Zone N16, 77
- Zone N17, 77
- Zone N17/N16, 680, 683
- Zone N17/N18, 680, 683
- Zone N19/N18, 683, 839
- Zone N18, 286
- Zone N19, 33, 286, 679, 680
- Zone N20, 679
- Zone 21, 680, 682
- Zone 22, 286, 683
- Zone N22-N23, 286, 680, 683
- Zone N23, 682
- Zone P18/P17, 680, 839
- Zone P20/P19, 680
- Foreset bedding, 494, 488
- Fractures, high angle, 322
- Framboidal, pyrite, 142, 360, 362, 695
- Franciscan Formation, 526
- Free grain, 499
- Fresh-water species, diatoms, 361, 418
- Geochemical measurements, 12, 32, 54, 74, 445
- alkalinity, 140, 174, 199, 284, 327, 358, 416, 445
- pH, 140, 174, 199, 284, 327, 359, 417, 445
- salinity, 140, 175, 199, 284, 327, 359, 418
- Site 290, 32
- Site 291, 54
- Site 292, 74
- Site 293, 140
- Site 294/295, 174
- Site 296, 199
- Site 297, 284
- Site 298, 327
- Site 299, 358
- Site 301, 416
- Geophysical methods, 9
- Geophysical survey, 9, 26, 410, 444
- Site 291, 50
- Site 292, 68
- Site 293, 132
- Site 294, 170
- Site 295, 170
- Site 296, 192
- Site 297, 276
- Site 298, 318
- Site 299, 359
- Site 300, 404

- Site 301, 410
- Site 302, 441
- Sonobuoy, Site 294/295, 177
 - Site 296, 193
- Geothermal studies, Leg 31, 573
- Gephyrocapsa caribbeanica* Subzone, 202, 285, 327, 360, 418, 671
- Gephyrocapsa doronicoides* Zone, 446, 671
- Gephyrocapsa oceanica* Zone, nannofossil, 202, 285, 327, 360, 418, 446, 671
- Glacial climatic conditions, 419
- Glacial conditions, 419
- Glacial maxima, Plio-Pleistocene, 695
- Glacial Pleistocene diatoms, 361
- Glass, clear, 583
- Glass/crystal ratio, 586
- Glaucophane, 585
- Graded bedding, 320, 411, 474, 487, 490, 499
- Grain
 - inclination, 499, 505
 - orientation, 499, 505
 - roundness, 499, 505
- Grain density, 536
- Grain-size analyses, 13
- Grain-to-grain relationship, 499, 505
- GRAPE *see* physical properties
- Gravimetric methods, 535
- Gravitites, 497
- Gravity and magnetic profiles, Palau Ridge, 619
- Hagman Formation, 18, 841
- Harone, 577
- Hayama group, Miura Peninsula, 709
- Heat flow *see* physical properties
- Heat-flow measurements, 282, 415
- Helicopontosphaera ampliaperta* Zone, 662
- Hiatus
 - Miocene, 201, 202, 662, 677, 683
 - Oligocene, 661
 - Pliocene, 448
- High angle, fractures, 322
- Hokkaido, 693
- Holocene
 - nannofossils, 662, 667, 671
 - foraminifera, 141
- Holocene/Pleistocene boundary, 327
- Honeycomb texture, pyrite, 516
- Honshu, 7, 587, 693
- Honshu, silicoflagellate and ebridian stratigraphy, 765
- Honshu deep basin, 490
- Horizontal versus vertical shear strength, 560
- Hornblende, 585
- Ice-rafted debris, 699
- Ichthyoliths
 - Eocene, 821
 - Miocene, 821
 - Oligocene, 821
 - Site 293, 821
 - Site 294, 821
 - Site 295, 821
 - Site 297, 821
- Igneous rocks, alteration of, 607
 - Pb and Sr, isotopic studies, 607
- Inner levee deposits, 355, 361
- Inner trench slope, 331
- Inter-arc basin lavas, 607
- Interstitial water analyses
 - Site 292, 644
 - Site 293, 645
 - Site 296, 646
 - Site 297, 647
 - Site 299, 648
 - Site 302, 650
- Island arc areas, 577
 - tectonism, 204
- Japan Abyssal Plain, 7, 359, 403, 409, 418, 439
- Japan Basin, 7, 699, 849
 - Radiolaria, 717
- Japan continental margin, subduction, 276
- Japan Sea
 - ebridians, 765
 - silicoflagellates, 765
- Japan Trench, 359
- Japanese Islands, 5
- Japanese Neogene activity, 577
- Jaramillo Event, 359
- K-Ar, analytical procedure, 599
- K-feldspar, 584
- Kink bands, 322
- Kitaura Formation, 362, 851
- Kuroshio Current, 5, 7, 192, 203, 205, 288, 695
- Kyushu Basin, 510
- Lamination, 487
- Lapilli tuffs, diagenesis, 198
- Larger foraminifera, 683
- Late Cretaceous foraminifera, 142
- Lavas, inter-arc basin, 607
 - volcanic arc, 607
- Lenticular sedimentary structures, 474
- Lepispheres, 528
- Lesser Antilles, 577
- Levee accumulations, 354
- Levee deposits, 354
- Levees, 490
- Lichi Formation, 849
- Liman Current, 695
- Lithologic classification and nomenclature, 13
- Lithologic description
 - Site 290, 29
 - Site 291, 50
 - Site 292, 69
 - Site 293, 133
 - Site 294/295, 171
 - Site 296, 193
 - Site 297, 280
 - Site 298, 319
 - Site 299, 359
 - Site 300, 404
 - Site 301, 410
 - Site 302, 443
- Load casts, 484, 488
- Lussatite, cristobalite, 526, 528
- Luzon Arc System, 78, 131, 615
- Luzon Island, 6, 68, 78, 142, 169, 508, 587
 - Tertiary tectonism, 615

- Luzon Trench, 78, 132
Lychnocanoma elongata Zone, 77
Lychnocanoma nipponica Zone, 714
Lychnocanoma elongata-Dorcadospyris ateuchus Zone, Radiolaria, 709
 Lysocline, 31, 78
 Magnesium, 640, 644
 Manganese, 644
 analytical methods, 641
 micronodules, 176
 Map formation, 18, 841
 Marginal basins, 287, 615
 siliceous rocks in, 519
 Mariana Ridge, 26, 848
 Mariana Trench, 6, 857
 Massive bedding, 474, 499
Mesocena circulus var. *apiculata* Zone, 766
 Mesozoic volcanics, 440
 Microfaulting, 486
 Microforeset bedding, 490
 Micronodules, manganese, 176
 Mid-latitude glaciation, 699
 Miocene
 hiatus, 76, 78, 202, 203, 586, 662, 677, 680, 683
 Palau-Kyushu Ridge, 201
 ichthyoliths, 821
 nannofossils, 671
 paleoclimatology, Sea of Japan, 699
 volcanic activity, 444
 Miocene global refrigeration, 411
 Miocene-Oligocene boundary, 679
 Miocene-Pleistocene, Radiolaria 717
 Miocene/middle Miocene boundary, 201
 Miocene/Oligocene boundary, 201, 839
 Miocene/Pliocene boundary, 76, 201, 839
 Miura Peninsula, Hayama group, 709
 Monterey Formation, 528, 850
 Monzen Formation, 850
 Mycelium, 486, 487, 488
 Nankai Trough, 7, 191, 275, 287, 318, 328, 329, 510, 547, 621, 714
 Nannofossil age determinations, 655
 Nannofossil ooze, Site 291
 Eocene, 52
 Oligocene, 51
 Nannofossils, 33, 529
 Ceratolithus primus Zone, 77
 Cyclicargolithus abisectus Subzone, 202
 Cyclococcolithina macintyreii Subzone, 33, 54, 286, 661, 671
 Discoaster barbadiensis Zone, 55, 77
 Discoaster bifax Subzone, 141
 Discoaster exilis Zone, 202, 671
 Discoaster kugleri Subzone, 202
 Discoaster neohamatus Zone, 529
 Emiliania annula Subzone, 202, 286
 Emiliania huxleyi Zone, 202, 285, 327, 359, 360, 405, 418, 671
 Eocene, 6, 661, 662
 Eocene/Miocene, 176
 Gephyrocapsa caribbeanica Subzone, 282, 285, 327, 360, 418, 671
 Gephyrocapsa doronicoides Zone, 446, 671
 Gephyrocapsa oceanica Zone, 202, 327, 285, 360, 418, 446, 671
 Helicopontosphaera ampliapertura Zone, 662
 Holocene, 662, 667, 671
 Miocene, 671
 Oligocene, 661, 662, 667
 Pleistocene, 141, 671
 Pliocene, 141, 671
 Reticulofenestra hillae Subzone, 33
 Reticulofenestra pseudoumbilica Zone, 671, 418, 286
 Reticulofenestra umbilica Zone, 141
 Site 290, 661
 Site 291, 54
 Site 292, 77, 662
 Site 293, 141, 662
 Site 294/295, 175, 663
 Site 295, 667
 Site 296, 202, 667
 Site 297, 671, 285
 Site 298, 327, 671
 Site 299, 360, 671
 Site 300, 405, 671
 Site 301, 671
 Site 302, 446, 671
 Sphenolithus ciperoensis Zone, 33, 202, 667
 Sphenolithus distentus Zone, 33, 55, 202, 204, 667
 Sphenolithus heteromorphus Zone, 671, 286
 stratigraphy, 661
 systematic paleontology, 656
 Triquetrorhabdulus carinatus Zone, 202
 Triquetrorhabdulus rugosus Zone, 77
 Neogene, 32
 Nepheloid layer, 411, 418
 Ngeremlengui Formation, 848
 Nickel porphyrins, 630
 Nishioga Formation, 850
 Nobori Formation, 709, 849
 Nodular chert, 519, 527
 Nodules, siliceous, 78
 Nosoko Formation, 848
 Oga Peninsula, 362, 697, 850, 851, 852
 Oga sequence, 796
 Oki-Daito Ridge, 169, 176
 Oligocene, 29, 30, 32, 33
 foraminifera, 55, 680, 682
 hiatus, 661
 ichthyoliths, 821
 nannofossils, 54, 662, 667
 section, Site 292, 76
 volcanism, 34, 197
 Oligocene/Eocene boundary, 77, 680, 839
 Oligocene/Miocene boundary, 78
 Olistostromes, 320
Ommatartus antepenultimus Zone, 203, 714
 Onnagawa Formation, 528, 842, 850
 Operational summary-Leg 31, 6
 Ophiolitic sequence, 359, 848
 Organic content of sediments, 621
 Organic material, diagenesis of, 638
 Orthopyroxene, 585
 Orthopyroxene/hornblende ratio, 586

- Outer arch, Philippine trench, 49
- Outer levee, 355, 361
- Outer levee deposits, 355
- Outer overbank deposits, 355, 361
- Overbank, 490
- Overbank deposits, 354, 355
- Overburden pressure, 569
- Overburden stress, 569
- Overconsolidated sediments, 323, 572
 - definition of, 569
- Oyashio Current, 5, 192
- Oyashio-Kuroshio convergence Zone, 204
- Palau-Kyushu Ridge, 6, 7, 25, 26, 33, 34, 78, 176, 191, 192, 203, 275, 287, 348, 587, 619, 679, 709, 765
 - Cretaceous, 34
 - Miocene hiatus, 201
 - subsidence, 205
 - volcanism, 34, 577
 - water depth, late Oligocene, 202
- Palau Ridge, 169, 615
 - gravity and magnetic profiles, 619
- Paleobathymetry, 837, 842
- Paleoceanographic history, Sea of Japan, 359
- Paleoceanography, 5, 7, 699
- Paleocene foraminifera, 6, 142, 176
- Paleocene-Eocene foraminifera, 55
- Paleoclimatology, 5, 7, 56, 79, 288, 359, 419, 699
 - diatoms, 797
 - Sea of Japan, Miocene, 699
 - Site 296, 204
 - Site 301, 410
- Paleogene, 34
- Paleogene arc-trench system, 848
- Paleogene remanent arc, 191
- Paleogeographic construction, Philippine Sea, 870
- Paleontology
 - Site 290, 32
 - Site 291, 54
 - Site 292, 74
 - Site 293, 140
 - Site 294/295, 175
 - Site 296, 199
 - Site 297, 284
 - Site 298, 327
 - Site 299, 359
 - Site 300, 405
 - Site 301, 418
 - Site 302, 445
- Paleotemperature, 699
 - of seawater, 362
- Parallel lamination, 490
- Parece-Vela Basin, 6, 34, 204, 275, 859
- Petrographic descriptions, Site 296, 194
- Petrography, volcanic sediments, 583
- Philippine Basin, 132, 144, 170
- Philippine Islands, 5
- Philippine plate, 56, 78
- Philippine Sea, 6, 18, 703
 - ebriids, 763
 - ichthyoliths, 821
 - physical properties, 569
 - Radiolaria, 709
 - silicoflagellates, 763
- Philippine Sea margin, 848
- Philippine Trench, 49, 68, 709
- Physical properties
 - bulk density, 71, 139, 173, 198, 281, 324, 358
 - bulk density versus lithology, 560
 - density, 415, 444, 536
 - GRAPE, 535, 538
 - GRAPE methods, 536
 - gravimetric methods, 535
 - heat-flow measurements, 282, 325, 415
 - horizontal versus vertical shear strength, 560
 - Philippine Sea, 569
 - porosity, 71, 139, 173, 198, 281, 324, 358, 415, 444, 536
 - salt correction, 535
 - Sea of Japan, 569
 - shear strength versus lithology, 560
- Site 290, 31, 538
- Site 291, 53, 538
- Site 292, 71, 540
- Site 293, 139, 541, 570
- Site 294, 541, 544
- Site 294/295, 173
- Site 295, 541, 544
- Site 296, 198, 544, 545
- Site 297, 281, 547
- Site 298, 324, 547, 553, 570
- Site 299, 358, 553, 571
- Site 301, 414, 553
- Site 302, 444, 556, 557, 571
- sonic velocity, 72, 139, 174, 198, 231, 325, 358
- thermal conductivity, 139, 174, 198, 281, 325, 358, 415
- vane shear, 72, 139, 174, 198, 281, 325, 358, 536
- water content, 71, 139, 173, 198, 281, 324, 358, 415, 444, 535
- wet bulk density, 535
- Physical properties and coring disturbance, 558
- Pillow basalt, 53
- Plagioclase, 584
- Planktonic
 - foraminifera, Paleocene, 6
 - productivity, 849
 - Site 292, foraminifera, 142
- Plateaus, 67
- Pleistocene
 - diatoms, 405
 - foraminifera, 682
 - nannofossils, 141, 671
 - Radiolaria, 203, 714, 717
 - silicoflagellates, 765
- Pleistocene climatic record, 699
- Pleistocene cobbles, 319
- Pleistocene faunas, 693, 697
- Pleistocene planktonic biofacies, 697
- Plio-Pleistocene, glacial maxima, 695
 - turbidites, 409
- Plio-Pleistocene boundary, 361, 418, 447
- Plio-Pleistocene foraminifera, faunal reference list, 700
- Plio-Pleistocene subarctic biofacies, 700

- Pliocene, 29, 30, 32, 33
 - foraminifera, 34, 54, 141, 679, 682, 683, 693
 - hiatus, 448
 - nannofossil, 54, 141, 671
 - Radiolaria, 709
- Pliocene/Pleistocene boundary, 201, 359, 697
- Plutonic rocks, 609
- Polar refrigeration, 419, 848
- Porcelanite, 519, 526
- Pore-water chemistry, 529
- Pore-water pressure, 569
- Porosity *see* physical properties
- Porphyrin, 630
- Porphyritic glass, 584
- Potassium, 642, 644
- Preconsolidation pressure, 569
- Primary consolidation, 572
- Primary inclusions, 484
- Primary structures, 474
- Proximal turbidites, 490
- Proximal overbank deposits, 354, 361
- Proximal turbidite deposits, 362
- Pseudoeunotia doliolus* Zone, 328
- Pterocanium prismatium* Zone, 714
- Pyrite
 - framboidal, 142
 - genesis, 517
 - honeycomb texture, 516
 - mosaic, 515
- Pyritized inclusions, 516
- Quartz, 585
- Quaternary, 33
 - diatoms, 203, 286
 - foraminifera, 680, 682
 - Radiolaria, 176, 328
- Radiolaria
 - Calocyclus costata* Zone, 203, 286, 714
 - Calocyclus virginis* Zone, 77, 203, 709, 714
 - Cannartus laticonus* Zone, 203, 714
 - Cannartus pettersoni* Zone, 203, 714
 - Dorcadospyrus alata* Zone, 714, 18
 - Dorcadospyrus ateuchus* Zone, 77
 - Dorcadospyrus ateuchus-Lychnocanoma elongata* Zone, 709, 714
 - Lychnocanoma elongata* Zone, 77
 - Lychnocanoma nipponica* Zone, 714
 - Miocene-Pleistocene, 717
 - Ommatartus antepenultimus* Zone, 203, 714
 - Philippine Sea, 709
 - Pleistocene, 203, 714, 717
 - Pterocanium prismatium* Zone, 714
 - Quaternary, 176, 328
 - Sea of Japan, 714
 - Site 291, 54
 - Site 294/295, 176
 - Site 296, 203
 - Site 297, 286, 714
 - Site 298, 328, 714
 - Site 299, 715
 - Site 300, 405, 715
 - Site 301, 418, 717
 - Site 302, Yamato Rise, 446, 717
 - Subarctic biofacies, 405
 - systematic paleontology, 717
 - Thecosphaera japonica* Zone, 714
 - Theocyrtis tuberosa* Zone, 7, 709
 - Thyrsoyrtis bromia* Zone, 33, 55, 77, 709
 - warm water, 328
- Radiolarian events, Leg 31, 717
- Recumbant folds, 323, 621
- Remanent arcs, 191, 205
- Reticulofenestra hillae* Subzone, 33
- Reticulofenestra pseudoumbilica* Zone, 286, 418, 671
- Reticulofenestra umbilica* Zone, 141
- Reworked material, 173, 176, 677
- Rhizosolenia curvirostris* Zone, 783, 785, 789, 790, 797
- Ridge and trough topography, 132
- Rifting, tensional subsidence and, 359
- Ryukyu arc, 131, 510, 587
- Saipan radiolarian assemblages, 18
- Sakhalin, 695
- Salinity, 140, 175, 199, 284, 327, 359, 418, 445, 639
- Salt correction, 535
- Sand suites, comparison of, 512
- Sandstone suites, 507
- Sea level, eustatic lowering of, 362
 - lowered, 419
- Sea of Japan, 5, 6, 18, 403, 693, 696, 703.
 - bathymetry, 359, 693
 - heat flow, 575
 - margin, 849
 - Miocene paleoclimatology, 699
 - paleoceanographic history, 359
 - physical properties, 569
 - Radiolaria, 714
 - summary, 7
 - Toyama Trough, 490
 - zoogeographic patterns, 359
- Sea of Okhotsk, 693, 697
- Seawater, paleotemperatures of, 362
- Secondary structures, 474
- Sediment apron, 132, 204, 615, 618
- Sediment distribution, west Philippine Basin, 615
- Sedimentary basin, 508
- Sedimentary model, Toyama Trough, 494
- Sedimentary structures, 29, 194, 471
 - bioturbation, 484, 487
 - composite bedding, 474
 - erosional contacts, 484
 - foreset bedding, 488
 - graded bedding, 474, 487
 - lamination, 487
 - lenticular, 474
 - load casts, 484, 488
 - massive bedding, 474
 - microfaulting, 486
 - mycelium, 486, 487, 488
 - primary inclusions, 484
 - primary structures, 474
 - secondary structures, 474
 - slump structures, 280
 - slumping, 486

- Sedimentation rates, 71, 797
- Site 290, 34
 - Site 291, 55
 - Site 292, 77, 79
 - Site 293, 570
 - Site 294/295, 173
 - Site 296, 202, 204
 - Site 297, 287
 - Site 298, 330
 - Site 298, Shikoku slope, 570
 - Site 299, 362, 571
 - Site 301, 419
 - Site 302, 572, 447
- Sediments
- carbonization levels of, 621
 - consolidation characteristics, 569
 - definition, overconsolidated, 569
 - underconsolidated, 569
 - horizontal displacement of, 330
 - organic content of, 621
 - physical properties, 535
 - subduction, compaction of, 328
 - deformation of, 328
 - sulphide material in, 515
- Seismic refraction, West Philippine Sea, 611
- Seismic refraction data, 609, *see also* geophysical survey
- Shallow water basalts, 78
- Shallow water fauna, foraminifera, 286
- Shallow water fossils, Site 292, 76
- Shear strength versus lithology, 560
- Shear wave velocities, 607
- Shibikawa Formation, 697
- Shikoku Basin, 6, 7, 204, 205, 275, 287, 508, 570, 621, 677, 765, 859
- Shikoku Trench, 320
- Shimajiri Formation, 845
- Shimanto Sequence, 359
- Shimanto Zone, 276
- Shipboard laboratory procedures, 10, 11
- Sierra Madre Range, 78, 143, 619
- Siliceous nodules, 78
- Siliceous rocks in marginal ocean basins, 519
- Silicoflagellates
- Ammodochium rectangulare* Zone, 361, 766
 - Cannopilus hemisphaericus* Zone, 766
 - Dictyocha subarcticus* Zone, 361, 418, 766
 - Distephanus octangulatus* Zone, 361, 766
 - Distephanus quinquangellus* Zone, 446, 768
 - Ebriopsis antiqua* Zone, 766
 - Japan Sea, 765
 - Mesocena circulus* var. *apiculata* Zone, 766
 - Philippine Sea, 763
 - Pleistocene, 765
 - Site 291, Radiolaria, 55
 - Site 292, Radiolaria, 77
 - Site 296, 203
 - Site 297, 286
 - Site 298, 328
 - Site 299, 766
 - Site 300, 405
 - Site 301, 418
 - Site 302, 446
- Site 290, West Philippine Basin
- drilling program, 27
 - foraminifera, 679
 - geochemical measurements, 32
 - lithologic description, 29
 - nannofossils, 661
 - paleontology, 32
 - physical properties, 31, 538
 - sedimentation rates, 34
 - summary, 6, 33
- Site 291, Philippine Trench, 49
- carbonate compensation depth, 56, 57
 - drilling program, 27, 50
 - foraminifera, 55, 679
 - geochemical measurements, 32, 54
 - geophysical survey, 50
 - lithologic description, 29, 50
 - nannofossils, 54, 661
 - paleontology, 31, 54
 - pelagic accumulation, 53
 - physical properties, 31, 53, 538
 - Pliocene, clay, 51
 - Eocene, Oligocene, nannofossils, 54
 - foraminifera, 54
 - Radiolaria, silicoflagellates, 55
 - sedimentation rates, 34, 55
 - summary, 6, 33, 55
- Site 292, Benham Rise, 67
- basalt, 69
 - calcium carbonate compensation depth, 78, 599
 - disconformity, Miocene, 76
 - drilling program, 68
 - foraminifera, 77, 142, 680
 - geochemical measurements, 74
 - geophysical survey, 68
 - interstitial water analyses, 644
 - lithologic description, 69
 - Miocene hiatus, 586
 - Miocene/Pliocene boundary, 76
 - nannofossils, 77, 662
 - Oligocene section, 76
 - Oligocene-Eocene boundary, 77
 - paleontology, 74
 - physical properties, 71, 540
 - sedimentary history, 71
 - sedimentation rates, 77, 79
 - shallow water fossils, 76
 - summary, 77
 - turbidite deposition, 587
 - volcanic history, 577, 586
- Site 293, West Philippine Basin, 131
- basalt petrography, 138
 - carbonate compensation depth, 141, 662
 - drilling program, 132
 - foraminifera, 682
 - geochemical measurements, 140
 - geophysical survey, 132
 - interstitial water analyses, 645
 - lithologic description, 133
 - nannofossils, 141, 662
 - paleontologic summary, 140
 - physical properties, 139, 541, 570

- sedimentation rates, 570
- summary, 6, 142
- turbidite, 663
- Site 294/295, West Philippine Basin, 169
 - anomalies, magnetic, 191
 - benthonic foraminifera, 176
 - carbonate compensation depth, 173
 - foraminifera, 176, 682
 - geochemical measurements, 174
 - geologic interpretation, 176
 - geophysical survey, sonobuoy, 170, 177
 - lithologic description, 171
 - nannofossils, 175, 667
 - paleontology, 175
 - physical properties, 173, 541
 - Radiolaria, 176
 - reworked fossils, 173
 - reworked material, 176
 - sedimentation rates, 173
 - summary, 6, 176
- Site 296, Palau-Kyushu Ridge, 191
 - carbonate compensation depth, 191, 192
 - foraminifera, 202, 682
 - geochemical measurements, 199
 - geologic history, 197
 - geophysical survey, 192, 193
 - Holocene/Pleistocene sediments, 203
 - interstitial water analyses, 646
 - lithologic description, 193
 - Miocene hiatus, 203
 - Miocene/Oligocene boundary, 201
 - nannofossils, 202, 667
 - paleoclimatology, 204
 - paleontology, 199
 - petrographic descriptions, 194
 - physical properties, 198, 544
 - Pliocene/Pleistocene boundary, 201
 - Radiolarians, 203
 - sedimentation rates, 202, 204
 - silicoflagellates, 203
 - summary, 7, 203
 - volcanism, 197, 577
- Site 297, Shikoku Basin, 275
 - carbonate compensation depth, 285, 288
 - diatoms, 286
 - drilling program, 276
 - foraminifera, 286, 683
 - geochemical measurements, 284
 - geophysical survey, 276
 - interstitial water analyses, 647
 - lithologic description, 280
 - nannofossils, 285, 671
 - paleontology, 284
 - physical properties, 281
 - Radiolaria, 286, 714
 - sedimentation rates, 287
 - silicoflagellates, 286
 - summary, 7, 286
- Site 298, Nankai Trough, 317
 - carbonization of sediments, 621
 - drilling program, 318
 - foraminifera, 327, 683
 - geochemical measurements, 327
 - geophysical survey, 318
 - lithologic description, 319
 - nannofossils, 327, 671
 - paleontology, 327
 - physical properties, 324
 - Radiolaria, 328, 714
 - recumbant folding, 621
 - sedimentation rates, 330
 - silicoflagellates, 328
 - structural geology, 320
 - subduction, 328, 330
 - summary, 328
 - thermal conductivity, 573
- Site 299, Yamato Basin, 351
 - carbonate compensation depth, 362
 - diatoms, 361
 - eburians, 766
 - foraminifera, 360, 696
 - geochemical measurements, 358
 - geophysical survey, 359
 - interstitial water analyses, 648
 - lithologic description, 359
 - nannofossils, 360, 671
 - objectives, 359
 - paleontology, 359
 - physical properties, 358
 - Radiolaria, 360, 715
 - Sea of Japan, 629
 - sedimentation rates, 362
 - silicoflagellates, 766
 - summary, 7, 361
 - turbidite deposition, 638
- Site 300, Japan Abyssal Plain
 - diatoms, 405
 - foraminifera, 405, 699
 - geophysical survey, 404
 - lithologic description, 404
 - nannofossils, 405, 671
 - objectives, 404
 - paleontology, 405
 - Radiolarians, 405, 715
 - silicoflagellates, 405
 - summary, 7, 406
- Site 301, Japan Abyssal Plain
 - carbonate compensation depth, 419
 - diatoms, 418
 - ethane, 699, 693
 - foraminifera, 418, 699
 - geochemical measurements, 416
 - lithologic description, 410
 - nannofossils, 671
 - objectives, 409
 - paleoclimatology, 410
 - paleontology, 418
 - physical properties, 414, 553
 - Radiolaria, 418
 - sedimentation rates, 419
 - silicoflagellates, 418
 - summary, 7, 418
 - thermal conductivity, 573
- Site 302, Yamato Rise, 439
 - carbonate compensation depth, 447
 - chlorophyll derivatives, Site 299, 629

- diatoms, 446
- foraminifera, 446, 700
- interstitial water analyses, 650
- nannofossils, 446, 671
- objectives, 439
- paleontology, 445
- physical properties, 444
- Radiolarians, 446
- sedimentation rate, 447, 572
- silicoflagellates, 446
- subsidence, 439, 447
- summary, 7, 447
- Slickenside surfaces, 322
- Slump structures, 280, 486
- Sonic velocity, *see* physical properties
- Sphenolithus ciperoensis* Zone, 33, 202, 667
- Sphenolithus distentus* Zone, 33, 55, 202, 204, 667
- Sphenolithus heteromorphus* Zone, 286, 671
- Spreading center, 31
- Spreading rate, 577
- Strontium, 641, 644
- Structural geology, 320
- Structure
 - anticline, 322
 - bedding, 320
 - recumbant folds, 323
- Subarctic biofacies
 - foraminifera, 405
 - Radiolaria, 405
- Subduction, 7, 78, 132, 318, 359
- Subduction
 - compaction of sediments, 328
 - deformation of sediments, 328
 - Japan Continental Margin, 276
 - Site 298, 328, 330
 - Zone, 169, 330, 615
- Sublittoral Diatoms, 286, 361, 418
- Submarine canyons, 143, 490
- Submarine Fan, 490
- Submarine Fan environment, 355
- Subsidence, 31, 71, 78, 288, 850
 - history, Site 302, 439
 - Palau-Kyushu Ridge, 205
 - Site 302, 447
- Sulfate, 641, 644
- Sulphide spherulites, 517
- Summary
 - Site 290, 33
 - Site 291, 55
 - Site 292, 77
 - Site 293, 142
 - Site 294/295, 176
 - Site 296, 7, 203
 - Site 297, 286
 - Site 298, 328
 - Site 299, 361
 - Site 300, 406
 - Site 301, 418
 - Site 302, 447
- Summary of drilling results, 6
- Surface circulation, 288
- Systematic paleontology
 - nannofossils, 656
 - Radiolaria, 717
- Taiwan, 5, 131
- Tectonic evolution, West Philippine Basin, 68
- Tectonism, 26, 132
- Tensional subsidence and rifting, 359
- Tephra, 280
- Tertiary, 34
- Tertiary tectonism, Luzon, 615
- Tertiary volcanics, 440
- Tethys Sea, 852
- Thecosphaera japonica* Zone, 714
- Theocyrtis bromia* Zone, 709
- Theocyrtis tuberosa* Zone, 77, 709
- Thermal conductivity, 444
- Tholeiitic basalt, 173
- Thyrsocyrtis bromia* Zone, 18, 33, 77, 700
- Toyama Channel, 411, 693, 696
- Toyama Trough, 7, 361, 362, 359, 404, 406, 409, 490, 495, 696, 699
- Trench wedge, 330
- Triquetrorhabdulus carinatus* Zone, 202
- Triquetrorhabdulus rugosus* Zone, 77
- Tropical species, diatoms, 203
- Tsushima Current, 359, 360, 695, 699
- Tulanshan Formation, 848
- Turbidites, 138, 142, 276, 280, 287, 317, 320, 328, 359, 406, 490, 497, 587, 638, 663, 851
 - distal, 280, 490
 - Plio-Pleistocene, 409
 - proximal, 490
- Turbidity currents, 320, 411
- Tyushevsk Formation, 789
- Unconformity, 77, 78
- Underconsolidated sediments, 573
 - definition of, 569
- Uplift, 68
- Vane shear, *see* physical properties
- Velocity-density relations, 608
- Void ratio, 569
- Volcanic activity, Miocene, 444
- Volcanic arc, 359, 607
- Volcanic ash, 78, 194, 197, 287, 471
- Volcanic conglomerate, 30, 34
- Volcanic constituent
 - apatite, 585
 - biotite, 585
 - brown glass, 584
 - clear glass, 583
 - clinopyroxene, 585
 - epidote, 585
 - glaucophane, 585
 - hornblende, 585
 - K-feldspar, 584
 - orthopyroxene, 585
 - plagioclase, 584
 - porphyritic glass, 584
 - quartz, 585
 - zeolites, 585
 - zircon, 585

- Volcanic deposition, 587
- Volcanic history, Site 292, 586
- Volcanic material, accumulation rate, 579
- Volcanic rocks, 609
- Volcanic sandstones, siltstones, 194
- Volcanic sediments, petrography, 583
- Volcaniclastic sediment, 133, 136
- Volcanics, Mesozoic, 440
- Volcanism, 5, 26, 31, 34, 68, 173, 281, 359, 517, 840
 - Oligocene, Site 296, 197
 - Palau-Kyushu Ridge, 34
 - Site 292, 577
 - Site 296, 577
- Volcano-tectonic activity, 508, 511
- Waikimoto Formation, 362, 851
- Water content, *see* physical properties
- Wavelength folding, 320
- Wedge-shaped sedimentary structures, 474
- West Philippine Basin, 5, 6, 25, 26, 34, 67, 131, 169, 176, 848, 859
 - basement, 618
 - physical properties, Site 293, 570
 - Pliocene, foraminifera, 34
 - sands, Site 293, 508
 - structure, 615
 - tectonic evolution, 68
- Wet bulk density, physical properties, 535
- X-ray diffraction analyses, 13
- Yamato Basin, 7, 359, 361, 362, 403, 490, 696, 849
 - physical properties, 553
 - sedimentation rate, 571
- Yamato Rise, 851, 7, 8, 403, 406, 411, 439, 447, 699, 700, 715
 - physical properties, 556, 571
 - Radiolaria, 717
- Yamato Rise, 411
- Yezo group, 359
- Zeolites, 585
- Zircon, 585