

A Review of Literature on Panchashirisha Agada: (Albizialebeck Benth)

Soniya M. P.*, Nataraj H. R., Niranjana R. N.

Department of Agada Tantra, Sri Dharmasthala Manjunatheshwara College of Ayurveda And Hospital, Hassan

ABSTRACT

Ayurveda is a branch of the science of well-being. The vast majority of Ayurvedic medication is derived from plants. Ayurveda's specific field of agada tantra (toxicology) emphasizes the many forms of poisoning and how to treat them. Various therapy modalities are employed in the management of distinct poisoning instances. One of the modalities called agada (antidote) is made by combining several anti-poisonous plants. Panchashirisha Agada is one of the important herbal medicines for Keeta Visha (insect bite) that the Shushruta Samhita mentions. It has broad-spectrum medicinal properties. The five parts of this plant are the fruit, root, bark, flower, and leaves. In Bruhattrayee (the major Ayurvedic treatises), several formulations of Shirisha with varying ways of administration have been recorded for the treatment of various poisons.

Keywords: Ayurveda, Panchashirisha, Visha, Agada, Anti-toxic, Herbal, Therapeutic

INTRODUCTION

Panchashirisha Agada is a formulation explained in *Sushruta*¹ & *Charaka samhita*² for the treatment of all type of Keeta Visha (Insect poisoning). This formulation can be used to treat various symptoms caused due to Keeta Visha and other related dermatological manifestations³. *Acharya Charaka* mentioned Shirisha as a best anti-poisonous drug and also mentioned in *Vishaghana Gana Dravyas* (antipoisonous drugs).⁴ Several pharmacological studies showed that extracts/fraction/compounds of leaves, bark, and flower of *Albizia lebeck* (L.) Benth exhibited significant antiallergic activity, anticancer, anticonvulsant, anti-inflammatory, antivenom, neuroprotective, antipyretic, antidiarrheal, and wound healing activities.⁵ Many of symptoms of *Keeta Visha* in general such as *Daha*, *Shopha*, and *Kandu* are similar to that of Histamine mediated anaphylactic reactions caused due to insect poisoning. Symptoms in insect poisoning are caused due to release of histamine from mast cell. Thereby produces immune response in the body causing allergic reaction resulting in release of chemicals like histamine, leukotriene which leads to symptoms like urticaria, wheezing, laryngitis, itching and even death. Internal

and external medicines about the management of Keeta Visha are mentioned in all classical Ayurvedic literature. As this agada is minimally used hence it is done to screen the effect of Panchashirisha Agada on cells. So, it is very much essential to evaluate the effects of *Panchashirisha Agada in Keeta Visha* to get the scientific proof to substantiate the Ayurvedic claims. I have chosen *Panchashirisha Agada* which is one of the potent formulations mentioned in *Shushruta Samhita*, which is indicated for Kita Visha (insect poison), [1] where all five parts of this plant are used; i.e., fruit, root, skin, flower and leaves. It is considered as one of the best medicines in treating toxicity.

RASA PANCHAKA⁶

Rasa- Kashaya, Tikta, Madhura
Guna- Laghu, Ruksha, Tikšana
Vipaka- Katu
Veerya- Anusna
Prabhava- Vishagna

Indication- Vishavikara, Shota, Shwasa, Kasa, Kushta, Kandu, Visarpa, Twakdosha, and Vivarnya.

CLASSIFICATION⁷

Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.



- Charaka Samhita: Vishaghna, Vedana Sthapana, Shirovirechana, Kashaya Skanda
- Sushruta Samhita : Salsaradi Gana
- Vagbhata: Asanadi Gana
- Amarkosh: Vanausadhi Varga

- Sausurat Nighantu: Salsaradi Gana
- Ashtanga Nighantu: Asandi Varga
- Dhanvantri Nighantu: Amaradi varga

CONTENTS OF PANCHSIRISHA AGADA

<i>Shirisha phala</i>	<i>Shirisha mula</i>	<i>Shrisha twak</i>	<i>Shirisha pushpa</i>	<i>Shirisha patra</i>
Fruit	Root	Bark	Flower	Leaves

DRAVYA SANGRAHA KALA⁸

Part Used	Ritu
<i>Phala</i>	<i>Grishma</i>
<i>Mula</i>	<i>Grishma, Sisira</i>
<i>Twak</i>	<i>Sarad</i>
<i>Patra</i>	<i>Varsha</i>
<i>Pushpa</i>	Acc to flowering season (acc to Charaka)

Additional Purposes of Different Part Shirisha

- *Shirisha Beeja* is used as *Prathisharana* in *Visha Chikitsa* and *Dantha kashta* (tooth brush twigs).⁹
- *Shirisha Twak* (bark), *Phala* (fruits), and *Sara* (heart wood) are utilized in several forms of *Mushika damsha* (rat bites), such as *Putraka*, *Krishna*, and *Kashaya danta*, for *Lepa* (ointments), *Paana* (internal treatment), and *Anjana*.¹⁰
- In a similar vein, *Sara* (heart wood) is utilized for *Shirovirechana* (*Nasya*), while *Phala* is used for *Vamana* (emesis).¹¹
- In *keeta visha* - *Shirisha Twak* (bark) is utilized for *Paana* (internal medicine), *Lepa chikitsa* (ointments), *Alepa* (external application), and *Seka in Keeta visha chikitsa* (insect poisoning).¹²
- In *Lutha visha* - *Shirisha Twak* (bark) is utilized for both *Paana* (internal treatment) and *Lepa* (ointment) in *Pitta Pradhana Luta Damsha* (spider bites).¹³
- In *mushika visha* - *Shirisha Twak* is employed in *Vishadagdha Vrana* as *Prathisharana* (rubbing).¹⁴

According to Modern Point of View¹⁵

- Botanical Name - *Albizia lebeck*.
- Classical Name – *Shirisha*
- English Name – *lebeck*
- Kannada name – *bage mara*
- Genus – *Albizia*

- Species - *A. lebeck*
- Family – *Fabacea*

Chemical Composition

The Phytochemical constituents of this plant reveals the Bark contains 7-11% tannins; Dcatechin D-leucocyanidin and it yield seven compounds. Including friedlan-3-one-and ysitosterol. The leaves contain echinocystic acid and it yield flavon, vicenin II and β -sitosterol. Flowers yield triterpinoids, saponins, labbekanin D and 4 saponins glycosides lebbckannins D, F, G & H. Mature leaves of *Albizzialebeck* contained keto acids including phosphoenolpyruvate, glyoxalate, oxalacetate and α -oxoglutarate; vicenin-2, reynoutrin, rutin, myricitrin and robinin from leaves. Leaves also have alkaloids, flavonoids, tanins, saponins. Oil obtained from seeds contains sterols, methyl sterols, triterpene alcohol, tocopherol, hydrocarbons and carotenoids, cycloeucalenol, 24-ethylphenol, cycloartenol. Compositional studies indicated carbohydrates as major components while saponin was found as a major antinutrient in both pods and seeds. Potassium was found in the highest amount and copper in the lowest.

DISCUSSION

The best is *Shirisha*. The following are analgesics: *Vedanasthapaka*, anti-inflammatory *Shothaghna*, anti-poisoning *Vrana Ropaka*, and *shamaka*



Tridosha.¹⁶ It directly eliminates the Visha and prevents its spread into the Rakta by calming the Bhrajaka Pitta, which is located in the *Twacha*. *Twak* is the primary portion of the plant that is utilized.¹⁷ Nasal inhalation, or *Nasya*, is one of the best is *Shirisha*. *Vedanasthapaka* is an elimination therapy that aids in clearing the nasal passage of pollutants, poison, and vitiated Doshas. *Sthavara Visha* (5th Vega), *Darveekar A Sarpadamsha* (3rd and 7th Vega), and *Rajimanta Sarpadamsha* (6th Vega) all mention it when a person is unconscious and exhibits symptoms of poisoning, including obstruction of the nose, eyes, tongue, throat, and ears. *Nasya* was poisoned by *Luta*.

CONCLUSION

Shirisha, according to *Ayurveda*, functions because of its *prabhava*, or *vishghna* activity. *Shirish* is a very promising plant in many different activities, as evidenced by the numerous alkaloids, flavonoids, tannins, saponins, and scientifically proven actions it possesses. For this reason, ancient *Aacharyas* referred to it as the *Vishaghna* plant. *Shirisha* is considered the best antipoisonous medication, according to *Acharya Charaka*, who also listed it in *Vishaghana Gana Dravyas* (antipoisonous drugs). *Shirish's* pharmacodynamics demonstrates that it has *Kashay* and *Tikta Rasa*. In bite situations, *Kashay Rasa* aids in the healing process while *Tikta Rasa* has antitoxic properties of its own. Numerous investigations carried out by various branches utilizing various plant parts have demonstrated antibacterial, analgesic, anti-inflammatory, anti-diarrheal, immunomodulatory, antiarthritic, anti-asthmatic, anticonvulsant, and anti-allergic properties.

REFERENCE

1. Acharya Y.T, editor, *Ayurvedadipika* Commentary of Sri Cakrapanidatta on *Charaka Samhita* of Agnivesha, *Chikithsasthana*; *Vishachikithsa* adhyaya: chapter 23, verse 14. Varanashi: *Chaukambha krishnadasa academy*, 2015.
2. Acharya Y T, editor, *Nibandhasangraha* Commentry of Sri Dalhanacharya on *Sushruta Samhita* of *susruta*, *Kalpa sthana*; *Annapanarakshakalpa*: chapter 1, verse 25-26. Varanasi: *Chaukambha surabharati prakashana*, 2014.
3. Acharya YT, editor, *Nibandhasangraha* Commentry of Sri Dalhanacharya on *Sushruta Samhita* of *susruta*, *Kalpa sthana*; *Keetakalpa*: chapter 8, verse 24-25. Varanasi: *Chaukambha surabharati prakashana*, 2014.
4. Acharya Y.T, editor, *Ayurvedadipika* Commentary of Sri Cakrapanidatta on *Charaka Samhita* of Agnivesha, *sutrasthana*; *shadvrechanaashrithiyaadhyaya*: chapter 4 verse Varanashi: *Chaukambha krishnadasa academy*, 2015.
5. Balkrishna A, Sakshi, Chauhan M, Dabas A, Arya V. A Comprehensive Insight into the Phytochemical, Pharmacological Potential, and Traditional Medicinal Uses of *Albizia lebbek* (L.) Benth. *Evid Based Complement Alternat Med.* 2022 Apr 21; 2022:5359669. doi: 10.1155/2022/5359669. PMID: 35497931; PMCID: PMC9050289.)
6. Acharya YT, editor, *Nibandhasangraha* Commentry of Sri Dalhanacharya on *Sushruta Samhita* of *susruta*, *Kalpa sthana*; *Annapanarakshakalpa*: chapter 1, verse 25-26. Varanasi: *Chaukambha surabharati prakashana*, 2014.
7. <https://jaims.in/jaims/article/view/1804/1913>
8. Acharya YT, editor, *Nibandhasangraha* Commentry of Sri Dalhanacharya on *Sushruta Samhita* of *susruta*, *Kalpa sthana*; *Keetakalpa*: chapter 8, verse 1-3 Varanasi: *Chaukambha surabharati prakashana*, 2014
9. *Susrutha Samhitha* of *Susrutha Nibandha Sangraha* Commentary of Sri Dalhana Acharya and *Nyaya Chandrikapanjika* of Sri Gayadasa Acharya. *kalpasthana*; *sthavaravishavigyaniya adhyaya*: 2/44-46. Varanasi. *Chaukamba Sanskrit Sansthan*, 2015; 566.
10. Kunti Anna Moreshwara editor. *Sarvanga sundara* of Arunadatta. *Ashtanga Hrudaya* of *Vagbhata*. *Uttarasthana*; *vishapratishedam adhyaya*, 35/21. Varanasi: *Chaukhambha Sanskrit Sansthan*, 2016; 804.
11. Kunti Anna Moreshwara editor. *Sarvanga sundara* of Arunadatta. *Ashtanga Hrudaya* of *Vagbhata*. *Uttarasthana*; *sarpavishapratisheda adhyaya*, 36/66. Varanasi: *Chaukhambha Sanskrit Sansthan*, 2016; 812.

12. Kunti Anna Moreshwara editor. Sarvanga sundara of Arunadatta. Ashtanga Hrudaya of Vagbhata. Uttarasthana; sarpavishachikitsa adhyaya, 36/72. Varanasi: Chaukhambha Sanskrit Sansthan, 2016; 812.
13. Jadavji T. Ayurveda Deepika commentary of chakrapanidatta on Charaka Samhitha of charaka, chikitsasthana, vishachikitsa adhyaya, 23/218. Varanasi; Chaukhambha prakshan, 2007; 580.
14. Pralhad Kasture Jyoti et al. A Literary Review of Lepa chikitsa w.s.r. to Chaturvinshati Upakrama. International Journal of Applied Ayurveda Research ISSN: 2347- 6362., 2016; II (7): 980-984. URL-www.ijaar.in
15. Bhavaprakasa Nighantu, Haritkyadi Varga/13; commonitory by K. C. Chuneker, ed 2002, Chaukhambha Barati Academy Varanasi, Pg 518-519.
16. Govinddas. Bhaishajyaratnavali, edited by shastri AmbikaDatta, Chukhambhaprakashan, Varanasi, edition 19th, 1100
17. Murthy S, Ashtang Hrudyam. Reprint Chaukham ba Krishnadas academy, Varanasi, Uttarsthan, 2006; III: 366.

HOW TO CITE: Soniya M. P.*, Nataraj H. R., Niranjana R. N., A Review of Literature on Panchashirisha Agada: (Albizialebbeck Benth), *Int. J. Sci. R. Tech.*, 2025, 2 (6), 262-265. <https://doi.org/10.5281/zenodo.15599332>