

T a u s c h - C a t a l o g

der deutschen malakozologischen Gesellschaft.

(NB. Die Preise in Reichsmark per Stück.)

	<i>Mk</i>		<i>Mk</i>
Neptunea despecta, L.		scorpio, L.	Molucken 2
Finmark	1-2	millepedea, L.	Ind. or. 2,50
Sipho glaber, V. (Kl.) "	1-2	chiragra, L.	" 3
Bela		multipes, Desh. (Prachtstück)	Maurit 11
turricula, v. nobilis, Möll "	1,20	Terebellum subulatum, Lm.	Oc. ind. 0,50
exarata Möll, (mitrula, Lov.)		Cerithium metula, Lov., Nw.	1
Finmark	0,50	Lithoglyphus	
declivis, Lov. (todt.) "	1	naticoides, Fer.	Croatia 0,20
Pingeli, Möll. "	1	" v. tener, Blz.	Donau, Banat 0,25
pyramidalis, Möll. v. pleuro-		pannonicus, Frfld. N.-Ung.	0,20
tomaria, Sars. Finmark	1,50	Rissoa	
violacea, M. & A.		saxatilis, Möll.	Finmark 0,10
versch. Local.	0,25	Jeffreysi, Malm.	" 0,25
tenuicostata, Sars. Lofoten.	2	cimicoides, Forb.	Lofoten 0,25
gigas Beck, V. Finmark	1,50	zetlandica, Mont.	Norw 0,30
Drillia		Bithynia bulimoides, Oliv	Syria 0,20
carinata Phil.	Lofoten 2	Turritella	
nivalis Lov.	" 2	acicula, Stimps. (todt)	N.-Amerika 0,30
Taranis Mörchii, Malm. Nrw.	1,20	Neritina	
Buccinum finmarkianum, V.		transversalis, Zgl. vera, non	0,20
Finmark	1,50	var.	Transylv.
Purpura		Calliostoma	
Cuma kioskiiformis, Ducl.		occidentalis, Migh.	Norw. 1,30
Columbia	1	Margarita	
Oliva		argentata, Gould.	N.-Amer. 0,50
erythrostoma, Lm. (minor)		bella, v. Sarsii, Verk. nov. sp.	Finmark 2,50
Philippinen.	0,60	albula Gould.	" 1
" Lm. (major) "	0,80	elegantissima Bean.	" 1
carneola, Gme.	0,25	undulata, Sow. versch. Loc.	0,25
Pyruia carnaria?	1,50	helicina, Fabr. N.-Amerika	0,10
Astyris		Scissurella crispata, Flm.	
rosacea, Gld.	Finmark 0,60	v. borealis	Norw. 0,50
Eulima stenostoma Jef. Norw.	1,50	Pilidium rubellum, Fabr.	
Cerithiopsis costulata, Möll.		N.-Amerika	0,80
Finmark	0,80		
Pterocera			
lambis, L.	Jnd. or. 0,80		
aurantia, Lam.	" 1,50		
rugosa, Sow.	Rodrigues 1,50		

		<i>M</i>		<i>M</i>
<i>Siphodentalium</i>			<i>Pupa</i>	
affinis, Sars.	Lofoten	1	avenacea, Drp. Württemb.	0,5
vitreum "	Finmark	2	secale, " "	0,5
			Bielzi, Rossm. Transylv.	2
<i>Dentalium</i>			<i>Clausilia</i>	
agile, Sars	Norw.	0,50	bogatensis, Blz.	0,20
<i>Chiton</i>			cana Held	0,15
marmoreus, Fabr. N.-Amer.		0,10	" " v. farta, A. Schm. "	0,20
marmoreus, v. pustulosus. "		1	" " " iostoma, A. Schm. Transylv.	0,20
ruber, L. N.-Amerika		0,20	" " " transylvanica, A. Schm. Transylv.	0,20
albus L.	"	0,30	canescens, Parr.	0,25
<i>Scaphander</i>			concilians, A. Schm.	0,20
punctostriatus, Mig. Lofoten		1,80	critica, Bielz	0,20
Atys naucum, L. Ind. or.		0,65	elata, Ziegl.	0,20
<i>Philine</i>			" " var. major	0,30
finmarchica, Sars. Finmark		0,80	elegans Blz.	0,30
<i>Glandina</i>			fallax, Rssm.	0,20
Cleriei, Weinl. Hayti	1,20-1,50		Fussiana, Blz. v. grandis	0,30
Leucochroa cariosa, Mich			" " v. pruinosa	0,30
Algier.	0,80		gulo Rssm.	0,40
<i>Helix</i>			laminata, Mntg.	0,30
hortensis, v. fagorum Weinl.			" " v. alpestris Blz.	0,40
Würtemb.	0,10		Lischkeana, Parr. v. livens Blz.	0,30
laticosta, L. v. Albino "	0,25		marginata, Ziegl.	0,20
plicata, Born. Panama	2		Marisii, Schm. (transylv. Zgl.)	0,20
arbuscula, L. (sehr dunkel)			Transylv.	0,20
Norw.	0,30		ornata, Ziegl. Styria	0,20
aethiops, Bielz. Transylv.	0,30		orthostoma, Mnke. Württemb.	
bidens, major (dibotryon, Friv.) Transylv.	0,40		u. Transylv.	0,20
faustina Ziegl.	"	0,40	pagana, Ziegl.	0,20
instabilis "	"	0,30	plicata, Drp. v. implicata, Blz.	0,20
lutescens "	"	0,40	regalis Blz.	0,30
Kollari, Zeleb. Serbien	0,40		" " varietas. Walachei	0,30
solaris, Mnke. Transylv.	0,25		rugicollis, Zgl. Transylv.	0,25
triaria, Friv. var. "	0,20		" " varietas. Banat	0,30
trizona, Ziegl. v. Mehadia, B.	0,40		stabilis, Ziegl. Transylv.	0,30
<i>Cochlostyla</i>			straminicollis, Par. v. contro-	
citrinus, Brug Molucken	0,60		versa, rechts u. links. Trans.	0,25
Chloris, Rve. (links u. rechts)			straminicollis, v. occidentalis, Blz.	0,40
Cochinch	0,80		latestriata, Blz.	0,20
comes Pfr.	1		<i>Baleo-Clausilia</i>	
sinistralis, Rve. Java	0,70		glaucia, Blz. v. minor	0,25
Bulimus virgulatus, Fér.			" " v. latens, Friv.	0,30
W.-Ind.	0,15			

	<i>Mk</i>		<i>Mk</i>
lactea, Blz. Transs.	0,40	Alcacia megastoma, Ad. Jam.	0,30
" v. glorifica, Par. "	0,30	Poromya granulata, Nyst. Nw.	2
livida, Mke. varietas "	0,35	<i>Neaera</i>	
<i>Auricula</i>		jugosa, Wood. Norw.	1
Auris Midae, L. (grandis) Mol.	1	obesa, Lov. "	1
<i>Limnea</i>		Tellina calcarea, Chm. boreal	0,40
elodes, Say. See Ontario	0,20	<i>Unio</i>	
jugularis, Say "	0,30	Delphinus, Lea. Cambodje	1,50
auricularia, Drp. v. parva. Trs.	0,20	gravidus, " "	1,80
<i>Planorbis</i>		Ingallsianus, " "	1,40
campanulatus, Say. See Ont.	0,20	Scobinatus, " "	1,20
bicarinatus, " "	0,20	Modiola phaseolina, Phil.	
parvus, " "	0,20	Finmark	0,10
corneus, L. Neusiedler See	0,20	Axinus Sarsii, Phil. grandis	
" varietas. Dalmatien	0,30	Norw.	2,50
similis, Blz. Transsylv.	0,30	Trigonia margaritacea, Lm.	
<i>Choanopoma</i>		N. Holld.	1,50
scabriusculum, Ad. Jamaica	0,40	Arca septentrionalis, Sars.	
<i>Adamsiella</i>		Lofoten	3
xanthostoma, Sow. "	0,40	Limopsis minuta, Phil. "	2,60
<i>Cyclostomus</i>		Nucula delphinodonta, Mig.	
Rollei, v. minor, Weini. Hayti	0,30	Finmark	0,80
costulatus, Zgl. Transsylv.	0,25	<i>Portlandia</i>	
<i>Chondropoma</i>		lenticula, Möll. Lofoten	0,50
pictum, Pfr. Cuba	0,50	" v. globosa Finmark	1
Pomatias cinerascens. Rsm.		intermedia, Sars "	1,50
Croatia	0,20	Malletia obtusa, Sars. Lofoten	2
<i>Lucidella</i>		<i>Lima</i>	
undulata, Pfr. Jamaica	0,30	Loscombii Sow. Norw.	1
<i>Helicina</i>		Sarsii, Lov. "	3
Bryanti, Pfr. Inagua	0,25	excavata, Chm. "	5
tropica, Jan. Texas	0,30	Pecten Hoskynsi, Forb. "	1,20

Der Tausch-Verein sucht gegen baar oder im Tausch: *Clausilia* strangulata, Fér.; fauciata, Parr.; thessalonica, Friv.; spreta, Friv.; moesta Fér.; biformis, Parr.; corpulenta, Friv.; somchetica Pfr., ossetica Parr. serrulata, Mm. Petr.; denticulata, Oliv.; semilamellata, Monss.; Siversi, Pfr. gracilicosta Ziegl. (frater Parr.) canalifera, Rossm. sodalis, Parr. — besonders auch Senaarensis, Pfr., nebst allen Arten aus Amerika ausser tridens.

Zu verkaufen:

Eine systematische Sammlung von über 1000 Species in vielen Varietäten, und ca. 10,000 Exemplaren Land, Süß.-W. u. See-Conchylien, besonders aus Ungarn und den süd-östl. Alpenländern; Adria, Mittel- und roth. Meer etc. Catalog im Tausch-Verein. Preis Mk. 450. — netto baar,



Verkrüzen, T. A. 1877. "Tausch-Catalog." *Nachrichtenblatt der Deutschen Malakozoologischen Gesellschaft* 9, 29–31.

View This Item Online: <https://www.biodiversitylibrary.org/item/97149>

Permalink: <https://www.biodiversitylibrary.org/partpdf/199109>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.