


Sedibeng District Municipality climate change fact sheet

Gauteng, South Africa

MUNICIPAL

Introduction


- This fact sheet is part of a series of district municipality fact sheets developed by the Wits GCI and SANBI. The fact sheets present a summary of observed and projected changes in climate over district municipalities in South Africa. They should be used together with the guidelines presented in the cover page.
- Sedibeng District Municipality covers an area of approximately 4 173 km² with an elevation ranging from 1 400 m in the flatter southwestern Vaal River system regions, to just over 1 900 m above sea level in the eastern and southern regions featuring grasslands on gently rolling hills.
- The district experiences a semi-arid to subtropical climate, with distinctly dry winters and warm, rainy summers. Higher rainfall amounts occur in the elevated areas with frequent summer thunderstorms.



Observed climate: rainfall (1981–2000)


Mean annual rainfall

Mean annual rainfall ranges from 640 mm over the flat southwestern and central parts to 700 mm in the north-eastern and southern highveld parts of the district.



Extreme rainfall days


The number of extreme rainfall days range from about 3 in the west to up to 5 over the southernmost and north-eastern parts.



Observed climate: temperature (1981–2000)


Mean annual temperature

Mean annual temperature ranges from 15.5 °C over the eastern highveld parts, gradually increasing to just over 17 °C over western, lower elevation areas.



Very hot days

Due to the high altitude, less than 1 very hot day occurs on average per year at a given location within the district.




Observed climate trends (overview)

- Observed decrease in mean annual rainfall (*low confidence*).
- Observed increase in the frequency of extreme rainfall events (*high confidence*).
- Observed increase in mean annual temperature and warm extremes (*virtually certain*).
- Observed increase in meteorological and agricultural drought (*low confidence*).

Projected future climate change (overview)

- Projected general decrease in mean annual rainfall in the near- and mid-future (*low confidence*) and far-future (*medium confidence*).
- Projected increase in the frequency of extreme rainfall events (*high confidence*).
- Projected increase in mean annual temperature and warm extremes (*virtually certain*).
- Projected increase in agricultural and meteorological drought in the near- and mid-future (*low to medium confidence*) and in the far-future (*medium to high confidence*).



Projected future climate change (*detailed*)



Near- and mid-future

- Projected general decrease in rainfall over the district (*low confidence*).
- Projected increase in extreme rainfall events (*likely*), with larger increases over eastern highveld areas.
- Projected increase in temperature and warm extremes (*virtually certain*); decrease in cold extremes (*very likely*).
- Projected increase in agricultural (*medium confidence*) and meteorological drought (*low confidence*).

Far-future

- Projected decrease in rainfall over the district (*medium confidence*).
- Projected increase in extreme rainfall events (*very likely*), with larger increases in the southeastern interior highveld parts.
- Projected increase in temperature and warm extremes (*virtually certain*), with larger increases over the western interior parts.
- Projected increase in agricultural (*high confidence*) and meteorological drought (*medium confidence*).

Climate model projections: model agreement and uncertainties



Mean annual rainfall

- Averaged across the district, rainfall decreases in the near- and mid-future are *more likely than not*.
- There is *medium confidence* of general rainfall decreases in the district in the far-future under low mitigation scenarios.
- Partially in response to *virtually certain* temperature increases, agricultural drought is to occur more frequently in the far-future (*high confidence*).

Mean annual temperature

- Temperature increases averaged across the district are *virtually certain* in the near-future, and may be as high as 2.0 °C.
- Under low mitigation, further temperature increases are *virtually certain* and may approach 3.0 °C in the mid-future and 6.0 °C in the far-future.
- Increases in average temperature will be accompanied by increases in warm temperature extremes such as heatwaves and high fire danger days (*virtually certain*).

Citation:

Engelbrecht, F.A., Maviza, A., Steinkopf, J., Vogel, C., Von Maltitz, G., Yose, P. & Barnett, M. 2025. *Sub-national climate change fact sheets for South Africa*. © South African National Biodiversity Institute (SANBI) and University of the Witwatersrand – Global Change Institute (WITS-GCI). DOI: <https://doi.org/10.5281/zenodo.16962181>.

This work is licensed under CC BY-NC-ND 4.0 (Attribution-NonCommercial-NoDerivatives 4.0 International).

<https://creativecommons.org/licenses/by-nc-nd/4.0/deed.en>.

Contact

- Global Change Institute (GCI), University of the Witwatersrand, Johannesburg, South Africa. Website: www.wits.ac.za/gci
- South African National Biodiversity Institute (SANBI). Website: www.sanbi.org