

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4 Dec	W1371	D	1	1	STD	53.09 ¹⁹	23.1	SW	
						53.15	23.1		
					5	24.05	22.5		
					15	26.55	22.5		
					25	26.35	22.5		
					35	27.67	22.5		
					45	29.28	22.4		
					55	28.46	22.4		
					65	30.43	22.4		
					77	28.28	22.4		
					86	29.69	22.4		
					95	29.19	22.4		
					105	29.23	22.4		
					115	28.85	22.3		
					125	29.96	22.3		
					135	29.14	22.3		
					146	27.48	22.3		
					STD	52.40	23.1		
					STD	52.41	23.1		
					STD	52.70	23.1		

WHAT?

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4 Dec	U1371	D	1	2	10	28.54	22.3		
					20	27.22	22.2		
					30	29.03	22.2		
					40	27.39	22.2		
					50	29.24	22.2		
					60	30.96	22.1		
					70	31.59	22.1		
					80	27.27	22.1		
					90	27.53	22.0		
					100	28.65	22.0		
					110	28.95	22.0		
					120	27.92	21.9		
					130	28.83	21.9		
					140	28.62	21.9		
						52.13	23.0	SW	
						52.18	23.0	SW	

Page 3

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4 Dec	W1371	D	1	3	10	28.0	21.8		
					20	27.54	21.8		
					30	29.02	21.9		
					40	28.66	21.9		
					50	30.07	21.9		
					60	28.96	21.9		
					70	28.80	21.9		
					STD	52.09	22.9		
					80	29.14	22.0		
					90	28.97	22.0		
					100	28.67	22.0		
					110	28.76	22.0		
					120	27.19	22.0		
					130	26.05	22.0		
					140	28.63	22.0		
					STD	52.10	22.9		

11/10/08

Page 2 of 4

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4 Dec	329	D	1	4	10	28.21	21.7		
					20	29.32	"		
					30	27.70	"		
					50	29.53	"		
					60	28.31	"		
					70	28.35	21.7		
					STD	52.06	22.9		
					80	30.11	21.6		
					90	29.77	"		
					100	28.66	"		
					110	28.12	"		
					120	26.67	"		
					130	29.04	21.6		
					140	29.38	21.6		
					STD	51.78	22.7		
					STD	51.77	22.7		

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4 Dec	U1371	D	Z	1	STD	51.56	22.6	SW	
						51.45	22.4		
					1080	29.15	20.9		messy!
					100	28.24	21.0		taking core where core is
					115	29.69	21.1		competent
					125	27.80	21.1		
					140	26.25.00	21.1		
					STD	51.06	22.2		Breaks +
				2	10	28.05	20.8		changes
					30	28.65	"		
					50	29.07	"		lithology
					70	26.56	"		
					80	24.10	"		
					90	27.76	"		
					100	28.66	"		
					120	28.48	"		
					135	29.57	"		
					145	28.04	"		

↑

↓

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4922	U1371 D		2	4	10	25.36	20.9		
					30	28.38	20.9		
					50	29.37	20.9		
					70	27.30	20.9		
					90	24.83	20.6		
					108	28.16	20.6		
					130	28.63	20.6		
					150	27.26	20.6		
					STD	50.61	21.6	SW	
				5	10	25.05	20.9		
					30	28.12	20.9		
					50	28.28	20.9 20.7		
					70	28.00	20.7 20.6		
					90	26.86	20.7		
					107	25.52	20.7		
					127	24.62	20.7		

4922 U1371 D 2 4 10 25.36 20.9
 30 28.38 20.9
 50 29.37 20.9
 70 27.30 20.9
 90 24.83 20.6
 108 28.16 20.6
 130 28.63 20.6
 150 27.26 20.6
 STD 50.61 21.6 SW
 5 10 25.05 20.9
 30 28.12 20.9
 50 28.28 ~~20.9~~ 20.7
 70 28.00 ~~20.7~~ 20.6
 90 26.86 20.7
 107 25.52 20.7
 127 24.62 20.7

512 84.05 21.5
 512 84.05 21.5

4922 U1371 D 2 4 10 25.36 20.9
 30 28.38 20.9
 50 29.37 20.9
 70 27.30 20.9
 90 24.83 20.6
 108 28.16 20.6
 130 28.63 20.6
 150 27.26 20.6
 STD 50.61 21.6 SW
 5 10 25.05 20.9
 30 28.12 20.9
 50 28.28 ~~20.9~~ 20.7
 70 28.00 ~~20.7~~ 20.6
 90 26.86 20.7
 107 25.52 20.7
 127 24.62 20.7

[illegible]

pg 10
178815

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1371		3	1	570	51.22	23.0		
					10	26.58	21.4 21.4		
					50 50	27.39	21.4		
					70	26.80	21.4		
					90	27.43	21.3		
					110	27.67	21.3		
					130	27.99	21.3		
					570	50.68	22.5		
				2	10	28.54	21.1		
					30	25.60	21.1		
					50	27.45	21.1		
					70	25.64	21.1		
					90	28.82	21.1		
					110	27.12	21.1		
					130	27.36	21.1		
					570	51.06	22.5		

PG11

HARRIS

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1371	D	3	3	10	26.66	20.9		
					30	24.64	20.9		
					50	23.99	20.9		
					70	26.55	20.9		
					90	26.96	20.9		
					110	26.01	20.9		
					130	24.93	20.9		
					130 145	22.92	20.9		
					570	50.90	22.5		
				4	10	26 25.01	21.1		
					30	25.06	21.1		
					50	25.91	21.1		
					70	25.19	21.1		
					90	23.92	21.1		
					110	26.08	21.1		
					130	24.56	21.1		
					STD	50.95	22.3		

P612
10/2/15

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		P6	3	5	10	27.49	21.3		
					30	26.36	21.3		
					50	27.82	21.3		
					70	25.60	21.3		
					90	23.96	21.3		
					110	25.77	21.2		
					130	26.39	21.3		
					570	50.63	22.2		
				6	10	26.40	21.1		
					30	27.46	21.1		
					50	24.36	21.1		
					70	26.40	21.1		
					90	22.76	21.1		
					110	26.86	21.1		
					130	25.70	21.1		
					570	50.37	22.0		

2613
2214

[illegible]

p614

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1371	D	4	2	10	24.29	21.7		
					30	27.00	21.7		
					50	27.19	21.7		
					70	26.05	21.7		
					90	26.18	21.7		
					110	26.85	21.7		
					130	23.48	21.7		
					145	24.22	21.7		
					570	50.36	22.1		
				3	10	26.35	21.6		
					30	25.37	21.6		
					50	25.06	21.5		
					70	21.06	21.5		
					90	26.00	21.5		
					110	25.57	21.5		
					130	24.05	21.5		

145 26.29 21.5
570 50.72 22.4

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1371	D	4	4	10	27.51	21.6		
					30	27.10	21.6		
					50	26.27	21.5		
					70	25.56	21.5		
					90	26.63	21.5		
					110	24.29	21.5		
					130	24.83	21.5		
					145	24.66	21.5		
				5	570	50.69	22.2		
					10	25.73	21.4		
					30	25.97	21.4		
					50	27.15	21.4		
					70	25.94	21.2		
					90	24.85	21.2		
					110	25.07	21.2		
					130	24.63	21.2		

145 25.73 21.2
570 50.40 22.0

9615
170015

8617

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1371	D	5	3	10	25.06 ^{24.87}	22.0		
					30	27.53	22.0		
					50	26.17	22.2		
					75	25.77	22.2		
					90	27.23	22.2		
					110	26.51	22.2		
					130	25.46	22.2		
					145	25.52	22.2		
					STD	50.61	22.4		
		D	5	4	10	23.96	22.1		
					30	26.64	22.1		
					50	26.12	22.1		
					70	26.20	22.0		
					90	26.24	22.0		
					110	26.09	22.0		
					130	24.52	22.0		

22.0

25.09

145

4

5

D

U1371

Date

22.4

50.49

STD

P618

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	V1371	0	5	5	15	27.36	21.8		
					30	27.72	21.8		
					50	26.74	21.8		
					70	26.72	21.7		
					90	25.54	21.7		
					110	26.28	21.7		
					130	26.01	21.76		
					145	25.80	21.6		
					570	50.61	22.84		
				6	10	20.77	21.7		
					30	24.15	21.6		
					50	25.53	21.6		
					570	50.41	22.8		
		6	2	2	2570	50.38	22.8		SECTION 18 UNDER PART OF 25 DIST.
					60	30.55	22.0		
					80	28.15	22.0		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1371	D	6	2	100	23.61	22.0		
					123	18.85	22.0		
					140	27.35	22.0		
					570	50.67	22.6		
				3	15	28.2 27.98	22.6 21.7		
					30	27.87	21.7		
					50	26.70	21.7		
					70	27.23	21.6		
					90	29.04	21.6		
					110	26.51	21.7		
					130	26.69	21.6		
					145	27.06	21.6		
					570	50.38	22.5		
				4	10	25.54	21.7		
					30	25.94	21.7		
					50	25.72	21.7		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1371	D	6	6	10	24.45	21.5		
					30	25.35	21.4		
					50	24.05	21.4		
					70	24.51	21.4		
					85	26.41	21.4		
				7	10	26.69	21.3		
					30	28.01	21.3		
					45	28.12	21.3		
					570	50.13	?		
5 Dec	U1371	D	7		STD	49.62	22.3	SW	
					10	49.63	22.2	SW	
					10	27.77	21.4		
					30	26.51	21.4		
					50	24.51	21.4		
					70	23.41	21.4		

RH ↑

BH ↓

90 23.91 21.5
110 22.95 21.5
130 24.12 21.5

page 22

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Dec	1371	D	7	①	147	23.54	21.4		
				STD		49.12	21.6	SW	
				STD		49.09	21.6	SW	
				②	10	21.41	20.8		
					30	24.80	20.8		
					50	22.20	20.8		
					70	21.78	21.1		
					88	23.80	21.1		
					109	21.05	21.1		
					130	21.64	21.1		
					148	24.13	21.1		
				STD		48.91	21.7		
						48.95	21.6		
				③	15	24.45	20.9		
					25 35	23.31	20.9		
					55	23.03	20.9		

75 23.76 21.0
 95 22.50 21.0
 115 21.40 21.0

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Dec	W371	D	7	23	135	25.56	21.0		
				STD		48.92	21.8	SW	
					STD	48.91	21.8	SW	
				4	5	24.59	20.7		
					25	24.36	20.7		
					45	24.33	20.7		
					65	23.00	20.7		
					83	24.76	20.6		
					105	22.90	20.6		
					125	23.05	20.6		
					145	21.36	20.6		
				STD		48.98	21.9	SW	
				5	10	22.53	20.5		
					30	22.98	20.5		
					50	20.71	20.5		
					70	20.67	20.6		

90 23.00 20.5
 110 23.22 20.5
 130 22.03 20.5

[illegible]

9625

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1371	D	8	1	570	49.44	22.5		
					10	23.82	21.7		
					30	21.05	21.7		
					50	21.65	21.6		
					70	23.28	21.6		
					90	23.60	21.6		
					110	22.62	21.5		
					130	23.32	21.5		
					145	24.36	21.5		
					570	49.22	22.2		
				2	10	24.70	21.3		
					30	22.92	21.3		
					50	24.14	21.2		
					70	23.12	21.2		
					90	21.75	21.2		
					110	23.83	21.2		

130 21.46 21.2
 145 17.36 21.2
 570 49.07 22.2

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		D	8	3	10	23.90	21.2		
					30	26.05	21.2		
					50	24.63	21.2		
					70	21.67	21.2		
					90	22.83	21.2		
					110	24.14	21.2		
					130	23.54	21.2		
					145	25.30	21.2		
					570	48.50	22.3		
			8	4	10	24.16	21.2		
					30	23.55	21.2		
					50	22.06	21.2		
					70	25.28	21.2		
					90	24.74	21.2		
					110	24.56	21.2		
					130	23.85	21.2		

145 24.72 21.2
570 49.12 22.3

HARRIS

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	V1371	D	8	5	10	25.22	21.2		
					30	24.24	21.2		
					50	20.15	21.2		
					70	23.59	21.2		
					90	22.92	21.2		
					110	22.45	21.2		
					130	23.56	21.3		
					145	23.00	21.3		
					STD	49.01	22.3		
					10	23.52	21.1		
					30	22.90	21.1		
					50	22.77	21.1		
					70	21.51	21.1		
					90	23	21.1	23.21	
					105				
					STD	48.30	22.2		

78
Holes

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	US71	D	9	1	570	48.35	22.1		
					70	23.16	21.4		
					90	23.74	21.4		
					110	23.30	21.4		
					130	22.30	21.4		
					145	22.34	21.4		
					570	48.70	22.4		
				2	10	24.65	21.2		
					30	23.25	21.2		
					50	24.49	21.2		
					70	22.89	21.2		
					90	21.92	21.2		
					120	25.09	21.2		
					140	22.95	21.2		
					145				
					570	48.47	22.1		

29
RWA

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		0	9	3	10	22.76	21.5		
					30	19.51	21.5		
					50	23.65	21.5		
					70	22.40	21.5		
					90	21.49	21.4		
					110	21.43	21.4		
					130	21.23	21.4		
					145	22.91	21.4		
					570	48.68	22.2		
				4	10	24.72	22.30 21.4		
					30	22.83	21.4		
					50	22.30	21.4		
					70	22.85	21.3		
					90	23.45	21.3		
					110	23.27	21.3		
					130	22.42	21.3		

145 22.34 21.3
570 48.56 22.2

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			9	7	5	23.2	21.0		
					40	19.82	21.0		
					61	21.43	20.9		
					80	22.20	20.9		
					95	20.87	20.8		
					570	48.55	22.2		
					—	PLATINUM	—		
			10	1	570	52.51	22.8		
					10	27.10 27.10	20.5		
					30	24.25	20.5		
					50	21.69	20.5		
					70	25.40	20.5		
					90	24.63	20.5		
					110	24.65	20.6		
					130	24.09	20.6		
					145 570	51.85	22.8		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			10	2	10	25.90	20.7		
			.		30	22.57	20.7		
					50	21.46	20.9		
					70	23.47	20.9		
					90	23.49	20.9		
					110	24.56	20.9		
					130	24.47	20.9		
					145	25.10	20.9		
				3	570	51.54	22.9		
					10	24.44	21.4		
					30	25.06	21.4		
					50	25.21	21.4		
					70	24.89	21.4		
					90	25.29	21.4		
					110	25.60	21.4		
					130	25.18	21.4		

145 24.32 21.4
570 57.33 23.0

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		D	10	4	10	25.60	21.5		
					30	23.64	21.5		
					50	24.47	21.3		
					70	23.24	21.3		
					90	23.80	21.3		
					110	23.49	21.3		
					130	24.44	21.3		
					145	24.20	21.3		
					570	51.56	22.6		
				5	10	23.92	21.4		
					30	24.11	21.4		
					50	24.43	21.4		
					70	24.57	21.3		
					90	24.08	21.3		
					110	25.81	21.3		
					130	24.83	21.3		

145 26.26 21.3
570 50.49 22.9

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		D	Ø10	6	10	25.54	21.2		
					30	24.57	21.2		
					50	23.57	21.2		
					70	23.56	21.2		
					90	23.80	21.2		
					110	23.68	21.2		
					130	23.50	21.1		
					145	18.48	21.2		
					570	50.10	22.8		
					10	26.39	21.4		
					25	25.47	21.4		
		0	11	1	570	50.03	23.1		
					50	26.97	21.4 21.4		
					70	25.40	21.4		
					90	24.83	21.2		
					110	25.12	21.1		

130 25.16 21.1
 145 24.97 21.1
 570 49.95 22.9

pg 35

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		0	11	2	15	76.13	21.0		
					30	25.20	21.0		
					50	25.81	21.0		
					69	25.63	20.9		
					90	25.47	20.9		
					110	22.97	20.9		
					130	23.44	20.9		
					145	23.46	20.9		
					570	49.53	22.7		
				3	10	23.87	21.1		
					30	21.76	21.0		
					50	25.21	21.0		
					70	19.62	21.0		
					90	23.34	21.1		
					110	23.95	21.1		
					130	23.07	21.1		

145 22.94 21.1
570 49.25 22.4

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			11	4	10	20.55	20.9		
					30	22.99	20.9		
					50	22.87	20.9		
					70	23.06	20.9		
					90	21.50	20.9		
					110	21.81	21.0		
					130	21.14	21.0		
					145	21.98	21.0		
					570	48.31	22.3		
			11	5	10	19.90	21.2		
					30	21.53	21.2		
					50	21.80	21.1		
					70	20.83	21.1		20.85
					90	20.57	21.1		
					110	21.00	21.1		
					130	20.07	21.1		

145 19.74 21.1
570 48.53' 22.2

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U137H	D	11	6	10	20.12	21.4		
					30	19.93	21.3		
					50	21.65	21.3		
					70	21.52	21.3		
					90	21.49	21.3		
					110	21.85	21.3		
					130	21.01	21.3		
					145	19.74	21.3		
					570	48.74	22.0		
				7	10	20.60	21.0		
					25	17.93	21.0		
			12	570	48.5 570	49.57	22.8		
					10	23.56	20.4		
					30	20.85	20.4		
					50	23.27	20.4		
					70	23.21	20.4		

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			12	3	10	16.67	21.0		
					30	15.82	21.0		
					50	15.19	21.0		
					70	15.07	21.0		
					90	13.87	21.1		
					110	13.87	21.1		
					125	14.46	21.1		
					125 570	48.46	22.6		
			12	4	10	14.97	21.2		
					30	14.15	21.2		
					50	14.15 13.26	21.2		
					70	13.85	21.2		
					90	13.10	21.2		
					110	13.16	21.2		
					130	13.21	21.2		
					145	13.55	21.2		

570 48.61, ~~22.2~~ 22.4

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			12	5	10	14.03	22.4		
					30	13.68	21.2		
					50	13.10	21.2		
					70	12.73	21.2		
					90	12.93	21.2		
					110	12.25	21.2		
					130	12.75	21.2		
					145	12.48	21.2		
					570	48.84	22.4		
					10	13.33	21.2		
5 Dec	4371	D	12	6	30	12.73 13.53	21.2		
					50	12.48	21.2		
					70	12.18	21.2		
					90	12.18 11.94	21.2		
					110	11.92	21.2		
					130	12.21	21.2		

147 9.91 21.2

510 48.73 22.7

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			12	7	10	10.68	20.9		
					30	12.68	20.9		
					EOC				
				STD		48.71	22.6	SW	
				STD		49.16	23.2	SW	
6022	W3718 P	13		①	40	18.54	21.7		still fine?
					60	18.24	21.7		
					80	17.46	21.7		
					100	15.06	21.6		
					120	14.90	21.4		
					147	18.02	21.4		Still disturbed?
				STD		49.07	22.9	SW	
				STD		48.54	22.8		
				②	15	16.02	21.4		
					35	15.95	21.4		

55 13.34 21.4
 75 12.43 21.1
 95 11.98 21.1

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
6 Dec	U1371	D	13	2	115	11.30	21.0		
						11.47	21.0		
						48.87	22.8		
				STD					
				3	5	13.31	21.1		
					25	11.75	21.0		
					45	11.31	21.0		
					65	11.30	21.0		
					85	11.61	21.0		
					9105	11.93	20.8		
					125	11.20	20.9		
					145	11.50	20.9		
				STD		48.78	22.7		
					15	12.24	21.2		
					35	12.17 11.43	21.2		
					55	11.47	21.2		
					75	11.21	21.2		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
6 Dec	1371	D	13	4	95	11.35	20.9		
					115	11.13	20.9		
					135	11.92	20.9		
				500		48.55	22.7		
				5	5	12.81	21.0		
					25	12.59	21.0		
					45	11.74	21.0		
					65	12.41	20.8		
					85	12.07	20.8		
					105	12.20	20.8		
					125	12.22	20.7		
					145	11.91	20.7		
				STD		48.45	22.4		
				⑥	10	11.55	21.1		
					30	12.25	21.1		
					50	12.23	21.1		
					70	13.53	21.1		

page 44

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
6 Dec	U1371	D	13	6	90	12.83	20.8		
					110	13.29	20.8		
				(STD)		48.44	22.6		
				7	10	13.22	21.0		
						13.48			
					30	13.30	21.0		
					50	13.48	21.0		
					68	13.80	21.0 21.1		
				(STD)		48.41	22.5		
				510		49.50	22.7		
			14	1	70	14.22	21.5		
					90	13.54	21.5		
					110	14.03	21.5		
					130	12.50	21.5		
					145	12.05	21.5		
					570	48.64	22.6		

pg 45

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			14	2	10	12.34	21.2		
					30	11.73	21.2		
					50	11.49	21.2		
					70	11.20	21.2		
					90	11.83	21.2		
					110	11.13	21.2		
					130	11.00	21.2		
					145	11.19	21.2		
					570	48.79	22.7		
			14	3	10	11.93	21.2		
					30	11.36	21.2		
					50	10.58	21.2		
					70	10.39	21.2		
					90	10.62	21.2		
					110	10.42	21.2		
					130	10.82	21.2		

145 10.10 21.2
570 48.67 22.4

100

HAZUS

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1368	B	1	1	STD	53.14	23.2		
					STD	52.99	23.2		
		B	1	1	STD 10	23.13	21.8		
					20	21.65	21.7		
					30	23.32	21.7		
					40	22.23	21.7		
					50	23.11	21.6		
					60	24.33	21.6		
					70	25.05	21.6		
					STD	52.74	23.0		
					80	25.45	21.5		
					90	26.12	21.5		
					100	25.04	21.5		
					110	23.40	21.5		
					120	23.99	21.5		
					130	25.05	21.5		

140 23.79 21.5
 STD 52.71 23.0

160025

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1368	B	1	2	10	23.88	21.6		
					20	23.00	21.6		
					30	23.04	21.6		
					40	22.66	21.6		
					50	23.52	21.6		
					60	23.67	21.6		
					70	22.87	21.6		
					570	52.78	23.1		
					80	24.55	21.8		
					90	22.90	21.8		
					100	24.54	21.8		
					110	23.13	21.7		
					120	22.07	21.8		
					130	22.87	21.8		
					140	22.59	21.6		
					570	52.86	23.2		

17 MAR 15

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1368	B	1	3	10	21.50	22.2		
					20	20.84	21.8		
					30	21.62	21.7		
					40	20.16	21.7		
					50	22.04	21.7		SILTY
					60	23.68	21.7		
					70	22.73	21.7		
					STD	52.87	23.2		
					80	24.70	21.7		
					90	22.24	21.6		
					100	22.94	21.5		
					110	23.50	21.5		
					120	23.78	21.5		
					130	22.93	21.5		
					140	22.40	21.5		
					STD	52.98	23.1		

[illegible]

Hopper

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/14/10	41368	B	2	1	Seawater	51.84	22.0	Seawater	
					Seawater	52.73	22.8	Seawater	5 minutes later
					Seawater	52.49	22.4	Seawater	5 minutes later
					Seawater	52.74	22.8	Seawater	Immediately
				1	10	24.57	21.3		
					20	24.09	21.4		
					30	23.55	21.4		
					40	23.86	21.4		
					50	23.81	21.4		
					60	24.33	21.4		
					70	23.13	21.4		
					Seawater	52.68	22.9	Seawater	
					80	24.49	21.3		
					93	24.57	21.3		
					101	23.99	21.4		
					110	23.59	21.4		

120 23.82 21.4

130 22.94 21.4

140 23.78^a 21.4

n (xi) in down

happy

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/4/10	u368	B	2	2	10	23.37	21.3		
					20	23.56	21.3		
					30	23.15	21.3		
					40	23.31	21.3		
					50	24.04	21.3		
					60	23.79	21.3		
					70	23.01	21.3		
					Seawater	52.71	22.8		
					80	23.99	21.4		
					90	23.36	21.4		
					100	23.16	21.4		
					110	22.69	21.4		
					120	22.49	21.4		
					130	23.29	21.4		
					140	23.87	21.4		
					Seawater	52.71	22.8		

Hopper

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
4/14/10	U1368	B	2	3	10	22.41	21.3		
					20	23.11	21.3		
					30	22.25	21.3		
					40	22.49	21.3		
					50	22.45	21.3		
					60	23.03	21.3		
					70	22.92	21.3		
				Seawater		52.75	22.9	Seawater	
					80	23.03	21.4		
					93	23.86	21.4		
					101	24.38	21.4		
					110	24.28	21.4		
					120	24.83	21.4		
					130	24.93	21.4		
					140	25.45	21.4		
					148	24.98	21.4		

Seawater 52.81 23.0

Uppre

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/14/10	41368	B	2	4	10	24.45	21.3		
					20	23.979	21.3		
					30	24.12	21.3		
					40	23.49	21.3		
					50	23.57	21.3		
					60	23.62	21.3		
					70	24.23	21.3		
				Seawater		52.85	23.0	Seawater	
					80	24.18	21.3		
					90	24.81	21.3		
					100	24.75	21.3		
					110	24.13	21.3		
					120	24.98	21.3		
					130	24.87	21.3		
					140	25.03	21.3		
				Seawater		52.82	22.9	Seawater	

Henry

[illegible]

Hypoxia

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/14/10	U1368	B	2	6	10	23.26	21.2		
					20	18.14	20.34	21.3	
					2	20.08 16.08	21.3		
					38	16.08	21.3		
					50	16.61	21.3		
					60	18.01	21.3		
					70	17.93	21.3		
			?	Seawater		51.79	22.4		
					80	20.16	21.0		
					93	21.37	21.0		
					110	7.23	21.0		disturbed. coarse sand - dest?
					120	24.39	21.1		
					130	21.26	21.1		
					140	23.65	21.1		
			?	Seawater		52.1	22.6		3
				Seawater		52.1	22.6		3

23 May

[illegible]

17/02/15

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Nov 10	U1367	B	3	1	570	52.21	22.5		
					10	22.07	21.6		
					20	21.75	21.6		
					30	21.62	21.6		
					40	22.69	21.6		
					50	22.63	21.6		
					60	22.60	21.6		
					70	22.20	21.6		
					80	23.05	21.5		
					570	52.51	22.5		
					90	23.30	21.3		
					100	22.77	21.2		
					110	22.56	21.1		
					120	22.31	21.1		
					130	23.01	21.1		
					140	22.04	21.2		

5710 32.55 22.1

HRH

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Nov 10	U1367	B3	3	2	10	21.60	21.5		
				2	20	22.38	21.5		
				2	30	22.50	21.5		
					40	22.75	21.5		
					50	22.06	21.5		
					60	22.87	21.5		
					70	22.81	21.5		
					80	22.52	21.5		
			570		870	51.95	21.9		
					90	22.37	21.4		
					100	21.99	21.4		
					110	21.49	21.4		
					120	21.74	21.4		
					130	20.29	21.4		
					140	21.47	21.4		
					570	52.08	21.9		

17/02/15

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Nov 10	01367	B	3	3	10	22.31	21.8		
					20	21.83	21.8		
					30	21.43	21.8		
					40	21.14	21.7		
					50	20.57	21.7		
					60	21.35	21.7		
					70	21.75	21.7		
					80	22.42	21.7		
					87.5	55.15	21.9		
					90	21.60	21.2		
					100	21.75	21.6		
					110	21.35	21.6		
					121	21.11	21.6		
					130	21.12	21.6		
					140	20.85	21.6		
					57.5	51.55	21.8		

HRA

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5/11/10	01367	B	3	4	10	22.00	21.9		
					20	21.68	21.9		
					30	21.35	21.9		
					40	20.69	21.9		
					50	21.35	21.9		
					60	21.79	21.9		
					70	21.06	21.8		
					80	21.04	21.8		
					570	51.44	21.6		
					90	20.32	21.4		
					100	21.15	21.4		
					110	20.12	21.4		
					120	19.34	21.4		
					130	20.12	21.4		
					140	20.90	21.4		
					570	51.41	21.6		

Nov 5 2010

H2A

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
01367	7	B	3	5	10	20.92	21.6		
					20	16.98	21.5		STIFF
					30	17.05	21.5		
					40	13.35	21.5		
					50	16.94	21.5		
					60	16.40	21.5		
					70	16.17	21.5		
					570	51.30	21.7		
					80	17.50	21.4		
					90	16.74	21.4		
					100	15.59	21.5		
					110	14.38	21.5		
					120	13.94	21.5		
					130	14.50	21.5		
					140	8.44	21.5		
					570	50.98	21.7		

HACA

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5-11-10	U1367	B	3	6	10	17.21	21.6		SPT
					20	17.53	21.6		
					30	16.68	21.6		
					40	18.83	21.5		
					50	18.44	21.5		
					60	18.24	21.5		
					70	18.42	21.5		
					STD	51.25	21.8		
	U1367	B	1	1	STD	51.79	22.1		
				1	2	27.98	21.0		
					10	26.87	21.0		
					20	28.21	21.0		
					30	26.74	21.0		
					40	26.31	21.0		
					50	26.00	21.0		
			1	1	60	25.15	21.0		

73 20 75
STD24.68
51.8525.1
22.1

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/7/10	1367	B	1	1	80	24.14	21.1		
					90	25.06	21.1		
					100	24.40			
					110	23.63	21.1		
					120	25.20	21.1		
						23.67			
					130	24.63	21.1		
					140	24.78	21.1		
				STD		25.71	22.1	STD SEAWATER	
			1	2	10	25.25	20.9		
					20	23.68	20.9		
					30	24.70	20.9		
					40	23.91	20.9		
					50	24.49	20.9		
					60	24.65	20.9		
					74	24.03	20.9		
				STD		51.86	22.0		
					80	24.79	20.9		

90 24.40 20.9
100 23.61 20.9

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/7/0	1367	B	1	2	110	23.15	20.9		
					120	24.43	20.9		
					130	24.40	20.8		
					140	24.71	20.8		
				STD		51.78	21.9	STD	
				3	2	25.72	20.9		
					10	25.54	20.9		
					20	25.20	20.9		
					30	24.97	20.9		
					40	24.38	20.9		
					50	25.21	20.9		
					60	25.78	20.9		
					74	25.74	20.9		
				STD		51.75	22.0	STD	
					80	26.70	20.8		
					90	25.98	20.7		

100 27.16 20.7
110 26.47 20.7

1 Nov 10
BWH

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1367	B	1	3	120	26.37	20.7		
					130	26.85	20.7		
					140	27.40	20.7		
				STD		51.83	21.8		
				4	2	27.45	20.8		
					20	26.91	20.8		
					30	26.89	20.8		
					40	26.63	20.8		
					50	26.01	20.8		
					60	27.19	20.8		
					70	26.03	20.8		
					80	27.14	20.8		
					88	27.57	20.8		
				STD		51.74	21.9	STD	
				Bottom of					
				Core					

Burt
7/11/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
7/11/10	41367	B	2	1	50	51.8777	22.0	Seawater	Std.
					5	27.2	21.0		bm clay
					10	28.81	21.0		"
					20	20.32	20.8		marl
					30	20.89	20.8		"
					40	21.30	20.8		"
					50	20.95	20.8		"
					60	20.22	20.8		"
					70	21.11	20.8		"
						51.74	21.8		"
					80	20.21	20.8		"
					90	20.93	20.8		"
					100	21.11	20.8		"
					110	21.23	20.8		"
					120	20.73	20.8		"
					130	20.50	20.8		"

140 20.23 20.8
51.74 21.9
STD

BWH
7/11/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	u1367	B	2	2	10	20.11	20.9		marl
					20	19.58	20.9		"
					30	19.90	20.9		"
					40	19.89	20.9		"
					50	19.95	20.9		"
					60	21.11	20.9		6 in clay
					70	22.44	20.9		"
					STD	51.71	21.9	STD	SEA WATER
					80	19.44 20.34	20.9		trans zone
					90	19.96 20.54	20.9		marl
					100	19.83 19.92	20.9		"
					110	20. 19.93	20.9		"
					120	20.43	20.9		"
					130	19.43	20.9		"
					140	20.23	20.9		"
					STD	51.68	21.9	STD	

South
7/11/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
7/11/10	U1367	13	2	3	5	19.8	20.8		
					15	18.47	20.8		
					25	19.20	20.8		
					35	18.96	"		
					45	19.05	"		
					55	18.64	"		
					65	18.73	"		
					75	19.88	"		
				STD		51.64	21.9		
					85	20.12	20.8		
					95	20.00	20.8		
					105	20.41	"		
					115	20.12	"		
					125	19.59	"		
					135	20.57	"		
					145	19.63	"		

Boat
7/11/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
7/11/10	U1367	B	3	4	STD	51.60	21.8	STD SEAWATER	
					10	19.34	20.9		Marl
					20	19.28	"		"
					30	18.75	"		"
					40	19.76	"		"
					50	19.41	"		"
					60	20.12	"		"
					70	20.16	"		"
					STD	51.58	21.8	STD	
					80	21.12	20.9		
					90	21.03	20.8		
					100	21.12	20.8		
					110	20.84	20.8		
					120	20.65	"		
					130	21.16	"		
					140	20.93	"		
					STD	51.51	21.8		

[illegible]

[illegible]

5 Nov 10
BWA

[illegible]

SNOV10
NW #

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
SNOV10	U1366	F	4	1	2	41.47	20.75	} Temp probe in crevice hole	
			4	1	13	38.73	20.75		
			4	1	24	38.97	20.5		
			4	1	452	42.47	20.3		
			4	1	74	43.62	20.4		
			Seawater			50.74	20.2	Seawater	
			4	1	102	40.41	20.2		
			4	1	112	41.05	20.2		
			4	1	121	37.32	20.3		
			4	1	143	36.32	20.5		
			4	2	2	37.11	20.7		
			4	2	41	36.48	20.7		
			4	2	71	37.50	20.7		
			Seawater			50.73	20.2		
			4	2	111	34.07	20.5		
			4	3	2	36.94	20.5		

5W0V10
BWT

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5W0V10	U1366	F	3	5	1	33.04	20.2		
				5	11	31.96	20.2		
				5	21	32.47	20.2		
				5	56	32.52	20.2		
				5	92	34.83	20.3		
				5	141	33.59	20.3		
				Sea water		50.71	20.1	Sea water	
				5 6	13 3	36.31	20.0		
				6	13	35.92	20.1		
				6	22	36.36	20.2		
				6	42	37.15	20.2		
				6	62	40.74	20.1		
				6	72	39.29	20.2		
				Sea water		50.74	20.3		
				7	2	43.48	20.1		
				7	12	38.62	20.4		
				7	42	42.78	20.1 20.1		

5 Nov 10
Bent

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Nov 10	41366	F	3	Seawater		50.97 51.97	20.3	Seawater	
			3	3	62	25.24	19.9		
			3	3	70	24.75	19.9		
			3	3	92	26.23	19.9		
			3	3	111	29.13	19.9		Just below chest
			3	3	116	33.26	19.9		
			3	3	121	30.57	19.9		
			3	3	127	32.65	19.9		
			3	3	142	33.25	20.1		
			Seawater			50.72	20.2		
			Seawater			50.76 50.8	20.2		10 min later
			3	4	42	30.54	20.3		Alt. Ash / Mn / Ammonia
			3	4	91	33.94	20.0		Above ash
			3	4	112	33.10	20.0		Below
			3	4	122	34.30	20.0		
			Seawater			50.87	20.2	Seawater	

5 Nov 10
 1366
 U1366F - For composite U1366
 Formation - Factor

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
5 Nov 10	1366	F	3 3	1	3	50.93	20.6	Seawater	std.
						50.91	20.5	Seawater	10 min later
			3	1	5	31.15	19.3		
		F	3	1	25	29.3447	18.9		
			3	1	45	29.21	19.0		
			3	1	92	26.03	19.1		
			3	1	110	25.26	19.2		
			3	1	117	24.19	19.1		
			3	1	124	21.08	19.2		Silty
			3	1	145	26.35	19.5		
					Seawater	50.79	20.3	seawater	
	1366	F	3	2	22	25.74	19.7		
			3	2	45	24.32	19.3		
			3	2	53	23.76	19.3		
			3	2	63	21.10	19.3		Porcellaneous?
			3	2	73	26.85	19.3		

Porcellaneous

3	2	97	22.54	19.8
3	2	143	25.70	19.9
		seawater	50.77	20.3

RUN ONE STANDARD PER SECTION!!!

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1365	A			STD	52.04	21.7		1925 14:30
	U1365	A				51.98	21.6		
	U1365	A				51.87			
	U1365	A				51.25			
	U1365	A				52.11			
	U1365	A				52.07			
	U1365	A				51.93			
	U1365	A							
	U1365 U1365	A AC	2		STD - Seawater		20.8°C	52.17	s/cm
	U1365 U1365	A A			STD - Seawater		20.7°C	51.97	
	U1365	A			DAPSO Just out of the refrigerator				- waiting to warm
	U1365	A		1	60	30.50	19.6		
	U1365	A			70	29.39	19.6		
	U1365	A			80	28.76	19.6		
	U1365	A			95	29.41	19.6		
	U1365	A			Seawater	51.51	20.7		Seawater

BwH

u1366

RUN ONE STANDARD PER SECTION!!!

1300H
11/1/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/1/10	U1366 U1365	A ^C	2	1	105	29.42	19.6		
	U1365	A		1	115	29.5 27.51	19.6		
	U1365	A			125	27.83	19.6		
	U1365	A			135	28.95	19.6		
	U1365	A			145	28.30	19.6		
	U1365	A			Seawater	51.49	20.7		
	U1365	A	2	2	10	29.84	19.6		
	U1365	A			20	28.85	19.6		
	U1365	A			30	29.85	19.6		
	U1365	A			40	29.98	19.6		
	U1365	A			50	30.79	19.6		
	U1365	A			60	28.10	19.6		
	U1365	A			70	27.03	19.6		
	U1365	A			Seawater	51.40	20.7		
	U1365	A			80	28.77	19.6		
	U1365	A			90	28.74	19.6		

RUN ONE STANDARD PER SECTION!!!

BWA
11/1/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/1/10	U1366 U1365	A	2	2	100	29.21	19.5°C		
	U1365	A			110	29.12	19.5°C		
	U1365	A			120	28.25	19.5		
	U1365	A			130	28.75	19.5		
	U1365	A			140	27.64	19.5		
	U1365	A		Seawater		51.25	20.7		
	U1365	A		3	10	28.16	19.4		
	U1365	A			20	27.40	19.4		
	U1365	A			30	26.51	19.4		
	U1365	A			40	26.75	19.4		
	U1365	A			50	27.08	19.4		
	U1365	A			60	27.54	19.4		
	U1365	A			70	27.43	19.4		
	U1365	A		Seawater		51.19	20.5		
	U1365	A			80	27.45	19.5		
	U1365	A			94	26.48	19.5		
	U1365	A			106	26.24	19.5		

RUN ONE STANDARD PER SECTION!!!

SwH 11/1/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/1/10	U1366 U1365	A ^C	2	3	115	26.64	19.5		
	U1365	A			125	25.64	19.5		
	U1365	A			135	26.17	19.5		
	U1365	A			145	26.27	19.5		
	U1365	A		Sewer		51.10	20.4		
	U1365	A		4	10	26.74	19.4		
	U1365	A			20	26.17	19.4		
	U1365	A			30	26.23	19.4		
	U1365	A			40	25.76	19.4		
	U1365	A			50	26.05	19.4		
	U1365	A			60	25.31	19.4		
	U1365	A			70	25.21	19.4		
	U1365	A			Sewer	50.93	20.4		
	U1365	A			80	24.60	19.4		
	U1365	A			90	24.47	19.4		
	U1365	A			100	23.15	19.4		

110	23.72	21.00	19.7
120	20.89		19.4
130	21.67		19.4
	21.79		19.4

RUN ONE STANDARD PER SECTION!!!

Burt W/1/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/1/10	U1366C U1365	A	2	5	Seawater	50.89	20.3		
	U1365	A			10	22.7	19.2		
	U1365	A			22	22.76	19.2		
	U1365	A			30	22.91	19.2		
	U1365	A			41	21.71	19.2		
	U1365	A			50	21.75	19.2		
	U1365	A			Seawater	50.81	20.4		
	U1365	A			60	21.16	19.2		
	U1365	A			70	21.57	19.2		
	U1365	A			80	20.80	19.2		
	U1365	A			95	20.73	19.2		
	U1365	A			105	20.68	19.2		
	U1365	A			115	20.61	19.2		
	U1365	A			Seawater	50.44	20.3		
	U1365	A			125	20.42	19.2		
	U1365	A			135	20.61	19.2		

145145 20.52 19.2
 Seawater 50.79 20.4

Birds

RUN ONE STANDARD PER SECTION!!!

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/1/10	U1366 U1365	A C	2	6	10	20.68	19.1		
	U1365	A			20	20.77	19.1		
	U1365	A			30	20.42	19.1		
	U1365	A			40	20.54	19.1		
	U1365	A			50	20.74	19.1		
	U1365	A			60	20.53	19.1		
	U1365	A			70	20.61	19.1		
	U1365	A		Seawater		50.80	20.4		
	U1365	A			84	20.74	19.1		
	U1365	A			95	20.24	19.1		
	U1365	A			105	20.79	19.1		
	U1365	A			115	20.54	19.1		
	U1365	A			125	20.41	19.2		
	U1365	A			135	19.95	19.2		
	U1365	A			145	20.35	19.2		
	U1365	A		Seawater		50.82	20.4		

U1366 C 2

Result 11/1/10

RUN ONE STANDARD PER SECTION!!!

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/1/10	U1366 U1365	A ^C	2	7	10	19.54	19.1		
	U1365	A			22	20.32	19.1		
	U1365	A			30	21.89	19.0		
	U1365	A		CC	10	22.63	19.0		
	U1365	A			Scum	50.78	20.4		
	U1365	A	STD 98WATL STD			51.21	20.7		HARRIS
	U1365	A		1	5	25.94	20.0		DISTURBED (?)
	U1365	A		1	15	21.01	20.1		
	U1365	A		1	20	21.66	20.0		↓
	U1365	A		SW.	STD	50.91			DISTURBED FLOW IN
	U1365	A							
	U1365	A	1	STD	Scum ATBL	51.01	21.2		
	U1365	A	1	2	10	30.95	20.6		no ss 1, yet
	U1365	A		2	20	29.72	20.5		
	U1365	A		2	30	29.61	20.5		
	U1365	A		2	40	30.10	20.5		

U1366
↓
C

RUN ONE STANDARD PER SECTION!!!

1 hour

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1366 U1365	C A	1	2	50	30.55	20.5		
	U1365	A	1	2	60	28.96	20.5		
	U1365	A	1	2	70	29.80	20.5		
	U1365	A	STO	SW	8	51.62	21.1		
	U1365	A	1	2	80	30.29	20.3		
	U1365	A	1	2	90	28.85	20.3		
	U1365	A	1	2	100	30.12	20.3		
	U1365	A	1	2	110	28.83	20.3		
	U1365	A	1	2	120	29.03	20.3		
	U1365	A	1	2	130	30.27	20.3		
	U1365	A	1	2	140	30.41	20.3		
	U1365	A	STO	SW	-	51.04	20.7		
	U1365	A	1	3	10	29.97	20.4		
	U1365	A	1	3	20	29.14	20.4		
	U1365	A	1	3	30	29.80	20.4		
	U1365	A	1	3	40	30.01	20.4		

HARRIS

RUN ONE STANDARD PER SECTION!!!

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1365	A	1	3	50	29.27	20.4		
	U1365	A	1	3	60	28.88	20.4		MIN NO. 20.4
	U1365	A	1	3	80	30.20	20.4		
	U1365	A		S.W.	570	51.40	21.1		
	U1365	A	1	3	90	30.23	20.1		
	U1365	A	1	3	100	30.12	20.1		
	U1365	A	1	3	110	29.88	20.1		
	U1365	A	1	3	120	29.64	20.1		
	U1365	A	1	3	130	29.69	20.1		
	U1365	A	1	3	140	29.94	20.1		
	U1365	A		S.W.	570	51.49	21.0		
	U1365	A	1	4	10	29.81	20.4		
	U1365	A	1	4	20	28.69	20.4		
	U1365	A	1	4	30	26.81	20.4		
	U1365	A	1	4	40	29.20	20.4		
	U1365	A	1	4	50	30.03	20.4		

[illegible]

60111111 2010

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	1	1	STD	52.11	22.83	SEA WATER	
					STD	52.1310	22.3	SW	
					STD	52.16	22.4	SW	
					12	32.55	21.2		
					21	31.95	21.2		
					30	31.18	21.2		
					40	31.91	21.2		
					50	32.14	21.2		
					60	32.18	21.2		
					70	32.63	21.2		
					STD	52.10	22.3	SW	
					80	31.89	21.2		
					90	31.92	"		
					100	31.57	"		
					110	30.66	"		
					120	30.36	"		

130 30.97 "

140 30.68

Run # 24/11/2010

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	41369	B	1	2	STD	52.31	21.22.6		
						52.33	22.6		
					5	30.81	20.9		
					15	30.31	20.9		
					25	29.50	20.9		
					35	29.89	20.9		
					45	30.10	21.0		
					57	29.15	21.0		
					65	28.40	21.0		
					STD	52.18	22.4		
					STD	52.33	22.5		
					75	29.41	21.0		
					85	28.81	21.0		
					95	28.43	"		
					105	28.56	"		
					115	28.76	"		

125 29.62 "
 135 30.96 "
 145 31.54 "

BWH

24/11/2010

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	1	3	STD	STD 52.15	52.15 22.3	SEA WATER	
					STD	STD 52.15	52.15 22.3	SW	
					10	31.63	20.9		
					20	30.40	"		
					30	30.45	"		
					40	30.81	"		
					50	32.23	"		
					60	31.76	"		
					70	31.80	"		
					STD	52.12	22.4		
					80	30.10	20.7		
					90	28.78	"		
					100	27.89	"		
					110	28.40	"		
					120	27.28.29	"		
					130	28.63	"		
					140	28.09	"		

Report 24/11/2010

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	u1369	B	1	4	STD	52.10	22.5		
					10	28.76	20.8		
					20	28.10	"		
					30	27.57	"		
					40	27.51	"		
					50	27.74	"		
					60	28.01	"		
					70	27.25	"		
					STD	52.06	22.3		
					80	27.11	20.6		
					90	27.88	"		
					100	28.94	"		
					110	28.68	"		
					120	28.39	"		
					130	27.58	"		
					140 STD	51.94	22.1		

STD 51.92 22.1

END OF CORE

Runs
24 Nov

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	2	1	STD	52.98	23.4	SW	
						52.87	23.3	SW	
					10	25.06	23.47 21.5		
					20	23.97	21.5		
					30	23.94	21.5		
					40	23.11	21.5		
					50	23.18	21.5		
					60	23.87	21.5		
					70	23.12	21.5		
					STD	52.91	23.2	SW	
					80	23.45	21.3		
					90	23.07	21.3		
					100	23.56	"		
					110	23.13	"		
					120	22.68	"		
					130	24.02	"		
					140	24.21	"		
					STD	52.81	23.1		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	2	1	10	24.81	21.2		
					20	24.18	21.2		
					30	24.35	"		
					40	23.52	"		
					50	23.96	"		
					60	24.50	"		
					70	24.40	"		
					STD	52.78	22.9	SW	
					80	24.39	21.2		
					90	24.30	21.3		
					100	23.71	21.3		
					110	22.99	21.3		
					120	22.92	21.3		
					130	22.80	21.3		
					140	22.08	21.3		
					148	23.00	21.3		

STD 52.75 23.0 SW

BWH
11/24/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	2	3	10	23.47	21.3		
					20	23.19	21.3		
					30	24.41	21.3		
					40	23.61	21.4		
					50	24.34	21.4		
					60	24.97	21.4		
					70	24.26	21.4		
					STD	52.70	22.9	SW	
					80	24.79	21.4		
					90	24.67	21.4		
					100	24.69	"		
					110	24.49	"		
					120	24.20	"		
					130	23.96	"		
					140	23.55	"		
					146	23.24	"		
					STD	52.58	22.9		

24 Nov 2011
24 Nov 2011

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	W1369	B	2	4	STD	52.68	23.0	STD	
					STD	52.15	22.5	SW	New batch
					10	23.07	21.3		
					20	22.58	21.3		
					30	22.27	21.3		
					40	21.97	21.3		
					50	21.96	21.3		
					60	22.03	21.3		
					70	21.63	21.3		
					STD	52.13	22.6	SW	
					80	22.14	21.3		
					90	22.05	21.3		
					100	21.74	21.2		
					110	21.83	21.2		
					120	21.47	21.2		
					130	22.92	21.2		
					140	22.57	21.2		
					STD	52.18	22.6		

Bu# 247 Nov/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	2	5	10	23.42	21.2		
					20	23.74	21.2		
					30	23.63	21.2		
					40	23.93	21.2		
					50	24.06	21.2		
					60	24.44	21.2		
					70	24.28	21.2		
					STD	52.24	22.6	SW	
					80	24.20	21.1		
					90	24.26	21.1		
					100	23.63	21.2		
					110	23.77	21.2		
					120	21.68	21.2		
					130	23.55	21.2		
					140	24.78	21.2		
					STD				

148 24.52 21.2
 STD 52.28 22.7

Brown
11/24/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
24 Nov	U1369	B	2	6	10	22.62	20.9		
					20	22.48	20.9		
					30	21.48	21.0		
					40	21.29	21.0		
					50	21.31	21.0		
					60	21.24	21.0		
					70	20.84	21.0		
					STD	52.13	22.5	SW	
					80	21.26	20.9		
					90	21.63	20.9		
					100	21.61	20.9		
					110	21.24	20.8		
					120	21.42	20.8		
					130	21.12	20.8		
					140	20.76	20.8		
					STD	52.18	22.7	SW	

[illegible]

AG1

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/28/2008	V1370	BP	1	1	STD	51.38	21.9		
					10	34.10	21.5		
					20	33.60	21.5		
					30	33.01	21.5		
					40	33.64	21.5		DISTURBED?
					50	31.33	21.4		
					60	31.52	21.4		
					70	34.94	21.4		SOIL
					80	51.03	21.8		
					90	51.10	21.8		
					100	33.50	21.4		
					110	33.25	21.4		
					120	32.57	21.4		
					130	32.51	21.5		
					140	29.73	21.5		
					150	32.63	21.4		

140 33.20 21.4
 STD 51.06 21.8

m62

RWH

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1370	AD	1	2	10	33.84	21.1		
					20	34.37	21.1		
					30	34.61	21.1		
					40	35.28	21.1		
					50	34.88	21.1		
					60	34.83	21.1		
					70	34.06	21.1		
					80	34.25	21.1		
					570	51.03	21.7		
					90	34.67	21.1		
					100	34.10	21.1		
					110	33.13	21.1		
					120	34.00	21.1		
					130	33.29	21.2		
					140	33.36	21.2		
					570	51.02	21.5		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1370	BD	1	3	10	30.14	21.2		
					20	33.52	21.2		
					30	32.68	21.2		
					40	32.88	21.2		
					50	32.59	21.3		
					60	32.80	21.3		
					70	32.73	21.3		
					80	31.87	21.3		
					9TD	51.02	21.9		
					90	32.08	21.1		
					100	32.74	21.1		
					110	32.76 33.22	21.1		
					120	32.28	21.1		
					130	32.29 31.76	21.1		
					140	32.07	21.1		
					97D	50.75	21.5		

pg 4
ENTH

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1370	BD	1	4	570	50.83	21.0		
					570	50.68	21.0		
				4	10	31.75	21.5		
					20	32.10	21.5		
					30	30.53	21.5		
					40	31.44	21.5		
					50	32.79	21.5		
					60	31.65	21.5		
					70	31.69	21.5		
					80	30.95	21.5		
					570	51.10	21.2		
					90	33.86	21.2		
					100	32.03	21.2		
					110	28.16	21.2		
					120	33.20	21.1		
					130	32.60	21.1		

140 33.48 21.1
570 51.07 21.4

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		BD	B1	5	10	31.54	21.2		
					20	30.97	21.2		
					30	30.07	21.2		
					40	30.80	21.2		
					50	31.04	21.2		
					60	30.30	21.2		
					70	30.43	21.2		
					80	31.07	21.2		
					570	51.07	21.5		
					90	31.17	21.2		
					25 100	28.85	21.2		
					110	30.53	21.2		
					120	29.61	21.2		
					130	27.24	21.2		
					140	27.24 27.24	21.2		
					570	51.04	21.2		

[illegible]

Amals

P67

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1370	D	Z	1	570	51.15	22.2		
					10	29.70	21.4		
					20	33.57	21.4		
					30	34.18	21.4		
					40	33.45	21.4		
					50	34.06	21.4		
					570	51.40	21.7		
			2	2	10	31.52	21.5		
					20	30.14	21.5		
					30	31.49	21.5		
					40	32.49	21.5		
					50				AN NODULES
					605	30.01	21.5		
					85	28.16	21.5		
					570	51.40	21.8		
					90	28.78	21.3		

100 27.20 21.3
 110 27.02 21.3
 120 27.02 21.3
 130 27.88 21.3

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	V1370	D	2	3	570	51.57	21.9		
					10	28.23	21.4		
					20	26.29	21.4		
					30	25.97	21.4		
					40	24.83	21.4		
					50	26.05	21.4		
					60	26.22	21.4		
					70	26.88	21.3		
					80	27.44	21.3		
					570	51.64	21.7		
					90	27.62	21.4		
					100	26.83	21.4		
					110	27.08	21.4		
					120	26.03	21.4		
					130	26.58	21.4		
					140	25.98	21.4		
					570	51.63	21.8		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		D	2	4	10	25.60	21.4		
					20	23.97	21.4		
					30	25.52	21.4		
					40	24.03	21.4		
					50	24.77	21.4		
					60	24.16	21.3		
					70	22.70	21.3		
					80	24.34	21.3		
					90	51.26	21.8		
					100	24.90	21.1		
					110	23.80	21.1		
					120	22.96	21.2		
					130	24.51	21.2		
					140	24.44	21.2		
					150	24.97	21.2		
					160	51.30	21.7		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	V1370	D	2	5	10	25.05	21.3		
					20	24.90	21.3		
					30	24.22	21.3		
					40	24.52	21.2		
					50	24.33	21.3		
					60	23.80	21.3		
					70	23.13	21.2		
					570	51.11	21.2		
					80	22.90	21.1		
					90	23.87	21.1		
					100	23.76	21.1		
					110	23.92	21.1		
					120	23.26	21.1		
					130	21.34	21.1		
					140	23.80	21.1		
					570	51.21	21.6		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	V1370	D	Z	6	10	23.68	20.8		
					20	24.05	20.8		
					30	21.82	20.8		
					40	23.39	20.8		
					50	23.05	20.8		
					60	22.92	20.8		
					70	22.19	20.8		
					570	50.21	21.4		
					80	23.50	21.0		
					90	22.35	21.0		
					100	23.30	21.0		
					110	23.02	21.0		
					120	23.07	21.0		
					130	22.24	21.0		
					140	21.68	21.0		
					570	50.15	21.2		

P612

10/2/2012

11/12/12

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1370	D	2	7	10	23.99	20.5		
					20	24.20	20.5		
					30	22.07	20.5		
									DISRUPTION
					80	23.91	20.5		
					90	15.38	20.5		UNUS
					102	23.56			
					110	22.63	20.5		
					120	21.80	20.5		
					570	51.42			
		D	3	1	570	50.99	21.5		
					570	50.93	21.4		
				3	105	105 31.33	20.9		
						31.15	20.9		
						31.04	20.8		
						29.83	20.8		
						29.30	20.8		

11/29/10
BWH

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1370	D	3	4	STD	50.98	21.3		
					10	28.03	21.1		
					20	27.20	21.1		
					30	27.36	21.1		
					40	26.97	21.1		
					50	26.82	21.1		
					60	27.16	21.1		
					70	26.92	21.1		
					STD	50.83	21.3		
					80	27.77	20.8		
					90	27.73	20.8		
					102	27.92	20.8		
					111	27.75	20.8		
					120	27.61	20.8		
					130	27.75	20.8		
					140	27.71	20.8		

STD 50.86 21.4

11/26/10
B. Smith

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1370	D	3	S	5	27.37	20.7		
					17	27.67	20.7		
					28	27.55	20.7		
					39	27.04	20.6		
					50	27.10	20.6		
					60	27.57	20.6		
					70	27.64	20.6		
				CC	5	26.82	20.6		
					STD	50.87	21.4		
		D	4	1	STD	51.61	21.5 22.0		3 hrs later
				1	10	28.15	21.2		
					20	26.50	"		
					30	26.05	"		
					40	26.74	"		
					50	26.36	"		
					60	25.22	"		

70 25.70 21.8
STD 51.43

Bull
11/29/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1370	D	4	1	80	25.43	21.3		
					90	26.87	21.3		
					100	26.65	21.3		
					110	24.88	21.3		
					120	25.58	21.3		
					130	26.64	21.3		
					140	26.83	21.3		
					STD	51.45	21.8		
			4	2	10	25.97			
					20	26.78 26.62			
					30	26.23	21.2		
					40	26.25	21.2		
					50	26.52	21.2		
					60	26.15	21.1		
					70	24.57	21.1		
					80	25.93	21.1		
					STD	51.39	21.8		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1370	D	4	22	88	26.68	21.0		
					99	26.67	"		
					110	25.49	"		
					120	25.47	"		
					130	25.96	"		
					140	25.47	"		
					145	24.78	"		
					STD	51.29	21.9		
				3	10	25.65	21.0		
					20	24.74	"		
					30	24.94	"		
					40	24.63	"		
					STD	51.26	21.7		
					50	25.14	21.0		
					60	25.10	"		
					70	24.67	"		
					80	24.70	"		
					90	23.85	"		
					100	24.86	"		

21.7

BWA
11/29/20

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/29/20	U1370	D	5	STD		51.36	22.0		
				1	70	24.38	21.3		
					80	23.68	"		
					90	23.65	"		
					100	23.97	"		
					110	23.78	"		
					120	24.07	"		
					130	23.88	"		
					140	23.84	"		
					147	23.46	"		
					STD	51.53	21.9		
				2	10	23.21	21.3		
					20	22.72	"		
					30	23.11	"		
					40	23.49	"		
					50	23.55	"		
					60	23.61	"		
					70	23.44	"		
					80	23.15	"		

BWA
11/29/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/29	41370	0	S	2	STD	51.33	21.8		
					90	23.46	21.2		
					100	23.44	21.2		
					110	23.72	21.2		
					120	23.13	"		
					130	23.38	"		
					140	23.55	"		
					148	23.33	"		
				3	STD	51.37	21.8		
					10	23.21	21.1		
					20	23.60	21.1		
					30	23.61	"		
					40	23.41	"		
					50	22.44	"		
					60	22.81	"		
					70	23.02	"		
					STD	51.28	21.7		

Butt
11/24/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	41370	0	5	3	80	22.43	20.9		
					90	23.00	"		
					100	23.91	"		
					110	23.72	"		
					120	23.41	"		
					130	23.48	"		
					140	23.67	"		
					148	23.27	"		
					STD	51.29	21.7		
				4	10	23.24	20.9		
					20	23.38	"		
					30	23.10	"		
					40	23.26	"		
					50	23.11	"		
					60	22.87	"		
					70	23.34	"		

80 23.21 "
STD 51.23 21.7

Bank
10/11/29/10

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	1370	D	45	4	90	22.88	20.9		
					100	22.66	"		
					110	23.218	"		
					120	22.91	"		
					130	22.38	"		
					140	22.77	"		
					STD	57.22	21.7		
				5	10	22.76	20.8		
					20	22.75	"		
					30	22.63	"		
					40	22.54	"		
					50	22.76	"		
					60	22.31	"		
					70	22.46	"		
					STD	51.34	21.8		
					80	23.04	20.9		

11/29/10 Burt

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
11/29/10	U1370	D	S	S	90	22.98	20.9		
					100	22.430	20.9		
					110	22.46	20.9		
					120	22.33 22.19	20.9		
					130	22.19 22.62	20.9		
					140	21.77	20.9		
					STD	51.34	21.6		
				6	10	22.36	21.0		
					20	22.65	20.9		
					30	22.50	"		
					40	22.56	"		
					50	22.66	"		
					60	21.91	"		
					70	21.99	"		
					80	22.17	"		
					90	21.77	"		

" 22.35
 " 22.57
 100
 110
 51.33
 21.7

5 rows

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			6	2	10	22.26	21.4		
					20	21.87	21.4		
					30	21.53	21.4		
					40	21.69	21.4		
					50	20.20	21.4		
					60	20.78	21.4		
					70	20.80	21.4		
					80	21.47	21.1		
					90	21.60	21.1		
					100	21.24	21.1		
					110	21.07	21.1		
					120	20.34	21.1		
					130	20.40	21.1		
					140	20.10	21.1		
					570	5124	21.7		

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	V1370	D	6	3	10	22.42	21.1		
					21	22.33	21.1		
					30	21.80	21.1		
					40	21.49	21.1		
					50	21.11	21.2		
					60	20.88	21.1		
					70	20.88	20.8		
					80	20.48	20.8		
					90	20.60	20.8		
					100	20.49	20.8		
					110	20.47	20.8		
					120	19.91	20.8		
					130	19.65	20.8		
					140	19.98	20.8		
					150	20.21	21.7		

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		D	6	5	10	20.47	20.9		
					20	19.69	20.9		
					30	20.22	20.9		
					40	19.99	20.8		
					50	20.49	20.8		
					60	19.97	20.8		
					70	19.37	20.8		
					80	20.00	20.6		
					90	20.36	20.6		
					100	19.51	20.6		
					110	19.99	20.6		
					120	20.31	20.5		
					130	19.26	20.5		
					140	19.63	20.5		
					510	50.85	21.7		

[illegible]

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
		1D	7	1	STD	50.37	22.3		
					10	25.78	21.5		
					20	25.61	21.9		
					30	26.29	21.9		
					40	20.52	21.9		
					50	19.42	21.9		
					60	19.07	21.8		
					70	18.67	21.8		
					80	18.82	21.8		
					90	18.31	21.8		
					100	17.63	21.8		
					110	18.29	21.8		
					120	18.05	21.8		
					130	18.06	21.8		
					140	17.97	21.8		
					STD	49.77	21.8		

smooth

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	U1370	D	+	3	10	17.27	21.1		
					20	17.24	21.1		
					30	17.05	21.1		
					40	17.32	21.1		
					50	17.31	21.1		
					60	16.85	21.1		
					70	16.86	21.1		
					80	16.85	21.1		
					90	17.12	21.1		
					100	17.56	21.1		
					110	18.26 17.52	21.1		
					120	18.52	21.1		
					130	19.47	21.1		
					140	19.78	21.1		
					510	49.59	21.4		

[illegible]

[illegible]

11/20/21

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
	J1370	D	7	6	10	19.20	21.0		
					20	20.61	21.0		
					30	21.57	21.0		
					40	20.84	21.0		
					50	20.52	21.0		
					60	22.24	21.0		
					70	22.36	21.0		
					80	23.75	21.0		
					89	20.57	21.0		wider
					100	16.38	21.0		
					110	16.45	21.0		
					120	16.05	21.0		
					130	17.23	21.0		
					140	15.53	21.0		
					170	49.35	21.4		

[illegible]

[illegible]

[illegible]

Date	Site	Hole	Core	Section	Depth (cm)	Measurement	Temperature	Standard	Comments
			8	3	10	22.74	21.3		
					20	23.90	21.3		
					30	24.36	21.3		
					40	24.67	21.3		
					50	25.53	21.2		
					60	24.80	21.2		
					70	25.89	21.2		
					80	24.72	21.2		
					90	24.70	21.2		
					100	24.06	21.2		
					110	24.22	21.2		
					120	21.20	21.2		
					130	20.94	21.2		
					140	20.50	21.2		
					STD	49.45	21.8		

[illegible]

[illegible]