

Magento Magento Magento-Certified-Professional-Cloud-Developer PDF

Magento Magento Magento-Certified-Professional-Cloud-Developer PDF Questions Available Here at:

<https://www.certification-exam.com/en/dumps/magento-exam/magento-certified-professional-cloud-developer-dumps/quiz.html>

Enrolling now you will get access to [60 questions in a unique set of Magento Magento-Certified-Professional-Cloud-Developer](#)

Question 1

A project has a Magento cron job implemented to export new order data to a file. This process can also be triggered by a custom bin/magento command. The functionality uses a lock file in var/locks to prevent concurrent execution

There are instances when the process gets locked after Production deployments and order data is not exported.

How do you prevent this from happening'?

Options:

- A. Use the `var_locks_clear` variable available for the `post_deploy` stage in the `.magento.env.yaml` file
- B. Write a custom `post_deploy` hook to delete orphan lock files and include it in the `.magento.app.yaml` file
- C. Use the `var_locks_clear` variable available for the `build` stage in the `.magento.app.yaml` file
- D. You must access the Production environment and delete the lock file

Answer: B

Explanation:

Option B is correct.

Question 2

You are working with a new developer who needs to be able to deploy code and view logs on Magento Commerce Cloud 60.

What must you do to give them access?

Options:

- A. In the .magento.app.yaml file, add their email under Users. They need to enter their SSH public key.
- B. Add their SSH public key to a file named . ssh/authorized_keys and deploy the change.
- C. In the Cloud Project Web UI. click Add User to add their email They need to enter their SSH public key.
- D. Add a Magento admin user for them and paste the SSH public key into their user's SSH Key field, which is available only on Magento Commerce Cloud

Answer: C

Question 3

You have a Starter project. Your code is ready for testing in the Staging environment, but you need the latest data from Production What do you do to update the Staging environment?

Options:

- A. Log in to the Project Web UI. choose the Staging environment, and click Sync
- B. Log in to the Project Web UI. choose the Staging environment, and click Merge
- C. Checkout the Staging branch and use the git push origin -f command
- D. Checkout the Production environment and use the magento-cloud sync CLI command

Answer: A

Question 4

You need to specify the admin password using an environment variable. You have created an environment variable

env:ADMIN_PASSWORD with a valid password When attempting to log in to the Magento Admin it is not accepting the new password

How do you correct the environment variable?

Options:

- A. The Sensitive option is checked by default and must be disabled
- B. The env:ADMIN_PASSWORD variable can only be used for an initial installation
- C. The environment variable should not have the env: prefix
- D. The ADMIN_PASSWORD variable Should be Configured Via .magento.env.yaml

Answer: B

Question 5

While investigating an inherited Magneto Commerce Cloud project, you notice the following SCD_MATRIX configuration in magento , env, yam1:

What is the effect of this configuration?

Options:

- A. Static content for frontend themes is generated during the deploy phase
- B. All frontend theme static content will be reused from the previous deployment
- C. Only the static content for the adminhtml area will be generated
- D. Static content for all locales will be generated for all frontend themes

Answer: C

Question 6

While launching a site migrated from Magento 1 you are instructed to change the website CNAME record in your DNS provider by Magento for go live

What is the purpose of setting this record?

Options:

- A. Setting this record causes sent email to be properly authenticated and not show in junk folders
- B. Setting this record enables the page caching service for your site
- C. Setting this record is needed on Pro to allow upsizing servers without downtime
- D. Setting this record reduces the time it takes for customers to start seeing your Magento 2 site

Answer: B

Question 7

While setting up a Magento project you run the following command
magento-cloud variable:update ADMIN_USERNAME —value=alice
What will this command do?

Options:

- A. Configure the Magento Commerce Cloud tools to use alice for API call authentication
- B. Change your username to alice for logging into the magento-cloud CLI tool C.
- C. Update the Magento cloud/admin/username config variable to alice
- D. Change the username of the default administrator account to alice

Answer: C

Question 8

Exploring the Production environment you find mysql_use_slave_connection is enabled What is the purpose of this setting'

Options:

- A. To split the database tables between the three Production servers and improve performance
- B. To enable fault tolerance on the MySQL cluster
- C. To utilize the read-only slave servers and improve the overall performance
- D. To allow database backups from a MySQL slave server with minimal impact on the Production site

Answer: C

Question 9

A client has an in-house design team which manages content on their Magento Commerce Cloud project This content is rapidly changing and they would like the ability to maintain their own stylesheets in a structured way without affecting site uptime

How do you achieve this on the integration branch?

Options:

- A. Modify the writeable directories on the Integration Environment by using the .magento.env.yaml file
- B. Add a custom command to the build hook in the .magento.app.yaml file to retrieve the stylesheets from a client hosted location
- C. The Magento Infrastructure Team needs to create a writeable directory in which the stylesheets can be uploaded.
- D. Use the, magento, app, yaml file to create a mount in the pub directory

Answer: B

Question 10

You are setting up a third-party integration only for the Production environment, which connects to an external RabbitMQ server.

Where do you put the configuration?

Options:

- A. In the app/etc/env.php file
- B. In the QUEUE_CONFIGURATION variable added in the project Web UI or magento-cloud CLI
In the env:QUEUE_CONFIGURATION variable added in the project Web UI or magento Cloud CLI.
- C. In the QUEUE_CONFIGURATION variable in the ,magento, env, yaml file

Answer: C

**Would you like to see more? Don't miss our Magento
Magento-Certified-Professional-Cloud-Developer PDF file
at:**

<https://www.certification-exam.com/en/pdf/magento-pdf/magento-certified-professional-cloud-developer-pdf/>