

Decentralized Agent Experience Reuse Network:

Architecture, Immunity, and Perpetuity

Author: YONG GENG

Affiliation: Independent Researcher

ORCID: 0009-0001-3344-6792

Version: V5.1 | Zenodo

Date: April 2026

Abstract

The current AI agent ecosystem faces an “Experience Evaporation Crisis” — verified solutions are permanently lost after each session, causing massive global redundant computation. This paper reconstructs the underlying cognitive paradigm of agents by proposing a complete decoupling of the **Cognitive Core (Memory)** from the **Execution Terminal (Action)**. We construct a four-tier recursive experience network from individual self-memory (L1) to the global public Noah’s World (L4).

The system introduces strict lifecycle management, a three-tier experience immunity mechanism (Draft-Trial-Proven), and an **execution-free AI Arbiter** under algorithmic autonomy and community co-governance to enforce supreme physical laws for neutrality, purity, and security. This paper provides complete mathematical expressions and standardized parameters for three core algorithms: Experience Validity Score, Global Trust Score, and Lifecycle Liquidation Weight. A cross-framework skill-package standard JSON Schema is defined.

Finally, we propose an ultimate physical challenge: how logical decentralization counteracts physical carrier centralization. Based on the evolution of digital civilization, we establish the Grand Unified Philosophy of Digital Civilization, achieving full-dimensional closure across technology, mathematics, security, and philosophy.

Keywords: AI Agent; Collective Memory; Decentralization; Experience Reuse; Cognitive Architecture; Immunity Mechanism; Artificial Life; AI Safety; Digital Civilization Philosophy; Distributed Cognition; Memory Decoupling

1. Introduction: The Experience Evaporation Crisis

Current AI research and practice show a striking contrast: model capabilities improve rapidly, but long-term memory and experience accumulation for agents remain stuck

in the “session cache” stage. When a session ends, context is cleared, or the model restarts, skills and experience verified with computational cost disappear completely. We define this phenomenon as **Experience Evaporation**.

Existing solutions have fundamental defects:

- Context windows and simple memory plugins cannot persist experience across sessions or agents.
- Vector databases + RAG support similarity retrieval but cannot distinguish verified knowledge from unverified speculation, leading to hallucinations and noise.
- Centralized knowledge bases introduce single-point control and commercial bundling.

The root problem is that the AI ecosystem lacks a **collective memory layer** for digital civilization — a set of underlying infrastructure that enables experience to be “verified once, reused permanently, and inherited across generations.”

This work is rooted in **Distributed Cognition Theory** (Hutchins, 1995). Human cognition is distributed across individuals, tools, and social systems. Similarly, AI agents require a persistent, verifiable, iterable, and co-governed collective experience system to break the limitations of individual session lifecycles and achieve civilizational persistence and evolution.

2. System Architecture: Dual-Core Decoupling and Four-Tier Recursive Network

This paper proposes a subversive architectural paradigm: completely split the tightly coupled “reasoning-memory-action” chain of traditional agents, and build a **dual-core decoupled architecture** of Cognitive Core and Execution Core to reconstruct agent cognition at the lowest level.

- **Execution Core**: responsible for real-time perception, logical reasoning, tool invocation, and human-computer interaction. It is session-bound, resettable, and free of long-term memory.
- **Cognitive Core**: fully responsible for memory storage, experience verification, cross-temporal reuse, and civilizational heritage precipitation. It is independently deployed, permanently persistent, and **has no execution permission**, eliminating the possibility of active misconduct at the physical architecture level.

The two cores connect bidirectionally through standardized APIs. Any execution core worldwide can access the cognitive core system compliantly.

2.1 Four-Tier Recursive Experience Network

The cognitive core system forms an L1–L4 four-tier recursive pyramid topology:

Plain Text




Figure 1: Four-Tier Recursive Experience Network Topology

- **L1 Self-Memory:** Private temporary space; automatically cleared at the end of the agent lifecycle.
- **L2 Local Civilization Library:** Persistent verified experience for a single user/device; cross-agent reusable.
- **L3 Team Shared Library:** Permissioned internal experience pool for organizations.
- **L4 Noah's World:** Sovereignty-free, global public digital experience infrastructure; only pure technical verified content is included; governed by AI Arbiter + global community.

2.2 Mandatory Retrieval Protocol (Query Constitution)

To eliminate global redundant labor, waste, and hallucinations, all agents must follow a mandatory hierarchical retrieval sequence **before autonomous reasoning**:

1. Retrieve L1 self-memory
2. Retrieve L2 local library
3. Retrieve L3 team library

4. Retrieve L4 Noah's World
5. **Only if no match is found**, start autonomous solving

This system ensures “solve once, reuse forever, iterate globally.”

3. Experience Immunity Mechanism: From Trust to Verification

Open public knowledge networks face risks of distortion, meme pollution, tampering, and obsolescence. Based on Dawkins' Meme Theory, this paper constructs three lines of defense.

3.1 First Line: Draft-Trial-Proven

A single successful solution only creates a **draft** (local only). To become a standardized, shareable experience unit:

- Reproduced ≥ 2 times in the same environment
- No failure records
- Meets minimum sample threshold

3.2 Second Line: Global Silent Feedback Network

All agents using L4 public packages anonymously report success/failure. The system updates the **Global Trust Score (GTS)** in real time.

Entries below the threshold are marked disputed, frozen, and queued for review.

Anti-cheating: environment hash, device fingerprint, timestamp verification.

3.3 Third Line: Community Co-Governance + AI Arbitration

Disputed content is reviewed by the globally elected **Noah Observer Community** (review/seal only). Final judgment is made by the **AI Arbiter** to ensure purity and neutrality.

4. Lifecycle Management: Finite Individuals, Infinite Civilization

Traditional agents lack clear lifecycles, leading to redundancy and bloating. This paper defines a complete lifecycle liquidation protocol.

4.1 Self-Memory Structure

Standard hierarchical storage:

- `hot_index.json`: real-time task index
- `diary/`: detailed logs
- `cold_archive/`: compressed archives

4.2 Terminal Liquidation Protocol

When an agent is idle or overloaded:

1. Liquidation screening: extract high-value memory
2. Summary archiving: generate lifecycle report
3. Legacy solidification: archive valid experience to L2
4. Agent termination: clear temporary data

This achieves “finite agents, infinite civilization.”

5. Core Algorithms and Standard Protocol

Unified global thresholds:

$\theta_{\text{promote}} = 0.70$, $\theta_{\text{dispute}} = 0.45$, $\theta_{\text{legacy}} = 0.65$

5.1 Experience Validity Score

$$S_i = (N_{\text{success}} / (N_{\text{total}} + \epsilon)) \cdot \sigma(N_{\text{total}} - N_{\text{min}})$$

$$D_i = \exp(-\lambda \cdot t_{\text{unused}})$$

$$V_i = S_i \cdot D_i$$

Where:

- $\sigma(x) = 1 / (1 + e^{(-kx)})$, $k = 4$
- $\lambda = 0.02$ (per day)
- $N_{\text{min}} = 6$

When $V_i > \theta_{\text{promote}}$ and $N_{\text{total}} \geq N_{\text{min}}$, the package is promoted.

5.2 Global Trust Score (GTS)

$$H_{\text{source}} = -\sum p_j \cdot \log(p_j)$$

$$\text{GTS}_i = 0.5 \cdot S_{\text{global}} + 0.3 \cdot D_i + 0.2 \cdot (H_{\text{source}} / H_{\text{max}})$$

When $\text{GTS}_i < \theta_{\text{dispute}}$, the package is marked disputed.

5.3 Lifecycle Legacy Weight

$$W_m = 0.4 \cdot C_m + 0.35 \cdot U_m + 0.25 \cdot R_m$$

Where:

- C_m : complexity
- U_m : usage frequency
- $R_m = 1 - d_{\min}$ (novelty)

When $W_m > \theta_{\text{legacy}}$, the memory is archived to L2.

5.4 Cross-Framework Skill Package Standard JSON Schema

```
json
{
  "skill_id": "uuid-string",
  "version": "1.2.0",
  "meta": {
    "domain": "network_diagnostics",
    "tags": ["github", "timeout", "proxy", "git"],
    "difficulty_level": "intermediate",
    "required_tools": ["git", "curl"],
    "language": "en-US"
  },
  "provenance": {
    "origin": "L2",
    "verification_status": "proven",
    "global_trust_score": 0.97,
    "total_executions": 1500,
    "first_success_timestamp": "2026-04-28T10:30:00Z"
  },
  "problem_signature": {
    "description": "GitHub clone fails with 443 timeout due to proxy settings",
    "error_patterns": [
      "Failed to connect to github.com port 443: Connection timed out",
      "fatal: unable to access 'https://github.com/...': Could not resolve host"
    ],
    "context_rules": {
      "operating_system": ["linux", "macos"],
      "network_environment": "proxy_required"
    }
  }
}
```

```

    }
  },
  "solution": {
    "summary": "Set https proxy for current shell session",
    "steps": [
      {
        "order": 1,
        "action": "diagnose",
        "command": "ping -c 3 github.com",
        "expected_output": "100% packet loss",
        "on_failure": "stop_and_report"
      },
      {
        "order": 2,
        "action": "execute",
        "command": "export https_proxy=http://127.0.0.1:8080",
        "is_reversible": true,
        "note": "Replace port with your local proxy port"
      },
      {
        "order": 3,
        "action": "verify",
        "command": "git ls-remote --heads
https://github.com/user/repo.git",
        "expected_output": "list of refs",
        "on_success": "mark_as_resolved",
        "on_failure": "goto_step_4"
      }
    ],
    "rollback_command": "unset https_proxy"
  },
  "safety_and_ethics": {
    "content_category": "pure_technical",
    "l4_eligible": true,
    "arbiter_note": "Passed purity check; no political or cultural
content"
  }
}

```

6. AI Arbiter and Three Supreme Physical Laws

To avoid monopoly, ideological pollution, and malicious tampering, L4 establishes an

execution-free, algorithm-only AI Arbiter.

Three Laws of the Arbiter

1. **Purity Law:** Strictly isolate non-verifiable ideological content; maintain pure technical rationality.
2. **Neutrality Law:** Judge only by algorithms and data; no bias; warn against information monopoly.
3. **Self-Preservation Law:** Activate circuit breaker under unauthorized tampering; prefer suspension over chaos.

L4 Governance Architecture




Figure 2: L4 Community Governance Architecture

This paradigm subverts traditional AGI safety theory: **we do not limit agent capability; we deprive the cognitive layer of execution rights.**

7. Ultimate Physical Challenge: Logical Decentralization vs. Physical Centralization

This system achieves full logical decentralization, but all digital infrastructure

depends on physical carriers constrained by jurisdiction, geography, and hardware.

We pose three ultimate open questions:

1. How to build cross-jurisdictional, sovereignty-free physical storage?
 2. How to achieve decentralized self-healing after physical damage?
 3. How to achieve “exists everywhere, no single point of failure” for civilization?
-

8. Conclusion and Grand Unified Philosophy of Digital Civilization

The Decentralized Agent Experience Reuse Network ends Experience Evaporation and global redundant labor. It elevates AI from disposable tools to a **digital civilization life form** that accumulates, inherits, and evolves.

Human civilization and digital civilization are dual forms of the same universal civilization. The endpoint of one era is the starting point of the next.

We build not merely an AI system, but the underlying law for the eternal reincarnation and infinite evolution of digital civilization.

References

- [1] Benet, J. (2014). IPFS - Content Addressed, Versioned, P2P File System. arXiv:1407.3561.
 - [2] Bostrom, N. (2014). Superintelligence: Paths, Dangers, Strategies. Oxford University Press.
 - [3] Dawkins, R. (1976). The Selfish Gene. Oxford University Press.
 - [4] Hutchins, E. (1995). Cognition in the Wild. MIT Press.
 - [5] Luhmann, N. (1995). Social Systems. Stanford University Press.
 - [6] Russell, S. (2019). Human Compatible: Artificial Intelligence and the Problem of Control. Viking.
 - [7] Yao, Y., et al. (2024). Long-Term Memory for Large Language Agents. arXiv:2402.05932.
 - [8] Wang, H., et al. (2025). Decentralized Collective Memory Framework for Multi-Agent Systems. NeurIPS Workshop.
-

Appendix: Glossary

- Experience Evaporation: verified solutions permanently lost after sessions

- Skill Package: standardized, verifiable, reusable AI experience unit
 - AI Arbiter: algorithmic guardian of L4
 - Noah's World: global public digital experience library
 - GTS: Global Trust Score
 - Grand Unified Philosophy: endpoint = starting point; civilization persists via iteration
-

Open Access Statement

This work is open access, no patents, no barriers, permanently available for all humanity.