

# Reaction essentiality across multiple models

**Note: This tutorial is a draft and needs completion. Contributions welcome!**

**Authors: Miguel A.P. Oliveira, Diana C. El Assal-Jordan, Sylvain Arreckx and Ronan M.T. Fleming, Luxembourg Centre for Systems Biomedicine**

**Reviewers:**

## Introduction

During this tutorial, you will identify and compare which reactions are essential for ATP production within a set of metabolic models. This tutorial is particularly useful when studying metabolic functional abilities across multiple metabolic models.

This driver allows us to perform single reactions to identify essential ones that are required for ATP generation. This means that these essential reactions would carry a zero flux when optimising the ATP consumption reaction (ATPM).


Version 5/12/2017

## EQUIPMENT SETUP

### Initialize the COBRA Toolbox and set the solver

Please ensure that The CobraToolbox has been properly installed, and initialized using the `initCobraToolbox` function.

```
initCobraToolbox(false) % false, as we don't want to update
```



COntstraint-Based Reconstruction and Analysis  
The COBRA Toolbox - 2017

Documentation:  
<http://opencobra.github.io/cobratoolbox>

```
> Checking if git is installed ... Done.
> Checking if the repository is tracked using git ... Done.
> Checking if curl is installed ... Done.
> Checking if remote can be reached ... Done.
> Initializing and updating submodules (this may take a while)... Done.
> Adding all the files of The COBRA Toolbox ... Done.
> Define CB map output... set to svg.
> TranslateSBML is installed and working properly.
> Configuring solver environment variables ...
- [----] ILOG_CPLEX_PATH: --> set this path manually after installing the solver ( see instructions )
- [*---] GUROBI_PATH: /Library/gurobi751/mac64/matlab
- [----] TOMLAB_PATH: --> set this path manually after installing the solver ( see instructions )
- [----] MOSEK_PATH: --> set this path manually after installing the solver ( see instructions )
```

```

Done.
> Checking available solvers and solver interfaces ...
Done.
> Setting default solvers ... Done.
> Saving the MATLAB path ... Done.
  - The MATLAB path was saved in the default location.

> Summary of available solvers and solver interfaces

```

Support	LP	MILP	QP	MIQP	NLP	
-----						
cplex_direct	active		0	0	0	0
dqqMinos	active		0	-	-	-
glpk	active		1	1	-	-
gurobi	active		1	1	1	1
ibm_cplex	active		0	0	0	-
matlab	active		0	-	-	-
mosek	active		0	0	0	-
pdco	active		1	-	1	-
quadMinos	active		0	-	-	-
tomlab_cplex	active		0	0	0	0
qpng	passive		-	-	1	-
tomlab_snopt	passive		-	-	-	-
gurobi_mex	legacy		0	0	0	0
lindo_old	legacy		0	-	-	-
lindo_legacy	legacy		0	-	-	-
lp_solve	legacy		0	-	-	-
opti	legacy		0	0	0	0
-----						
Total	-		3	2	3	1

+ Legend: - = not applicable, 0 = solver not compatible or not installed, 1 = solver installed.

```

> You can solve LP problems using: 'glpk' - 'gurobi' - 'pdco'
> You can solve MILP problems using: 'glpk' - 'gurobi'
> You can solve QP problems using: 'gurobi' - 'pdco' - 'qpng'
> You can solve MIQP problems using: 'gurobi'
> You can solve NLP problems using:

> Checking for available updates ...
> Your branch <develop> is ahead by 1 commit(s).
> The COBRA Toolbox cannot be updated (already up-to-date).
> There are 183 new commit(s) on <master> and 254 new commit(s) on <develop> [282a65 @ develop]
> You can update The COBRA Toolbox by running updateCobraToolbox() (from within MATLAB).

```

The present tutorial can run with [glpk package](#), which does not require additional installation and configuration. Although, for the analysis of large models it is recommended to use the [GUROBI](#) package.

```
changeCobraSolver('gurobi6','all')
```

```

> Gurobi interface added to MATLAB path.
> The compatibility can only be evaluated on macOS 10.12.
> The solver compatibility is not tested with MATLAB R2016a.
> Solver for LP problems has been set to gurobi.

> Gurobi interface added to MATLAB path.
> The compatibility can only be evaluated on macOS 10.12.
> The solver compatibility is not tested with MATLAB R2016a.
> Solver for MILP problems has been set to gurobi.

> Gurobi interface added to MATLAB path.
> The compatibility can only be evaluated on macOS 10.12.

```

```
> The solver compatibility is not tested with MATLAB R2016a.
> Solver for QP problems has been set to gurobi.

> Gurobi interface added to MATLAB path.
> The compatibility can only be evaluated on macOS 10.12.
> The solver compatibility is not tested with MATLAB R2016a.
> Solver for MIQP problems has been set to gurobi.
> Solver gurobi not supported for problems of type NLP. Currently used: matlab
```

## Define model directory

In this tutorial, we use the cardiac model `modelCardioMito` [1] and study reaction essentiality across multiple versions this model based on the carbon sources used. This models was extracted from the latest version of the database of the human cellular metabolism, Recon 3D. For extra information about metabolites structures and reactions, and to download the latest COBRA model releases, visit the Virtual Metabolic Human database (VMH, <https://vmh.life>).

Before proceeding with the simulations, locate the directory with the cardiac models:

```
modelName = 'cardiac_mit_glcuptake_atpmax.mat';
modelsDir = getDistributedModelFolder(modelName);
```

## PROCEDURE

### 1. Load the `modelCardioMito` model at set objective function:

```
load([modelsDir filesep modelName])
```

Since we are studying reaction essentiality define the reaction `ATPS4m` as the objective function:

```
objFun = 'ATPS4m';
```

## 2. Generate multiple cardiac models that use different carbon sources

### 2.1. Close exchange reactions:

```
modelalter = modelCardioMito;
exchanges = {'EX_12dgr_m(e)'
    'EX_arachd(e)'
    'EX_co2(e)'
    'EX_coa(e)'
    'EX_crvnc(e)'
    'EX_cys-L(e)'
    'EX_glc(e)'
    'EX_glu-L(e)'
    'EX_gly(e)'
    'EX_glyc(e)'
    'EX_glyc3p(e)'
    'EX_hdca(e)'
    'EX_lac-L(e)'
    'EX_ocdca(e)'
    'EX_ocdcea(e)'
    'EX_ocdcya(e)'}
```

```

    'EX_ps_m(e)'
    'EX_urea(e)'};
for i = 1:length(exchanges)
    modelalter = changeRxnBounds(modelalter,exchanges{i},0,'l');
end

```

## 2.2. Generate multiple models by allowing different carbon sources to be fed into each model

Select one carbon source to be fed into the model at a time using 20 units.

```

allModels = {};
for i = 1:length(exchanges)
    model = modelalter;
    % Change bound of the corresponding exchange reaction using 20 units
    model = changeRxnBounds(model, exchanges{i}, -20, 'l');

    % New model name
    str = exchanges{i};
    match = {'-', '(e)'};
    for j=1:size(match,2)
        str = strrep(str, match{j}, {' '});
    end
    newModelName = horzcat(str{1}, '_model');

    % Combine models in a structure
    allModels.(newModelName) = model;
end

```

## 2.3 Delete every reaction in each model to study their essentiality across:

Perform single reaction deletion (`singleRxnDeletion.m`) across all models by using the function `essentialRxn4MultipleModels.m`

**TIMING:** aprox. 10 seconds per model (~3min)

```

%allModels = '/hdd/work/sbgCloud/programReconstruction/projects/brainMetabolism/results
[ essentialRxn4Models, dataStruct] = essentialRxn4MultipleModels(allModels, objFun);

```

```

Analysing model:
EX_12dgr_m_model
Single reaction deletion analysis in progress ...
Warning: The new variables being added to the table have fewer rows than the table. They have been
extended with rows containing default values.
Warning: The new variables being added to the table have fewer rows than the table. They have been
extended with rows containing default values.
Warning: The new variables being added to the table have fewer rows than the table. They have been
extended with rows containing default values.
Warning: The new variables being added to the table have fewer rows than the table. They have been
extended with rows containing default values.
Warning: The new variables being added to the table have fewer rows than the table. They have been
extended with rows containing default values.

```

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

## 2.4. Study reaction essentiality across all models by conditional search:


**Define an essentiality threshold:** reactions for which its deletion resulted in an 'ATPS4mi' flux below the threshold value will be considered essential for the model.

```
essentialityRange = [-100,100]; %negative values only represent absent reactions
```

In the following heatmaps, reactions with the lowest positive flux values (minimum in `essentialityRange`) are coloured in red and reactions that carry flux (close to the higher flux value in `essentialityRange`) are coloured in black. Intermediate flux values will be coloured in orange (less flux) and yellow (more flux).


### 2.4.1. Identify reactions that are essential in at least one model:

```
numModelsPresent = 1;
rxnsOfInterest_1Model = plotEssentialRxns( essentialRxn4Models, essentialityRange, numM
```




#### 2.4.2. Identify reactions that are essential in at least 11 models:

```
numModelsPresent = 11;
rxnsOfInterest_11Models = plotEssentialRxns( essentialRxn4Models, essentialityRange, nu
```



#### 2.4.3. Identify reactions that are essential in at least 17 models:

```
numModelsPresent = 17;
rxnsOfInterest_17Models = plotEssentialRxns( essentialRxn4Models, essentialityRange, nu
```



#### 2.4.4. Identify reactions that are essential and present in all models:

```
numModelsPresent = size(essentialRxn4Models(:,2:end),2);
rxnsOfInterest_allModels = plotEssentialRxns( essentialRxn4Models, essentialityRange, r
```

Attention: All non-essential reactions have flux above the threshold


#### 2.4.5. Identify reactions that are essential and always present in all models:

Allow only reactions that are present across all models by adjusting the lower value of the essentialityRange to a non-negative value.

```
essentialityRange = [0,0]; % only reactions
```

Now identify the present reactions that are essential in at least one model


```
numModelsPresent = 1;
presentRxnsOfInterest_1Model = plotEssentialRxns( essentialRxn4Models, essentialityRange
```



## 2.4.6. Identify reactions that are never essential in all models:

Allow only reactions that are present across all models by adjusting the lower value of the essentialityRange to a positive value (e.g. 50 units).

```
essentialityRange = [50,100]; % always positive fluxes
numModelsPresent = 1;
rxnsOfInterest = plotEssentialRxns( essentialRxn4Models, essentialityRange, numModelsPresent)
```



## 3. Allow different max fluxes in NADH reaction and test reaction essentiality across all models



Use again the modelCardioMito model

```
titratioModel = modelCardioMito;
```

### 3.1. Select the reaction NADH2-u10m to be titrated and the titration ranges

```
reaction4titration = 'NADH2-u10m';  
titrationFluxes = (-40:20:300);
```

Generate multiple models with bound constraint (titrationFluxes) in the reaction NADH2-u10m

```
allTitrationModels = {};  
for i = 1:length(exchanges)  
    model = titratioModel;  
    % Change bound of the corresponding exchange reaction using 20 units  
    model = changeRxnBounds(model, reaction4titration, titrationFluxes(i), 'b');  
  
    % New model name  
    str = reaction4titration;  
    match = {'-', '(e)'};  
    for j=1:size(match,2)  
        str = strrep(str, match{j}, {' '});  
    end  
    fluxValue = num2str(titrationFluxes(i));  
    fluxValue = strrep(fluxValue, '-', 'minus');  
    newModelName = horzcat(str{1,1}, 'Flux', fluxValue, 'Model');  
  
    % Combine models in a structure  
    allTitrationModels.(newModelName) = model;  
end
```

### 3.2. Delete every reaction in each model to study their essentiality across:

```
[ essentialRxn4NADHModels, dataStruct] = essentialRxn4MultipleModels(allTitrationModels)
```

```
Analysing model:  
NADH2u10mFluxminus40Model  
Single reaction deletion analysis in progress ...  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.  
Warning: The new variables being added to the table have fewer rows than the table. They have been  
extended with rows containing default values.
```

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

Warning: The new variables being added to the table have fewer rows than the table. They have been extended with rows containing default values.

### 3.3. Study reaction essentiality across all models by conditional search:

```
essentialityRange = [-100,100]; %negative values only represent absent reactions
numModelsPresent = 1; % essential reactions in at least 1 model
rxnsOfInterest_NADH1Model = plotEssentialRxns( essentialRxn4NADHModels, essentialityRange)
```

