



# Energy and Flexibility Modelling

## Hands-on 2

Please use the following citation for:

- **This exercise**

Cannone, Carla, Allington, Lucy, & Howells, Mark. (2021, March). Hands-on 1: Energy and Flexibility Modelling (Version 1.0.). Zenodo. <https://doi.org/10.5281/zenodo.4605256>

- **clicSAND Software**

Cannone, C., Allington, L., De Wet, N., Shivakumar, A., Goyns, P., Valderrama, C., Howells, M. (2021). clicSAND [computer software]. <http://doi.org/10.5281/zenodo.4593100>

- **OSeMOSYS Google Forum**

Please sign up to the help Google forum [here](#). If you are stuck, please ask questions here. If you get ahead, please answer questions in the same forum. Please state that you are using the 'clicSAND' Interface.

---

## Learning outcomes

---

By the end of this exercise, you will be able to:

1. Create a new model in SAND Interface
2. Learn the main functionalities of SAND Interface
3. Define the duration of Time slices
4. Add Year Split values
5. Check Depreciation Method and Discount Rate values




# Create a new model


After installing the software and downloading the files needed (as for **Hands-on 1**) you are ready to create your first model in OSeMOSYS using the interface called SAND. This is an Excel-based (Macro-Enabled) file where you can input the data needed for OSeMOSYS to find the optimal solution to your problem. Let's learn how to save and manage your files.

Try it:

1. We will start by creating a folder called "**HO2**" for this Hands-on 2.
2. Then open the **clickSAND** folder -> double click on the **ModelRunner**.



3. Click on "**Export Templates**" (in orange) to the HO2 folder in you created.



This will automatically save a blank copy of:

- a. SAND Interface (Excel Macro Enabled Workbook)
- b. Results Database (Access database to store the results obtained)
- c. Results Template (Excel Macro Enabled Workbook)




- d. OSeMOSYS\_code\_Hands-on (Text file)

Please rename these files as:

- a. **SAND\_Interface\_HO2**
- b. **Results\_Database\_HO2**
- c. **Results\_Template\_HO2**
- d. The code will be the same for all the exercise so there is no need to rename it

**Watch out:** Every time you make substantial changes to your model save it as a new version in the correspondent folder. For example, if I want to test different options in my Hands-on 2 file, I will create a new file in the folder Hands-on 2 called "**SAND\_Interface\_HO2\_v2**" and so on.



**Repeat these steps for each Hands-on (New folder-> ModelRunner-> ExportTemplates in the HOX folder)**

Voilà: you now know how to manage your folders and files!

## Main functionalities SAND Interface

---

Now the next step is learning how to use SAND Interface. **Don't worry**, it looks more complicated than it really is.

**SETS**, **Parameters** and **ToDataFile** Sheets represent the core of the Interface, and they are entirely interconnected to each other.

**Try it:** let's move around and check what we can do in each of these Sheets:



- 1. SETS** - this is the place where you can define the name of your **Technologies** (in column B), **Commodities** (in column E) and **Emissions** (in column H).

These three columns are linked to the "ToDataFile" Sheet that has the format needed by the solver to find the optimal solution. Therefore, whenever you specify the name of a Technology, Commodity or Emission in these columns, it is automatically reported in the respective cell in the ToDataFile Sheet.

You have the freedom to change names **as many times as necessary** without losing the data previously added for that specific entry.

**Watch out:** Technologies, Commodities and Emissions codes in your model should be named following the guidelines explained in **Lecture 3**.

Technologies		Commodities		Emissions	
Code	Description	Code	Description	Code	Description
TEC000	Additional Technology	COM001	Additional Fuel	EMIC02	Emission factor for CO2
TEC001	Additional Technology	COM002	Additional Fuel	EMICH4	Emission factor for methane
TEC002	Additional Technology	COM003	Additional Fuel	EMIIFGA	Emission factor for Fluorinated ga
TEC003	Additional Technology	COM004	Additional Fuel	EMIN2O	Emission factor for Nitrous Oxide
TEC004	Additional Technology	COM005	Additional Fuel	EMIREN	Emission factor for RET targets
TEC005	Additional Technology	COM006	Additional Fuel	<b>Region</b>	
TEC006	Additional Technology	COM007	Additional Fuel	RE1	Region 1
TEC007	Additional Technology	COM008	Additional Fuel	<b>ResultsPath "C:\..\res\csv" (change it before runn</b>	
TEC008	Additional Technology	COM009	Additional Fuel	="C:\Users\Carla\Desktop\Runs\2020\UN\CLWISO\2B\res\	
TEC009	Additional Technology	COM010	Additional Fuel		
TEC010	Additional Technology	COM011	Additional Fuel		

- 2. Parameters** - this is a giant Sheet where you will be adding data for each OSeMOSYS parameter. To make things easier and faster for you, there are filters at the top of each column where you can filter for either **Parameter (column A)**, **Technology (Column C)**, **Commodities/Fuel (Column F)**. Columns K to BN is where you can insert data from 2015 to 2070.



AutoSave [On] CCG - SAND Interface (clean) 2020 (ver10) - Excel

File Home Insert Page Layout Formulas Data Review View Add-ins Help Table Design

Clipboard Font Alignment Number Styles Cells Editing Ideas Sensitivity

F2 =SETSIE3

Parameter	REGION	TECHNOLOGY	EMISSION	MODE_OF_OPERATION	FUEL	TIMESLICE	STORAGE	REGION2	Time independent variables	2015	2016	2017	2018	2019	2020	2021
AccumulatedAnnualDemand	RE1					COM001				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM002				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM003				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM004				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM005				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM006				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM007				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM008				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM009				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM010				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM011				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM012				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM013				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM014				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM015				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM016				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM017				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM018				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM019				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM020				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM021				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM022				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM023				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM024				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM025				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM026				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM027				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM028				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM029				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM030				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM031				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM032				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM033				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM034				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM035				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM036				0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM037				0	0	0	0	0	0	0

Naming SETS Parameters ToDataFile

**Try it:** in **Column A**, filter for **Parameters** -> Tick **Year Split** -> OK. You will see that now only data associated with the parameter called Year Split are shown on the table. You can add as many filters as wanted. Play around with filters and get confident with this functionality!

AutoSave [On] CCG - SAND Interface (clean) 2020 (ver10) - Excel

File Home Insert Page Layout Formulas Data Review View Add-ins Help Table Design

Clipboard Font Alignment Number Styles Cells Editing Ideas Sensitivity

F2 =SETSIE3

Parameter	REGION	TECHNOLOGY	EMISSION	MODE_OF_OPERATION	FUEL	TIMESLICE	STORAGE	REGION2	Time independent variables	2015	2016	2017	2018	2019	2020	2021	2022
AccumulatedAnnualDemand	RE1					COM001				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM002				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM003				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM004				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM005				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM006				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM007				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM008				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM009				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM010				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM011				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM012				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM013				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM014				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM015				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM016				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM017				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM018				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM019				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM020				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM021				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM022				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM023				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM024				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM025				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM026				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM027				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM028				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM029				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM030				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM031				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM032				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM033				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM034				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM035				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM036				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM037				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM038				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM039				0	0	0	0	0	0	0	0
AccumulatedAnnualDemand	RE1					COM040				0	0	0	0	0	0	0	0

Naming SETS Parameters ToDataFile


Sort A to Z  
Sort Z to A  
Sort by Color  
Sheet View  
Clear Filter From "Parameter"  
Filter by Color  
Text Filters  
year  
[X] (Select All Search Results)  
[ ] Add current selection to filter  
[X] YearSplit

OK Cancel

Display Settings 67%

Type here to search

11:33 31/01/2021



And this is what you will see if you filter out for the Parameter **Year Split**:

	A	B	C	D	E	F	G	H	I	J	K	L
1	Parameter	REGION	TECHNOLOGY	EMISSION	MODE_OF_OPERATION	FUEL	TIMESLICE	STORAGE	REGION2	Time Independent variable	2015	2016
48652	YearSplit						S101				0	
48653	YearSplit						S102				0	
48654	YearSplit						S103				0	
48655	YearSplit						S104				0	
48656	YearSplit						S105				0	
48657	YearSplit						S106				0	
48658	YearSplit						S107				0	
48659	YearSplit						S108				0	
48670	YearSplit						S109				0	
48671	YearSplit						S110				0	
48672	YearSplit						S111				0	
48673	YearSplit						S112				0	
48674	YearSplit						S113				0	
48675	YearSplit						S114				0	
48676	YearSplit						S115				0	
48677	YearSplit						S116				0	
48678	YearSplit						S117				0	
48679	YearSplit						S118				0	
48680	YearSplit						S119				0	
48681	YearSplit						S120				0	
48682	YearSplit						S121				0	
48683	YearSplit						S122				0	
48684	YearSplit						S123				0	
48685	YearSplit						S124				0	
48686	YearSplit						S201				0	
48687	YearSplit						S202				0	
48688	YearSplit						S203				0	
48689	YearSplit						S204				0	
48690	YearSplit						S205				0	
48691	YearSplit						S206				0	
48692	YearSplit						S207				0	
48693	YearSplit						S208				0	
48694	YearSplit						S209				0	
48695	YearSplit						S210				0	
48696	YearSplit						S211				0	
48697	YearSplit						S212				0	
48698	YearSplit						S213				0	
48699	YearSplit						S214				0	
48700	YearSplit						S215				0	
48701	YearSplit						S216				0	

You see that from column K to column BN there are default values added: in this case 0. We will add data for the year split at the end of this hands-on.

**3. ToDataFile** - this Sheet has the format needed by the solver to find the optimal solution to your problem.

**Watch out:** never add data on this Sheet, do it always on **Parameters** and **SETS**. The interface is made up in a way that all the entries will be automatically read by **ToDataFile**.

**4. Naming** – here you will find the description of the parameters used in SAND Interface. We are not going to use all the parameters listed here.

## Define the duration of time slices

To carry out a modelling exercise with OSeMOSYS, it is necessary to assign values to the set called **Timeslices**, which represents periods of the year with a similar demand. In this model, the year was initially divided into 4 timeslices, representing two periods of 6 months (two representative seasons) each of which has similar demand, further sub-divided into day and



night periods, called: **Summer Day (SD)**, **Summer Night (SN)**, **Winter Day (WD)**, **Winter Night (WN)**.

However, in SAND Interface it is possible to define up to 96 timeslices, so these initial data were manipulated to obtain a 24-hour representation of a reference day for each of SD, SN, WD, and WN (24 hours each \* 4 = 96 timeslices). Therefore, each year is divided into 96 periods instead of the previous 4.

It was assumed each season has an equal length, with an average hourly split per season (24h representative). Therefore obtaining:

$$4 \text{ Seasons/year} * 24\text{h of a representative day/season} = 96 \text{ Timeslices/Year}$$

Each Timeslice represents an equal fraction of the Year in the following way, defined as the Year Split:

$$1 \text{ Year} / 96 \text{ Timeslices} = 0.0104$$

Therefore, you should add this number to the Year Split column for each year.

**Watch out!** To help you deal with all the data we created for you a [Data Preparation Spreadsheet](#) that will allow you to copy-paste the data in a faster way.

**IMPORTANT:** Unfortunately, you cannot copy paste all the data in one go, so you need to copy paste each line individually. This is because, when filters are applied, Excel will not copy-paste the data into the correct rows of the spreadsheet multiple lines are copy-pasted at the same time. Therefore, if you select all the data at once, instead of line-by-line, you will add data for completely wrong parameters and the model will not work.

To help you with this task, check the blue cells in the Data preparation file which highlight the data you need to change every time.

## Add Year Split values

---

After defining the duration of each time slice and calculating the Year Split profile we need to add these values in SAND Interface.

**Try it: let's add the data for Year Split.**

1. Go in Parameters Sheet and filter for **Year Split** (in Column A).



- Copy-paste data obtained in Column K of the [Data Preparation File](#) -> in Column K of SAND interface correspondent to the year 2015.


**IMPORTANT:** right click on Cell K48662 and **PASTE VALUES (second icon from the left).**



	A	F	G	J	K	L	M	N
1	Parameter	FUEL	TIMESLICE	Time independent variab	2015	2016	2017	2018
48662	YearSplit		S101		0.0104	0	0	0
48663	YearSplit		S102		0.0104	0	0	0
48664	YearSplit		S103		0.0104	0	0	0
48665	YearSplit		S104		0.0104	0	0	0
48666	YearSplit		S105		0.0104	0	0	0
48667	YearSplit		S106		0.0104	0	0	0
48668	YearSplit		S107		0.0104	0	0	0
48669	YearSplit		S108		0.0104	0	0	0
48670	YearSplit		S109		0.0104	0	0	0
48671	YearSplit		S110		0.0104	0	0	0
48672	YearSplit		S111		0.0104	0	0	0
48673	YearSplit		S112		0.0104	0	0	0
48674	YearSplit		S113		0.0104	0	0	0
48675	YearSplit		S114		0.0104	0	0	0
48676	YearSplit		S115		0.0104	0	0	0
48677	YearSplit		S116		0.0104	0	0	0
48678	YearSplit		S117		0.0104	0	0	0
48679	YearSplit		S118		0.0104	0	0	0
48680	YearSplit		S119		0.0104	0	0	0
48681	YearSplit		S120		0.0104	0	0	0
48682	YearSplit		S121		0.0104	0	0	0
48683	YearSplit		S122		0.0104	0	0	0
48684	YearSplit		S123		0.0104	0	0	0
48685	YearSplit		S124		0.0104	0	0	0
48686	YearSplit		S201		0.0104	0	0	0
48687	YearSplit		S202		0.0104	0	0	0
48688	YearSplit		S203		0.0104	0	0	0
48689	YearSplit		S204		0.0104	0	0	0
48690	YearSplit		S205		0.0104	0	0	0
48691	YearSplit		S206		0.0104	0	0	0
48692	YearSplit		S207		0.0104	0	0	0
48693	YearSplit		S208		0.0104	0	0	0
48694	YearSplit		S209		0.0104	0	0	0
48695	YearSplit		S210		0.0104	0	0	0
48696	YearSplit		S211		0.0104	0	0	0
48697	YearSplit		S212		0.0104	0	0	0
48698	YearSplit		S213		0.0104	0	0	0
48699	YearSplit		S214		0.0104	0	0	0
48700	YearSplit		S215		0.0104	0	0	0
48701	YearSplit		S216		0.0104	0	0	0

- Go to Cell K48662; click **ctrl+alt+down-arrow** to select only the data in column K. Drag and drop to copy them for the other years by moving to the right side until column BK for the year 2070.





K48662			X	Y	Z	0.0104																	
#	Parameter	FUEL	TIME-STEP	Time independent var.	-2015	-2016	-2017	-2018	-2019	-2020	-2021	-2022	-2023	-2024	-2025	-2026	-2027	-2028	-2029	-2030	-2031	-2032	-2033
40223	YearSpin	5314	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40224	YearSpin	5315	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40225	YearSpin	5316	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40226	YearSpin	5317	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40227	YearSpin	5318	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40228	YearSpin	5319	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40229	YearSpin	5320	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40230	YearSpin	5321	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40231	YearSpin	5322	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40232	YearSpin	5323	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40233	YearSpin	5324	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40234	YearSpin	5401	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40235	YearSpin	5402	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40236	YearSpin	5403	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40237	YearSpin	5404	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40238	YearSpin	5405	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40239	YearSpin	5406	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40240	YearSpin	5407	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40241	YearSpin	5408	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40242	YearSpin	5409	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40243	YearSpin	5410	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40244	YearSpin	5411	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40245	YearSpin	5412	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40246	YearSpin	5413	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40247	YearSpin	5414	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40248	YearSpin	5415	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40249	YearSpin	5416	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40250	YearSpin	5417	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40251	YearSpin	5418	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40252	YearSpin	5419	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40253	YearSpin	5420	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40254	YearSpin	5421	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40255	YearSpin	5422	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40256	YearSpin	5423	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40257	YearSpin	5424	0.0104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

You should have now the data added to all the years and per each of the 96 timeslices available in SAND Interface.

[illegible]

Voilà: you added the data for the parameter Year Split from 2015 to 2070

# Check Depreciation Method and Discount Rate values

We will leave default values for Depreciation Method and Discount Rate. In the future, you are free to change them following these steps.



### Try it:

- Go to **Parameters** Sheet -> In Column A filter out for "**Depreciation Method**" and "**Discount Rate**" parameters -> click **OK**. You will see the following. Do not change these numbers, we will use these default values.

	A	B	J	K	L	M	N	O	P
1	Parameter	REGION	Time independent variables	2015	2016	2017	2018	2019	2020
19962	DepreciationMethod	RE1	1						
19963	DiscountRate	RE1	0.1						

The depreciation method will have a value of 1 and the discount rate of 0.1 (10% discount rate). These are time independent variables; you will therefore see their value in Column J. When a variable is time dependent instead, no values are going to be in Column J and there will be a number per each of the modelling years (Column K to Column BN).

Name	Description
YearSplit	Duration of a modelled time slice, expressed as a fraction of the year. The sum of each entry over one modelled year should equal 1.
DiscountRate	Region specific value for the discount rate, expressed in decimals (e.g. 0.1)
DepreciationMethod	Binary parameter defining the type of depreciation to be applied. It has value 1 for sinking fund depreciation, value 2 for straight-line depreciation.