

msp\_015.core


0.08  
0.06  
0.04  
0.02  
0.00

*FDR: 1.225e-01*  
*Coefficient: 2.52e-03*  
*Value: Yes*


No (n=262)


Yes (n=58)


Vaginal\_yeast\_infection



msp\_095.core








msp\_008.core

FDR: 1.822e-01  
Coefficient: 4.53e-03  
Value: Yes

No (n=262)

Yes (n=58)

Vaginal\_yeast\_infection



msh\_014.core

FDR:  $1.822 \times 10^{-1}$   
Coefficient:  $1.49 \times 10^{-3}$   
Value: Yes

0.04


0.02


0.00


No (n=262)

Yes (n=58)


Vaginal\_yeast\_infection














msp\_210.core


0.015  
0.010  
0.005  
0.000


FDR: 1.878e-01  
Coefficient: 5.15e-04  
Value: Yes

No (n=262)

Yes (n=58)

Vaginal\_yeast\_infection





msp\_297.core

0.015

0.010

0.005


0.000

No (n=262)

Yes (n=58)

Vaginal\_yeast\_infection

FDR: 2.198e-01  
Coefficient: -8.84e-04  
Value: Yes




msh\_140.core

FDR: 2.203e-01  
Coefficient: -3.52e-03  
Value: Yes

No (n=262)

Yes (n=58)

Vaginal\_yeast\_infection



msp\_071.core

FDR: 2.467e-01

Coefficient: -4.30e-03

Value: Yes

0.075

0.050


0.025

0.000

No (n=262)

Yes (n=58)

Vaginal\_yeast\_infection



msp\_213.core

FDR: 2.467e-01

Coefficient:  $-1.62e-03$

Value: Yes

No (n=262)

Yes (n=58)

Vaginal\_yeast\_infection

