

US West Coast Stocks

v4.495 (Apr-17-2021)

Not present Present Preferred

Stock	Time Series Types			
	B/Bmsy	U/Umsy	B/Bmgt	U/Umgmt
1. ARFLOUDPCOAST [Arrowtooth flounder Pacific Coast]	TB SSB	ER F	TB SSB	ER F
2. AUROCKPCOAST [Aurora rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
3. BGROCKPCOAST [Blackgill rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
4. BLACKROCKCAL [Black rockfish California]	TB SSB	ER F	TB SSB	ER F
5. BLACKROCKORECOAST [Black rockfish Oregon Coast]	TB SSB	ER F	TB SSB	ER F
6. BLACKROCKWASH [Black rockfish Washington]	TB SSB	ER F	TB SSB	ER F
7. BLUEROCKCAL [Blue rockfish California]	TB SSB	ER F	TB SSB	ER F
8. BNKROCKCAL [Bank rockfish California]	TB SSB	ER F	TB SSB	ER F
9. BOCACCSPCOAST [Bocaccio Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
10. BRNROCKPCOAST [Brown rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
11. CABEZNCAL [Cabezon Northern California]	TB SSB	ER F	TB SSB	ER F
12. CABEZORECOAST [Cabezon Oregon Coast]	TB SSB	ER F	TB SSB	ER F
13. CABEZSCAL [Cabezon Southern California]	TB SSB	ER F	TB SSB	ER F
14. CABEZWASH [Cabezon Washington]	TB SSB	ER F	TB SSB	ER F
15. CALSCORPSCAL [California scorpionfish Southern California]	TB SSB	ER F	TB SSB	ER F
16. CHILISPCOAST [Chilipepper Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
17. CHROCKCPCOAST [China rockfish Central Pacific Coast]	TB SSB	ER F	TB SSB	ER F
18. CHROCKNPSCOAST [China rockfish Northern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
19. CHROCKSPCOAST [China rockfish Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
20. CMACKPCOAST [Pacific chub mackerel Pacific Coast]	TB SSB	ER F	TB SSB	ER F
21. COWCODSCAL [Cowcod Southern California]	TB SSB	ER F	TB SSB	ER F
22. CPRROCKPCOAST [Copper rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
23. CROCKPCOAST [Canary rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
24. DKROCKPCOAST [Darkblotched rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
25. DSOLEPCOAST [Dover sole Pacific Coast]	TB SSB	ER F	TB SSB	ER F
26. ESOLEPCOAST [English sole Pacific Coast]	TB SSB	ER F	TB SSB	ER F
27. GOPHERSPCOAST [Gopher rockfish Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
28. GRNSTROCKPCOAST [Greenstriped rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
29. GRSPROCKNCAL [Greenspotted rockfish Northern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
30. GRSPROCKSCAL [Greenspotted rockfish Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
31. KELPGREENLINGORECOAST [Kelp greenling Oregon Coast]	TB SSB	ER F	TB SSB	ER F
32. LINGCODNPSCOAST [Lingcod Northern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
33. LINGCODSPCOAST [Lingcod Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
34. LNOSESKAPCOAST [Longnose skate Pacific Coast]	TB SSB	ER F	TB SSB	ER F
35. LSTHORNHPSCOAST [Longspine thornyhead Pacific Coast]	TB SSB	ER F	TB SSB	ER F
36. PGEODWA [Pacific geoduck Washington]	TB SSB	ER F	TB SSB	ER F
37. PHAKEPCOAST [Pacific hake Pacific Coast]	TB SSB	ER F	TB SSB	ER F
38. POPERCHPCOAST [Pacific ocean perch Pacific Coast]	TB SSB	ER F	TB SSB	ER F
39. PSOLEPCOAST [Petrale sole Pacific Coast]	TB SSB	ER F	TB SSB	ER F

40. REXSOLEPCOAST [Rex sole Pacific Coast]	TB SSB	ER F	TB SSB	ER F
41. SABLEFPCOAST [Sablefish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
42. SARDPCOAST [Pacific sardine Pacific Coast]	TB SSB	ER F	TB SSB	ER F
43. SBELLYROCKPCOAST [Shortbelly rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
44. SHCROCKPCOAST [Sharpchin rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
45. SNROCKPCOAST [Splitnose rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
46. SPSDOGPCOAST [Spotted spiny dogfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
47. SSTHORNHPCOAST [Shortspine thornyhead Pacific Coast]	TB SSB	ER F	TB SSB	ER F
48. STFLOUNNPSCOAST [Starry flounder Northern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
49. STFLOUNSPCOAST [Starry flounder Southern Pacific Coast]	TB SSB	ER F	TB SSB	ER F
50. WROCKPCOAST [Widow rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
51. YEYEROCKPCOAST [Yelloweye rockfish Pacific Coast]	TB SSB	ER F	TB SSB	ER F
52. YTROCKNPSCOAST [Yellowtail rockfish Northern Pacific Coast]	TB SSB	ER F	TB SSB	ER F

Arrowtooth flounder Pacific Coast [ARFLOUDPCOAST]


Metadata	
Scientific Name	Atheresthes stomias
Current Assess ID	NWFSC-ARFLOUDPCOAST-1916-2017-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015, 2007, 2017

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2007	44,591
SSBmsy	SSBmsy-MT	2017	16,362
Fmsy	Fmsy-1/yr	2017	0.7
ERmsy	ERmsy-ratio	2007	0.131
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2007	80,313
MSY	MSY-MT	2017	6775
M	M-1/yr	2007	0.166
TBlim	-	-	-
SSBlim	SSBlim-MT	2017	8181
Flim	Flim-1/yr	2017	0.7
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	94,534	-	-	
SSB	SSB-MT	2017	56,710	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	50,277,400	-	0	
F	F-1/yr	2017	0.191	-	-	
ER	ER-calc-ratio	2017	0.021	-	-	
TC	TC-MT	2017	1899			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2007	1.868			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2017	3.466			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.273			
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0.218			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Arrowtooth flounder Pacific Coast [ARFLOUNDPCOAST]


Kobe MSYpref (1916–2017–SISIMP2021)




Kobe MGTpref (1916–2017–SISIMP2021)



Spawner Recruit (1916–2017–SISIMP2021)



Production (1916–2017–SISIMP2021)







◆ Start Year ◆ End Year * No Data

Arrowtooth flounder Pacific Coast [ARFLOUNDPCOAST]



TB-MT (1916–2017–SISIMP2021)

SSB-MT (1916–2017–SISIMP2021)



ER-calc-ratio (1916–2017–SISIMP2021)

R-E00 (1916–2017–SISIMP2021)







■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data



Arrowtooth flounder Pacific Coast [ARFLOUNDPCOAST]

TC-MT, TL*, RecC* (1916–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Aurora rockfish Pacific Coast [AUROCKPCOAST]


Metadata	
Scientific Name	Sebastes aurora
Current Assess ID	NWFSC-AUROCKPCOAST-1916-2013-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2013

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2013	1050
Fmsy	Fmsy-1/yr	2013	0.5
ERmsy	ERmsy-conv-ratio	2013	0.029
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2013	72
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2013	657
Flim	Flim-1/yr	2013	0.5
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2013	4370	-	0+
SSB	SSB-MT	2013	1670	Females	12.56
TN	-	-	-	-	-
R	R-E00	2013	736,000	-	0
F	F-1/yr	2013	0.307	-	-
ER	ER-calc-ratio	2013	0.01	-	-
TC	TC-MT	2013	43		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2013	1.59		
F/Fmsy	F-1/yr/Fmsy-1/yr	2013	0.614		
ER/ERmsy	ER-calc-ratio/ERmsy-conv-ratio	2013	0.339		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Aurora rockfish Pacific Coast [AUROCKPCOAST]


Kobe MSYpref (1916–2013–SISIMP2016)




Kobe MGTpref (1916–2013–SISIMP2016)



Spawner Recruit (1916–2013–SISIMP2016)



Production (1916–2013–SISIMP2016)







◆ Start Year ◆ End Year * No Data

Aurora rockfish Pacific Coast [AUROCKPCOAST]



TB-MT (1916–2013–SISIMP2016)

SSB-MT (1916–2013–SISIMP2016)



ER-calc-ratio (1916–2013–SISIMP2016)

R-E00 (1916–2013–SISIMP2016)







■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	- - Lim BRP	* No Data



Aurora rockfish Pacific Coast [AUROCKPCOAST]

TC-MT, TL*, RecC* (1916–2013–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Blackgill rockfish Pacific Coast [BGROCKPCOAST]


Metadata	
Scientific Name	Sebastodes melanostomus
Current Assess ID	NWFSC-BGROCKPCOAST-1950-2017-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2011, 2017

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2011	5063
SSBmsy	SSBmsy-E00larvae	2017	8.26×10^{11}
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-pr-ratio	2011	0.022
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	12,927
SSB0	SSB0-E00larvae	2011	1,187,800
MSY	MSY-MT	2017	188
M	M-1/yr	2011	0.07
TBlim	-	-	-
SSBlim	SSBlim-E00larvae	2017	5.16×10^{11}
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	7910	-	-	
SSB	SSB-E00larvae	2017	8.13×10^{11}	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	2,227,050	-	0	
F	F-1/yr	2017	0.173	-	-	
ER	ER-calc-ratio	2017	0.005	-	-	
TC	TC-MT	2017	39			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-MT	2011	1.302			
SSB/SSBmsy	SSB-E00larvae/SSBmsy-E00larvae	2017	0.984			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.346			
ER/ERmsy	ER-ratio/ERmsy-pr-ratio	2011	1.032			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Blackgill rockfish Pacific Coast [BGROCKPCOAST]


Kobe MSYpref (1950–2017–SISIMP2021)




Kobe MGTpref (1950–2017–SISIMP2021)



Spawner Recruit (1950–2017–SISIMP2021)




Production (1950–2017–SISIMP2021)




◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Blackgill rockfish Pacific Coast [BGROCKPCOAST]

TB-MT (1950–2017–SISIMP2021)




SSB-E00larvae (1950–2017–SISIMP2021)




SSB_{mgt*}-E00larvae, SSB_{lim*}-E00larvae

F_{mgt*}-1/yr, F_{lim*}-1/yr

ER-calc-ratio (1950–2017–SISIMP2021)



R-E00 (1950–2017–SISIMP2021)






REC-EST*

- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | --- Lim BRP | * No Data |



Blackgill rockfish Pacific Coast [BGROCKPCOAST]

TC-MT, TL*, RecC* (1950–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Black rockfish California [BLACKROCKCAL]


Metadata	
Scientific Name	Sebastes melanops
Current Assess ID	SWFSC-BLACKROCKCAL-1916-2015-SISIMP2016
Area	California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2015	425
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-conv-ratio	2015	0.082
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2015	343
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	266
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	5770	-	3+	
SSB	SSB-MT	2015	353	Females	7+	
TN	-	-	-	-	-	
R	R-E00	2015	1,750,000	-	0	
F	F-1/yr	2015	0.534	-	-	
ER	ER-calc-ratio	2015	0.068	-	-	
TC	TC-MT	2015	380			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	0.831			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	1.068			
ER/ERmsy	ER-calc-ratio/ERmsy-conv-ratio	2015	0.829			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Black rockfish California [BLACKROCKCAL]


Kobe MSYpref (1916–2015–SISIMP2016)




Kobe MGTPref (1916–2015–SISIMP2016)



Spawner Recruit (1916–2015–SISIMP2016)



Production (1916–2015–SISIMP2016)







◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Black rockfish California [BLACKROCKCAL]



TB-MT (1916–2015–SISIMP2016)

SSB-MT (1916–2015–SISIMP2016)



ER-calc-ratio (1916–2015–SISIMP2016)

R-E00 (1916–2015–SISIMP2016)






■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	- - Lim BRP	* No Data



Black rockfish California [BLACKROCKCAL]

TC-MT, TL*, RecC* (1916–2015–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Black rockfish Oregon Coast [BLACKROCKORECOAST]


Metadata	
Scientific Name	Sebastodes melanops
Current Assess ID	NWFSC-BLACKROCKORECOAST-1892-2015-SISIMP2016
Area	Oregon Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2015	554
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-conv-ratio	2015	0.095
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2015	518
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	346
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	8060	-	3+	
SSB	SSB-MT	2015	838	Females	7+	
TN	-	-	-	-	-	
R	R-E00	2015	3,510,000	-	0	
F	F-1/yr	2015	0.417	-	-	
ER	ER-calc-ratio	2015	0.06	-	-	
TC	TC-MT	2015	485			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	1.513			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	0.834			
ER/ERmsy	ER-calc-ratio/ERmsy-conv-ratio	2015	0.629			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Black rockfish Oregon Coast [BLACKROCKORECOAST]


Kobe MSYpref (1892–2015–SISIMP2016)




Kobe MGTPref (1892–2015–SISIMP2016)



Spawner Recruit (1892–2015–SISIMP2016)



Production (1892–2015–SISIMP2016)







- ◆ Start Year
- ◆ End Year
- * No Data

Black rockfish Oregon Coast [BLACKROCKORECOAST]



TB-MT (1892–2015–SISIMP2016)

SSB-MT (1892–2015–SISIMP2016)



ER-calc-ratio (1892–2015–SISIMP2016)

R-E00 (1892–2015–SISIMP2016)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | * No Data |



Black rockfish Oregon Coast [BLACKROCKORECOAST]

TC-MT, TL*, RecC* (1892–2015–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Black rockfish Washington [BLACKROCKWASH]


Metadata	
Scientific Name	Sebastodes melanops
Current Assess ID	NWFSC-BLACKROCKWASH-1940-2015-SISIMP2016
Area	Washington
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2015	542
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-est-ratio	2015	0.052
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2015	276
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	339
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	5640	-	3+	
SSB	SSB-MT	2015	582	Females	7+	
TN	-	-	-	-	-	
R	R-E00	2015	1,910,000	-	0	
F	F-1/yr	2015	0.536	-	-	
ER	ER-calc-ratio	2015	0.063	-	-	
TC	TC-MT	2015	356			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	1.073			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	1.072			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	1.215			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Black rockfish Washington [BLACKROCKWASH]


Kobe MSYpref (1940–2015–SISIMP2016)




Kobe MGTpref (1940–2015–SISIMP2016)



Spawner Recruit (1940–2015–SISIMP2016)




Production (1940–2015–SISIMP2016)




◆ Start Year ◆ End Year * No Data

Black rockfish Washington [BLACKROCKWASH]


TB-MT (1940–2015–SISIMP2016)




SSB-MT (1940–2015–SISIMP2016)




TN *




F-1/yr (1940–2015–SISIMP2016)



ER-calc-ratio (1940–2015–SISIMP2016)



R-E00 (1940–2015–SISIMP2016)




■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data


Black rockfish Washington [BLACKROCKWASH]

TC-MT, TL*, RecC* (1940–2015–SISIMP2016)


TAC*, Cpair*, Cadv*




TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-est-MT, CdivMEANC-ratio, (1940–2015–SISIMP2016)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data


Blue rockfish California [BLUEROCKCAL]

Metadata	
Scientific Name	Sebastodes mystinus
Current Assess ID	NWFSC-BLUEROCKCAL-1916-2007-BRANCH
Area	California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2007

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2007	5037
SSBmsy	SSBmsy-pr-E00larvae	2007	8.31×10^8
Fmsy	Fmsy-pr-1/yr	2007	0.04
ERmsy	ERmsy-conv-ratio	2007	0.057
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2007	13,223
SSB0	SSB0-MT	2007	2077
MSY	MSY-MT	2007	275
M	M-1/yr	2007	0.12
TBlim	TBlim-MT	2007	205
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2007	5450	-	1+	
SSB	SSB-E00larvae	2007	6.22×10^8	Females	6+	
TN	-	-	-	-	-	
R	R-E00	2007	2,260,000	-	0	
F	F-1/yr	2007	0.048	Both	1+	
ER	ER-ratio	2007	0.048	-	-	
TC	TC-MT	2007	263			
TL	-	-	-			
TB/TBmsy	TB-MT/(TB0-MT*0.368)	2007	1.12			
SSB/SSBmsy	SSB-E00larvae/SSBmsy-pr-E00larvae	2007	0.748			
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2007	1.191			
ER/ERmsy	ER-ratio/ERmsy-conv-ratio	2007	0.855			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Blue rockfish California [BLUEROCKCAL]




◆ Start Year ◆ End Year * No Data

Blue rockfish California [BLUEROCKCAL]


TB-MT (1916–2007–BRANCH)




SSB-E00larvae (1916–2007–BRANCH)



ER-ratio (1916–2007–BRANCH)



R-E00 (1916–2007–BRANCH)




■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data


Blue rockfish California [BLUEROCKCAL]

TC-MT, TL*, RecC* (1916–2007-BRANCH)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1916–2007-BRANCH)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Bank rockfish California [BNKROCKCAL]


Metadata	
Scientific Name	Sebastodes rufus
Current Assess ID	PFMC-BNKROCKCAL-1979-1999-CHING
Area	California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Pacific Fishery Management Council
Asmts in RAM	1999

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	1999	7111
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	1999	0.079
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	1999	560
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	1999	6380	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-ratio	1999	0.083	-	-	
TC	TC-MT	1999	562			
TL	TL-MT	1999	562			
TB/TBmsy	TB-MT/TBmsy-est-MT	1999	0.897			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-est-ratio	1999	1.053			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Bank rockfish California [BNKROCKCAL]

Kobe MSYpref (1979–1999–CHING)




Kobe MGTPref (1979–1999–CHING)



◆ Start Year ♦ End Year * No Data

Bank rockfish California [BNKROCKCAL]


TB-MT (1979–1999–CHING)




SSB*




TN *




F*



ER-ratio (1979–1999–CHING)



Recruits*




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | ··· Lim BRP | * No Data |


Bank rockfish California [BNKROCKCAL]

TC-MT, TL-MT, RecC* (1979–1999–CHING)


TAC*, Cpair*, Cadv*




survB*




CPUE*



EFFORT*



TC-MT/MSY-est-MT, CdivMEANC-ratio, (1979–1999–CHING)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Bocaccio Southern Pacific Coast [BOCACCSPOAST]


Metadata	
Scientific Name	Sebastodes paucispinis
Current Assess ID	SWFSC-BOCACCSPOAST-1892-2017-SISIMP2021
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2009, 2017, 2013

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2013	41,502
SSBmsy	SSBmsy-E00larvae	2017	2,964,399,902
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-est-ratio	2013	0.06
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2009	44,070
SSB0	-	-	-
MSY	MSY-MT	2017	1934
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-E00larvae	2017	1,852,750,000
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	25,293	-	-	
SSB	SSB-E00larvae	2017	3.6×10^9	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	6,220,000	-	0	
F	F-1/yr	2017	0.055	-	-	
ER	ER-calc-ratio	2017	0.007	-	-	
TC	TC-MT	2017	157			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2013	0.46			
SSB/SSBmsy	SSB-E00larvae/SSBmsy-E00larvae	2017	1.214			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.11			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2013	0.19			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Bocaccio Southern Pacific Coast [BOCACCSPCOAST]


Kobe MSYpref (1892–2017–SISIMP2021)




Kobe MGTpref (1892–2017–SISIMP2021)



Spawner Recruit (1892–2017–SISIMP2021)




Production (1892–2017–SISIMP2021)




◆ Start Year ◆ End Year * No Data

Bocaccio Southern Pacific Coast [BOCACCSPOCOAST]

TB-MT (1892–2017–SISIMP2021)



SSB-E00larvae (1892–2017–SISIMP2021)




TN *

SSBmsy*, TBmgt*, TBlim*, SSBmgt*, SSBlim*, SSBmsy-E00larvae, SSBmgt-E00larvae


Fmsy-1/yr, Fmgt*, Filim-1/yr

REC-EST*

ER-calc-ratio (1935–2013–SISIMP2016)



R-E00 (1892–2017–SISIMP2021)





■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	- - Lim BRP	* No Data



Bocaccio Southern Pacific Coast [BOCACCSPCOAST]

TC-MT, TL*, RecC* (1892–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Brown rockfish Pacific Coast [BRNROCKPCOAST]


Metadata	
Scientific Name	Sebastodes auriculatus
Current Assess ID	SWFSC-BRNROCKPCOAST-1916-2012-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2012	1455
SSBmsy	SSBmsy-conv-MT	2012	805
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2012	0.103
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2012	150
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	ERlim-ratio	2012	0.103


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	1450	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-ratio	2012	0.068	-	-	
TC	TC-MT	2012	95			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2012	0.996			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2012	0.656			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Brown rockfish Pacific Coast [BRNROCKPCOAST]

Kobe MSYpref (1916–2012–SISIMP2016)




Kobe MGTpref (1916–2012–SISIMP2016)



Spawner Recruit*


Production (1916–2012–SISIMP2016)



◆ Start Year ◆ End Year * No Data

Brown rockfish Pacific Coast [BRNROCKPCOAST]

TB-MT (1916–2012–SISIMP2016)



SSB*




TN *




F*



ER-ratio (1916–2012–SISIMP2016)



Recruits*







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | — Lim BRP | * No Data |



Brown rockfish Pacific Coast [BRNROCKPCOAST]

TC-MT, TL*, RecC* (1916–2012–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Cabezon Northern California [CABEZNCAL]


Metadata	
Scientific Name	Scorpaenichthys marmoratus
Current Assess ID	PFMC-CABEZNCAL-1930-2009-CHING
Area	Northern California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Pacific Fishery Management Council
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	717
SSBmsy	SSBmsy-MT	2009	257
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2009	0.18
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2009	1835
SSB0	SSB0-MT	2009	1036
MSY	MSY-MT	2009	129
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2009	483	Both	2+
SSB	SSB-MT	2009	469	Females	3+
TN	-	-	-	-	-
R	R-E00	2009	776	-	-
F	-	-	-	-	-
ER	ER-ratio	2009	0.04	-	-
TC	TC-MT	2009	39		
TL	TL-MT	2009	20		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	0.674		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2009	1.825		
F/Fmsy	-	-	-		
ER/ERmsy	ER-ratio/ERmsy-ratio	2009	0.222		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Cabezon Northern California [CABEZNCAL]


Kobe MSYpref (1930–2009–CHING)




Kobe MGTPref (1930–2009–CHING)



Spawner Recruit (1930–2009–CHING)



Production*





◆ Start Year ◆ End Year * No Data

Cabezon Northern California [CABEZNCAL]



TB-MT (1930–2009–CHING)

SSB-MT (1930–2009–CHING)



ER-ratio (1930–2009–CHING)

R-E00 (1930–2009–CHING)




- | | | |
|----------------------|---------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | * No Data |


Cabezon Northern California [CABEZNCAL]

TC-MT, TL-MT, RecC* (1930–2009–CHING)


TAC*, Cpair*, Cadv*



survB*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1930–2009–CHING)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Cabezon Oregon Coast [CABEZORECOAST]


Metadata	
Scientific Name	Scorpaenichthys marmoratus
Current Assess ID	NWFSC-CABEZORECOAST-1973-2009-STACHURA
Area	Oregon Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	300
SSBmsy	SSBmsy-MT	2009	109
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2009	0.16
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2009	409
MSY	MSY-MT	2009	48
M	M-1/yr	2009	0.25
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2009	455	-	2+	
SSB	SSB-MT	2009	214	Females	3.86	
TN	-	-	-	-	-	
R	R-E00	2009	178,000	-	0	
F	F-1/yr	2009	0.742	-	-	
ER	ER-calc-ratio	2009	0.089	-	-	
TC	TC-MT	2009	43			
TL	TL-MT	2009	43			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	1.517			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2009	1.963			
F/Fmsy	-	-	-			
ER/ERmsy	ER-calc-ratio/ERmsy-ratio	2009	0.559			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Cabezon Oregon Coast [CABEZORECOAST]


Kobe MSYpref (1973–2009–STACHURA)




Kobe MGTpref (1973–2009–STACHURA)



Spawner Recruit (1973–2009–STACHURA)



Production (1973–2009–STACHURA)







◆ Start Year ◆ End Year * No Data



Cabezon Oregon Coast [CABEZORECOAST]

TB-MT (1973–2009–STACHURA)

SSB-MT (1973–2009–STACHURA)



ER-calc-ratio (1973–2009–STACHURA)






■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - Lim BRP	* No Data



Cabezon Oregon Coast [CABEZORECOAST]

TC-MT, TL-MT, RecC* (1973–2009-STACHURA)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Cabezon Southern California [CABEZSCAL]


Metadata	
Scientific Name	Scorpaenichthys marmoratus
Current Assess ID	PFMC-CABEZSCAL-1930-2009-CHING
Area	Southern California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Pacific Fishery Management Council
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	182
SSBmsy	SSBmsy-MT	2009	67
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2009	0.165
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2009	470
SSB0	SSB0-MT	2009	263
MSY	MSY-MT	2009	30
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2009	789	Both	2+
SSB	SSB-MT	2009	158	Females	3+
TN	-	-	-	-	-
R	R-E00	2009	192	-	-
F	-	-	-	-	-
ER	ER-ratio	2009	0.03	-	-
TC	TC-MT	2009	10		
TL	TL-MT	2009	3.9		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	4.34		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2009	2.358		
F/Fmsy	-	-	-		
ER/ERmsy	ER-ratio/ERmsy-ratio	2009	0.182		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Cabezon Southern California [CABEZSCAL]


Kobe MSYpref (1930–2009–CHING)




Kobe MGTPref (1930–2009–CHING)



Spawner Recruit (1930–2009–CHING)



Production*






◆ Start Year ◆ End Year * No Data

Cabezon Southern California [CABEZSCAL]



TB-MT (1930–2009–CHING)

SSB-MT (1930–2009–CHING)



ER-ratio (1930–2009–CHING)

R-E00 (1930–2009–CHING)





- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - Lim BRP | * No Data |


Cabezon Southern California [CABEZSCAL]

TC-MT, TL-MT, RecC* (1930–2009–CHING)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC–ratio, (1930–2009–CHING)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data


Cabezon Washington [CABEZWASH]

Metadata	
Scientific Name	Scorpaenichthys marmoratus
Current Assess ID	NWFSC-CABEZWASH-1963-2016-SISIMP2021
Area	Washington
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2016


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2016	4.98		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Cabezon Washington [CABEZWASH]


TB*




SSB*




TN *




F*



ER*



Recruits*










- | | | | | | |
|-------|--------------------|-------|------------|---|---------|
| ■ | Listed time series | - - - | Target BRP | — | Rec-Est |
| - - - | MSY-based BRP | - - - | Lim BRP | * | No Data |

Cabezon Washington [CABEZWASH]

TC-MT, TL*, RecC* (1963–2016–SISIMP2021)

TAC*, Cpair*, Cadv*



California scorpionfish Southern California [CALSCORPSCAL]


Metadata	
Scientific Name	Scorpaena guttata
Current Assess ID	SWFSC-CALSCORPSCAL-1916-2017-SISIMP2021
Area	Southern California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2015, 2017, 2005

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2005	789
SSBmsy	SSBmsy-MT	2017	650
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-ratio	2005	0.161
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2005	2007
SSB0	SSB0-MT	2005	1024
MSY	MSY-MT	2017	247
M	M-1/yr	2005	0.25
TBlim	-	-	-
SSBlim	SSBlim-MT	2017	406
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2017	1915	-	-
SSB	SSB-MT	2017	882	-	-
TN	-	-	-	-	-
R	R-E00	2017	3,343,810	-	0
F	F-1/yr	2017	0.234	-	-
ER	ER-calc-ratio	2017	0.043	-	-
TC	TC-MT	2017	74		
TL	TL-MT	2005	81		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2005	2.371		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2017	1.358		
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.469		
ER/ERmsy	ER-ratio/ERmsy-ratio	2005	0.441		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

California scorpionfish Southern California [CALSCORPSCAL]


Kobe MSYpref (1916–2017–SISIMP2021)




Kobe MGTpref (1916–2017–SISIMP2021)



Spawner Recruit (1916–2017–SISIMP2021)



Production (1916–2017–SISIMP2021)







◆ Start Year ◆ End Year * No Data



California scorpionfish Southern California [CALSCORPSCAL]

TB-MT (1990–2005-STANTON)

SSB-MT (1916–2017-SISIMP2021)



ER-calc-ratio (1916–2017-SISIMP2021)







■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data



California scorpionfish Southern California [CALSCORPSCAL]

TC-MT, TL*, RecC* (1916–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Chilipepper Southern Pacific Coast [CHILISPSCOAST]


Metadata	
Scientific Name	Sebastodes goodei
Current Assess ID	SWFSC-CHILISPSCOAST-1892-2017-SISIMP2021
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2007, 2015, 2017

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2007	19,321
SSBmsy	SSBmsy-E00larvae	2017	2.72×10^9
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-ratio	2007	0.112
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2007	45,057
SSB0	SSB0-MT	2007	33,390
MSY	MSY-MT	2017	2064
M	M-1/yr	2007	0.16
TBlim	TBlim-MT	2007	8666
SSBlim	SSBlim-E00larvae	2017	1.7×10^9
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	39,163	-	-	
SSB	SSB-E00larvae	2017	4.71×10^9	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	37,210,400	-	0	
F	F-1/yr	2017	0.027	-	-	
ER	ER-calc-ratio	2017	0.003	-	-	
TC	TC-MT	2017	97			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2007	1.739			
SSB/SSBmsy	SSB-E00larvae/SSBmsy-E00larvae	2017	1.732			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.055			
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0.035			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Chilipepper Southern Pacific Coast [CHILISPCOAST]


Kobe MSYpref (1892–2017–SISIMP2021)




Kobe MGTpref (1892–2017–SISIMP2021)



Spawner Recruit (1892–2017–SISIMP2021)




Production (1892–2017–SISIMP2021)




◆ Start Year ♦ End Year * No Data

Chilipepper Southern Pacific Coast [CHILISPCOAST]

TB-MT (1892–2017–SISIMP2021)



SSB–E00larvae (1892–2017–SISIMP2021)




TN *

SSBmsy–est–MT, TBmgt*, TBlim*


Fmsy–1/yr, Fmgt*, Filim–1/yr

REC-EST*

ER-calc-ratio (1892–2017–SISIMP2021)



R-E00 (1892–2017–SISIMP2021)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - Lim BRP | * No Data |



Chilipepper Southern Pacific Coast [CHILISPSCOAST]

TC-MT, TL*, RecC* (1892–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

China rockfish Central Pacific Coast [CHROCKCPCOAST]


Metadata	
Scientific Name	Sebastodes nebulosus
Current Assess ID	NWFSC-CHROCKCPCOAST-1900-2015-SISIMP2016
Area	Central Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2015	272
SSBmsy	SSBmsy-E00eggs	2015	2.6×10^{10}
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-est-ratio	2015	0.047
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2015	16
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2015	1.63×10^{10}
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	381	-	5+	
SSB	SSB-E00eggs	2015	4×10^{10}	Females	-	
TN	-	-	-	-	-	
R	R-E00	2015	68,200	-	0	
F	F-1/yr	2015	0.265	-	-	
ER	ER-calc-ratio	2015	0.019	-	-	
TC	TC-MT	2015	7			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2015	1.4			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2015	1.538			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	0.53			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	0.397			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

China rockfish Central Pacific Coast [CHROCKCPCOAST]


Kobe MSYpref (1900–2015–SISIMP2016)




Kobe MGTpref (1900–2015–SISIMP2016)



Spawner Recruit (1900–2015–SISIMP2016)



Production (1900–2015–SISIMP2016)







◆ Start Year ◆ End Year * No Data

China rockfish Central Pacific Coast [CHROCKCPCOAST]



TB-MT (1900–2015–SISIMP2016)

SSB-E00eggs (1900–2015–SISIMP2016)



ER-calc-ratio (1900–2015–SISIMP2016)

R-E00 (1900–2015–SISIMP2016)




■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data

China rockfish Central Pacific Coast [CHROCKCPCOAST]

TC-MT, TL*, RecC* (1900–2015–SISIMP2016)

TAC*, Cpair*, Cadv*



MSY-MT, MORAT*


survB*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1900–2015–SISIMP2016)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

China rockfish Northern Pacific Coast [CHROCKNPCOAST]


Metadata	
Scientific Name	Sebastodes nebulosus
Current Assess ID	SWFSC-CHROCKNPCOAST-1900-2015-SISIMP2016
Area	Northern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2015	111
SSBmsy	SSBmsy-E00eggs	2015	9.76×10^9
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-est-ratio	2015	0.043
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2015	4.804
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2015	6.13×10^9
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	183	-	5+	
SSB	SSB-E00eggs	2015	1.79×10^{10}	Females	-	
TN	-	-	-	-	-	
R	R-E00	2015	33,300	-	0	
F	F-1/yr	2015	0.242	-	-	
ER	ER-calc-ratio	2015	0.017	-	-	
TC	TC-MT	2015	3.02			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2015	1.646			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2015	1.834			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	0.484			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	0.382			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

China rockfish Northern Pacific Coast [CHROCKNPCOAST]


Kobe MSYpref (1900–2015–SISIMP2016)




Kobe MGTpref (1900–2015–SISIMP2016)



Spawner Recruit (1900–2015–SISIMP2016)



Production (1900–2015–SISIMP2016)







◆ Start Year ◆ End Year * No Data

China rockfish Northern Pacific Coast [CHROCKNPCOAST]



TB-MT (1900–2015–SISIMP2016)

SSB-E00eggs (1900–2015–SISIMP2016)



ER-calc-ratio (1900–2015–SISIMP2016)

R-E00 (1900–2015–SISIMP2016)






■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	- - Lim BRP	* No Data


China rockfish Northern Pacific Coast [CHROCKNPCOAST]

TC-MT, TL*, RecC* (1900–2015–SISIMP2016)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-est-MT, CdivMEANC-ratio, (1900–2015–SISIMP2016)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

China rockfish Southern Pacific Coast [CHROCKSPCOAST]


Metadata	
Scientific Name	Sebastodes nebulosus
Current Assess ID	NWFSC-CHROCKSPCOAST-1900-2015-SISIMP2016
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2015	343
SSBmsy	SSBmsy-E00eggs	2015	2.66×10^{10}
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-est-ratio	2015	0.073
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2015	21
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2015	1.66×10^{10}
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	280	-	5+	
SSB	SSB-E00eggs	2015	1.86×10^{10}	-	-	
TN	-	-	-	-	-	
R	R-E00	2015	130,000	-	0	
F	F-1/yr	2015	0.522	-	-	
ER	ER-calc-ratio	2015	0.046	-	-	
TC	TC-MT	2015	12			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2015	0.817			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2015	0.699			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	1.044			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	0.621			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

China rockfish Southern Pacific Coast [CHROCKSPCOAST]


Kobe MSYpref (1900–2015–SISIMP2016)




Kobe MGTpref (1900–2015–SISIMP2016)



Spawner Recruit (1900–2015–SISIMP2016)



Production (1900–2015–SISIMP2016)









◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

China rockfish Southern Pacific Coast [CHROCKSPCOAST]

TB-MT (1900–2015–SISIMP2016)

SSB-E00eggs (1900–2015–SISIMP2016)







■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - Lim BRP	* No Data



China rockfish Southern Pacific Coast [CHROCKSPCOAST]

TC-MT, TL*, RecC* (1900–2015–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Pacific chub mackerel Pacific Coast [CMACKPCOAST]


Metadata	
Scientific Name	Scomber japonicus
Current Assess ID	SWFSC-CMACKPCOAST-1983-2016-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2008, 2015, 2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2008	125,285
SSBmsy	SSBmsy-MT	2008	122,357
Fmsy	Fmsy-1/yr	2008	0.138
ERmsy	ERmsy-ratio	2008	0.184
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2008	182,791
MSY	MSY-MT	2008	23,048
M	M-1/yr	2008	0.5
TBlim	TBlim-MT	2016	18,200
SSBlim	SSBlim-MT	2008	29,420
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	118,968	-	-
SSB	SSB-MT	2016	47,178	-	-
TN	-	-	-	-	-
R	R-E00	2016	327,350,000	-	0
F	F-1/yr	2008	0.087	-	-
ER	ER-ratio	2016	0.104	-	-
TC	TC-MT	2016	10,124		
TL	TL-MT	2008	13,700		
TB/TBmsy	TB-MT/TBmsy-est-MT	2016	0.598		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2008	0.68		
F/Fmsy	F-1/yr/Fmsy-1/yr	2008	0.633		
ER/ERmsy	ER-ratio/ERmsy-ratio	2008	0.39		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Pacific chub mackerel Pacific Coast [CMACKPCOAST]


Kobe MSYpref (1983–2016–SISIMP2021)




Kobe MGTpref (1983–2016–SISIMP2021)



Spawner Recruit (1983–2016–SISIMP2021)



Production (1983–2016–SISIMP2021)






◆ Start Year ◆ End Year * No Data



Pacific chub mackerel Pacific Coast [CMACKPCOAST]

TB-MT (1983–2016–SISIMP2021)

SSB-MT (1983–2016–SISIMP2021)



ER-ratio (1983–2016–SISIMP2021)






■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data


Pacific chub mackerel Pacific Coast [CMACKPCOAST]

TC-MT, TL*, RecC* (1983–2016–SISIMP2021)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1929–2008–PINSKY)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Cowcod Southern California [COWCODSCAL]


Metadata	
Scientific Name	Sebastodes levis
Current Assess ID	PFMC-COWCODSCAL-1900-2015-HIVELY
Area	Southern California
Management Authority	National Marine Fisheries Service, US national management
Assessor	Pacific Fishery Management Council
Asmts in RAM	2015, 2012

Reference Points				
Type	ID	Asmt Year	Value	
TBmsy	TBmsy-calc-MT	2015	1255	
SSBmsy	SSBmsy-MT	2015	629	
Fmsy	-	-	-	
ERmsy	ERmsy-ratio	2015	0.055	
TBmgt	-	-	-	
SSBmgt	SSBmgt-MT	2015	620	
Fmgt	-	-	-	
ERmgt	ERmgt-ratio	2015	0.05	
TB0	TB0-MT	2015	3099	
SSB0	SSB0-MT	2015	1549	
MSY	MSY-MT	2015	69	
M	M-1/yr	2015	0.06	
TBlim	-	-	-	
SSBlim	-	-	-	
Flim	-	-	-	
ERlim	ERlim-ratio	2012	0.05	




Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	1120	-	11+	
SSB	SSB-MT	2015	559	Females	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-ratio	2015	0.001	-	-	
TC	TC-MT	2015	1.5			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2015	0.893			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	0.889			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2015	0.018			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.902			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Cowcod Southern California [COWCODSCAL]

Kobe MSYpref (1900–2015–HIVELY)



Kobe MGTPref (1900–2015–HIVELY)





◆ Start Year	◆ End Year	* No Data
--------------	------------	-----------

Cowcod Southern California [COWCODSCAL]



TB-MT (1900–2015–HIVELY)

SSB-MT (1900–2015–HIVELY)



ER-ratio (1900–2015–HIVELY)

Recruits*






- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | --- Lim BRP | * No Data |


Cowcod Southern California [COWCODSCAL]

TC-MT, TL*, RecC* (1900–2015-HIVELY)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1900–2015-HIVELY)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Copper rockfish Pacific Coast [CPRROCKPCOAST]


Metadata	
Scientific Name	Sebastodes caurinus
Current Assess ID	SWFSC-CPRROCKPCOAST-1916-2012-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2012	2238
SSBmsy	SSBmsy-conv-MT	2012	1259
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2012	0.088
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2012	197
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	ERlim-ratio	2012	0.088


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	3290	-	6+	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-ratio	2012	0.029	-	-	
TC	TC-MT	2012	95			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2012	1.47			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2012	0.333			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Copper rockfish Pacific Coast [CPRROCKPCOAST]

Kobe MSYpref (1916–2012–SISIMP2016)




Kobe MGTpref (1916–2012–SISIMP2016)



Spawner Recruit*


Production (1916–2012–SISIMP2016)



◆ Start Year ◆ End Year * No Data

Copper rockfish Pacific Coast [CPRROCKPCOAST]


TB-MT (1916–2012–SISIMP2016)




SSB*




TN *




F*



ER-ratio (1916–2012–SISIMP2016)



Recruits*







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | — Lim BRP | * No Data |



Copper rockfish Pacific Coast [CPRROCKPCOAST]

TC-MT, TL*, RecC* (1916–2012–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Canary rockfish Pacific Coast [CROCKPCOAST]


Metadata	
Scientific Name	Sebastodes pinniger
Current Assess ID	NWFSC-CROCKPCOAST-1892-2017-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015, 2017, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	26,414
SSBmsy	SSBmsy-E00eggs	2017	2,984,323,975
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-ratio	2011	0.03
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	70,664
SSB0	SSB0-MT	2011	27,846
MSY	MSY-MT	2017	1197
M	M-1/yr	2011	0.06
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2017	1,865,199,951
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	36,349	-	-	
SSB	SSB-E00eggs	2017	4,215,490,000	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	2,652,800	-	0	
F	F-1/yr	2017	0.075	-	-	
ER	ER-calc-ratio	2017	0.003	-	-	
TC	TC-MT	2017	125			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	0.61			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2017	1.413			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.15			
ER/ERmsy	ER-ratio/ERmsy-ratio	2011	0.171			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Canary rockfish Pacific Coast [CROCKPCOAST]


Kobe MSYpref (1892–2017–SISIMP2021)




Kobe MGTpref (1892–2017–SISIMP2021)



Spawner Recruit (1892–2017–SISIMP2021)




Production (1892–2017–SISIMP2021)




◆ Start Year ◆ End Year * No Data

Canary rockfish Pacific Coast [CROCKPCOAST]


TB-MT (1916–2011–STACHURA)




SSB-E00eggs (1892–2017–SISIMP2021)



ER-calc-ratio (1892–2017–SISIMP2021)



R-E00 (1892–2017–SISIMP2021)




■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data



Canary rockfish Pacific Coast [CROCKPCOAST]

TC-MT, TL*, RecC* (1892–2017–SISIMP2021)


TAC*, Cpair*, Cadv*



TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Darkblotched rockfish Pacific Coast [DKROCKPCOAST]


Metadata	
Scientific Name	Sebastodes crameri
Current Assess ID	NWFSC-DKROCKPCOAST-1915-2017-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015, 2017, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	11,382
SSBmsy	SSBmsy-E00eggs	2017	1,417,723,999
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-ratio	2011	0.068
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	32,710
SSB0	SSB0-E00eggs	2011	2.92×10^{12}
MSY	MSY-MT	2017	639
M	M-1/yr	2011	0.07
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2017	886,078,003
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2017	20,713	-	-
SSB	SSB-E00eggs	2017	1,418,720,000	-	-
TN	-	-	-	-	-
R	R-E00	2017	2,624,160	-	0
F	F-1/yr	2017	0.14	-	-
ER	ER-calc-ratio	2017	0.007	-	-
TC	TC-MT	2017	137		
TL	TL-MT	2011	183		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	1.221		
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2017	1.001		
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.28		
ER/ERmsy	ER-ratio/ERmsy-ratio	2011	0.201		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Darkblotched rockfish Pacific Coast [DKROCKPCOAST]


Kobe MSYpref (1915–2017–SISIMP2021)




Kobe MGTpref (1915–2017–SISIMP2021)



Spawner Recruit (1915–2017–SISIMP2021)




Production (1915–2017–SISIMP2021)






◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Darkblotched rockfish Pacific Coast [DKROCKPCOAST]


TB-MT (1928–2011–STACHURA)




SSB-E00eggs (1915–2017–SISIMP2021)



ER-calc-ratio (1915–2017–SISIMP2021)



R-E00 (1915–2017–SISIMP2021)






■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data



Darkblotched rockfish Pacific Coast [DKROCKPCOAST]

TC-MT, TL*, RecC* (1915–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Dover sole Pacific Coast [DSOLEPCOAST]


Metadata	
Scientific Name	Microstomus pacificus
Current Assess ID	SWFSC-DSOLEPCOAST-1910-2011-STACHURA
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	265,321
SSBmsy	SSBmsy-MT	2011	114,398
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2011	0.131
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	821,271
SSB0	SSB0-MT	2011	469,866
MSY	MSY-MT	2011	34,757
M	M-1/yr	2011	0.101
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2011	685,000	-	0+
SSB	SSB-MT	2011	394,000	Females	5+
TN	-	-	-	-	-
R	R-E00	2011	376,000	-	0
F	-	-	-	-	-
ER	ER-ratio	2011	0.017	Both	5+
TC	TC-MT	2011	11,300		
TL	TL-MT	2011	10,400		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	2.582		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2011	3.444		
F/Fmsy	-	-	-		
ER/ERmsy	ER-ratio/ERmsy-ratio	2011	0.13		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Dover sole Pacific Coast [DSOLEPCOAST]


Kobe MSYpref (1910–2011–STACHURA)




Kobe MGTpref (1910–2011–STACHURA)



Spawner Recruit (1910–2011–STACHURA)



Production (1910–2011–STACHURA)







- ◆ Start Year
- ◆ End Year
- * No Data

Dover sole Pacific Coast [DSOLEPCOAST]



TB-MT (1910–2011–STACHURA)

SSB-MT (1910–2011–STACHURA)




ER-ratio (1910–2011–STACHURA)

R-E00 (1910–2011–STACHURA)







REC-EST: 1910–2011





Dover sole Pacific Coast [DSOLEPCOAST]

TC-MT, TL-MT, RecC* (1910–2011–STACHURA)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

English sole Pacific Coast [ESOLEPCOAST]


Metadata	
Scientific Name	Parophrys vetulus
Current Assess ID	NWFSC-ESOLEPCOAST-1876-2012-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2007, 2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2007	15,748
SSBmsy	SSBmsy-MT	2007	6526
Fmsy	Fmsy-1/yr	2012	0.7
ERmsy	ERmsy-ratio	2007	0.27
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2007	36,012
MSY	MSY-MT	2012	3875
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2007	7364
Flim	Flim-1/yr	2012	0.7
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2007	69,900	-	7.7+	
SSB	SSB-MT	2007	41,900	Females	3+	
TN	-	-	-	-	-	
R	R-E00	2007	1.25×10^8	-	0	
F	F-1/yr	2012	0.037	-	-	
ER	ER-ratio	2007	0.02	-	-	
TC	TC-MT	2007	1080			
TL	TL-MT	2007	886			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2007	4.439			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2007	6.42			
F/Fmsy	F-1/yr/Fmsy-1/yr	2012	0.053			
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0.074			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

English sole Pacific Coast [ESOLEPCOAST]


Kobe MSYpref (1876–2007–BRANCH)




Kobe MGTpref (1876–2007–BRANCH)



Spawner Recruit (1876–2007–BRANCH)




Production (1876–2007–BRANCH)




◆ Start Year ◆ End Year * No Data

English sole Pacific Coast [ESOLEPCOAST]

TB-MT (1876–2007–BRANCH)




SSB-MT (1876–2007–BRANCH)



TN *

F-1/yr (1876–2012–SISIMP2016)



F_{MSY}-1/yr, F_{Mgt}*; F_{Lim}-1/yr



ER-ratio (1876–2007–BRANCH)

R-E00 (1876–2007–BRANCH)

REC-EST: 1937–2007







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | --- Lim BRP | * No Data |

English sole Pacific Coast [ESOLEPCOAST]

TC-MT, TL-MT, RecC* (1876–2007-BRANCH)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1876–2007-BRANCH)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Gopher rockfish Southern Pacific Coast [GOPHERSPCOAST]


Metadata	
Scientific Name	Sebastodes carnatus
Current Assess ID	SWFSC-GOPHERSPCOAST-1965-2005-STANTON
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2005

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2005	1010
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-calc-ratio	2005	0.1
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2005	2440
SSB0	SSB0-MT	2005	1995
MSY	MSY-MT	2005	101
M	M-1/yr	2005	0.2
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2005	2570	-	1+	
SSB	SSB-MT	2005	1900	Females	3+	
TN	-	-	-	-	-	
R	R-MT	2005	2730	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2005	0.019	-	-	
TC	TC-MT	2005	50			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-MT	2005	2.545			
SSB/SSBmsy	SSB-MT/(SSB0-MT*0.368)	2005	2.588			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-calc-ratio	2005	0.191			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Gopher rockfish Southern Pacific Coast [GOPHERSPCOAST]


Kobe MSYpref (1965–2005-STANTON)




Kobe MGTpref (1965–2005-STANTON)



Spawner Recruit (1965–2005-STANTON)



Production (1965–2005-STANTON)





◆ Start Year ◆ End Year * No Data

Gopher rockfish Southern Pacific Coast [GOPHERSPCOAST]



TB-MT (1965–2005-STANTON)

SSB-MT (1965–2005-STANTON)



ER-ratio (1965–2005-STANTON)

R-MT (1965–2005-STANTON)







■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	--- Lim BRP	* No Data


Gopher rockfish Southern Pacific Coast [GOPHERSPCOAST]

TC-MT, TL*, RecC* (1965–2005-STANTON)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1965–2005-STANTON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Greenstriped rockfish Pacific Coast [GRNSTROCKPCOAST]


Metadata	
Scientific Name	Sebastodes elongatus
Current Assess ID	PFMC-GRNSTROCKPCOAST-1916-2009-STANTON
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Pacific Fishery Management Council
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	11,774
SSBmsy	SSBmsy-E00eggs	2009	2.039×10^9
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2009	0.068
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2009	803
M	M-1/yr	2009	0.08
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2009	29,200	-	2+	
SSB	SSB-E00eggs	2009	5.74×10^9	Females	-	
TN	-	-	-	-	-	
R	R-E00	2009	14,700	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2009	0	-	-	
TC	TC-MT	2009	9			
TL	TL-MT	2009	3.39			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	2.48			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2009	2.815			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2009	0.004			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Greenstriped rockfish Pacific Coast [GRNSTROCKPCOAST]


Kobe MSYpref (1916–2009–STANTON)




Kobe MGTpref (1916–2009–STANTON)



Spawner Recruit (1916–2009–STANTON)



Production (1916–2009–STANTON)







◆ Start Year	♦ End Year	* No Data
--------------	------------	-----------

Greenstriped rockfish Pacific Coast [GRNSTROCKPCOAST]



TB-MT (1916–2009–STANTON)

SSB-E00eggs (1916–2009–STANTON)



ER-ratio (1916–2009–STANTON)

R-E00 (1916–2009–STANTON)






■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	··· Lim BRP	* No Data


Greenstriped rockfish Pacific Coast [GRNSTROCKPCOAST]

TC-MT, TL-MT, RecC* (1916–2009-STANTON)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1916–2009-STANTON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Greenspotted rockfish Northern Pacific Coast [GRSPROCKNCAL]


Metadata	
Scientific Name	Sebastodes chlorostictus
Current Assess ID	SWFSC-GRSPROCKNCAL-1916-2010-STACHURA
Area	Northern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2010	840
SSBmsy	SSBmsy-E00eggs	2010	1.34×10^{11}
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2010	0.07
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2010	3160
SSB0	SSB0-E00eggs	2010	5.64×10^9
MSY	MSY-MT	2010	59
M	M-1/yr	2010	0.07
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2010	1190	-	0+	
SSB	SSB-E00eggs	2010	1.63×10^{11}	Females	-	
TN	-	-	-	-	-	
R	R-E00	2010	391,000	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2010	0	-	-	
TC	TC-MT	2010	0.4			
TL	TL-MT	2010	0.37			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2010	1.417			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2010	1.216			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2010	0			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Greenspotted rockfish Northern Pacific Coast [GRSPROCKNCAL]


Kobe MSYpref (1916–2010–STACHURA)




Kobe MGTpref (1916–2010–STACHURA)



Spawner Recruit (1916–2010–STACHURA)



Production (1916–2010–STACHURA)





◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Greenspotted rockfish Northern Pacific Coast [GRSPROCKNCAL]

TB-MT (1916–2010–STACHURA)

SSB-E00eggs (1916–2010–STACHURA)





TN *

F*

ER-ratio (1916–2010–STACHURA)

R-E00 (1916–2010–STACHURA)




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | --- Lim BRP | * No Data |

Greenspotted rockfish Northern Pacific Coast [GRSPROCKNCAL]

TC-MT, TL-MT, RecC* (1916–2010–STACHURA)

TAC*, Cpair*, Cadv*




survB*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1916–2010–STACHURA)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Greenspotted rockfish Southern Pacific Coast [GRSPROCKSCAL]


Metadata	
Scientific Name	Sebastodes chlorostictus
Current Assess ID	SWFSC-GRSPROCKSCAL-1916-2010-STACHURA
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2010	932
SSBmsy	SSBmsy-E00eggs	2010	1.8×10^{11}
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2010	0.06
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2010	4331
SSB0	SSB0-E00eggs	2010	7.94×10^9
MSY	MSY-MT	2010	56
M	M-1/yr	2010	0.07
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2010	1920	-	0+	
SSB	SSB-E00eggs	2010	2.87×10^{11}	Females	-	
TN	-	-	-	-	-	
R	R-E00	2010	681,000	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2010	0.007	-	-	
TC	TC-MT	2010	11			
TL	TL-MT	2010	11			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2010	2.061			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2010	1.594			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2010	0.117			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Greenspotted rockfish Southern Pacific Coast [GRSPROCKSCAL]


Kobe MSYpref (1916–2010–STACHURA)




Kobe MGTpref (1916–2010–STACHURA)



Spawner Recruit (1916–2010–STACHURA)



Production (1916–2010–STACHURA)







◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Greenspotted rockfish Southern Pacific Coast [GRSPROCKSCAL]



TB-MT (1916–2010–STACHURA)

SSB-E00eggs (1916–2010–STACHURA)



ER-ratio (1916–2010–STACHURA)

R-E00 (1916–2010–STACHURA)







■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	··· Lim BRP	* No Data



Greenspotted rockfish Southern Pacific Coast [GRSPROCKSCAL]

TC-MT, TL-MT, RecC* (1916–2010-STACHURA)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Kelp greenling Oregon Coast [KELPGREENLINGORECOAST]


Metadata	
Scientific Name	Hexagrammos decagrammus
Current Assess ID	NWFSC-KELPGREENLINGORECOAST-1915-2015-SISIMP2016
Area	Oregon Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015, 2005

Reference Points			
Type	ID	Asmt Year	Value
TB_ms_y	TB _m s _y -calc-MT	2005	656
SSB_ms_y	SSB _m s _y -MT	2015	159
F_ms_y	-	-	-
ER_ms_y	ER _m s _y -pr-ratio	2005	0.125
TB_mgt	-	-	-
SSB_mgt	-	-	-
F_mgt	-	-	-
ER_mgt	-	-	-
TB₀	TB ₀ -MT	2005	1295
SSB₀	SSB ₀ -MT	2005	321
MSY	MSY-MT	2015	130
M	M-1/yr	2005	0.26
TB_{lim}	-	-	-
SSB_{lim}	SSB _{lim} -MT	2015	99
F_{lim}	-	-	-
ER_{lim}	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	1130	-	0+	
SSB	SSB-MT	2015	316	Females	-	
TN	-	-	-	-	-	
R	R-E00	2015	1,410,000	-	0	
F	-	-	-	-	-	
ER	ER-calc-ratio	2015	0.03	-	-	
TC	TC-MT	2015	33			
TL	TL-MT	2005	52			
TB/TB_ms_y	TB-MT/TB _m s _y -calc-MT	2005	0.951			
SSB/SSB_ms_y	SSB-MT/SSB _m s _y -MT	2015	1.99			
F/F_ms_y	-	-	-			
ER/ER_ms_y	ER-calc-ratio/ER _m s _y -pr-ratio	2005	0.594			
TB/TB_mgt	-	-	-			
SSB/SSB_mgt	-	-	-			
F/F_mgt	-	-	-			
ER/ER_mgt	-	-	-			

Kelp greenling Oregon Coast [KELPGREENLINGORECOAST]


Kobe MSYpref (1915–2015–SISIMP2016)




Kobe MGTpref (1915–2015–SISIMP2016)



Spawner Recruit (1915–2015–SISIMP2016)



Production (1915–2015–SISIMP2016)







◆ Start Year ◆ End Year * No Data

Kelp greenling Oregon Coast [KELPGREENLINGORECOAST]



TB-MT (1979–2005-STANTON)

SSB-MT (1915–2015-SISIMP2016)



ER-calc-ratio (1915–2015-SISIMP2016)

R-E00 (1915–2015-SISIMP2016)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | * No Data |



Kelp greenling Oregon Coast [KELPGREENLINGORECOAST]

TC-MT, TL*, RecC* (1915–2015–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Lingcod Northern Pacific Coast [LINGCODNPOCOAST]


Metadata	
Scientific Name	Ophiodon elongatus
Current Assess ID	NWFSC-LINGCODNPOCOAST-1889-2017-SISIMP2021
Area	Northern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2017, 2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2009	12,386
SSBmsy	SSBmsy-MT	2017	15,179
Fmsy	Fmsy-1/yr	2017	0.55
ERmsy	ERmsy-ratio	2009	0.14
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2009	44,536
SSB0	SSB0-MT	2009	33,075
MSY	MSY-MT	2017	3197
M	M-1/yr	2009	0.18
TBlim	-	-	-
SSBlim	SSBlim-MT	2017	9487
Flim	Flim-1/yr	2017	0.55
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2017	34,064	-	-
SSB	SSB-MT	2017	21,976	-	-
TN	-	-	-	-	-
R	R-E00	2017	8,036,830	-	0
F	F-1/yr	2017	0.138	-	-
ER	ER-calc-ratio	2017	0.021	-	-
TC	TC-MT	2017	723		
TL	TL-MT	2009	350		
TB/TBmsy	TB-MT/TBmsy-MT	2009	2.567		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2017	1.448		
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.25		
ER/ERmsy	ER-ratio/ERmsy-ratio	2009	0.253		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Lingcod Northern Pacific Coast [LINGCODNPSCOAST]


Kobe MSYpref (1889–2017–SISIMP2021)




Kobe MGTpref (1889–2017–SISIMP2021)



Spawner Recruit (1889–2017–SISIMP2021)



Production (1889–2017–SISIMP2021)





◆ Start Year ◆ End Year * No Data

Lingcod Northern Pacific Coast [LINGCODNPSCOAST]


TB-MT (1928–2009–STACHURA)

SSB-MT (1889–2017–SISIMP2021)





TN *

F-1/yr (1889–2017–SISIMP2021)



ER-calc-ratio (1889–2017–SISIMP2021)

R-E00 (1889–2017–SISIMP2021)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - Lim BRP | * No Data |



Lingcod Northern Pacific Coast [LINGCODNPCOAST]

TC-MT, TL*, RecC* (1889–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Lingcod Southern Pacific Coast [LINGCODSPCOAST]


Metadata	
Scientific Name	Ophiodon elongatus
Current Assess ID	NWFSC-LINGCODSPCOAST-1889-2017-SISIMP2021
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2017, 2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	16,291
SSBmsy	SSBmsy-MT	2017	8185
Fmsy	Fmsy-1/yr	2017	0.55
ERmsy	ERmsy-ratio	2009	0.103
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2009	25,311
MSY	MSY-MT	2017	1732
M	M-1/yr	2009	0.18
TBlim	-	-	-
SSBlim	SSBlim-MT	2017	5116
Flim	Flim-1/yr	2017	0.55
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	11,610	-	-	
SSB	SSB-MT	2017	6742	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	4,007,240	-	0	
F	F-1/yr	2017	0.329	-	-	
ER	ER-calc-ratio	2017	0.07	-	-	
TC	TC-MT	2017	774			
TL	TL-MT	2009	171			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	1.897			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2017	0.824			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.597			
ER/ERmsy	ER-ratio/ERmsy-ratio	2009	0.093			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Lingcod Southern Pacific Coast [LINGCODSPCOAST]


Kobe MSYpref (1889–2017–SISIMP2021)




Kobe MGTpref (1889–2017–SISIMP2021)



Spawner Recruit (1889–2017–SISIMP2021)



Production (1889–2017–SISIMP2021)







◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Lingcod Southern Pacific Coast [LINGCODSPCOAST]



TB-MT (1928–2009–STACHURA)

SSB-MT (1889–2017–SISIMP2021)



ER-calc-ratio (1889–2017–SISIMP2021)

R-E00 (1889–2017–SISIMP2021)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | * No Data |



Lingcod Southern Pacific Coast [LINGCODSPCOAST]

TC-MT, TL*, RecC* (1889–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Longnose skate Pacific Coast [LNOSESKAPCOAST]


Metadata	
Scientific Name	Raja rhina
Current Assess ID	NWFSC-LNOSESKAPCOAST-1915-2007-BRANCH
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2007

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2007	46,963
SSBmsy	SSBmsy-MT	2007	2626
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2007	0.027
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2007	7034
MSY	MSY-MT	2007	1268
M	M-1/yr	2007	0.2
TBlim	TBlim-MT	2007	4617
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2007	71,200	-	0+	
SSB	SSB-MT	2007	4630	Females	-	
TN	-	-	-	-	-	
R	R-E00	2007	12,900,000	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2007	0.022	-	-	
TC	TC-MT	2007	899			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2007	1.516			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2007	1.763			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0.8			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Longnose skate Pacific Coast [LNOSESKAPCOAST]


Kobe MSYpref (1915–2007–BRANCH)




Kobe MGTPref (1915–2007–BRANCH)



Spawner Recruit (1915–2007–BRANCH)



Production (1915–2007–BRANCH)







◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Longnose skate Pacific Coast [LNOSESKAPCOAST]



TB-MT (1915–2007–BRANCH)

SSB-MT (1915–2007–BRANCH)



ER-ratio (1915–2007–BRANCH)

R-E00 (1915–2007–BRANCH)







■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data

REC-EST: NONE


Longnose skate Pacific Coast [LNOSESKAPCOAST]

TC-MT, TL*, RecC* (1915–2007-BRANCH)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1915–2007-BRANCH)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Longspine thornyhead Pacific Coast [LSTHORNHPCOAST]


Metadata	
Scientific Name	Sebastolobus altivelis
Current Assess ID	NWFSC-LSTHORNHPCOAST-1964-2012-HIVELY
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2012	36,129
SSBmsy	SSBmsy-MT	2012	13,108
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2012	0.07
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2012	15,654
Fmgt	-	-	-
ERmgt	ERmgt-ratio	2012	0.06
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2012	2529
M	M-1/yr	2012	0.11
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	68,300	-	2+	
SSB	SSB-MT	2012	28,700	Females	12 to 15	
TN	-	-	-	-	-	
R	R-E00	2012	1.33×10^8	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2012	0.01	-	-	
TC	TC-MT	2012	871			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2012	1.89			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2012	2.19			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2012	0.143			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2012	1.833			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Longspine thornyhead Pacific Coast [LSTHORNHPCOAST]


Kobe MSYpref (1964–2012–HIVELY)




Kobe MGTPref (1964–2012–HIVELY)



Spawner Recruit (1964–2012–HIVELY)



Production (1964–2012–HIVELY)





◆ Start Year ◆ End Year * No Data

Longspine thornyhead Pacific Coast [LSTHORNHPCOAST]

TB-MT (1964–2012-HIVELY)

SSB-MT (1964–2012-HIVELY)





TN *

F*



ER-ratio (1964–2012-HIVELY)

R-E00 (1964–2012-HIVELY)







■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data


Longspine thornyhead Pacific Coast [LSTHORNHPCOAST]

TC-MT, TL*, RecC* (1964–2012-HIVELY)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdiveMEANC-ratio, (1964–2012-HIVELY)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Pacific geoduck Washington [PGEODWA]


Metadata	
Scientific Name	Panopea generosa
Current Assess ID	WDFW-PGEODWA-1980-2010-HIVELY
Area	Washington
Management Authority	State of Washington
Assessor	Washington Department of Fish and Wildlife
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2010	40,932
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2010	0.121
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2010	4956
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2010	85,400	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-ratio	2010	0.025	-	-	
TC	TC-MT	2010	2150			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2010	2.086			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2010	0.207			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Pacific geoduck Washington [PGEODWA]

Kobe MSYpref (1980–2010–HIVELY)





Kobe MGTPref (1980–2010–HIVELY)



Spawner Recruit*


Production (1980–2010–HIVELY)




◆ Start Year ◆ End Year * No Data

Pacific geoduck Washington [PGEODWA]

TB-MT (1980–2010-HIVELY)



SSB*




TN *




F*



ER-ratio (1980–2010-HIVELY)



Recruits*





■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	--- Lim BRP	* No Data

Pacific geoduck Washington [PGEODWA]

TC-MT, TL*, RecC* (1980–2010-HIVELY)

TAC*, Cpair*, Cadv*



survB*



CPUE*



EFFORT*



TC-MT/MSY-est-MT, CdivMEANC-ratio, (1980–2010-HIVELY)



Pacific hake Pacific Coast [PHAKEPCOAST]


Metadata	
Scientific Name	Merluccius productus
Current Assess ID	PFMC-PHAKEPCOAST-1966-2018-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Pacific Fishery Management Council
Asmts in RAM	2015, 2016, 2017, 2018

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2016	1,222,892
SSBmsy	SSBmsy-MT	2017	945,000
Fmsy	Fmsy-1/yr	2018	0.6
ERmsy	ERmsy-ratio	2016	0.332
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	959,000
Fmgt	-	-	-
ERmgt	ERmgt-ratio	2016	0.19
TB0	-	-	-
SSB0	SSB0-MT	2016	2,397,000
MSY	MSY-MT	2018	813
M	M-1/yr	2016	0.226
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2018	3,557,240	-	-	
SSB	SSB-MT	2018	1,356,528	-	-	
TN	-	-	-	-	-	
R	R-E00	2018	1,034,920,000	-	0	
F	F-1/yr	2018	0.862	-	-	
ER	ER-calc-ratio	2018	0.097	-	-	
TC	TC-MT	2018	354,231			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2018	1.457			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2017	2.253			
F/Fmsy	F-1/yr/Fmsy-1/yr	2018	1.436			
ER/ERmsy	ER-ratio/ERmsy-ratio	2016	0.202			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	1.971			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Pacific hake Pacific Coast [PHAKEPCOAST]


Kobe MSYpref (1966–2018–SISIMP2021)




Kobe MGTpref (1966–2018–SISIMP2021)



Spawner Recruit (1966–2018–SISIMP2021)



Production (1966–2018–SISIMP2021)






◆ Start Year ◆ End Year * No Data



Pacific hake Pacific Coast [PHAKEPCOAST]

TB-MT (1966–2018–SISIMP2021)

SSB-MT (1966–2018–SISIMP2021)



ER-calc-ratio (1966–2018–SISIMP2021)




■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	- - Lim BRP	* No Data


Pacific hake Pacific Coast [PHAKEPCOAST]

TC-MT, TL*, RecC* (1966–2018–SISIMP2021)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1966–2018–SISIMP2021)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Pacific ocean perch Pacific Coast [POPERCHPCOAST]


Metadata	
Scientific Name	Sebastodes alutus
Current Assess ID	NWFSC-POPERCHPCOAST-1918-2017-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2017, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	50,381
SSBmsy	SSBmsy-E00eggs	2017	2,755,667,969
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-ratio	2011	0.021
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-E00eggs	2011	6.56×10^{12}
MSY	MSY-MT	2017	1808
M	M-1/yr	2011	0.05
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2017	1,722,292,969
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	128,529	-	-	
SSB	SSB-E00eggs	2017	5280	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	11,253,100	-	0	
F	F-1/yr	2017	0.013	-	-	
ER	ER-calc-ratio	2017	0.001	-	-	
TC	TC-MT	2017	68			
TL	TL-MT	2011	91			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	0.506			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2017	0			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.027			
ER/ERmsy	ER-calc-ratio/ERmsy-ratio	2011	0.275			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Pacific ocean perch Pacific Coast [POPERCHPCOAST]


Kobe MSYpref (1918–2017–SISIMP2021)




Kobe MGTpref (1918–2017–SISIMP2021)



Spawner Recruit (1918–2017–SISIMP2021)



Production (1918–2017–SISIMP2021)







◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Pacific ocean perch Pacific Coast [POPERCHPCOAST]



TB-MT (1940–2011–STACHURA)

SSB-E00eggs (1918–2017–SISIMP2021)



ER-calc-ratio (1918–2017–SISIMP2021)

R-E00 (1918–2017–SISIMP2021)




■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data

Pacific ocean perch Pacific Coast [POPERCHPCOAST]

TC-MT, TL*, RecC* (1918–2017–SISIMP2021)

TAC*, Cpair*, Cadv*




survB*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1918–2017–SISIMP2021)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Petrale sole Pacific Coast [PSOLEPCOAST]


Metadata	
Scientific Name	Eopsetta jordani
Current Assess ID	NWFSC-PSOLEPCOAST-1876-2015-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2015, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	11,764
SSBmsy	SSBmsy-MT	2015	8369
Fmsy	Fmsy-1/yr	2015	0.7
ERmsy	ERmsy-ratio	2011	0.22
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	41,352
SSB0	SSB0-MT	2011	26,278
MSY	MSY-MT	2011	2588
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	4185
Flim	Flim-1/yr	2015	0.7
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	19,400	-	3+	
SSB	SSB-MT	2015	10,300	Females	-	
TN	-	-	-	-	-	
R	R-E00	2015	14,600,000	-	0	
F	F-1/yr	2015	0.657	-	-	
ER	ER-calc-ratio	2015	0.127	-	-	
TC	TC-MT	2015	2360			
TL	TL-MT	2011	701			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	1.012			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	1.231			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	0.939			
ER/ERmsy	ER-ratio/ERmsy-ratio	2011	0.386			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Petrale sole Pacific Coast [PSOLEPCOAST]


Kobe MSYpref (1876–2015–SISIMP2016)




Kobe MGTpref (1876–2015–SISIMP2016)



Spawner Recruit (1876–2015–SISIMP2016)



Production (1876–2015–SISIMP2016)







◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Petrale sole Pacific Coast [PSOLEPCOAST]



TB-MT (1930–2011–CHING)

SSB-MT (1876–2015–SISIMP2016)



ER-calc-ratio (1876–2015–SISIMP2016)

R-E00 (1876–2015–SISIMP2016)







■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data


Petrale sole Pacific Coast [PSOLEPCOAST]

TC-MT, TL*, RecC* (1876–2015–SISIMP2016)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1930–2011–CHING)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data


Rex sole Pacific Coast [REXSOLEPCOAST]

Metadata	
Scientific Name	Glyptocephalus zachirus
Current Assess ID	NWFSC-REXSOLEPCOAST-1896-2012-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2012


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	Fmsy-1/yr	2012	0.7
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2012	1646
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	Flim-1/yr	2012	0.7
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2012	18,500	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	F-1/yr	2012	0.131	-	-
ER	-	-	-	-	-
TC	-	-	-		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	F-1/yr/Fmsy-1/yr	2012	0.187		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


Kobe MSY*




Kobe MGT*



Spawner Recruit*



Production*




◆ Start Year ♦ End Year * No Data

Rex sole Pacific Coast [REXSOLEPCOAST]

TB-MT (1896–2012–SISIMP2016)


SSB*




TN *




F-1/yr (1896–2012–SISIMP2016)



ER*



Recruits*



- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | — Lim BRP | * No Data |

TC*, TL*, RecC*

TAC*, Cpair*, Cadv*




survB*





CPUE*



EFFORT*



CdivMSY*



Sablefish Pacific Coast [SABLEFPCOAST]


Metadata	
Scientific Name	Anoplopoma fimbria
Current Assess ID	NWFSC-SABLEFPCOAST-1900-2015-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2011, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2015	60,249
Fmsy	Fmsy-1/yr	2015	0.55
ERmsy	ERmsy-conv-ratio	2015	0.058
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	537,893
SSB0	SSB0-MT	2011	182,136
MSY	MSY-MT	2015	7476
M	M-1/yr	2011	0.08
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	37,656
Flim	Flim-1/yr	2015	0.55
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	168,000	-	4+	
SSB	SSB-MT	2015	52,000	Females	-	
TN	-	-	-	-	-	
R	R-E00	2015	13,100,000	-	0	
F	F-1/yr	2015	0.451	-	-	
ER	ER-calc-ratio	2015	0.026	-	-	
TC	TC-MT	2015	4460			
TL	TL-MT	2011	6820			
TB/TBmsy	TB-MT/(TB0-MT*0.368)	2011	1.041			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	0.863			
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	0.82			
ER/ERmsy	ER-calc-ratio/ERmsy-conv-ratio	2015	0.444			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Sablefish Pacific Coast [SABLEFPCOAST]


Kobe MSYpref (1900–2015–SISIMP2016)




Kobe MGTpref (1900–2015–SISIMP2016)



Spawner Recruit (1900–2015–SISIMP2016)



Production (1900–2015–SISIMP2016)







◆ Start Year ♦ End Year * No Data

Sablefish Pacific Coast [SABLEFPCOAST]



TB-MT (1900–2015–SISIMP2016)

SSB-MT (1900–2015–SISIMP2016)



ER-calc-ratio (1900–2015–SISIMP2016)

R-E00 (1900–2015–SISIMP2016)




■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - - Lim BRP	* No Data

Sablefish Pacific Coast [SABLEFPCOAST]

TC-MT, TL*, RecC* (1900–2015–SISIMP2016)

TAC*, Cpair*, Cadv*





survB*

CPUE*



EFFORT*

TC-MT/MSY-MT, CdivMEANC-ratio, (1900–2015–SISIMP2016)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Pacific sardine Pacific Coast [SARDPCOAST]


Metadata	
Scientific Name	Sardinops sagax
Current Assess ID	SWFSC-SARDPCOAST-2000-2018-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2007, 2016, 2017, 2018

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2016	575,022
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2016	0.056
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2016	32,285
M	M-1/yr	2007	0.4
TBlim	TBlim-MT	2018	50,000
SSBlim	SSBlim-MT	2016	50,000
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2018	52,065	-	-	
SSB	SSB-MT	2016	65,100	-	-	
TN	-	-	-	-	-	
R	R-E00	2018	688,669,000	-	0	
F	-	-	-	-	-	
ER	ER-calc-ratio	2018	0.042	-	-	
TC	TC-MT	2018	1810			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2016	0.172			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2016	0.028			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Pacific sardine Pacific Coast [SARDPCOAST]


Kobe MSYpref (1994–2016–SISIMP2016)




Kobe MGTpref (1994–2016–SISIMP2016)



Spawner Recruit (1994–2016–SISIMP2016)



Production (2000–2018–SISIMP2021)





◆ Start Year ◆ End Year * No Data

Pacific sardine Pacific Coast [SARDPCOAST]



TB-MT (2000–2018–SISIMP2021)

SSB-MT (1994–2016–SISIMP2016)



ER-calc-ratio (2000–2018–SISIMP2021)

R-E00 (2000–2018–SISIMP2021)




■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	- - Lim BRP	* No Data

Pacific sardine Pacific Coast [SARDPCOAST]

TC-MT, TL*, RecC* (2000–2018–SISIMP2021)

TAC*, Cpair*, Cadv*




survB*

MSY*, MORAT*

CPUE*

EFFORT*

TC-MT/MSY-est-MT, CdivMEANC-ratio, (1994–2016–SISIMP2016)



MSY-est-MT

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	— MSY	* No Data

Shortbelly rockfish Pacific Coast [SBELLYROCKPCOAST]


Metadata	
Scientific Name	Sebastodes jordani
Current Assess ID	SWFSC-SBELLYROCKPCOAST-1950-2005-BRANCH
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2005

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2005	26,948
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2005	0.029
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2005	98,400
SSB0	SSB0-MT	2005	49,500
MSY	MSY-est-MT	2005	789
M	M-1/yr	2005	0.26
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2005	64,000	-	1+	
SSB	SSB-MT	2005	33,000	Females	2+	
TN	-	-	-	-	-	
R	R-E00	2005	9000	-	0	
F	F-1/yr	2005	0	Both	1+	
ER	ER-ratio	2005	0	-	-	
TC	TC-MT	2005	0			
TL	-	-	-			
TB/TBmsy	TB-MT/(TB0-MT*0.368)	2005	1.767			
SSB/SSBmsy	SSB-MT/(SSB0-MT*0.368)	2005	1.812			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2005	0			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Shortbelly rockfish Pacific Coast [SBELLYROCKPCOAST]


Kobe MSYpref (1950–2005–BRANCH)




Kobe MGTpref (1950–2005–BRANCH)



Spawner Recruit (1950–2005–BRANCH)



Production (1950–2005–BRANCH)






◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------


Shortbelly rockfish Pacific Coast [SBELLYROCKPCOAST]

TB-MT (1950–2005–BRANCH)

SSB-MT (1950–2005–BRANCH)



ER-ratio (1950–2005–BRANCH)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | --- Lim BRP | * No Data |



Shortbelly rockfish Pacific Coast [SBELLYROCKPCOAST]

TC-MT, TL*, RecC* (1950–2005-BRANCH)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Sharpchin rockfish Pacific Coast [SHCROCKPCOAST]


Metadata	
Scientific Name	Sebastodes zacentrus
Current Assess ID	NWFSC-SHCROCKPCOAST-1892-2012-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2012	5752
SSBmsy	-	-	-
Fmsy	Fmsy-1/yr	2012	0.5
ERmsy	ERmsy-est-ratio	2012	0.209
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2012	270
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	Flim-1/yr	2012	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	12,800	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	F-1/yr	2012	0.03	-	-	
ER	ER-calc-ratio	2012	0.001	-	-	
TC	TC-MT	2012	14			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-est-MT	2012	2.225			
SSB/SSBmsy	-	-	-			
F/Fmsy	F-1/yr/Fmsy-1/yr	2012	0.06			
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2012	0.005			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Sharpchin rockfish Pacific Coast [SHCROCKPCOAST]

Kobe MSYpref (1892–2012–SISIMP2016)




Kobe MGTpref (1892–2012–SISIMP2016)



Spawner Recruit*


Production (1892–2012–SISIMP2016)




- ◆ Start Year
- ◆ End Year
- * No Data

Sharpchin rockfish Pacific Coast [SHCROCKPCOAST]

TB-MT (1892–2012–SISIMP2016)




SSB*




TN *




F-1/yr (1892–2012–SISIMP2016)



ER-calc-ratio (1892–2012–SISIMP2016)



Recruits*







- | | | |
|----------------------|---------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | * No Data |



Sharpchin rockfish Pacific Coast [SHCROCKPCOAST]

TC-MT, TL*, RecC* (1892–2012–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Splitnose rockfish Pacific Coast [SNROCKPCOAST]


Metadata	
Scientific Name	Sebastodes diploproa
Current Assess ID	NWFSC-SNROCKPCOAST-1905-2009-STANTON
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	31,859
SSBmsy	SSBmsy-E00eggs	2009	4.12×10^9
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2009	0.04
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2009	87,584
SSB0	-	-	-
MSY	MSY-MT	2009	1268
M	M-1/yr	2009	0.048
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2009	70,200	-	4+	
SSB	SSB-E00eggs	2009	8.43×10^9	Females	-	
TN	-	-	-	-	-	
R	R-E00	2009	12,700,000	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2009	0.002	-	-	
TC	TC-MT	2009	66			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	2.203			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2009	2.046			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2009	0.058			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Splitnose rockfish Pacific Coast [SNROCKPCOAST]


Kobe MSYpref (1905–2009-STANTON)




Kobe MGTpref (1905–2009-STANTON)



Spawner Recruit (1905–2009-STANTON)




Production (1905–2009-STANTON)




◆ Start Year ◆ End Year * No Data

Splitnose rockfish Pacific Coast [SNROCKPCOAST]


TB-MT (1905–2009–STANTON)




SSB-E00eggs (1905–2009–STANTON)



ER-ratio (1905–2009–STANTON)



R-E00 (1905–2009–STANTON)




■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data


Splitnose rockfish Pacific Coast [SNROCKPCOAST]

TC-MT, TL*, RecC* (1905–2009-STANTON)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1905–2009-STANTON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Spotted spiny dogfish Pacific Coast [SPSDOGPCOAST]


Metadata	
Scientific Name	Squalus suckleyi
Current Assess ID	NWFSC-SPSDOGPCOAST-1916-2011-STACHURA
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	160,000
SSBmsy	SSFmsy-E00	2011	33,229,000
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2011	0.005
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	304,105
SSB0	-	-	-
MSY	MSY-MT	2011	848
M	M-1/yr	2011	0.064
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	217,000	-	1+	
SSB	SSF-E00	2011	44,600,000	Females	35.5+	
TN	-	-	-	-	-	
R	R-E00	2011	17,500,000	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2011	0.008	-	-	
TC	TC-MT	2011	1160			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	1.356			
SSB/SSBmsy	SSF-E00/SSFmsy-E00	2011	1.342			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2011	1.472			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Spotted spiny dogfish Pacific Coast [SPSDOGPCOAST]


Kobe MSYpref (1916–2011–STACHURA)




Kobe MGTpref (1916–2011–STACHURA)



Spawner Recruit (1916–2011–STACHURA)



Production (1916–2011–STACHURA)





◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Spotted spiny dogfish Pacific Coast [SPSDOGPCOAST]



TB-MT (1916–2011–STACHURA)

SSF-E00 (1916–2011–STACHURA)





TN *

F*



ER-ratio (1916–2011–STACHURA)

R-E00 (1916–2011–STACHURA)







REC-EST: NONE

- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | * No Data |



Spotted spiny dogfish Pacific Coast [SPSDOGPCOAST]

TC-MT, TL*, RecC* (1916–2011-STACHURA)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Shortspine thornyhead Pacific Coast [SSTHORNHPCOAST]


Metadata	
Scientific Name	Sebastolobus alascanus
Current Assess ID	NWFSC-SSTHORNHPCOAST-1901-2013-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2005, 2013

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2005	86,000
SSBmsy	SSBmsy-MT	2013	75,906
Fmsy	Fmsy-1/yr	2013	0.5
ERmsy	ERmsy-ratio	2005	0.018
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2005	230,500
SSB0	SSB0-MT	2005	130,646
MSY	MSY-MT	2013	2034
M	M-1/yr	2005	0.05
TBlim	-	-	-
SSBlim	SSBlim-MT	2013	47,441
Flim	Flim-1/yr	2013	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2013	244,000	-	1+	
SSB	SSB-MT	2013	141,000	Females	-	
TN	-	-	-	-	-	
R	R-E00	2013	28,800,000	-	0	
F	F-1/yr	2013	0.187	-	-	
ER	ER-calc-ratio	2013	0.004	-	-	
TC	TC-MT	2013	911			
TL	TL-MT	2005	867			
TB/TBmsy	TB-MT/TBmsy-MT	2005	1.686			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2013	1.858			
F/Fmsy	F-1/yr/Fmsy-1/yr	2013	0.374			
ER/ERmsy	ER-ratio/ERmsy-ratio	2005	0.265			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Shortspine thornyhead Pacific Coast [SSTHORNHPCOAST]


Kobe MSYpref (1901–2013–SISIMP2016)




Kobe MGTpref (1901–2013–SISIMP2016)



Spawner Recruit (1901–2013–SISIMP2016)



Production (1901–2013–SISIMP2016)





◆ Start Year ◆ End Year * No Data

Shortspine thornyhead Pacific Coast [SSTHORNHPCOAST]



TB-MT (1901–2013–SISIMP2016)

SSB-MT (1901–2013–SISIMP2016)





TN *

F-1/yr (1901–2013–SISIMP2016)



ER-calc-ratio (1901–2013–SISIMP2016)

R-E00 (1901–2013–SISIMP2016)



Fmgt*-1/yr, Fmgt*, Filim*-1/yr




REC-EST*

- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | * No Data |



Shortspine thornyhead Pacific Coast [SSTHORNHPCOAST]

TC-MT, TL*, RecC* (1901–2013–SISIMP2016)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Starry flounder Northern Pacific Coast [STFLOUNNPOCOAST]


Metadata	
Scientific Name	Platichthys stellatus
Current Assess ID	SWFSC-STFLOUNNPOCOAST-1970-2005-STANTON
Area	Northern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2005

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2005	4840
SSBmsy	SSBmsy-pr-MT	2005	1930
Fmsy	-	-	-
ERmsy	ERmsy-pr-ratio	2005	0.169
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2005	12,102
SSB0	SSB0-MT	2005	4824
MSY	MSY-MT	2005	818
M	M-1/yr	2005	0.3
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2005	5440	-	2+	
SSB	SSB-MT	2005	2120	Females	3+	
TN	-	-	-	-	-	
R	R-E00	2005	1.6×10^9	-	0	
F	-	-	-	-	-	
ER	ER-calc-ratio	2005	0.02	-	-	
TC	TC-MT	2005	104			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2005	1.124			
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2005	1.098			
F/Fmsy	-	-	-			
ER/ERmsy	ER-calc-ratio/ERmsy-pr-ratio	2005	0.118			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Starry flounder Northern Pacific Coast [STFLOUNNPOCOAST]


Kobe MSYpref (1970–2005-STANTON)




Kobe MGTpref (1970–2005-STANTON)



Spawner Recruit (1970–2005-STANTON)




Production (1970–2005-STANTON)




◆ Start Year ◆ End Year * No Data

Starry flounder Northern Pacific Coast [STFLOUNNPOCOAST]


TB-MT (1970–2005-STANTON)




SSB-MT (1970–2005-STANTON)



ER-calc-ratio (1970–2005-STANTON)



R-E00 (1970–2005-STANTON)







■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	--- Lim BRP	* No Data


Starry flounder Northern Pacific Coast [STFLOUNNPOCOAST]

TC-MT, TL*, RecC* (1970–2005-STANTON)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1970–2005-STANTON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Starry flounder Southern Pacific Coast [STFLOUNSPCOAST]


Metadata	
Scientific Name	Platichthys stellatus
Current Assess ID	SWFSC-STFLOUNSPCOAST-1970-2005-STANTON
Area	Southern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Southwest Fisheries Science Center
Asmts in RAM	2005

Reference Points				
Type	ID	Asmt Year	Value	
TBmsy	TBmsy-MT	2005	2329	
SSBmsy	-	-	-	
Fmsy	-	-	-	
ERmsy	ERmsy-calc-ratio	2005	0.17	
TBmgt	-	-	-	
SSBmgt	-	-	-	
Fmgt	-	-	-	
ERmgt	-	-	-	
TB0	TB0-MT	2005	5854	
SSB0	SSB0-MT	2005	2334	
MSY	MSY-MT	2005	396	
M	M-1/yr	2005	0.3	
TBlim	-	-	-	
SSBlim	-	-	-	
Flim	-	-	-	
ERlim	-	-	-	


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2005	3460	-	2+	
SSB	SSB-MT	2005	1450	Females	3+	
TN	-	-	-	-	-	
R	R-E00	2005	8.07×10^8	-	0	
F	-	-	-	-	-	
ER	ER-ratio	2005	0.013	-	-	
TC	TC-MT	2005	46			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-MT	2005	1.485			
SSB/SSBmsy	SSB-MT/(SSB0-MT*0.368)	2005	1.688			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-calc-ratio	2005	0.075			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Starry flounder Southern Pacific Coast [STFLOUNSPCOAST]


Kobe MSYpref (1970–2005-STANTON)




Kobe MGTpref (1970–2005-STANTON)



Spawner Recruit (1970–2005-STANTON)



Production (1970–2005-STANTON)






◆ Start Year ◆ End Year * No Data

Starry flounder Southern Pacific Coast [STFLOUNSPCOAST]



TB-MT (1970–2005-STANTON)

SSB-MT (1970–2005-STANTON)



ER-ratio (1970–2005-STANTON)

R-E00 (1970–2005-STANTON)






■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	--- Lim BRP	* No Data


Starry flounder Southern Pacific Coast [STFLOUNSPCOAST]

TC-MT, TL*, RecC* (1970–2005-STANTON)


TAC*, Cpair*, Cadv*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1970–2005-STANTON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Widow rockfish Pacific Coast [WROCKPCOAST]


Metadata	
Scientific Name	Sebastodes entomelas
Current Assess ID	NWFSC-WROCKPCOAST-1916-2015-SISIMP2016
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2011, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	45,750
SSBmsy	SSBmsy-MT	2015	32,283
Fmsy	Fmsy-1/yr	2015	0.5
ERmsy	ERmsy-ratio	2011	0.12
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2011	28,451
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2011	71,126
MSY	MSY-MT	2015	7776
M	M-1/yr	2011	0.12
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	20,177
Flim	Flim-1/yr	2015	0.5
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	132,000	Both	4+
SSB	SSB-MT	2015	60,600	Females	-
TN	-	-	-	-	-
R	R-E00	2015	53,400,000	-	0
F	F-1/yr	2015	0.057	-	-
ER	ER-calc-ratio	2015	0.006	-	-
TC	TC-MT	2015	726		
TL	-	-	-		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	1.491		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	1.877		
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	0.114		
ER/ERmsy	ER-ratio/ERmsy-ratio	2011	0.019		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2011	1.276		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Widow rockfish Pacific Coast [WROCKPCOAST]


Kobe MSYpref (1916–2015–SISIMP2016)




Kobe MGTpref (1916–2015–SISIMP2016)



Spawner Recruit (1916–2015–SISIMP2016)



Production (1916–2015–SISIMP2016)









◆ Start Year ◆ End Year * No Data

Widow rockfish Pacific Coast [WROCKPCOAST]

TB-MT (1916–2015–SISIMP2016)

SSB-MT (1916–2015–SISIMP2016)




■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data

Widow rockfish Pacific Coast [WROCKPCOAST]

TC-MT, TL*, RecC* (1916–2015–SISIMP2016)


TAC*, Cpair*, Cadv*




CPUE*



EFFORT*



TC-MT/MSY-MT, CdivMEANC-ratio, (1916–2015–SISIMP2016)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Yelloweye rockfish Pacific Coast [YEYEROCKPCOAST]


Metadata	
Scientific Name	Sebastodes ruberrimus
Current Assess ID	NWFSC-YEYEROCKPCOAST-1889-2017-SISIMP2021
Area	Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2017, 2011, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2011	3706
SSBmsy	SSBmsy-E00eggs	2017	455,619,995
Fmsy	Fmsy-1/yr	2017	0.5
ERrmsy	ERrmsy-ratio	2011	0.017
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2011	8882
SSB0	SSB0-E00eggs	2011	1.03×10^9
MSY	MSY-MT	2017	109
M	M-1/yr	2011	0.046
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2017	284,760,010
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	3432	-	-	
SSB	SSB-E00eggs	2017	323,130,000	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	176,200	-	0	
F	F-1/yr	2017	0.094	-	-	
ER	ER-calc-ratio	2017	0.003	-	-	
TC	TC-MT	2017	10			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2011	0.591			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2017	0.709			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.188			
ER/ERrmsy	ER-calc-ratio/ERrmsy-ratio	2011	0.312			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Yelloweye rockfish Pacific Coast [YEYEROCKPCOAST]


Kobe MSYpref (1889–2017–SISIMP2021)




Kobe MGTpref (1889–2017–SISIMP2021)



Spawner Recruit (1889–2017–SISIMP2021)




Production (1889–2017–SISIMP2021)




◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Yelloweye rockfish Pacific Coast [YEYEROCKPCOAST]


TB-MT (1916–2015–SISIMP2016)




SSB-E00eggs (1889–2017–SISIMP2021)





TN *



ER-calc-ratio (1889–2017–SISIMP2021)



R-E00 (1889–2017–SISIMP2021)







■ Listed time series	— Target BRP	— Rec-Est
— MSY-based BRP	--- Lim BRP	* No Data



Yelloweye rockfish Pacific Coast [YEYEROCKPCOAST]

TC-MT, TL*, RecC* (1889–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Yellowtail rockfish Northern Pacific Coast [YTROCKNPCOAST]


Metadata	
Scientific Name	Sebastodes flavidus
Current Assess ID	NWFSC-YTROCKNPCOAST-1889-2017-SISIMP2021
Area	Northern Pacific Coast
Management Authority	National Marine Fisheries Service, US national management
Assessor	Northwest Fisheries Science Center
Asmts in RAM	2017, 2012, 2005

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2005	37,123
SSBmsy	SSBmsy-E00eggs	2017	6×10^{12}
Fmsy	Fmsy-1/yr	2017	0.5
ERmsy	ERmsy-ratio	2005	0.126
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2005	120,024
SSB0	SSB0-MT	2005	31,016
MSY	MSY-MT	2017	5434
M	M-1/yr	2005	0.11
TBlim	-	-	-
SSBlim	SSBlim-E00eggs	2017	4×10^{12}
Flim	Flim-1/yr	2017	0.5
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2017	124,456	-	-	
SSB	SSB-E00eggs	2017	1.13×10^{13}	-	-	
TN	-	-	-	-	-	
R	R-E00	2017	49,090,800	-	0	
F	F-1/yr	2017	0.147	-	-	
ER	ER-calc-ratio	2017	0.012	-	-	
TC	TC-MT	2017	1449			
TL	-	-	-			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2005	1.999			
SSB/SSBmsy	SSB-E00eggs/SSBmsy-E00eggs	2017	1.883			
F/Fmsy	F-1/yr/Fmsy-1/yr	2017	0.294			
ER/ERmsy	ER-ratio/ERmsy-ratio	2005	0.172			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Yellowtail rockfish Northern Pacific Coast [YTROCKNPCOAST]


Kobe MSYpref (1889–2017–SISIMP2021)




Kobe MGTpref (1889–2017–SISIMP2021)



Spawner Recruit (1889–2017–SISIMP2021)




Production (1889–2017–SISIMP2021)




◆ Start Year	◆ End Year	*	No Data
--------------	------------	---	---------

Yellowtail rockfish Northern Pacific Coast [YTROCKNPCOAST]

TB-MT (1967–2005–STANTON)



SSB-E00eggs (1889–2017–SISIMP2021)




TN *


F-1/yr

MSY-based BRP, Lim BRP, Fmgt*, Fmgt^{*}, ERmgt*, ERmgt^{*}, REC-EST*

ER-calc-ratio (1889–2017–SISIMP2021)



R-E00 (1889–2017–SISIMP2021)







REC-EST*

- | | | |
|----------------------|---------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | * No Data |



Yellowtail rockfish Northern Pacific Coast [YTROCKNPCOAST]

TC-MT, TL*, RecC* (1889–2017–SISIMP2021)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data