

## Chinook\_LFR\_FA\_0.3




Figure 1. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook\_LFR\_FA\_0.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

## Chinook\_Maria\_Slough\_SU\_0.3




Figure 2. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook\_Maria\_Slough\_SU\_0.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 3. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook\_LFR\_SP\_1.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 4. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook\_LFR\_SU\_1.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

## Chinook\_LFR–Upper\_Pitt\_SU\_1.3




Figure 5. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook\_LFR–Upper\_Pitt\_SU\_1.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 6. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chinook\_BB\_FA\_0.3 under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 7. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Chum\_LFR under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 8. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Coho\_Lillooet under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.






Figure 9. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Coho\_LFR under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 10. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Coho\_BB under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 11. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Pink\_FR under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 12. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Chilliwack\_ES under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 13. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Cultus\_Late under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 14. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Harrison\_Down\_Late(Big\_Silver) under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 15. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Harrison\_Up\_Late(Weaver) under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 16. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Pitt\_ES under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.






Figure 17. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Lillooet/Harrison\_Late(Birk) under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 18. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Harrison\_River under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.




Figure 19. Boxplots summarizing the distribution of the lower (L), best guess (B), and upper (Upper) expert estimates of the probability of persistence of Sockeye\_Widgeon\_River under the Baseline scenario and each of the management strategies (S1 – S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.