

Agosto 2022

Herpetologia Brasileira



SBH
SOCIEDADE BRASILEIRA DE
HERPETOLOGIA

volume 11 número 2
ISSN: 2316-4670

A tarantula *Lasiodora* sp. (Araneae, Theraphosidae) feeding on a groundsnake *Atractus pantostictus* (Squamata, Dipsadidae)

Paola A. Moura¹, Gabriel C. Jacques², Gabriel S. Teofilo-Guedes³, Marcos M. Souza^{1*}

¹ Laboratório de Zoologia, Instituto Federal de Educação, Ciência e Tecnologia do Sul de Minas, 37576-000 Inconfidentes, MG, Brazil.

² Laboratório de Biologia, Instituto Federal de Educação, Ciência e Tecnologia de Minas Gerais, Rodovia Bambuí/Medeiros Km 5, 38900-000 Bambuí, MG, Brazil.

³ Programa Pós-Graduação em Geologia, Departamento de Geologia e Recursos Naturais, Instituto de Geociências, Universidade Estadual de Campinas, 13083-970 Campinas, SP, Brazil.

*Corresponding author. E-mail: marcos.souza@ifsuldeminas.edu.br

DOI: [10.5281/zenodo.6867834](https://doi.org/10.5281/zenodo.6867834)

Among terrestrial invertebrates, spiders are one of the main predators of vertebrates (von May et al., 2019; Valdez, 2020), preying on fishes (Nyffeler & Pusey, 2014), anurans (Nyffeler & Altig, 2020), lizards (Bauer, 1990; O'Shea & Kelly, 2017; Bates & Josling, 2021; Reyes-Olivares et al., 2020), snakes (Nyffeler & Gibbons, 2021), birds (Brooks, 2012), and mammals (Nyffeler & Knörnschil, 2013). This is possible due to the ability of most spiders to inoculate paralyzing neurotoxins into their prey (Foelix, 2011; Garb & Hayashi, 2013), and the ability of some spiders to build strong webs to capture prey (Brooks, 2012; Nyffeler & Knörnschild, 2013).

There are over 300 records of predation (or attempts) by spiders on snakes around the world, 33% published in scientific journals (Nyffeler & Gibbons, 2021). In Brazil, there are 10 published records (Tab. 1). Here we report the first occurrence of *Lasiodora* sp. (Araneae, Theraphosidae) feeding on *Atractus pantostictus* Fernandes & Puerto, 1993 (Squamata, Dipsadidae).

This record was made on 25 November 2021, approximately 10:35 a.m. among cactuses in a deciduous forest near a calcareous outcrop, in the Parque Estadual da Mata Seca (14.869°S, 44.001°W; 450 m elevation), Minas Gerais, Brazil. A female *Lasiodora* sp. (ca. 100 mm leg span) was observed

climbing up the base of an Imburana tree (*Commiphora leptophloeos*) holding a dead groundsnake (*Atractus pantostictus*; 400 mm total length) by the posterior portion of the body (Fig. 1). As in this case, most records of spiders eating snakes report only the feeding process, making it impossible to determine whether active predation occurred or whether the predator simply benefited from an opportunistic situation (Nyffeler & Altig, 2020). However, theraphosids are known to actively prey on snakes (Nyffeler & Gibbons, 2021).

The event occurred during the rainy season, the period of greatest activity of *A. pantostictus* (Sawaya et al., 2008; Tollero-Vieira et al., 2017) and *Lasiadora* spp. (Vieira et al., 2012; Ferreira et al., 2004), increasing the chance of interactions between these species. Both specimens were photographed, collected, stored in 70% alcohol, and identified by taxonomists. The spider could not be identified to the species level, because *Lasiadora* presents taxonomic problems and requires revision (Adalberto J. Santos, personal information). The snake was deposited in the Biological Collection of Instituto Federal de Educação, Ciência e Tecnologia do Sul de Minas, Campus Inconfidentes (catalog number 64466/2021). The spider was deposited in the arachnid collection of Centro de Coleções Taxonômicas, Universidade Federal de Minas Gerais (catalog number UFMG 26186).

Atractus pantostictus is endemic to Brazil (Costa et al., 2022), most often found in Cerrado and transitional areas to other biomes (Passos et al., 2010), and there is no information on this species as a food source of spiders. *Lasiadora* comprises some of the largest known tarantulas (Nyffeler & Gibbons, 2021). In Brazil, 23 species are known for this genus (Brescovit et al., 2022), but there are no records of them feeding on snakes (Nyffeler & Gibbons, 2021).

Theridiidae and Theraphosidae are the spider families best known to feed on snakes (McCormick & Polis, 1982; Nyffeler & Gibbons, 2021). The Theraphosidae, known as tarantulas or *caranguejeiras*, are mostly large-sized errant spiders, reaching up to 20 cm of leg span, hunting without webs, mostly on trees and on the ground (Pérez-Miles, 2020). In Brazil, the theraphosid genera *Acanthoscurria*, *Grammostola*, *Pachistopelma*, *Theraphosa* have been recorded feeding on snakes (Tab. 1). Our record of a *Lasiadora* preying on *A. pantostictus* increases to five the number of spider genera reported to feed on snakes in Brazil and is also the second record of *Lasiadora* feeding on a snake (Nyffeler & Gibbons, 2021), probably the first in natural conditions.

ACKNOWLEDGEMENTS

We are grateful to SISBio and IEF-MG for providing the required permits and also to the Dry Forest State Park, in the persons of the Manager José Luiz Vieira and collaborators, for the reception and field support, and to all the students who worked at the field. Also we thank the herpetologists Ana Bárbara Barros (Vale do Sapucaí University) and Diego Henrique Santiago (Paraná Federal Institute, Campus Umuarama), and the spider taxonomist, Dr. Adalberto J. Santos (Minas Gerais Federal University).

REFERENCES

- Almeida M.Q., Sobral R., Silva-Neto A.M., Mendes D., Hidalgo R.M. 2019. *Bothrops atrox* (Common Lancehead) Predation. *Herpetological Review* 50:586.
- Avila R.W., Porfirio G.E. 2008. *Bothrops moojeni* (Brazilian lancehead). Predation. *Herpetological Review* 39:467.
- Barbosa R.A.P., Silva I.K.A., Oliveira U.M., Albuquerque, S. 2021. Predação de *Drymoluber dichrous* (Reptilia: Squamata: Colubridae) por *Acanthoscurria* sp. (Araneae: Theraphosidae) no Sudoeste da Amazônia Brasileira. *Nature and Conservation* 14:213–218. DOI:[10.6008/CBPC2318-2881.2021.002.0019](https://doi.org/10.6008/CBPC2318-2881.2021.002.0019)
- Bates M.F., Josling N. 2021. First record of a pholcid spider (Arachnida: Araneae) feeding on a reptile in South Africa. *African Journal of Ecology* 59:521–523. DOI:[10.1111/aje.12835](https://doi.org/10.1111/aje.12835)
- Bauer A.M. 1990. Gekkonid lizards as prey of invertebrates and predators of vertebrates. *Herpetological Review* 21:83–87.
- Bilce T.M., Monteiro L.B., Coêlho T.A., Souza D.C. 2021. Predation of the snake *Drymoluber dichrous* (Peters, 1863) (Serpentes: Colubridae) by the spider *Theraphosa blondi* (Latreille, 1804) (Araneae: Theraphosidae) in the Brazilian Amazon. *Herpetology Notes* 14:239–241.
- Borges L.M., Rosa C.M., Dri G.F., Bertani R. 2016. Predation of the snake *Erythrolamprus almadensis* (Wagler, 1824) by the tarantula *Grammostola quirogai* Montes de Oca, D'elía & Pérez-Miles, 2016. *Herpetology Notes* 9:321–322.
- Brescovit A.D., Oliveira U., Santos A.J. 2022. Theraphosidae in Catálogo Taxonômico da Fauna do Brasil. PNUD. Accessible at <http://fauna.jbrj.gov.br/fauna/faunadobrasil/901>. Access: 08 Jun 2022
- Brooks D.M. 2012. Birds caught in spider webs: a synthesis of patterns.

The Wilson Journal of Ornithology 124:345–353. DOI:[10.1676/11-148.1](https://doi.org/10.1676/11-148.1)

Costa H.C., Guedes T., Bérnills R.S. 2022 “2021”. Lista de répteis do Brasil: padrões e tendências. *Herpetologia Brasileira* 10:110–279. DOI:[10.5281/zenodo.5838950](https://doi.org/10.5281/zenodo.5838950)

Silva F.D., Barros R., Cerqueira V.L.A., Mattedi C., Pontes R.C., Pereira E.A. 2019. Predation on *Leptodeira annulata* (Linnaeus, 1758) (Squamata: Colubridae) by *Theraphosa blondi* (Latreille, 1804) (Araneae: Theraphosidae), in Amazon Forest, North of Brazil. *Herpetology Notes* 12:953–956.

Ferreira A., Silva A.O., Conceição B.M., Cardoso D.M., Santos P., Faria R. Predation on *Tropidurus semitaeniatus* (Squamata: Tropiduridae) by *Acanthoscurria natalensis* (Aranea: Theraphosidae) in the semiarid Caatinga region of northeastern Brazil. *Herpetology Notes* 7:501–503

Foelix R. 2011. Biology of spiders. Oxford University Press, Oxford.

Garb J.E., Hayashi C.Y. 2013. Molecular evolution of α -latrotoxin, the exceptionally potent vertebrate neurotoxin in black widow spider venom. *Molecular biology and evolution* 30:999–1014. DOI:[10.1093/molbev/mst011](https://doi.org/10.1093/molbev/mst011)

Jorge R.F., Fraga R., Simões P.I. 2016. *Atractus torquatus* (Neckband Ground Snake). Predation. *Herpetological Review* 47:307–308.

McCormick. S., Polis G.A. 1982. Invertebrates that prey on vertebrates. *Biological Review of Cambridge Philosophical Society* 57:29–58.

Nunes G.S., De-Carvalho C.B., Dias D.M., Magina G.T., Carvalho C.M. 2010. *Micrurus ibiboboca* (Caatinga Coral Snake). Predation. *Herpetological Review* 41:368–369.

Nyffeler M., Altig R. 2020. Spiders as frog-eaters: a global perspective. *The Journal of Arachnology* 48:26–42. DOI:[10.1636/0161-8202-48.1.26](https://doi.org/10.1636/0161-8202-48.1.26)

Nyffeler M., Gibbons J.W. 2021. Spiders (Arachnida: Araneae) feeding on snakes (Reptilia: Squamata). *The Journal of Arachnology* 49:1–27. DOI:[10.1636/JoA-S-20-050](https://doi.org/10.1636/JoA-S-20-050)

Nyffeler M., Knörnschild M. 2013. Bat predation by spiders. *PloS One* 8:e58120. DOI:[10.1371/journal.pone.0058120](https://doi.org/10.1371/journal.pone.0058120)

Nyffeler M., Pusey B.J. 2014. Fish predation by semi-aquatic spiders: a global pattern. *PloS One* 9:e99459. DOI:[10.1371/journal.pone.0099459](https://doi.org/10.1371/journal.pone.0099459).

O'Shea M., Kelly K. 2017. Predation on a Weasel Skink (*Saprosaurus mustelinus*) (Squamata: Scincidae: Lygosominae) by a Redback Spider (*Latrodectus hasselti*) (Araneae: Araneomorpha: Theridiidae), with a review of other *Latrodectus* predation events involving squamates. *Herpetofauna* 44:49–55.

Passos P., Fernandes R., Bernils R.S., Moura-Leite J. 2010. Taxonomic revision of the Brazilian Atlantic Forest *Atractus* (Reptilia: Serpentes: Dipsadidae). *Zootaxa* 2364:1–63. DOI:[10.11646/zootaxa.2364.1.1](https://doi.org/10.11646/zootaxa.2364.1.1)

Pérez-Miles F. 2020. New World Tarantulas. Zoological Monographs. Springer. doi:[10.1007/978-3-030-48644-0](https://doi.org/10.1007/978-3-030-48644-0)

Pinto K.C., Wronski L., Xavier J., Penhacek M., Oliveira R.M., Oliveira E.A. 2017. Natural history notes: *Oxyrhopus* species (False Coral snake) predation. *Herpetological Review* 48:457.

Reyes-Olivares C., Guajardo-Santibáñez A., Segura B., Zañartu N., Penna M., Labra A. 2020. Lizard predation by spiders: A review from the Neotropical and Andean regions. *Ecology and Evolution* 10:10953–10964. DOI:[10.1002/ece3.6801](https://doi.org/10.1002/ece3.6801).

Rocha C.R., Motta P.C., Portella A.S., Saboya M., Brandão R. 2017. Predation of the snake *Tantilla melanocephala*

(Squamata: Colubridae) by the spider *Latrodectus geometricus* (Araneae: Theridiidae) in Central Brazil. *Herpetology Notes* 10:647–650.

Sawaya R.J., Marques O.A.V., Martins M. 2008. Composition and natural history of a Cerrado snake assemblage at Itirapina, São Paulo state, southeastern Brazil. *Biota Neotropica* 8:127–149. DOI:[10.1590/S1676-06032008000200015](https://doi.org/10.1590/S1676-06032008000200015)

Torello-Vieira N.F., Marques O.A.V. 2017. Daily activity of neotropical Dipsadid snakes. *South American Journal of Herpetology* 12:128–135. DOI:[10.2994/SAJH-D-16-00023.1](https://doi.org/10.2994/SAJH-D-16-00023.1)

Valdez, J.W. 2020. Arthropods as vertebrate predators: A review of global patterns. *Global Ecology and Biogeography* 29:1–13. DOI:[10.1111/geb.13157](https://doi.org/10.1111/geb.13157)

Vieira W.L.S., Gonçalves M.B.R., Nóbrega R.P. Predation on *Tropidurus hispidus* (Squamata: Tropiduridae) by *Lasiodora klugi* (Aranea: Theraphosidae) in the semiarid caatinga region of northeastern Brazil. *Biota Neotropica* 12:263–265. DOI:[10.1590/S1676-06032012000400028](https://doi.org/10.1590/S1676-06032012000400028)

von May R., Biggi E., Cárdenas H., Diaz M.I., Alarcón C., Herrera V., ... Rabosky D.L. 2019. Ecological interactions between arthropods and small

vertebrates in a lowland Amazon rain-forest. *Amphibian & Reptile Conservation* 13:65–77.

Editor: H. C. Costa

Table 1. Records of spiders preying on snakes in Brazil.

SPIDER	SNAKE	SOURCE
Theraphosidae		
<i>Acanthoscurria</i> sp.	<i>Bothrops moojeni</i> Hoge, 1966 (Viperidae)	Avila & Porfirio (2008)
<i>Acanthoscurria</i> sp.	<i>Drymoluber dichrous</i> (Peters, 1863) (Colubridae)	Barbosa et al. (2021)
<i>Grammostola quirogai</i> Montes De Oca, D'Elía & Pérez-Miles, 2016	<i>Erythrolamprus almadensis</i> Wagler, 1824 (Dipsadidae)	Borges et al. (2016)
<i>Lasiadora</i> sp.	<i>Atractus pantostictus</i> Fernandes & Puerto, 1993 (Dipsadidae)	This study
<i>Pachistopelma rufonigrum</i> Pocock, 1901	<i>Micrurus ibiboboca</i> Merrem, 1820 (Elapidae)	Nunes et al. (2010)
<i>Theraphosa blondi</i> (Latreille, 1804)	<i>Atractus torquatus</i> (Duméril, Bibron & Duméril, 1854) (Dipsadidae)	Jorge et al. (2016)
<i>Theraphosa blondi</i> (Latreille, 1804)	<i>Drymoluber dichrous</i> (Peters, 1863) (Colubridae)	Bilci et al. (2021)
<i>Theraphosa blondi</i> (Latreille, 1804)	<i>Leptodeira annulata</i> (Linnaeus, 1758) (Dipsadidae)	Da Silva et al. (2019)
<i>Theraphosa stirmi</i> Rudloff & Weinmann, 2010	<i>Bothrops atrox</i> (Linnaeus, 1758) (Viperidae)	Almeida et al. (2019)
<i>Theraphosidae unidentified</i>	<i>Oxyrhopus</i> sp. (Dipsadidae)	Pinto et al. (2017)
Theridiidae		
<i>Latrodectus geometricus</i> (Koch, 1841)	<i>Tantilla melanocephala</i> (Linnaeus, 1758) (Colubridae)	Rocha et al. (2017)




Figure 1. Lasiadora sp. (Araneae, Theraphosidae) feeding on *Atractus pantostictus* (Squamata, Dipsadidae). **A)** Overall view; **B)** detail; **C)** Head of *A. pantostictus* in dor.