




Amplification factors, pos, $T=120s$




Amplification factors, pos, $T=120s$, smoothed




Amplification factors, pos, $T=200s$




Amplification factors, pos, $T=200s$, smoothed




Amplification factors, pos, $T=300s$




Amplification factors, pos, $T=300s$, smoothed




Amplification factors, pos, $T=600s$




Amplification factors, pos, $T=600s$, smoothed




Amplification factors, pos, $T=1000s$




Amplification factors, pos,T=1000s, smoothed




Amplification factors, pos, $T=1800s$




Amplification factors, pos, $T=1800s$, smoothed




Amplification factors, pos, T=3600s




Amplification factors, pos, $T=3600s$, smoothed




Amplification factors, neg, $T=120s$




Amplification factors, neg,T=120s, smoothed




Amplification factors, neg, $T=200s$




Amplification factors, neg,T=200s, smoothed




Amplification factors, neg, $T=300s$




Amplification factors, neg, $T=300s$, smoothed




Amplification factors, neg, $T=600s$




Amplification factors, neg, $T=600s$, smoothed




Amplification factors, neg, T=1000s




Amplification factors, neg, T=1000s, smoothed




Amplification factors, neg, $T=1800s$




Amplification factors, neg, $T=1800s$, smoothed




Amplification factors, neg, $T=3600s$




Amplification factors, neg, $T=3600s$, smoothed




Amplification factors (MED/BS), period=120




Amplification factors (MED/BS), period=200




Amplification factors (MED/BS), period=300




Amplification factors (MED/BS), period=600




Amplification factors (MED/BS), period=1000



Amplification factors (MED/BS), period=1800



Amplification factors (MED/BS), period=3600



Missing points

