



CAUSATION, 17(11): 5–25

[DOI:10.5281/zenodo.7303952](https://doi.org/10.5281/zenodo.7303952)

Received: November 6, 2022

Accepted: November 6, 2022

Published: November 8, 2022

[Deutsche Nationalbibliothek Frankfurt](#)

Wave particle duality

Research article

Ilija Barukčić¹

¹ Internist, Horandstrasse, 26441 Jever, Germany

* **Correspondence:** E-Mail: Barukcic@t-online.de;
Tel: +49-4466-333; Fax: +49-4466-333.

Abstract

Background:

What are (quantum mechanical) entities, either a particle or a wave or both or none?

Methods:

The most elementary and simple rules of the special relativity theory were used to approach the solution of this matter.

Results:

The particle wave duality has been mathematised very precisely. A relativistic wave equation has been developed.

Conclusion:

Under usual circumstances, a (quantum mechanical) entity is equally both, a particle and a wave.

Keywords: Particle; Wave; Cause; Effect; Causal relationship k; Causality; Causation

1. Introduction

Despite of its important influence as a core part of contemporary physics, there is no general consensus among scientist on the question of what is quantum theory telling us about objective reality at all. Nonetheless, the profound scientific issues raised by today's quantum theory require a repeated and more in-depth treatment of several entities and notions like particle and wave and of other quantum mechanical observables et cetera. Quantum theory itself is to many times dominated by a mathematical formalism which itself has not a very profound and convincing connection to objective reality. In particular, a substantial literature has grown up around the so called 'measurement problem' while today's formal apparatus of quantum mechanics has not solved this issue in a logically consistent manner. However, with what does a possible measuring device interact, how and to what extent? By time, quantum theory is reduced more and more to a measurement problem. Against this, a quantum theory which has reduced itself only to a simple theory of measurement has abolished itself completely. What are we to make of this? In order to approach the solution of this very controversial issue, it is necessary to be clear what is being measured at all, what is the underlying principle of any measurement process and how can this be described in a logically and mathematically satisfactory way. We can not avoid and are forced to take up again the long-lasting and non-ending issue which is deeply embedded into the foundations of quantum mechanics, the relationship between a particle and a wave. Historically, authors like Democritus (5th century BCE), Euclid (4th–3rd century BCE) and many other too, elab-

orated on this topic, directly or indirectly. In the end, it was the discovery of wave interference of light by Thomas Young (1773–1829), an English physician, in his **double-slit experiment** ¹ in 1801 (see [Young, 1804](#)) which brought the issue of a particle and a wave to a higher experimental and epistemological level. Scientific progress in this matter soon became an unstoppable force. Based on the preliminary work of Max Karl Ernst Ludwig Planck (1858-1947) and Albert Einstein (1879-1955), Prince Louis Victor Pierre Raymond, 7th Duc de Broglie (1892 – 1987), related wavelength and momentum and postulated 1924 in his PhD thesis (see [de Broglie, 1924](#)) that waves might behave as particles and particles themselves might also behave as a wave (a de Broglie wave) with wavelength h/p , where p is the momentum and h is Planck's constant. In other words, in a wave, a particle can be found and vice versa. In a particle, a wave can be found. In the following, Albert Einstein (see [Einstein and Infeld, 1938](#), p. 263) wrote with respect to particle and waves:

“It seems as though we must use sometimes the one theory and sometimes the other, while at times we may use either. We are faced with a new kind of difficulty. We have two contradictory pictures of reality; separately neither of them fully explains the phenomena of light, but together they do. ”

(see [Einstein and Infeld, 1938](#), p. 263)

To get to the point, particles have wave properties and vice versa. Wave have particle properties. In what follows, I will touch on of view of these topics, with the main goal being to provide a solution of the issue particle wave duality. ² The causal or hidden variables interpretation of quantum mechanics (the de Broglie-Bohm theory) as discovered by Louis de Broglie (see [de Broglie, 1927](#)) in 1927 ³ and rediscovered by David Bohm ⁴ (see [Bohm, 1952](#)) in 1952 will not be analysed in detail.

¹Young, Thomas (1804). "Bakerian Lecture: Experiments and calculations relative to physical optics". *Philosophical Transactions of the Royal Society*. 94: 1–16. doi: <https://doi.org/10.1098/rstl.1804.0001>

²Ilija Barukčić, "The Relativistic Wave Equation," *International Journal of Applied Physics and Mathematics* vol. 3, no. 6, pp. 387-391, 2013.

³Louis de Broglie (1927) *La mécanique ondulatoire et la structure atomique de la matière et du rayonnement*. *J. Phys. Radium* 8 (5), 225-241 DOI: [10.1051/jphysrad:0192700805022500](https://doi.org/10.1051/jphysrad:0192700805022500)

⁴Bohm, David, 1952, "A Suggested Interpretation of the Quantum Theory in Terms of 'Hidden' Variables. I", *Physical Review*, 85(2): 166–193. doi:[10.1103/PhysRev.85.166](https://doi.org/10.1103/PhysRev.85.166)

2. Material and methods

2.1. Material

2.2. Methods

Avoiding and treatment of logical fallacies addresses one of the most important aspects of any scientific inquiry. Sometimes logically sound definitions are of great help in order to enable us to properly infer **from something known to the something unknown**. It also goes without any need of further saying that a definition as such should be logically consistent and correct. However, theoretically, circumstances might exist under which it is required to *deal with erroneous definitions*⁵ too.

2.2.1. Basic definitions of special theory of relativity

Definition 2.1 (Energy).

Let E denote energy (see [Einstein, 1905a](#)) which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R. It is

$$E = M \times c^2 \quad (1)$$

where M is the matter and c is the speed of the light in vacuum.

Definition 2.2 (Matter).

Let M denote matter which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R. In our understanding of the matter we follow Einstein's explanations very closely.

“... ‘**Materie**’ bezeichnet ... nicht nur die ‘**Materie**’ im üblichen Sinne, sondern auch das **elektromagnetische Feld**. ” ([Einstein, 1916](#), p. 802/803)

In broken English, ‘**matter**’ denotes ... not only **matter in the ordinary sense**, but also the **electromagnetic field**. It is worth noting that the equivalence of matter (M) and energy (E) lies at the core of today's physics and has been described by Einstein as follows:

“Gibt ein Körper die Energie L in Form von Strahlung ab, so verkleinert sich seine Masse um L/V^2
... Die Masse eines Körpers ist ein Maß für dessen Energieinhalt ”

(see also [Einstein, 1905b](#), p. 641)

⁵Strobino, Riccardo, “Ibn Sina's Logic”, The Stanford Encyclopedia of Philosophy (Fall 2018 Edition), Edward N. Zalta (ed.), URL = <https://plato.stanford.edu/archives/fall2018/entries/ibn-sina-logic/>.

In general it is

$$M \equiv \frac{E}{c^2} \quad (2)$$

(see also [Einstein, 1905b](#), p. 641)

where M denotes the matter (see also [Tolman, 1912](#)) and c is the speed of the light in vacuum. In other words, Einstein is demanding the equivalence of matter and energy as the most important upshot of his special theory of relativity.

“Eines der wichtigsten Resultate der Relativitätstheorie ist die Erkenntnis,
daß jegliche Energie E eine ihr proportionale Trägheit (E/c^2) besitzt”

(see also [Einstein, 1912](#), p. 1062)

Definition 2.3 (Anti energy).

Let \underline{E} denote non-energy or anti energy, the other of energy, the complementary of energy, the opposite of energy which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R . It is

$$\underline{E} = S - E \quad (3)$$

Definition 2.4 (Time).

Let t denote time, the other of anti-time, the complementary of anti - time, the opposite of anti-time which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R . Let \underline{t} denote anti time. It is

$$t = S - \underline{t} \quad (4)$$

Definition 2.5 (Anti time).

Let \underline{t} denote non-time or anti-time, the other of time, the complementary of time, the opposite of time which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R . It is

$$\underline{t} = S - t \quad (5)$$

Theoretically, anti-time is the other of time, the complementary of time, the opposite of time.

Definition 2.6 (Gravitational field).

Let g denote the gravitational field. The gravitational field g is quite often defined by the gravitational potential. Nonetheless, it is necessary to distinguish the gravitational field and the gravitational potential, both are not identical. Even if it is a little questionable to refer so often to Einstein's position, as long as the same is logically sound, it is also very difficult to simply ignore the same. Although it is much too often overlooked today, let us again refer to Einstein's understanding of the relationship between matter and gravitational field. Einstein defined the gravitational field **ex negativo** as follows.

“Wir unterscheiden im folgenden zwischen ‘Gravitationsfeld’ und ‘Materie’, in dem Sinne, daß **alles außer dem Gravitationsfeld als ‘Materie’ bezeichnet** wird, also nicht nur die ‘Materie’ im üblichen Sinne, sondern auch das elektromagnetische Feld. ”

(Einstein, 1916, p. 802/803)

Again, Einstein's position translated into English: ‘We distinguish in the following between ‘gravitational field’ and ‘matter’, in the sense that everything except the gravitational field is regarded as ‘matter’, that is not only ‘matter’ in the ordinary sense, but also the electromagnetic field.’ The following and only symbolic figure might illustrate the relationship between matter and gravitational field in more detail.

Gravitational field (g)

M a t t e r (M)

U

Mathematically, the gravitational field is expressed as follows:

$$g = U - M \quad (6)$$

Definition 2.7 (Space).

Let S denote the space which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R . We assume that energy and time are determining space. It is

$$S = E + t \quad (7)$$

In the further progress of the research it should be possible to demonstrate beyond any reasonable doubt that

$$S - t = E \quad (8)$$

and that the most general formulation of the Einstein field equations could be

$$(S \times g_{\mu\nu}) - (t \times g_{\mu\nu}) = (E \times g_{\mu\nu}) \quad (9)$$

Definition 2.8 (U).

Let U denote the unity and the struggle between matter and gravitational field which is existing objectively and real outside of human mind and consciousness as viewed from the point of view of the stationary observer R. It is

$$U = \frac{S}{c^2} = M + g \quad (10)$$

2.2.2. Extended definitions of special theory of relativity

Definition 2.9 (Energy and special theory of relativity). Let ${}_r E_t$ denote the total or relativistic (see [Lewis and Tolman, 1909](#)) energy⁶ of an (quantum mechanical) entity, at a certain run of an experiment t and is dependent on the relative velocity v of an observer. Let ${}_0 E_t$ denote the rest energy of an entity, at a certain run of an experiment t . The invariant mass ${}_0 m_t$ (also called rest mass) which is determined by rest energy is an invariant quantity which is the same for all observers in all reference frames. Let ${}_w E_t$ denote the electromagnetic wave energy of an entity, at a certain run of an experiment t . Let ${}_{rp} E_t$ denote the relativistic potential energy (see [Barukčić, 2013](#)), let ${}_{rk} E_t$ denote the relativistic kinetic energy (see [Barukčić, 2013](#)).

The relativistic momentum, denoted as ${}_r p_t$, is defined as

$$({}_r p_t) = ({}_r m_t) \times (v) \quad (11)$$

where v is the relative velocity between observers. The energy of an electromagnetic wave, denoted as ${}_w E_t$, is derived as

$$({}_w E_t) = ({}_r p_t) \times (c) = ({}_r m_t) \times (v) \times (c) \quad (12)$$

where c is the speed of the light in vacuum. In general, it is

$$({}_r E_t) = ({}_{rp} E_t) + ({}_{rk} E_t) \quad (13)$$

and the usual energy momentum relation

$$(({}_r E_t) \times {}_{rp} E_t) + (({}_r E_t) \times {}_{rk} E_t) = ({}_r E_t) \times ({}_r E_t) \quad (14)$$

The invariant or rest energy (see figure 1), denoted as ${}_0 E_t$, is given as

$$({}_0 E_t)^2 = ({}_r E_t) \times ({}_{rp} E_t) \quad (15)$$

⁶Lewis, Gilbert N. and Tolman, Richard C. (1909), "The Principle of Relativity, and Non-Newtonian Mechanics", Proceedings of the American Academy of Arts and Sciences, 44 (25): 709–726.[doi:10.2307/20022495](https://doi.org/10.2307/20022495)

The relativistic potential energy, ${}_{rp}E_t$, is given as

$$({}_{rp}E_t) = \frac{({}_0E_t)^2}{({}_rE_t)} = \left(1 - \frac{v^2}{c^2}\right) \times ({}_rE_t) \quad (16)$$

Furthermore, the energy of a electromagnetic wave (see figure 1), denoted as $({}_wE_t)$, is given as

$$({}_wE_t)^2 = ({}_rE_t) \times ({}_{rk}E_t) \quad (17)$$

The relativistic kinetic energy (see figure 1), denoted as ${}_{rk}E_t$, is given as

$$({}_{rk}E_t) = \frac{({}_wE_t)^2}{({}_rE_t)} = \frac{({}_rm_t) \times (v) \times (c) \times ({}_rm_t) \times (v) \times (c)}{({}_rm_t) \times (c) \times (c)} = ({}_rm_t) \times (v^2) = ({}_rp_t) \times (v) \quad (18)$$

We have very convincing arguments to assume that the concept of **vis viva** (see [Leibniz, 1695](#)) as put forward by Leibniz and the notion **relativistic kinetic energy** are identical. The relationship before and their inner connection to the Pythagorean theorem are view by figure 1 in more detail.




Figure 1. Pythagorean theorem and Einstein's special theory of relativity (Einstein's triangle).

The usual energy momentum relation has been the foundation of many relativistic wave equations. The


normalised energy momentum relation is given as

$$\left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) + \left(\frac{({}_wE_t)^2}{({}_rE_t)^2}\right) = \left(\frac{({}_0m_t)^2}{({}_rm_t)^2}\right) + \left(\frac{({}_v)^2}{({}_c)^2}\right) = +1 \quad (19)$$

while

$$p({}_rpE_t) = \left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) = 1 - \left(\frac{({}_v)^2}{({}_c)^2}\right) \quad (20)$$

can be understood as the probability of finding a certain particle local. The next figure might provide us with an simplified overview.



3. Results

3.1. Theorem. Normalised energy momentum relation

Theorem 1 (Normalised energy momentum relation). *The normalised relativistic energy momentum relation is given as*

$$\left(\frac{({}_0m_t)^2}{({}_rm_t)^2} \right) + \left(\frac{(v)^2}{(c)^2} \right) = +1 \quad (21)$$

Proof by direct proof. Axiom 1 or

$$+1 = +1 \quad (22)$$

is true. Therefore, it is equally true that

$$({}_0m_t) = ({}_0m_t) \quad (23)$$

and that

$$({}_0m_t) = \left(\sqrt{+1 - \frac{v^2}{c^2}} \right) \times ({}_rm_t) \quad (24)$$

Rearranging equation 24, it is

$$({}_0m_t)^2 = \left(+1 - \frac{v^2}{c^2} \right) \times ({}_rm_t)^2 \quad (25)$$

and equally

$$\left(\frac{({}_0m_t)^2}{({}_rm_t)^2} \right) = \left(+1 - \frac{v^2}{c^2} \right) \quad (26)$$

The normalised relativistic energy momentum relation is given as

$$\left(\frac{({}_0m_t)^2}{({}_rm_t)^2} \right) + \left(\frac{(v)^2}{(c)^2} \right) = +1 \quad (27)$$

□

3.2. Theorem. Particle wave duality

Theorem 2 (Particle wave duality). *The particle wave duality is described completely by the equation*

$$\left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) + \left(\frac{({}_wE_t)^2}{({}_rE_t)^2}\right) = +1 \quad (28)$$

Proof by direct proof. Axiom 1 or

$$+1 = +1 \quad (29)$$

is true. Therefore, it is equally true that

$$\left(\frac{({}_0m_t)^2}{({}_rm_t)^2}\right) + \left(\frac{({}_vm_t)^2}{({}_cm_t)^2}\right) = +1 \quad (30)$$

Rearranging equation 30, it is

$$\left(\frac{({}_0m_t)^2 \times c^4}{({}_rm_t)^2 \times c^4}\right) + \left(\frac{({}_vm_t)^2}{({}_cm_t)^2}\right) = +1 \quad (31)$$

or

$$\left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) + \left(\frac{({}_vE_t)^2}{({}_cE_t)^2}\right) = +1 \quad (32)$$

Rearranging equation 32, we obtain

$$\left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) + \left(\frac{({}_rm_t)^2 \times ({}_v)^2 \times ({}_c)^2}{({}_rm_t)^2 \times ({}_c)^2 \times ({}_c)^2}\right) = +1 \quad (33)$$

Simplifying equation 33 (see equation 11, p. 11), it is

$$\left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) + \left(\frac{({}_rp_t)^2 \times ({}_c)^2}{({}_rE_t)^2}\right) = +1 \quad (34)$$

Simplifying equation 34 (see equation 12, p. 11), we obtain the most general mathematical formulation of the particle wave duality as

$$\left(\frac{({}_0E_t)^2}{({}_rE_t)^2}\right) + \left(\frac{({}_wE_t)^2}{({}_rE_t)^2}\right) = +1 \quad (35)$$

□

Any physical entity, including a quantum mechanical entity, is at the same time both, a particle and a wave. In other words, in a particle, the wave can be found and vice versa. In a wave, the particle can be found. However, equation 35 includes conditions (i.e. either a pure particle or a pure wave) too, where an entity is either a particle or a wave. Equation 35 is the foundation of any measurement (i.e. interaction) and observation. A measurement, even if often treated as a privileged source of knowledge, cannot change everything by the process of measurement itself, an act of measurement is relative and not absolute. A quantum mechanical entity which is described completely by equation 35 might undergo some changes by an act of measurements. However, an act of measurement does not affect the rest energy, but only the total energy (${}_rE_t$) and the electromagnetic energy (${}_0E_t$). The rest energy (${}_0E_t$) is an invariant quantity and is the same for all observers in all reference frames before and after an act of measurement. This fact can be used to calculate the exact degree of interaction between a quantum mechanical entity and a measuring device.

3.3. Theorem. Time and wave function

Theorem 3 (Time and wave function). Let ${}_R E_t$ denote the relativistic (total) energy of a system (viewed from stationary observer R) at a certain run of an experiment t , let ${}_R t_t$ denote the relativistic time of a system (viewed from stationary observer R) at a certain run of an experiment t . One distinct aspects of the special theory of relativity is the relationship ${}_O t_t = \left(\sqrt{1 - \frac{v^2}{c^2}} \right) \times {}_R t_t$. In general, it is

$${}_R t_t = \Psi \quad (36)$$

Proof by direct proof. Axiom 1 or

$$+1 = +1 \quad (37)$$

is true. In the continuation of this theorem we consider a quantum mechanical system. The total energy of that system is identical with ${}_R E_t$. We obtain

$${}_R E_t = {}_R E_t \quad (38)$$

Multiplying the energy of the quantum mechanical system (see equation 38) by ${}_R t_t$, it is

$${}_R E_t \times {}_R t_t = {}_R E_t \times {}_R t_t \quad (39)$$

The quantum mechanical system mentioned previously (see equation 39) can be described without any contradictions with the Schrödinger wave equation. We shall obtain ${}_t$, it is

$${}_R E_t \times {}_R t_t = H \times \Psi \quad (40)$$

where Ψ is the wave function and H is the Hamiltonian. The Hamiltonian of a quantum mechanical system is an operator corresponding to the total energy of a quantum mechanical system, including both kinetic energy and potential energy. We have very good reason to assume that ${}_R E_t$ equals H . Equation 40 can be rearranged as

$$H \times {}_R t_t = H \times \Psi \quad (41)$$

Under the outlined circumstances (equation 41), we have very high level of evidence that the physical meaning of the wave function is determined as

$${}_R t_t = \Psi \quad (42)$$

□

In a more far reaching (see Barukčić, 2016) publication on this matter, it should be possible to provide a proof, that ⁷

$${}_R t_t = \Psi = g \times c^2 \quad (43)$$

⁷Barukčić, I. (2016) The Physical Meaning of the Wave Function. Journal of Applied Mathematics and Physics, 4, 988-1023. doi: 10.4236/jamp.2016.46106.

3.4. Theorem. Relativistic wave equation

Various relativistic wave equations (Barukčić, 2013; Dirac, 1928; Gordon, 1926; Klein, 1926) have been proposed. One method consisted in inserting the momentum operator and energy operator into the relativistic energy–momentum relation to obtain a quantized version of the relativistic energy–momentum relation.

Theorem 4 (Relativistic wave equation). *The relativistic wave equation is given as*

$$\left(\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) + \left(\left(\frac{(v)^2}{(c)^2} \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) = H \times \Psi \quad (44)$$

Proof by direct proof. Axiom 1 or

$$+1 = +1 \quad (45)$$

is true. Therefore, it is equally true (see equation 35, p. 15) that

$$\left(\frac{(0E_t)^2}{(rE_t)^2} \right) + \left(\frac{(wE_t)^2}{(rE_t)^2} \right) = +1 \quad (46)$$

Equation 46 is identical with the relationship

$$\left(+1 - \frac{(v)^2}{(c)^2} \right) + \left(\frac{(v)^2}{(c)^2} \right) = +1 \quad (47)$$

Multiplying equation 47 by the (time-dependent) Schrödinger wave equation (Schrödinger, Erwin Rudolf Josef Alexander, 1926b), it is

$$\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times H \times \Psi \right) + \left(\left(\frac{(v)^2}{(c)^2} \right) \times H \times \Psi \right) = (H \times \Psi) \quad (48)$$

where H is the Hamiltonian, which corresponds to the total energy of a (quantum mechanical) system and Ψ is the wave function. Energy defined in terms of an energy operator, acting on the wave function of a (quantum mechanical) system is given as

$$H = i \times \hbar \times \frac{\partial}{\partial t} \quad (49)$$

By inserting the energy operator (see equation 49) into equation 48, we obtain **the relativistic wave equation** as

$$\left(\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) + \left(\left(\frac{(v)^2}{(c)^2} \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) = H \times \Psi \quad (50)$$

where i is the imaginary unit, \hbar is the reduced Planck constant, H is the Hamiltonian operator, Ψ is the wave function, v is the relative velocity and c is the speed of the light in vacuum.

□

The relativistic wave equation (see equation 50) derived as

$$\left(\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) + \left(\left(\frac{(v)^2}{(c)^2} \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) = H \times \Psi \quad (51)$$

can and should be adapted depending on the individual requirements. Let \mathbf{x} denote the position operator, let \mathbf{p} denote the momentum operator. Equation 51 becomes

$$\left(\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) + \left(\left(\frac{(r m_t) \times (v)^2}{(r m_t) \times (c)^2} \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) = H \times \Psi \quad (52)$$

and equally $\left(it \text{ is } {}_r E_t = H = i \times \hbar \times \frac{\partial}{\partial t} \right)$

$$\left(\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) + \left(\left(\frac{(r p_t) \times (v)}{\left(i \times \hbar \times \frac{\partial}{\partial t} \right)} \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) = H \times \Psi \quad (53)$$

The relativistic wave equation (see equation 53) would simplify in momentum space as

$$\left(\left(\left(+1 - \frac{(v)^2}{(c)^2} \right) \times \left(i \times \hbar \times \frac{\partial}{\partial t} \right) \right) \times \Psi \right) + ((\mathbf{p} \times v) \times \Psi) = H \times \Psi \quad (54)$$

where \mathbf{p} is the momentum operator and v is relative velocity, respectively. However, even equation 54 can further be adapted in accordance with the further needs. In order to illustrate the extent of the necessary adjustments, let us take a closer look at the following two cases. In the case of a pure particle it is $v = 0$ and equation 54 becomes

$$\left(i \times \hbar \times \frac{\partial}{\partial t} \right) \times \Psi = H \times \Psi \quad (55)$$

In the case of a pure wave it is $v = c$ and equation 54 becomes

$$((\mathbf{p} \times c) \times \Psi) = H \times \Psi \quad (56)$$

3.5. Theorem. General relativity and invariant energy

Theorem 5 (General relativity and invariant energy). *In general relativity, momentum itself is an entity (like mass or energy) that acts as a source of gravity. However, determining the invariant energy (${}_0E_t$) of a massive body in general relativity theory (GRT) is not entirely simple. We must therefore ask ourselves whether we may apply the previous considerations also to areas of the general relativity theory. A general relativity consistent formulation of the particle wave duality is given as*

$$\left(\left(\left(\frac{R}{D} \right) - (R) \right) \times \Psi \right) + \left(\left(\left(\frac{\pi \times [x, p]}{i \times \mathbb{I} \times h} \right) \times (R + (2 \times \Lambda)) \right) \times \Psi \right) = H \times \Psi \quad (57)$$

Proof by direct proof. Axiom 1 or

$$+1 = +1 \quad (58)$$

is true. Therefore, it is equally true that

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T_{\mu\nu} = \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T_{\mu\nu} \quad (59)$$

Based on the Einstein publications (Einstein, 1915, 1916, 1917, 1935; Einstein and Sitter, 1932) we arrive at the following Einstein's field equations.

$$R_{\mu\nu} - \left(\left(\frac{R}{2} \right) \times g_{\mu\nu} \right) + (\Lambda \times g_{\mu\nu}) = \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T_{\mu\nu} \quad (60)$$

Taking the trace of both sides of equation 60, it is

$$(R_{\mu\nu} \times g^{\mu\nu}) - \left(\left(\frac{R}{2} \right) \times g_{\mu\nu} \times g^{\mu\nu} \right) + (\Lambda \times g_{\mu\nu} \times g^{\mu\nu}) = \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T_{\mu\nu} \times g^{\mu\nu} \quad (61)$$

or

$$(R) - \left(\left(\frac{R}{2} \right) \times g_{\mu\nu} \times g^{\mu\nu} \right) + (\Lambda \times g_{\mu\nu} \times g^{\mu\nu}) = \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T \quad (62)$$

and equally

$$(R) - \left(\left(\frac{R}{2} \right) \times D \right) + (\Lambda \times D) = \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T \quad (63)$$

Changing equation 63, it is

$$\left(\frac{R}{D} \right) - \left(\frac{R}{2} \right) + (\Lambda) = \left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right) \quad (64)$$

Equation 64 can be rearranged as

$$\left(\frac{R}{D} \right) - \left(\frac{R}{2} \right) - \left(\frac{R}{2} \right) + \left(\frac{R}{2} \right) + (\Lambda) = \left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right) \quad (65)$$

or as

$$\left(\frac{R}{D} \right) - (R) + \left(\frac{R}{2} \right) + (\Lambda) = \left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right) \quad (66)$$

Normalising equation 66 we obtain (the units cancel out) the relationship

$$\left(\frac{\left(\left(\frac{R}{D} \right) - (R) \right)}{\left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right)} \right) + \left(\frac{\left(\left(\frac{R}{2} \right) + (\Lambda) \right)}{\left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right)} \right) = +1 \quad (67)$$

Multiplying equation 67 by Schrödinger's wave equation $H \times \Psi$, it is

$$\left(\frac{\left(\left(\frac{R}{D} \right) - (R) \right)}{\left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right)} \times H \right) \times \Psi + \left(\frac{\left(\left(\frac{R}{2} \right) + (\Lambda) \right)}{\left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right)} \times H \right) \times \Psi = H \times \Psi \quad (68)$$

where H is the Hamiltonian and Ψ is the (time dependent/independent) wave function. In general, the Hamiltonian H of a certain system is an operator corresponding to the total energy of that system. The total energy of the system of general relativity is more or less $\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D}$ while the units might be adapted. In the following, we consider conditions where

$$H = \frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \quad (69)$$

equation 68 simplifies as

$$\left(\left(\left(\frac{R}{D} \right) - (R) \right) \times \Psi \right) + \left(\left(\left(\frac{R}{2} \right) + (\Lambda) \right) \times \Psi \right) = H \times \Psi \quad (70)$$

In general, Dirac's/Schrödinger's (see also [Dirac, 1926](#); [Dirac and Fowler, 1926](#); [Schrödinger, Erwin Rudolf Josef Alexander, 1926a](#)) constant \hbar is determined as

$$\hbar \equiv \frac{h}{2 \times \pi} = \frac{[x, p]}{i \times \mathbb{I}} \quad (71)$$

considered the canonical commutation relation (see [Born and Jordan, 1925](#)) which demands that $\hbar = \frac{[x, p]}{i \times \mathbb{I}}$. In other words, it is

$$\frac{1}{2} = \left(\frac{\pi \times [x, p]}{i \times \mathbb{I} \times h} \right) \quad (72)$$

This relationship is substituted into equation 70. A relativistic wave equation (see [Barukčić, 2013](#)) is given as

$$\left(\left(\left(\frac{R}{D} \right) - (R) \right) \times \Psi \right) + \left(\left(\left(\frac{\pi \times [x, p]}{i \times \mathbb{I} \times h} \right) \times (R + (2 \times \Lambda)) \right) \times \Psi \right) = H \times \Psi \quad (73)$$

□

Under circumstances where equation 73 and equation 54 are identical, it would follow that

$$({}_0E_t)^2 = \left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right) \times \left(\left(\frac{R}{D} \right) - \left(\frac{R}{2} \right) \right) \quad (74)$$

and that

$$({}_wE_t)^2 = \left(\frac{4 \times 2 \times \pi \times \gamma \times T}{c^4 \times D} \right) \times \left(\left(\frac{\pi \times [x, p]}{i \times \mathbb{I} \times h} \right) \times (R + (2 \times \Lambda)) \right) \quad (75)$$

4. Discussion

Interference phenomena as exemplified by the two-slit experiment are one crucial aspect of quantum mechanics. If one repeatedly sends relativistic particles through a screen with two narrow slits a certain kind of a probability distribution of detection of these particles will follow. Equation 50 should be able to describe this situation completely and to solve the measurement problem of quantum mechanics. Depending upon the circumstances, (quantum mechanical) entities (i. e. such as light and electrons et cetera) possess at the same time, at the same run of an experiment both, wavelike and particle-like characteristics. Whether it is possible to simultaneously observe wave and particle properties of (quantum mechanical) entity may remain an open question for the present.

5. Conclusion

In a wave, a particle can be found and vice versa. In a particle, a wave can be found.

Acknowledgments

No funding or any financial support by a third party was received.

Erratum

Unfortunately, some misprints appeared in the previous publications, especially in the section of definitions. Some of the misprints have been brought up to date in this publication as far as possible.

Private note

The definition section of a paper need not and does not necessarily contain new scientific aspects. Above all, it also serves to better understand a scientific publication, to follow every step of the arguments of an author and to explain in greater details the fundamentals on which a publication is based. Therefore, there is no objective need to force authors to reinvent a scientific wheel once and again unless such a need appears obviously factually necessary. The effort to write about a certain subject in an original way in multiple publications does not exclude the necessity simply to cut and paste from an earlier work, and has nothing to do with self-plagiarism. However, such an attitude cannot simply be transferred to the sections' introduction, results, discussion and conclusions et cetera.

References

- Ilija Barukčić. The relativistic wave equation. *International Journal of Applied Physics and Mathematics*, 3(6):387–391, 2013. ISSN 2010362X. doi: 10.7763/IJAPM.2013.V3.242.
- Ilija Barukčić. The Physical Meaning of the Wave Function. *Journal of Applied Mathematics and Physics*, 04(06):988–1023, 2016. ISSN 2327-4352. doi: 10.4236/jamp.2016.46106.
- David Bohm. A suggested interpretation of the quantum theory in terms of "hidden" variables. i. *Physical Review*, 85:166–179, Jan 1952. doi: 10.1103/PhysRev.85.166. URL <https://link.aps.org/doi/10.1103/PhysRev.85.166>. APS.
- Max Born and Pascual Jordan. Zur quantenmechanik. *Zeitschrift für Physik*, 34(1):858–888, 1925. Springer.
- Prince Louis Victor Pierre Raymond 7th Duc de Broglie. *Recherches sur la théorie des Quanta*. Theses, Migration - université en cours d'affectation, November 1924. URL <https://tel.archives-ouvertes.fr/tel-00006807>. HAL.
- Prince Louis Victor Pierre Raymond 7th Duc de Broglie. La mécanique ondulatoire et la structure atomique de la matière et du rayonnement. *Journal de Physique et le Radium*, 8(5):225–241, 1927. JPR.
- Paul Adrien Maurice Dirac. Quantum mechanics and a preliminary investigation of the hydrogen atom. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 110(755):561–579, 3 1926. doi: 10.1098/rspa.1926.0034. The Royal Society.
- Paul Adrien Maurice Dirac. The quantum theory of the electron. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 117(778):610–624, 2 1928. doi: 10.1098/rspa.1928.0023. The Royal Society.
- Paul Adrien Maurice Dirac and Ralph Howard Fowler. On the theory of quantum mechanics. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character*, 112(762):661–677, 10 1926. doi: 10.1098/rspa.1926.0133.
- Albert Einstein. Zur Elektrodynamik bewegter Körper. *Annalen der Physik*, 322(10):891–921, 1905a. ISSN 1521-3889. doi: <https://doi.org/10.1002/andp.19053221004>. Wiley Online Library.
- Albert Einstein. Ist die Trägheit eines Körpers von seinem Energieinhalt abhängig? *Annalen der Physik*, 323(13):639–641, 1905b. ISSN 1521-3889. doi: 10.1002/andp.19053231314. URL <https://onlinelibrary.wiley.com/doi/abs/10.1002/andp.19053231314>.
- Albert Einstein. Relativität und Gravitation. Erwiderung auf eine Bemerkung von M. Abraham. *Annalen der Physik*, 343(10):1059–1064, January 1912. ISSN 1521-3889. doi: 10.1002/andp.19123431014. URL <https://doi.org/10.1002/andp.19123431014>.
- Albert Einstein. Die Feldgleichungen der Gravitation. *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften (Berlin)*, Seite 844-847., 1915. URL <http://adsabs.harvard.edu/abs/1915SPAW.....844E>.
- Albert Einstein. Die grundlage der allgemeinen relativitätstheorie. *Annalen der Physik*, 354(7):769–822, 1916. ISSN 1521-3889. doi: <https://doi.org/10.1002/andp.19163540702>.
- Albert Einstein. Kosmologische betrachtungen zur allgemeinen relativitätstheorie. *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften (Berlin)*, page 142–152, 1917.
- Albert Einstein. Elementary Derivation of the Equivalence of Mass and Energy. *Bulletin of the American Mathematical Society*, 41(4): 223–230, 1935. URL https://projecteuclid.org/download/pdf_1/euclid.bams/1183498131.
- Albert Einstein and Leopold Infeld. *The Evolution of Physics: The Growth of Ideas From Early Concepts to Relativity and Quanta*. New York: Simon and Schuster, 1938. Archive.org.
- Albert Einstein and Willem de Sitter. On the Relation between the Expansion and the Mean Density of the Universe. *Proceedings of the National Academy of Sciences of the United States of America*, 18(3):213–214, March 1932. ISSN 0027-8424. URL <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1076193/>.
- Walter Gordon. Der comptoneffekt nach der schrödingerschen theorie. *Zeitschrift für Physik*, 40(1):117–133, 1926. Springer.
- Oskar Klein. Quantentheorie und fünfdimensionale relativitätstheorie. *Zeitschrift für Physik*, 37(12):895–906, 1926.

-
- Gottfried Wilhelm Leibniz. Specimen dynamicum pro admirandis Naturae legibus circa corporum vires et mutuas actiones-detegendis, et ad suas causas revocandis. *Acta Eruditorum*, 4:145–157, 1695. [Zenodo](#).
- Gilbert N. Lewis and Richard C. Tolman. LVII. The principle of relativity, and non-newtonian mechanics. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 18(106):510–523, 10 1909. ISSN 1941-5982. doi: 10.1080/14786441008636725. [Taylor and Francis](#).
- Schrödinger, Erwin Rudolf Josef Alexander. Quantisierung als Eigenwertproblem. *Annalen der Physik*, 385(13):437–490, 1926a. ISSN 1521-3889. doi: <https://doi.org/10.1002/andp.19263851302>.
- Schrödinger, Erwin Rudolf Josef Alexander. An undulatory theory of the mechanics of atoms and molecules. *Physical Review*, 28: 1049–1070, Dec 1926b. doi: 10.1103/PhysRev.28.1049. URL <https://link.aps.org/doi/10.1103/PhysRev.28.1049>.
- Richard C. Tolman. XXXIII. Non-Newtonian Mechanics, The Mass of a Moving Body. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 23(135):375–380, 1912. doi: 10.1080/14786440308637231. URL <https://www.tandfonline.com/doi/full/10.1080/14786440308637231>.
- Thomas Young. I. the bakerian lecture. experiments and calculations relative to physical optics. *Philosophical Transactions of the Royal Society of London*, 94:1–16, 1804. doi: 10.1098/rstl.1804.0001. URL <https://royalsocietypublishing.org/doi/abs/10.1098/rstl.1804.0001>.

Copyright

Copyright © November 8, 2022 by Ilija Barukčić, Horandstrasse, Jever, Germany. All Rights Reserved. Alle Rechte vorbehalten.

© 2022 Ilija Barukčić^{a, b}

, ^{c, d, e, f, g, h, i, j, k, l, m, n} Chief-Editor, Jever, Germany, November 8, 2022. All rights reserved. Alle Rechte vorbehalten. This is an open access article which can be downloaded under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>).

I was born October, 1st 1961 in Novo Selo, Bosnia and Herzegovina, former Yugoslavia. I am of Croatian origin. From 1982-1989 C.E., I studied human medicine at the University of Hamburg, Germany. Meanwhile, I am working as a specialist of internal medicine. My basic field of research since my high school days at the Wirtschaftsgymnasium Bruchsal, Baden Württemberg, Germany is the mathematization of the relationship between a cause and an effect valid without any restriction under any circumstances including the conditions of classical logic, probability theory, quantum mechanics, special and general theory of relativity, human medicine et cetera. I endeavour to investigate positions of quantum mechanics, relativity theory, mathematics et cetera, only insofar as these positions put into question or endanger **the general validity of the principle of causality**.



^a<https://orcid.org/0000-0002-6988-2780>

^bhttps://cel.webofknowledge.com/InboundService.do?app=wos&product=CEL&Func=Frame&SrcApp=Publons&SrcAuth=Publons_CEL&locale=en-US&SID=F4r5Tsr30crmFbYrqfF&customersID=Publons_CEL&smartRedirect=yes&mode=FullRecord&IsProductCode=Yes&Init=Yes&action=retrieve&UT=WOS%3A000298855300006

^c<https://publons.com/researcher/3501739/ilija-barukcic/>

^d<https://www.scopus.com/authid/detail.uri?authorId=37099674500>

^e<https://www.scopus.com/authid/detail.uri?authorId=54974181600>

^f<https://www.mendeley.com/search/?authorFullName=Ilija%20Baruk%C4%8Di%C4%87&page=1&query=Barukcic&sortBy=relevance>

^g<https://www.researchgate.net/profile/Ilija-Barukcic-2>

^h<https://zenodo.org/search?page=1&size=20&q=keywords:%22Baruk%C4%8Di%C4%87%22&sort=mostviewed>

ⁱ<https://zenodo.org/search?page=1&size=20&q=keywords:%22Baruk%C4%8Di%C4%87,%20Conference%22>

^j<https://twitter.com/ilijabarukcic?lang=de>

^khttps://twitter.com/Causation_Journ

^lhttps://vixra.org/author/ilija_barukcic

^m<https://www.youtube.com/channel/UCwf3w1IngcukI00jpw8HTwg>

ⁿ<https://portal.dnb.de/opac/showNextResultSite?currentResultId=%22Barukcic%22%26any¤tPosition=30>