

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 1F 1A	150	✓	✓		
	U1536A 1F 2A	153.3	✓	✓		
	U1536A 1F 3A	132.8	✓	✓		
	U1536A 1F CCA	13.6	✓	✓		
	U1536A 2H-1A	150	✓	✓	v. soupy @ top	
	U1136A 2H-2A	✓	✓	✓		
	U1136A 2H-3A	149.8	✓	✓		
	U1136A 2H-4A	146.1	✓	✓		
	U1136A 2H-5A	451	✓	✓		
	U1136A 2H-6A	110.5	✓	✓		
	U1136A 2H-7A	75.8	✓	✓		
	U1136A 6H-CCA	15.7	✓	✓		
	U1136A-3H 1A	150.2	✓	✓		
	U1136A-3H 2A	150.6	✓	✓		
	U1136A-3H 3A	150.4	✓	✓		
	U1136A-3H-4A	147.1	✓	✓		
	U1136A-3H 5A	154.6	✓	✓		
	U1136A-3H 6A	150.7	✓	✓		
	U1136A-3H 7A	67.9	✓	✓		
	U1136A-3H CCA	16.8	✓	✓		
	U1136A-4H-1A	150.1	✓	✓		
	U1136A-4H-2A	150.6	✓	✓		
	U1136A-4H-3A	150.2	✓	✓		
	U1136A-4H-4A	146.5	✓	✓		
	U1136A-4H-5A	✓	✓	✓		
	U1136A-4H-6A	150.4	✓	✓		
	U1136A-4H-7A	85.3	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole A

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 4H-CCA	31.2	✓	✓		
	U1536A 5H 1A	149.3	✓	✓		
	U1536A 5H 2A	150.7	✓	✓		
	U1536A 5H 3A	150.8	✓	✓		
	U1536A 5H 4A	145.9	✓	✓		
	U1536A 5H 5A	150.8	✓	✓		
	U1536A 5H 6A	150.9	✓	✓		
	U1536A 5H 7A	75.6	✓	✓		
	U1536A 5H CCA	21.8	✓	✓		
	U1536A 6H 1A	151.1	✓	✓		
	U1536A 6H 2A	150.5	✓	✓		
	U1536A 6H 3A	150.6	✓	✓		
	U1536A 6H 4A	145.6	✓	✓		
	U1536A 6H 5A	150.0	✓	✓		
	U1536A 6H 6A	151.2	✓	✓		
	U1536A 6H 7A	85.3	✓	✓		
	U1536A 6H CCA	24.5	✓	✓		
	U1536A 7H 1A	150.4	✓	✓		
	U1536A 7H 2A	150.1	✓	✓		
	U1536A 7H 3A	150.2	✓	✓		
	U1536A 7H 4A	145.9	✓	✓		
	U1536A 7H 5A	150.6	✓	✓		
	U1536A 7H 6A	150.9	✓	✓		
	U1536A 7H 7A	82.0	✓	✓		
	U1536A 7H CCA	20.7	✓	✓		
	U1536A 8H 1A	149.9	✓	✓		
	U1536A 8H 2A	150.4	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole A

Text ID_SHLF	Core/Section	Length, cm	Uploade d?	Imaged?	Comments	Operator
	U1536A 8H 3A	151.6	✓	✓		
	U1536A 8H 4A	145.9	✓	✓		
	U1536A 8H 5A	148.8	✓	✓		
	U1536A 8H 6A	151.1	✓	✓		
	U1536A 8H 7A	76.0	✓	✓		
	U1536A 8H 11A	151	✓	✓		
	U1536A 9H 1A	150.4	✓	✓		
	U1536A 9H 2A	152.7	✓	✓		
	U1536A 9H 3A	150.1	✓	✓		
	U1536A 9H 4A	146.7	✓	✓		
	U1536A 9H 5A	151.1	✓	✓		
	U1536A 9H 6A	151.1	✓	✓		
	U1536A 9H 7A	73.7	✓	✓		
	U1536A 9H 12A	10.8	✓	✓		
	U1536A 10H 1A	153.1	✓	✓		
	U1536A 10H 2A	71.1	✓	✓		
	U1536A 10H 3A	149.2	✓	✓		
	U1536A 10H 4A	94.7	✓	✓		
	U1536A 10H 5A	150.0	✓	✓		
	U1536A 10H 6A	78.0	✓	✓		
	U1536A 10H 7A	104.0	✓	✓		
	U1536A 10H 8A	55.2	✓	✓		
	U1536A 10H 9A	45.2	✓	✓		
	U1536A 10H 10A	33.7	✓	✓		
	U1536A 11H 1A	151.4	✓	✓		
	U1536A 11H 2A	151.0	✓	✓		
	U1536A 11H 3A	150.8	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole A

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 11A 4A	144.9	✓	✓		
	U1536A 11H 5A	150.1	✓	✓		
	U1536A 11H 6A	150.9	✓	✓		
	U1536A 11H 7A	75.1	✓	✓		
	U1536A 11H CCA	18.0	✓	✓		
	U1536A 12H 1A	149.3	✓	✓		
	U1536A 12H 2A	149.4	✓	✓		
	U1536A-12H-3A	150	✓	✓		
	U1536A-12H-4A		✓	✓		
	U1536A-12H-5A	141.6	✓	✓		
	U1536A-12H-CC	31.4	✓	✓		
	U1536A-13H-1	150	✓	✓		
	U1536A-13H-2	149.7	✓	✓		
	U1536A-13H-3	151	✓	✓		
	U1536A-13H-4	151.5	✓	✓		
	U1536A-13H-5	151.7	✓	✓		
	U1536A-13H-6	150.9	✓	✓		
	U1536A-13H-7	85.2	✓	✓		
	U1536A-13H-CC	45.3	✓	✓		
	U1536A-14H-1A	151.1	✓	✓		
	U1536A-14H-2A	150.6	✓	✓		
	U1536A-14H-3A	150.7	✓	✓		
	U1536A-14H-4A	151.3	✓	✓		
	U1536A-14H-5A	151	✓	✓		
	U1536A-14H 6A	152.7	✓	✓		
	U1536A-14H 7A	72.5	✓	✓		
	U1536A-14H CCA	23.7	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 15H 1A	150.2	✓	✓		
	U1536A 15H 2A	150.9	✓	✓		
	U1536A 15H 3A	151.2	✓	✓		
	U1536A 15H 4A	145.5	✓	✓		
	U1536A 15H 5A	151.3	✓	✓		
	U1536A 15H 6A	152.2	✓	✓		
	U1536A 15H 7A	73.8	✓	✓		
	U1536A 15H CCA	20.3	✓	✓		
	U1536A 16H 1A	150.1	✓	✓		
	U1536A 16H 2A	145.2	✓	✓		
	U1536A 16H 3A	145.7	✓	✓		
	U1536A 16H 4A	145.2	✓	✓		
	U1536A 16H 5A	146.9	✓	✓		
	U1536A 16H 6A	146.5	✓	✓		
	U1536A 16H 7A	94.6	✓	✓		
	U1536A 16H CCA	33.9	✓	✓		
	U1536A 17H 1A	150.2	✓	✓		
	U1536A 17H 2A	151.1	✓	✓		
	U1536A 17H 3A	145.8	✓	✓		
	U1536A 17H 4A	146.5	✓	✓		
	U1536A 17H 5A	125.3	✓	✓		
	U1536A 17H 6A	85.4	✓	✓		
	U1536A 17H CCA	22.6	✓	✓		
	U1536A 18H 1A	146	✓	✓		
	U1536A 18H 2A	146.6	✓	✓		
	U1536A 18H 3A	146.4	✓	✓		
	U1536A 18H 4A	142.2	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)
scanning Exp. 382 Hole A

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A-18H-5	146.4	✓	✓		
	U1536A-18H-6	146.9	✓	✓		
	U1536A-18H-7	95.6	✓	✓		
	U1536A-18H-cc	27.9	✓	✓		
	U1136A-19H-1A	138.2	✓	✓		
	U1136A-19H-2A	90	✓	✓		
	U1136A-19H-3A	—	✓	✓		
	U1536A-19H-4A	69	✓	✓		
	U1136A-19H-5A	150.2	✓	✓		
	U1536A-19H-6A	151.3	✓	✓		
	U1536A-19H-7A	150.1	✓	✓		
	U1536A 19H 8A	135.7	✓	✓		
	U1536A 20H 1A	145.6	✓	✓		
	U1536A 20H 2A	147.0	✓	✓		
	U1536A 20H 3A	147.5	✓	✓		
	U1536A 20H 4A	146.4	✓	✓		
	U1536A 20H 5A	146.8	✓	✓		
	U1536A 20H 6A	146.7	✓	✓		
	U1536A 20H 7A	101.9	✓	✓		
	U1536A 20H c.c.A	23.4	✓	✓		
	U1536A 21H 1A	145.7	✓	✓		
	U1536A 21H 2A	146.1	✓	✓		
	U1536A 21H 3A	146.4	✓	✓		
	U1536A 21H 4A	142.3	✓	✓		
	U1536A 21H 5A	147.0	✓	✓		
	U1536A 21H 6A	146.6	✓	✓		
	U1536A 21H 7A	89.0	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 282

Hole A

<u>Text ID</u> SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 21H CCA	23.4	✓	✓		
	U1536A 22H 1A	85.1	✓	✓		
	U1536A 22H 2A	107.7	✓	✓		
	U1536A 22H 3A	146.3	✓	✓		
	U1536A 22H 4A	147.9	✓	✓		
	U1536A 22H 5A	141.2	✓	✓		
	U1536A 22H 6A	142.9	✓	✓		
	U1536A 22H 7A	140.5	✓	✓		
	U1536A 22H CCA	85.9	✓	✓		
	U1536A 23H 1A	146.5	✓	✓		
	U1536A 23H 2A	146.4	✓	✓		
	U1536A 23H 3A	147.1	✓	✓		
	U1536A 23H 4A	147.7	✓	✓		
	U1536A 23H 5A	147.7	✓	✓		
	U1536A 23H 6A	146.8	✓	✓		
	U1536A 23H 7A	105.5	✓	✓		
	U1536A 23H CCA	25.3	✓	✓		
	U1536A 24F 1A	144.9	✓	✓		
	U1536A 24F 2A	147.2	✓	✓		
	U1536A 24F 3A	130.8	✓	✓		
	U1536A 24F 4A	57.7	✓	✓		
	U1536A 24F CCA	36.3	✓	✓		
	U1536A 25F 1A	152.4	✓	✓		
	U1536A 25F 2A	146.5	✓	✓		
	U1536A 25F 3A	106.3	✓	✓		
	U1536A 25F 4A	78.4	✓	✓		
	U1536A 25F CCA	26.0	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole A

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 26F1A	151.0	✓	✓		
	U1536A 26F2A	150.4	✓	✓		
	U1536A 26F3A	102.1	✓	✓		
	U1536A 26F4A	63.5	✓	✓		
	U1536A 26FCCA	22.7	✓	✓		
	U1536A 27F1A	73.4	✓	✓		
	U1536A 27F2A	72.6	✓	✓		
	U1536A 27FCCA	23.9	✓	✓		
	U1536A 28F1A	149.9	✓	✓		
	U1536A 28F2A	151.4	✓	✓		
	U1536A 28F3A	144.8	✓	✓		
	U1536A 28FCCA	24.2	✓	✓		
	U1536A 29F1A	150.7	✓	✓		
	U1536A 29F2A	150.1	✓	✓		
	U1536A 29F3A	101.3	✓	✓		
	U1536A 29F4A	69.4	✓	✓		
	U1536A 29FCCA	26.4	✓	✓		
	U1536A 30F1A	150.7	✓	✓		
	U1536A 30F2A	145.2	✓	✓		
	U1536A 30F3A	102.0	✓	✓		
	U1536A 30F4A	72.2	✓	✓		
	U1536A 30FCC	26.3	✓	✓		
	U1536A 31F1A	150.1	✓	✓		
	U1536A 31F4	72.5	✓	✓		
	U1536A 31FCC	20.5	✓	✓		
	U1536A 31F2	150.9	✓	✓		
	U1536A 31F3A	101.2	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1136A 32F 1A	150,6	✓	✓		
	U1136A 32F 2A	151,4	✓	✓		
	U1136A 32F 3A	102,0	✓	✓		
	U1136A 32F 4A	72,8	✓	✓		
	U1136A 32F CCA	25,4	✓	✓		
	U1136A 33F 1A	150,6	✓	✓		
	U1136 33F 2A	151,3	✓	✓		
	U1136 33F 3A	103	✓	✓		
	U1136 33F 4A	71,6	✓	✓		
	U1136 33F CCA	20,7	✓	✓		
	U1136 34F 1A	105,9	✓	✓		
	U1136 34F 2A	50,9	✓	✓		
	U1136 34F 3A	149,4	✓	✓		
	U1136 34F 4A	101,9	✓	✓		
	U1136 34F 5A	✓	✓	✓		
	U1136 34F CCA	23	✓	✓		
	U1136 35F 1A	150,7	✓	✓		
	U1136A 31F 2A	151,3	✓	✓		
	U1136A 35F 3A	101,9	✓	✓		
	U1136A 31F 4A	74,3	✓	✓		
	U1136A 31F CCA	27,9	✓	✓		
	U1536A 36F-1	150,4	✓	✓		
	U1136A 36F 2A	145,5	✓	✓		
	U1136A 36F 3A	101,5	✓	✓		
	U1536A 36F-4	96,9	✓	✓		
	U1536A 36F-cc	22,7	✓	✓		
	U1136A 37F 1A	146,8	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A-37F-2	147.2	✓	✓		
	U1136A 37F-3A	129.6	✓	✓		
	U1136A 37F 4A	54.9	✓	✓		
	U1136A 37F CCA	27.6	✓	✓		
	U1136A 38F 1A	150.1	✓	✓		
	U1136A 38F 2A	150.7	✓	✓		
	U1136A 38F 3A	131.3	✓	✓		
	U1136A 38F CCA	29.9	✓	✓		
	U1136A 38F 4A	✓	✓	✓		
	U1136A 39F 1A	149.5	✓	✓		
	U1136A 39F 2A	151.3	✓	✓		
	U1136A 39F 3A	125	✓	✓		
	U1136A 39F 4A	55.5	✓	✓		
	U1136A 39F CCA	23.9	✓	✓		
	U1136A 40F 1A	151.3	✓	✓		
	U1536A 40F 2A	150.9	✓	✓		
	U1536A-40F-3A	109.5	✓	✓		
	U1536A-40F-4A	7	✓	✓		
	U1536A-40F-CC	22.6	✓	✓		
	U1136A - 41F 1A	150.2	✓	✓		
	U1136A 41F 2A	151.1	✓	✓		
	U1136A 41F 3A	125.1	✓	✓		
	U1136A 41F 4A	55.9	✓	✓		
	U1136A 41F CCA	25.3	✓	✓		
	U1536A 42F-1	151.0	✓	✓		
	U1536A-42F-2	146.7	✓	✓		
	U1136A-42F-3	125	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 1536

Hole A

<u>Text ID</u> _SHLF	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	1536A-42F-4	55.1	✓	✓		
	1536A-42F-CC	21.0	✓	✓		
	1536A-43F-1A	152.7	✓	✓		
	1536A-43F-2A	181.5	✓	✓		
	1536A-43F-3A	125.1	✓	✓		
	1536A-43F-4A	56.2	✓	✓		
	1536A-43F-CCA	27.9	✓	✓		
	U1536A 44F 1A	152.0	✓	✓		
	U1536A 44F 2A	150.9	✓	✓		
	U1536A 44F 3A	124.9	✓	✓		
	U1536A 44F 4A	54.3	✓	✓		
	U1536A 44F CCA	24.1	✓	✓		
	U1536A 45F 1A	150.2	✓	✓		
	U1536A 45F 2A	151.3	✓	✓		
	U1536A 45F 3A	124.9	✓	✓		
	U1536A 45F 4A	55.0	✓	✓		
	U1536A 45F CCA	24.1	✓	✓		
	U1536A 46F 1A	150.4	✓	✓		
	U1536A 46F 2A	151.0	✓	✓		
	U1536A 46F 3A	125.3	✓	✓		
	U1536A 46F 4A	54.6	✓	✓		
	U1536A 46F CCA	24.1	✓	✓		
	U1536A 47F 1A	149.9	✓	✓		
	U1536A 47F 2A	151.2	✓	✓		
	U1536A 47F 3A	125.0	✓	✓		
	U1536A 47F 4A	55.7	✓	✓		
	U1536A 47F CCA	27.5	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

382

Hole A

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 48F 1A	149.6	✓	✓		
	U1536A 48F 2A	145.3	✓	✓		
	U1536A 48F 3A	120.0	✓	✓		
	U1536A 48F 4A	53.4	✓	✓		
	U1536A 48F CCA	27.5	✓	✓		
	U1536A 49F 1A	149.6	✓	✓		
	U1536A 49F 2A	151.5	✓	✓		
	U1536A 49F 3A	126.3	✓	✓		
	U1536A 49F 4A	56.2	✓	✓		
	U1536A 49F CCA	26.8	✓	✓		
	U1536A 50F 1A	151.0	✓	✓		
	U1536A 50F 2A	150.8	✓	✓		
	U1536A 50F 3A	102.2	✓	✓		
	U1536A 50F 4A	72.3	✓	✓		
	U1536A 50F CCA	31.0	✓	✓		
	U1536A 51F 1A	150.2	✓	✓		
	U1536A 51F 2A	150.3	✓	✓		
	U1536A 51F 3A	102.4	✓	✓		
	U1536A 51F 4A	70.8	✓	✓		
	U1536A 51F CCA	16.2	✓	✓		
	U1536A 52F 1A	150.0	✓	✓		
	U1536A 52F 2A	151.1	✓	✓		
	U1536A 52F 3A	101.9	✓	✓		
	U1536A 52F 4A	72.9	✓	✓		
	U1536A 52F CC	25.0	✓	✓		
	U1536A 53F 1A	149.9	✓	✓		
	U1536A 53F 2A	146.7	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole A

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536A 53F 3A	101,5	✓	✓		
	U1536A 53F 4A	70,1	✓	✓		
	U1536A 53F CCA	26,3	✓	✓		
	U1536B 1H 1A	149,9	✓	✓		
	U1536B 1H 2A	150,3	✓	✓		
	U1536B 1H 3A	150,7	✓	✓		
	U1536B 1H 4A	88	✓	✓		
	U1536B 1H CCA	20,1	✓	✓		
	U1536B 3H 1A	153,1	✓	✓		
	U1536B 3H 2A	150,6	✓	✓		
	U1536B 3H 3A	150,4	✓	✓		
	U1536B 3H 4A	150,7	✓	✓		
	U1536B 3H 5A	151	✓	✓		
	U1536B 3H 6A	139	✓	✓		
	U1536B 3H 7A	54,3	✓	✓		
	U1536B 3H CCA	13,9	✓	✓		
	U1536B 4H 1A	150,2	✓	✓		
	U1536B 4H 2A	150,4	✓	✓		
	U1536B 4H 3A	151,6	✓	✓		
	U1536B 4H 4A	150	✓	✓		
	U1536B 4H 5A	149,9	✓	✓		
	U1536B 4H 6A	144,1	✓	✓		
	U1536B 4H 7A	55,3	✓	✓		
	U1536B 4H CCA	13,3	✓	✓		
	U1536B 5H 1A	151,6	✓	✓		
	U1536B 5H 2A	152,1	✓	✓		
	U1536B 5H 3A	150	✓	✓		
	U1536B 5H 4A	151,5	✓	✓		
	U1536B 5H 5A	150,8	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole B

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U136B SH 6A	151.7	✓	✓		
	U136B SH 7A	74.5	✓	✓		
	U136B SH CCA	35.6	✓	✓		
	U1536B 6H 1A	149.5	✓	✓		
	U1536B 6H 2A	150.3	✓	✓		
	U1536B 6H 3A	151.1	✓	✓		
	U1536B 6H 4A	149.3	✓	✓		
	U1536B 6H 5A	150.0	✓	✓		
	U1536B 6H 6A	150.9	✓	✓		
	U1536B 6H 7A	75.9	✓	✓		
	U1536B 6H CCA	212.0	✓	✓		
	U1536B 7H 1A	150.1	✓	✓		
	U1536B 7H 2A	150.5	✓	✓		
	U1536B 7H 3A	149.7	✓	✓		
	U1536B 7H 4A	150.6	✓	✓		
	U1536B 7H 5A	149.7	✓	✓		
	U1536B 7H 6A	150.6	✓	✓		
	U1536B 7H 7A	76.3	✓	✓		
	U1536B 7H CCA	17.0	✓	✓		
	U1536B 8H 1A	151.4	✓	✓		
	U1536B 8H 2A	150.5	✓	✓		
	U1536B 8H 3A	150.5	✓	✓		
	U1536B 8H 4A	150.0	✓	✓		
	U1536B 8H 5A	150.6	✓	✓		
	U1536B 8H 6A	127.2	✓	✓		
	U1536B 8H 7A	56.9	✓	✓		
	U1536B 8H CCA	46.6	✓	✓		
	U1536B 9H 1A	152.0	✓	✓		
	U1536B 9H 2A	149.4	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole B

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536B 9H 3A	151.2	✓	✓		
	U1536B 9H 4A	150.8	✓	✓		
	U1536B 9H 5A	150.3	✓	✓		
	U1536B 9H 6A	150.0	✓	✓		
	U1536B 9H 7A	157.0	✓	✓		
	U1536B 9H CCA	28.0	✓	✓		
	U1536B 10H 1A	149.8	✓	✓		
	U1536B 10H 2A	150.1	✓	✓		
	U1536B 10H 3A	151.8	✓	✓		
	U1536B 10H 4A	150.8	✓	✓		
	U1536B 10H 5A	150.8	✓	✓		
	U1536B 10H 6A	52.0	✓	✓		
	U1536B 10H CCA	23.1	✓	✓		
	U1536B 11H 1A	150.9	✓	✓		
	U1536B 11H 2A	150.5	✓	✓		
	U1536B 11H 3A	150.4	✓	✓		
	U1536B 11H 4A	149.4	✓	✓		
	U1536B 11H 5A	151.3	✓	✓		
	U1536B 11H 6A	151.2	✓	✓		
	U1536B 11H 7A	58.8	✓	✓		
	U1536B 11H CCA	15.1	✓	✓		
	U1536B 12H 1A	150.0	✓	✓		
	U1536B 12H 2A	151.0	✓	✓		
	U1536B 12H 3A	150.7	✓	✓		
	U1536B 12H 4A	150.9	✓	✓		
	U1536B 12H 5A	150.6	✓	✓		
	U1536B 12H 6A	149.7	✓	✓		
	U1536B 12H 7A	146.8	✓	✓		
	U1536B 12H CC	16.3	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 282

Hole B

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Imaged?	Comments	Operator
	U1536B 13H 1A	148.8	✓	✓		
	U1536B 13H 2A	149.7	✓	✓		
	U1536B 13H 3A	150.4	✓	✓		
	U1536B 13H 4A	150.2	✓	✓		
	U1536B 13H 5A	152.0	✓	✓		
	U1536B 13H 6A	150.0	✓	✓		
	U1536B 13H 7A	53.3	✓	✓		
	U1536B 14H 1A	150.2	✓	✓		
	U1536B 14H 2A	148.9	✓	✓		
	U1536B 14H 3A	149.2	✓	✓		
	U1536B 14H 4A	150.9	✓	✓		
	U1536B 14H 5A	150.6	✓	✓		
	U1536B 14H 6A	150.4	✓	✓		
	U1536B 14H 7A	64.0	✓	✓		
	U1536B 14H CCA	22	✓	✓		
	U1536B 15H 1A	153.5	✓	✓		
	U1536B 15H 2A	147.5	✓	✓		
	U1536B 15H 3A	145.8	✓	✓		
	U1536B 15H 4A	147			-calibrated	
	U1536B 15H-5A	157.2	✓	✓	depth off 150	
	U1536B 15H-6A	160.0	✓	✓	depth 151	
	U1536B 15H-7	78.1	✓	✓		
	U1536B-15H-CC	21.8	✓	✓		
	U1536B-16H-1	149.2	✓	✓	depth read 159.9	
	U1536B-16H-2	149.8	✓	✓	156.5	
	U1536B-16H-3	144.8	✓	✓	153.6	
	U1536B-16H-4	147.6	✓	✓	154.2	
	U1536B-16H-5	146	✓	✓	machine=152.7	
	U1536B-16H-6	141	✓	✓	" = 146.9	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

Text ID_SHLF	Core/Section	Length, cm	Uploaded?	Imaged?	Comments	Operator
	V1536B-16H-7	73	✓	✓	SHMSL = 73 ✓	
	V1536B-16H-CC	23,7	✓	✓	SHMSL = 25,2	
	V1536B-17H-1A	150,5	✓	✓	" = 157,1	
	V1536B-17H-2A	151,4	✓	✓	" = 157	
	V1536B-17H-3A	147,5	✓	✓	" = 155,3	
	V1536B-17H-4A	146,5	✓	✓	" = 153,5	
	V1536B-17H-5A	147	✓	✓	" = 153	
	V1536B-17H-6A	151	✓	✓	" = 158	
	V1536B-17H-7A	89	✓	✓	" = 92,6	
	V1536B-17H-CCA	23	✓	✓	" = 24	
	V1536B-18H-1A	150	✓	✓	" = 156,4	
	" 18H-2A	150,8	✓	✓	" =	
	" 18H-3A	146	✓	✓	" = 153,3	
	" 18H-4A	146	✓	✓	" = 152,1	
	" 18H-5A	147	✓	✓	" = 152,8	
	" 18H-6A	151	✓	✓	" = 158,5	
	" 18H-7A	80,5	✓	✓	" = 88,4	
	" 18H-CCA	25	✓	✓	" = 26,3	
	V1536B-19H-1	149,8	✓	✓		
	V1536B-19H-2	150	✓	✓	" 159,8	-did not change #
	V1536B-19H-3	150,2				
	V1536B-19H-4A	65	✓	✓		
	V1536B-19H-5A	150	✓	✓	" 157,5	
	V1536B-19H-6A	150,8	✓	✓	" 157,5	
	" 19H-7A	106	✓	✓	" 109,9	
	V1536B-19H-CCA	9,5	✓	✓	" 10,1	
	V1536C-1H-1A	148,5	✓	✓	" 156,2	
	V1536C-1H-2A	149,5	✓	✓	" 157,3	
	V1536C-1H-3A	150,5			" 157,5	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

Text ID_SHLF	Core/Section	Length, cm	Upload d?	Imaged?	Comments	Operator
	U1136C 1H 4A	101	✓	✓	SHMSL = 104,7	
	U1136C 1H 5A	99	✓	✓	" = 102,3	
	U1136C 1H CCA	15,8	✓	✓	" = 15,8	
	U1136C 2H 1A	148,7	✓	✓		
	U1136C 2H 2A	148,9	✓	✓		
	U1136C 2H 3A	150,2	✓	✓		
	U1136C 2H 4A	151	✓	✓	= 156,1	
	U1136C 2H 5A	149,5	✓	✓		
	U1136C 2H 6A	101	✓	✓	" = 103,9	
	U1136C 2H 7A	57	✓	✓	" = 59,7	
	U1136C 2H CCA	12,4	✓	✓		
	U1136B 20H 1A	149,9	✓	✓		
	U1136B 20H 2A	151,7	✓	✓		
	U1136B 20H 3A	150,5	✓	✓	= 157,1	
	U1136B 20H 4A	151	✓	✓	= 156,8	
	U1136B 20H 5A	150,8	✓	✓		
	U1136B 20H 6A	147,0	✓	✓	= 153	
	U1136B 20H 7A	62,6	✓	✓	= 64,6	
	U1136B 20H CCA	21,9	✓	✓	= 22,9	
	U1136B 21H 1A	146	✓	✓	= 152,8	
	U1136B 21H 2A	146	✓	✓	= 153,6	
	U1136B 21H 3A	146	✓	✓	= 152,7	
	U1136B 21H 4A	147	✓	✓	= 155,1	
	U1136B 21H 5A	146,5	✓	✓	= 154,1	
	U1136B 21H 6A	148,5	✓	✓	= 155,0	
	U1136B 21H 7A	87	✓	✓	= 90,9	
	U1136B 21H CCA	27	✓	✓	= 28,9	
	U1136B 22H 1A	146	✓	✓	= 152,6	
	U1136B 22H 2A	146	✓	✓	= 153,0	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)
scanning Exp. 282 Hole B

Text ID_SHLF	Core/Section	Length, cm	Uploade d?	Imaged?	Comments	Operator
	U1536 B 22H 3A	147	✓	✓	SHMSL = 152.8	
	U1536 B 22H 4A	146	✓	✓	= 153.6	
	U1536 B 22H 5A	146	✓	✓	= 153.6	
	U1536 B 22H 6A	147	✓	✓	= 153.3	
	U1536 B 22H 7A	96	✓	✓	= 100.2	
	U1536 B 22H CCA	27.0	✓	✓	= 28.6	
	U1536 B 23H 1A	146	✓	✓	= 153.3	
	U1536 B 23H 2A	148	✓	✓	= 155.9	
	U1536 B 23H 3A	146	✓	✓	= 152.6	
	U1536 B 23H 4A	146.5	✓	✓	= 152.9	
	U1536 B 23H 5A	146.6	✓	✓	= 154.2	
	U1536 B 23H 6A	145.0	✓	✓	= 153.0	
	U1536 B 23H 7A	96.0	✓	✓	= 101.0	
	U1536 B 23H CCA	32	✓	✓	= 34.3	
	U1536 B 24H 1A	145	✓	✓	= 151.7	
	U1536 B 24H 2A	146	✓	✓	= 153.0	
	U1536 B 24H 3A	143	✓	✓	= 150.8	
	U1536 B 24H 4A	139.5	✓	✓	= 146.8	
	U1536 B 24H 5A	151.5	✓	✓	= 158.2	
	U1536 B 24H 6A	107	✓	✓	= 112.3	
	U1536 B 24H 7A	56	✓	✓	= 56.8	
	U1536 B 24H 8A	85	✓	✓	= 88.9	
	U1536 B 24H CCA	27.5	✓	✓	= 29	
	U1536 B 25H 1A	146	✓	✓	= 152.7	
	U1536 B 25H 2A	146	✓	✓	= 153.5	
	U1536 B 25H 3A	147	✓	✓	= 154.5	
	U1536 B 25H 4A	146	✓	✓	= 153.8	
	U1536 B 25H 5A	146	✓	✓	= 153.4	
	U1536 B 25H 6A	146	✓	✓	= 153.2	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

Text ID_SHLF	Core/Section	Length, cm	Upload ed?	Imaged?	Comments	Operator
	U1536B 25H7A	95.5	✓	✓	SHMC1 = 99.5	
	U1536B 25HCCA	27	✓	✓	= 28.1	
	U1536C 4H 1A	88	✓	✓	= 92.2	
	U1536C 4H 2A	89	✓	✓	= 92.7	
	U1536C 4H 3A	97	✓	✓	= 101.2	
	U1536C 4H 4A	107	✓	✓	= 109.9	
	U1536C 4H CCA	52	✓	✓	= 145	
	U1536C 5H 1A	151	✓	✓	= 157.4	
	U1536C 5H 2A	150.5	✓	✓	= 158.6	
	U1536C 5H 3A	150	✓	✓	157.9	
	U1536C 5H 4A	151	✓	✓	= 157.4	
	U1536C 5H 5A	137	✓	✓	= 144.3	
	U1536C 5H CCA	18	✓	✓	= 18.8	
	U1536C 6H 1A	150	✓	✓	= 158.4	
	U1536C 6H 2A	150	✓	✓	= 157.6	
	U1536C 6H 3A	150	✓	✓	= 157.8	
	U1536C 6H-4A	150	✓	✓	= 158.1	
	U1536C 6H-5A	100.2	✓	✓	= 104.1	
	U1536C 6H-6A	68.8	✓	✓	72.0	
	U1536C 6H-CC	18	✓	✓	19.1	
	U1536C-7H-1	150	✓	✓	158.1	
	U1536C-7H-2	150	✓	✓	157.6	
	U1536C-7H-3	150	✓	✓	157.8	
	U1536C-7H-4	151	✓	✓	157.5	
	U1536C-7H-5	141	✓	✓	147.3	
	U1536C-7H 6	55	✓	✓	57	
	U1536C-7H CCA	22.9	✓	✓	22.9	
	U1536C-8H-1A	151	✓	✓	= 157.6	
	U1536C-8H-2A	151	✓	✓	= 159	

Expedition 369

Site:

Hole:

Core/Section	SHIL (Digital Imaging)		SHMSL		Comments	Operator
	Imaged	Uploaded	Scanned	Uploaded		
U1536C 8H 3A	✓	✓	✓	✓	Real=150 SHMSL=156.7	
" 8H 4A	✓	✓	✓	✓	=150 °=157.5	
" 8H 5A	✓	✓	✓	✓	°=151 °=157.6	
" 8H 6A	✓	✓	✓	✓	°=63 °=65	
" 8H CCA	✓	✓	✓	✓	°=21 °=21.8	
" 10H 1A	✓	✓	✓	✓	°=150 °=157.9	
" 10H 2A	✓	✓	✓	✓	°=151 °=155.8	
" 10H 3A	✓	✓	✓	✓	°=150.5 °=158.1	
" 10H 4A	✓	✓	✓	✓	°=143 °=149.3	
" 10H 5A	✓	✓	✓	✓	°=54.5 °=56.8	
" 10H CCA	✓	✓	✓	✓	°=22.4 °=22.4	
U1136C 12H 1A	✓	✓	✓	✓	°=150 °=115.7	
" 12H 2A	✓	✓	✓	✓	°=150 °=117.3	
" 12H 3A	✓	✓	✓	✓	=150 °=117.8	
" 12H 4A	✓	✓	✓	✓	°=150.5 °=117.8	
" 12H 5A	✓	✓	✓	✓	°=123 °=130.7	
" 12H 6A	✓	✓	✓	✓	°=55.3 °=57.6	
" 12H CCA	✓	✓	✓	✓	=24.5 °=25.2	
" 14H 1A	✓	✓	✓	✓	81 / 88.9	
" 14H CCA	✓	✓	✓	✓	=26.5 =28.2	
" 16H 1A	✓	✓	✓	✓	=8 =11.9	
" 17F 1A	✓	✓	✓	✓	=150 =157.8	
" 17F 2A	✓	✓	✓	✓	=150 =158.5	
" 17F 3A	✓	✓	✓	✓	=102 =106.3	
" 17F 4A	✓	✓	✓	✓	=75 =77.8	
" 17F CCA	✓	✓	✓	✓	=23 =24.8	
" 18F 1A	✓	✓	✓	✓	=150.3	
" 18F 2A	✓	✓	✓	✓	=151.0	
" 18F 3A	✓	✓	✓	✓	=100 =105	
" 18F 4A	✓	✓	✓	✓	=73 =76.1	
" 18F CCA	✓	✓	✓	✓	=28 =28.9	
" 19F 1A	✓	✓	✓	✓	=150 =159.6	
" 19F 2A	✓	✓	✓	✓	=151 =159.5	
" 19F 3A	✓	✓	✓	✓	=150 =159.0	
" 19F 4A	✓	✓	✓	✓	=151 =159.7	
" 19F 5A	✓	✓	✓	✓	=151 =159.7	
" 19F 6A	✓	✓	✓	✓	=151 =159.9	
" 19F 7A	✓	✓	✓	✓	=74.3	
" 19F CCA	✓	✓	✓	✓	=25 =26.5	
" 20F 1A	✓	✓	✓	✓	=151 =156.8	
" 20F 2A	✓	✓	✓	✓	=151 =159.1	
" 20F 3A	✓	✓	✓	✓	=150 =157.7	
" 20F 4A	✓	✓	✓	✓	=151 =156.6	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

Text ID_SHLF	Core/Section	Length, cm	Uploade d?	Imaged?	Comments	Operator
	U1536 C 20H 5A	133	✓	✓	SHMSL = 138.8	
	U1536 C 20H 6A	25	✓	✓	= 26.4	
	U1536 C 21H 1A	151	✓	✓	= 157.9	
	U1536 C 21H 2A	152	✓	✓	= 159.9	
	U1536 C 21H 3A	151	✓	✓	= 158.7	
	U1536 C 21H 4A	151	✓	✓	= 157.1	
	U1536 C 21H 5A	151	✓	✓	= 159.7	
	U1536 C 21H 6A	152	✓	✓	= 159.9	
	U1536 C 21H 7A	64	✓	✓	= 66.5	
	U1536 C 21H CCA	31	✓	✓	= 32.3	
	U1536 C 22H 1A	151	✓	✓	= 157.7	
	" " 2A	151	✓	✓	= 157.7	
	" " 3A	151.5	✓	✓	= 158.7	
	" " 4A	151	✓	✓	= 159	
	" " 5A	151	✓	✓	= 159.3	
	" " 6A	151	✓	✓	= 158.7	
	" " 7A	66	✓	✓	= 68.4	
	U1536 C 22H CCA	24.7	✓	✓	= 24.7	
	U1536 C -23H-1A	146	✓	✓	154.3	
	" 23H-2A	147	✓	✓	154.3	
	" 23H-3A	147	✓	✓	156.3	
	" " 4A	151	✓	✓	158.8	
	" " 5A	151	✓	✓	158.4	
	" " 6A	151	✓	✓	158.9	
	" " 7A	79	✓	✓	88.7	
	U1536 C 23H CCA	22	✓	✓	23.7	
	U1536 C 24H-1	149.9	✓	✓	158.7	
	U1536 C 24H-2	151	✓	✓	159.0	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536C-24H-3A	-	✓	✓	-	
	24H-4A	56	✓	✓	58,6	
	24H-CCA	25	✓	✓	26,1	
	25H-1A	150	✓	✓	158	
	25H 2A	109	✓	✓	113,8	
	21H 3A	54	✓	✓	57,5	
	28H CCA	11	✓	✓	11,9	
	U1536C 26H 1A	146	✓	✓	154,3	
	26H 2A	100	✓	✓	105	
	28F 1A	150	✓	✓	157,3	
	28F 2A	151	✓	✓	-0,5	
	" 3A	119	✓	✓	0,2	
	" 4A	55	✓	✓	150,0	
	" CCA	28	✓	✓	29,1	
	29F 1A	✓	✓	✓	✓	
	" 2A	151	✓	✓	159,1	
	" 3A	110	✓	✓	111,6	
	" 4A	55	✓	✓	-1,9	
	" CCA	33	✓	✓	34	
	30F 1A	112	✓	✓	117,8	
	" 2A	149	✓	✓	-0,7	
	" 3A	82	✓	✓	88,9	
	U1536C 30F CCA	34	✓	✓	34,7	
	U1536C 31F 1A	150	✓	✓	159,8	
	31F 2A	112	✓	✓	117,8	
	31F CCA	28	✓	✓	29,0	
	32F 1A	134	✓	✓	141,2	
	32F CCA	21	✓	✓	22,6	
	33F 1A	150	✓	✓	157,9	

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536C 33F 2A	151	✓	✓	157.0	
	U1536C 33F 3A	113	✓	✓	118.1	
	U1536C 33F CCA	21	✓	✓	22.3	
	U1536C 34F 1A	151	✓	✓		
	U1536C 34F 2A	118	✓	✓		
	U1536C 34F CCA	36	✓	✓		
	U1536C 35F 1A	130	✓	✓	155.0	
	U1536C 35F 2A	150.1	✓	✓		
	U1536C 35F 3A	101.0	✓	✓		
	U1536C 35F 4A	74.3	✓	✓		
	U1536C 35F CCA	25.3	✓	✓		
	U1536C 36F 1A	149.7	✓	✓		
	U1536C 36F 2A	151.3	✓	✓		
	U1536C 36F 3A	101.6	✓	✓		
	U1536C 36F 4A	70.0	✓	✓		
	U1536C 36F CCA	24.2	✓	✓		
	U1536C 37F 1A	149.7	✓	✓		
	U1536C 37F 2A	149.3	✓	✓		
	U1536C 37F 3A	101.4	✓	✓		
	U1536C 37F 4A	79	✓	✓		
	U1536C 37F CCA	28.0	✓	✓		
	U1536C 38F-1	134	✓	✓	155.9	
	U1536C 39F-1A	150	✓	✓	150	
	U1536C 39F 2A	150.9	✓	✓	150.9	
	U1536C 39F 3A	123	✓	✓	125.2	
	U1536C 39F CCA	24	✓	✓	25.2	
	U1536C 40F 1A	150.4	✓	✓	150.4	
	U1536C 40C 2A	151.5	✓	✓	151.5	

1071

43

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID_SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	1J36C 40F 3A	119	✓	✓	152.5	
	~ ~ 4A	SS	✓	✓	55.3	
	1J36C 40F CCA	28.6	✓	✓	28.6	
	1536D 1H 1A	34.3	✓	✓		
	1536D 1H 2A	74.4	✓	✓		
	1536D 1H 3A	94.4	✓	✓		
	1536D 1H 4A	49.4	✓	✓		
	1536D 1H 5A	97.3	✓	✓		
	1536D 1H 6A	72.5	✓	✓		
	1536D 1H 7A	96.4	✓	✓		
	1536D 1H 8A	102.8	✓	✓		
	1536D 1H CCA	62.3	✓	✓		
	U1536E 2R 1A	134.5	✓	✓		
	U1536E 2R 2A	150.0	✓	✓		
	U1536E 2R 3A	143.4	✓	✓		
	U1536E 2R 4A	145.2	✓	✓		
	U1536E 2R 5A	89.4	✓	✓		
	U1536E 2R CCA	66.4	✓	✓		
	U1536E 5R 1A	150.2	✓	✓		
	U1536E 5R 2A	148.8	✓	✓		
	U1536E 5R 3A	110.9	✓	✓		
	U1536E 5R 4A	84.8	✓	✓		
	U1536E 5R CCA	19.3	✓	✓		
	U1536E 6R CCA	11.0	✓	✓		
	U1536E 6R 1A	150.7	✓	✓		
	U1536E 6R 2A	150.2	✓	✓		
	U1536E 6R 3A	148.7	✓	✓		
	U1536E 6R 4A	140.6	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	U1536E 6R SA	136.7	✓	✓		
	U1536E 6R CCA	178	✓	✓		
	U1536E 7R 1A	111.5	✓	✓	112.1	
	U1536E 7R 2A	83.0	✓	✓	85	
	U1536E 7R CCA	21	✓	✓	20.3	
	U1536E 8R CCA	6.8	✓	✓		
	U1536E 9R 1A	149.4	✓	✓		
	" " 2A	149.3	✓	✓		
	" " 3A	150.2	✓	✓		
	" " 4A	140.9	✓	✓		
	" " SA	138.6	✓	✓		
	" " GA	103.7	✓	✓		
	" " 7A	67.2	✓	✓		
	U1536E 9R CCA	16.9	✓	✓		
	U1536E 10R 1A	149.6	✓	✓		
	" " 2A	150.2	✓	✓		
	" " 3A	149.8	✓	✓		
	" " 4A	145.9	✓	✓		
	" " SA	91.1	✓	✓		
	U1536E 10R CCA	12.5	✓	✓		
	U1536E 11R 1A	96.9	✓	✓		
	U1536E 11R 2A	58.7	✓	✓		
	U1536E 12R 1A	147.0	✓	✓		
	U1536E 12R 2A	141.6	✓	✓		
	U1536E 12R 3A	144.1	✓	✓		
	U1536E 12R 4A	151.1	✓	✓		
	U1536E 12R 5A	64.2	✓	✓		
	U1536E 12R CCA	23.4	✓	✓		
	U1536E 13R 1A	139.6	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

Text ID SHLF	Core/Section	Length, cm	Uploade d?	Imaged?	Comments	Operator
	U1536E 13R 2A	147.4	✓	✓		
	U1536E 13R 3A	151.6	✓	✓		
	U1536E 13R 4A	149.9	✓	✓		
	U1536E 13R 5A	150.2	✓	✓		
	U1536E 13R 6A	151.2	✓	✓		
	U1536E 13R 7A	88.5	✓	✓		
	U1536E 13R CCA	13.9	✓	✓		
	U1536E 14R 1A	150.3	✓	✓		
	U1536E 14R 2A	150.0	✓	✓		
	U1536E 14R 3A	28.8	✓	✓		
	U1536E 14R CCA	20.4	✓	✓		
	U1536E 15R 1A	92.4	✓	✓		
	U1536E 15R 2A	80.0	✓	✓		
	U1536E 15R 3A	142.9	✓	✓		
	U1536E 15R 4A	150.0	✓	✓		
	U1536E 15R 5A	83.0	✓	✓	85.0	
	U1536E 15R 6A	13.0	✓	✓		
	U1536E 16R 1A	150.1	✓	✓		
	U1536E 16R 2A	150.9	✓	✓		
	U1536E 16R 3A	83.7	✓	✓		
	U1536E 16R 4A	22.7	✓	✓		
	U1536E 17R 1A	151.1	✓	✓		
	U1536E 17R 2A	101.6	✓	✓		
	U1536E 17R 3A	82	✓	✓	85.0	
	U1536E 18R 1A	132.7	✓	✓		
	U1536E 19R 1A	149.9	✓	✓		
	" " 2A	151.2	✓	✓		
	" " 3A	140.1	✓	✓	143.1	
	" " 4A	91.2	✓	✓		
	U1536E 19R CCA	18.6	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp.

Hole

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	1136E 20R 1A	150.4	✓	✓		
	" 20R 2A	67.9	✓	✓		
	" 20R CCA	16.1	✓	✓		
	" 21R 1A	150.2	✓	✓		
	" 21R 2A	191.5	✓	✓		
	" 21R 3A	94.5	✓	✓		
	" 21R CCA	15.9	✓	✓		
	" 22R 1A	149.8	✓	✓		
	" " 2A	129.8	✓	✓		
	" " 3A	55.6	✓	✓		
	" 23R 1A	96.5	✓	✓		
	" " 2A	55.4	✓	✓		
	" " CCA	24.6	✓	✓		
	" 24R 1A	138.4	✓	✓		
	" " 2A	54.2	✓	✓		
	" " CCA	23	✓	✓		
	" 25R 1A	143.1	✓	✓		
	" " 2A	96.9	✓	✓		
	" " CCA	9.4	✓	✓		
	" 26R 1A	128.8	✓	✓		
	" 26R 2A	114.8	✓	✓		
	" 26R-CC	16.6	✓	✓		
	" 27R CCA	23.8	✓	✓		
	" 28R 1A	91.8	✓	✓		
	" 29R 1A	124.8	✓	✓		
	" 29R 2A	75.7	✓	✓		
	" 30R 1A	138.4	✓	✓		
	" 30R 2A	61.6	✓	✓		
	" 31R 1A	85	✓	✓		

Logsheets for SHMSL (Color Reflectance & Magnetic Suseptability Point Source)

scanning

Exp. 382

Hole 1536E 1537

<u>Text ID</u> <u>SHLF</u>	<u>Core/Section</u>	<u>Length, cm</u>	<u>Uploade</u> <u>d?</u>	<u>Imaged?</u>	<u>Comments</u>	<u>Operator</u>
	J112E 32R 1A	148.4	✓	✓		
	✓ 33R 1A	132	✓	✓		
	✓ 33R 2A	112	✓	✓		
	✓ 33R CCA	26.1	✓	✓		
	U1537A 1H 1A	144.9	✓	✓		
	U1537A 1H 2A	88.5	✓	✓		
	✓ 1H CCA	13.2	✓	✓		
	U1537A 2H 1A	151.4	✓	✓		
	U1537A 2H 2A	150.3	✓	✓		
	U1537A 2H 3A	150.3	✓	✓		
	U1537A 2H 4A	145.0	✓	✓		
	1537A 2H 5A	150.3	✓	✓		
	1537A 2H 6A	150.3	✓	✓		
	1137A 2H 7A	60.5	✓	✓		
	1137A 2H CCA	10	✓	✓		
	1937A 3H 1A	150.8	✓	✓		
	✓ 2A	150.3	✓	✓		
	✓ 3A	150.8	✓	✓		
	✓ 4A	144.8	✓	✓		
	✓ 5A	149.9	✓	✓		
	✓ 6A	150.6	✓	✓		
	✓ 7A	66.8	✓	✓		
	✓ CCA	20.6	✓	✓		
	U1537A 4H 1A	149.9	✓	✓		
	✓ 2A	151.3	✓	✓		
	✓ 3A	149.9	✓	✓		
	✓ 4A	145.9	✓	✓		
	✓ 5A	150.4	✓	✓		