Software Citation

and the Wikidata Ecosystem

Katherine Thornton

8 May, 2018

Wikidata: A Knowledge Base of Structured Data

This knowledge base of structured data is:

- Machine-readable linked open data
- Editable by anyone with Internet access
- Designed to support both human and algorithmic curation
- Fully-versioned wiki

Wikidata Stats

- over **19,000** active editors per month
- over **47 million** items have been created
- more than **240** bots

Items, properties, unique identifiers



Status of software data in Wikidata

- **79,500** instances of software in Wikidata today
- FSF external ids for **1,428** software items (15,000+ resources total)
- Framalibre external ids for **336** software items

operating system	P306	Item
package management system	P3033	Item
part of	P361	Item
platform	P400	Item
port	P1641	Quantity
price	P2284	Quantity
programming language	P277	Item
publication date	P577	Point in time
readable file format	P1072	Item

Figure 1: Some of the properties used for software.

What software available under a free software license can I use to open .obj files?

```
SELECT DISTINCT ?app ?appLabel ?logo WHERE {
  ?app (wdt:P31/wdt:P279*) wd:Q7397.
  ?app wdt:P1072 wd:Q2119595.
  ?app wdt:P275 ?lic.
  ?lic (wdt:P31/wdt:P279*) wd:Q3943414.
  OPTIONAL {?app wdt:P154 ?logo.}
  SERVICE wikibase:label { bd:serviceParam wikibase:language
}
```

Figure 2: Try this query!

Wikidata is a linking hub for external IDs

- External IDs have their own data type
- 58 percent of WD properties are external ids 2570/4439

External sources

Arch package	python-numpy
Debian stable package	python-numpy
Fedora package	numpy
Free Software Directory entry	NumPy
Freebase	/m/021plb
Gentoo package	dev-python/numpy
Open Hub	numpy
Quora topic	NumPy
Ubuntu package	python-numpy

Figure 3: All external ids for NumPy

Status of file format data in Wikidata

- **2,852** instances of file format in Wikidata today
- PRONOM has 1,553 entries: of these we have **1,135** file formats with PUID external ids
- **2,629** items connected to Just Solve the File Format Problem ids

Links between descriptive and technical metadata

Bubble chart of software titles by number of readable file formats



Figure 4: Try this query!

ShapeExpressions

- commonly called ShEx
- Validating subsets of RDF graphs to schemas
- **Model development** – parallel development of a schema and examples/test cases makes the proposal | testing | refinement process much more concrete.
- **Documentation** – terse, human-readable representation helping contributors and maintainers quickly grok the model

ShapeExpressions Uses

- **Legacy review** – develop punch lists for existing data issues that need fixing
- **Client pre-submission** – submitters test their data before submission to make sure they're saying what they want to say and that the receiving schema can accommodate all of their data
- **Server pre-ingestion** – submission process checks data as it comes in and either rejects or warns about non-conformant data
- **Generating** user interfaces
- **Transforming** RDF data into other data formats

Using ShEx to Validate Entity Data from Wikidata

- ShEx schema for file format
- Validating file format data

Learning More about ShEx

- ShEx homepage
- ShEx Primer
- Scholia
- WikidataCon ShEx overview slides

Thank you!

katherine.thornton@yale.edu
@wikidigi