The Gyroscope in China

An Interesting Y. M. C. A. Lecture That Always Fills the House

By Prof. C. H. Robertson

IN China's series of revolutions since 1900 western science and Christian missions have had great influence. The dynamic combination of these two is well represented in the science lectures that have gone out to the distant parts of the Empire-Republic from the lecture laboratory of the National Committee of the Young Men's Christian Associations of China.

No subject has been more popular than the gyroscope monorail car, as is the meaning of the title shown in Fig. 1. It is pronounced "Pang hsuan chi tan kwei chae." The magic of this name and the elaborate equipment used to demonstrate its principles have drawn tens of thousands of Chinese students, educators, and officials to applaud the fascinating experiments used in the lectures on this unique subject.

In Fig. 2 are shown pieces used to give the underlying principles. The chain on the wheel A attached to the rotator shows beautifully the tendency of the links to travel in a straight line due to inertia (the first law of motion). The experiment consists in spinning the wheel up to high speed and then forcing the chain off. When it strikes the floor it does not collapse, but stands up like a hoop made of spring steel and will skip across the stage at high speed until its energy is consumed.

Many interesting and surprising experiments may be made with this one piece of apparatus. For example, if when the chain is forced off, it is caught in a large shallow metal pan, and held at a sufficient slope to prevent the chain running out, it will spin around in a stationary position. If then, the pan be rotated on its center, the chain loop, due to its inertia or persistence of plane, will spin as before and will not be rotated by the turning of the pan.

While making some preliminary experiments one day in a long church in the interior of China, the chain was run down from the stage on a board and happened to strike the back of a pew. To the surprise of the writer, it jumped from this to the back of the next one, and the next, and so on, the length of the room. Surprising as it may seem, it will invariably do this if the pews are spaced properly and the chain strikes the first one within a reasonable distance of a certain position and speed. Over a wide range it automatically adjusts itself both as to distance between the seats and as to the distance below its own center at which it strikes. The lower it strikes, the higher and farther will its next jump be. This in turn results in its striking the next one more lightly and not jumping so high, nor so far. After two or three jumps it will come to a state of dynamic equilibrium and skip with great regularity from point to point. This immediately suggested a second experiment—placing a step ladder at an angle of about 30 degrees at the edge of the stage. When the loop strikes the first step, it will jump to the next one, and so on upward until it jumps off the top. This has been an extremely interesting experiment to both Western and Chinese audiences.

If a considerable obstruction, like a folding chair placed upside down, is placed in the path of the loop when running on the floor, it will after striking at high speed, jump several feet in the air, and when it comes down it will not collapse, but will spring up again

from contact with the floor, due to what might be called its dynamic elasticity.

The apparatus at B (Fig. 2) consists of a larger chain loop suspended by a fine steel piano wire, which may be rotated at high speed through the medium of the flexible shaft, twisted string and rotator. The first effect, due to the tendency of matter to travel in a straight line (centrifugal force), is for the links to move out as far from the center as possible. This still leaves, however, the links at the bottom rotating in small horizontal circles, and it requires but a slight acceleration of speed to cause them to rise in opposition to gravity until the chain is opened out into a complete circle and revolving at high speed in a horizontal plane. It so spins with great steadiness, even though the hand be slid down the wire and much shortening it. If the chain be struck on the side, its circular shape is somewhat altered, but it will so continue with much persistence.

The wheel C (Fig. 2) is the result of many attempts

and trying to change the plane of rotation at the same time keeping the shaft in a horizontal position. After these preliminary experiments, the mechanism is balanced by sliding the smaller ball (which acts as a counterweight as well) back and forth on the shaft. It will then hang in a horizontal position. If when in this position, and the wheel is standing still, a heavy weight is added to one end of the shaft, that end immediately descends. If now the wheel is spun up and the weight again added, it does not fall, but results in a precession of the shaft about the center of support in a direction depending on the end to which the weight is attached, and the direction of the rotation of the wheel. This leads the way to an explanation of the gyroscope principle.

For this purpose arrows are used, as shown by Fig. 3—*b* represents the direction of rotation of the wheel and *a* the force or weight, which applied to the end of the shaft starts its precession in the direction pointed by the arrow. If now the wheel be considered as

divided into four quadrants, *bc*, *cd*, *de*, *eb*, the effect of adding the weight will be to cause the particles in the quadrant *bc* to have a tendency to move out from the plane of the paper toward the reader. This path of the particles is illustrated in Fig. 4. The bead *f* is attached to the wheel, and as it goes through the quarter-revolution from *b* to *c* the resultant tendency due to the weight *a* and the rotation *bc* is to take up the curved path represented by the white-headed beads going from *b* to *c*. Now if the bead *f* be returned again to the point *b* and we concentrate our attention upon the simultaneous motion of *g* through the quadrant *cd*, we see that, due to the weight *a*, it will

first have a tendency to move out from the plane of the frame (which was the original plane of rotation), but due to the fact that the wheel is pivoted on the axis *bd*, it must as a result of the wheel's rotation finally come back again to the original plane of motion at the point *d*. This at once puts us in a position to realize that the path through which the particle *f* in the quadrant *bc* tends to move (due to the action of the weight *a* and the rotation of the wheel) is quite different from that of the particle *g* as it simultaneously moves through the quadrant *cd*. It is of great importance that this be clearly perceived, because the resulting reactions that the particles develop are the forces that make the gyroscope do all of its wonderful and almost incredible antics; and also from which comes its great promise of many practical applications.

This leads to the question, What are the reactions? The question is very simply answered. Particle *b*, when it starts moving from the beginning of the quadrant *bc*, is moving in a definite plane. If at this time the weight *a*, Fig. 3, is applied, tending to take it out of its plane, it will resist by trying to stay in the plane, due to its momentum or tendency to travel in its original plane. This is true of every particle in the quadrant, and the summation of all the reactions in that quadrant may be represented by the arrow *h*. A little consideration will show that for the first part of the quadrant *cd* there is another force (represented by the letter *i*), which when the particle starts back toward the plane changes to a force in the opposite direction (represented by *j*).

FIG. 1.—The gyroscope monorail car in Chinese. FIG. 2.—Apparatus used in demonstrating the principles of the gyroscope. FIG. 3.—Illustrating the principle of precession in rotation of shaft. FIG. 4.—Showing path of the particles in a quadrant. FIG. 5.—The wrestling gyroscope. FIG. 6.—The construction of the wrestling gyroscope.

Apparatus for a lecture on the gyroscope, used by the Y. M. C. A. of China.

to get a satisfactory portable gyroscope of large dimensions capable of being seen clearly by audiences of from one to three thousand people. By reference to the illustration it will be seen that a heavily rimmed wheel is suspended from the ends of a horizontal lever with a fulcrum at the middle. It is used in many interesting experiments. These may begin by clamping the lever across the square frame in place of the chain. If while the wheel stands still one of the end supports be detached, that end of the shaft immediately falls down until it assumes a vertical position. If now the wheel be replaced with the shaft in a horizontal position, and spun up, then when one end is released, instead of falling it immediately begins to precess with the shaft in a horizontal plane. If the speed of precession is accelerated by a little help from outside, the wheel rises up against gravity. If the precession is retarded, it will drop down to a lower plane and will continue these motions for a considerable time. An interesting variation of the same experiment is then made by resting the ball on the end of the shaft in a ball-bearing cup supported by a tripod stand. To hang a large pasteboard box or derby hat over the outer end of the shaft while it is moving around helps a popular audience to realize that there is a remarkable force manifested by such an apparatus.

The audience is always greatly delighted to see some representative from its own ranks trying the strength of the gyroscope by holding the wheel by its shaft, either both hands on one ball or a hand on each ball,

A more detailed and exact analysis for the quadrant cd shows the summation of the forces represented by j is a little greater than those represented by i , and this is shown graphically by making the arrow j longer than the arrow i . A moment's thought will suffice to show that the forces in the quadrant de (represented by the letter k) are equal to and opposite in direction to h in the quadrant bc ; for the quadrant eb , l and m are equal and opposite to i and j for the quadrant cd .

Up to this point we have been considering the motion of the wheel about the axis bd . It should be remembered, however, that it is free to move in any direction on any axis, according to forces brought to bear upon it. Let us, therefore, consider the tendency to move about the axis ce , Fig. 3. Viewed from this point, we see that in the left half of the wheel ebc the summation of the forces is a strong one into the plane of the paper away from the reader, and the summation of the forces on the right half of the wheel cde is a strong

one tending to cause the plane of the wheel to move out from the paper toward the reader. If now all these forces $hijklm$ be replaced by one single force, represented by the arrow n , we have arrived at a very important and far-reaching principle—namely, an explanation why, when the force a is applied to the shaft of a rotating wheel, the shaft does not move in the direction of the force, but at right angles to it. This conclusion may be stated in the form of a very simple but important rule: "When a force is applied at right angles to the shaft of a gyroscope, the direction of motion of the shaft may be found by rotating the force through 90 degrees in the direction of rotation of the wheel. This second position will be the direction of motion of the shaft resulting from the force." That is, in Fig. 3 force a is applied to the shaft when the wheel is rotating in the direction bc . If the arrow a be turned with the wheel 90 degrees until it comes to n it will show the direction the shaft will move. This explains

the precession force and direction and puts us in a position at one step to account for the greater mystery of the gyroscope, namely, Why does it not fall under the action of the force a ? We must remember that the force a has developed force n at right angles to it and to the shaft; and applying the same rule and the same reasoning up to this point, the force n must develop a third force o . But one is immediately tempted to ask, Where is this going to end? We begin with force a and get a force at right angles to it in the direction n ; n then develops a force at right angles in the direction o . The answer is, that the thing ends right there. Because both theory and experiment indicate that, neglecting friction, the force o being equal and opposite to the force a , they will therefore balance, leaving the force n as the one which acts and causes the rotation, which is technically known as precession, at right angles to the first force a .

If one wishes further details he may refer back to

(Concluded on page 90.)

Compare this picture with that appearing on our cover. By a light pressure the lecturer downs the "wrestling" gyroscope, which no two men in the audience were able to overturn.

Electric Engine Starters and Electric Lighting Equipment for Motor Cars. Electric Engine Starters and Electric Lighting Equipment for Motor Boats. Apelco Storage Batteries. Apelco House Lighting Plants. Apelco Headlights pierce fog and dust as well as darkness.

THE APPLE ELECTRIC COMPANY
America's Leading Manufacturer of Electrical Equipment for Motor Cars and Motor Boats
62 CANAL STREET DAYTON, OHIO

Use KEROSENE Engine Free!

Amazing "DETROIT" Kerosene Engine shipped on 15 days' FREE Trial, proves kerosene cheapest, safest, most powerful fuel. If satisfied, pay lowest price ever given on reliable farm engine; if not, pay nothing. No waste, no evaporation, no explosion from coal oil.

Gasoline Going Up!
Gasoline is 9c to 15c higher than coal oil. Still going up. Two pints of coal oil do work of three pints gasoline.

Amazing "DETROIT"
—only engine running on coal oil successfully, uses alcohol, gasoline and benzine, too. Star s without cranking. Only three moving parts —no cams—no sprockets—no gears —no valves—the utmost in simplicity, power and strength. Mounted on skids, all sizes, 2 to 20 h. p., in stock, ready to ship. Engine tested before crating. Comes all ready to run. Pumps, saws, threshes, churns, separates milk, grinds feed, shells corn, runs home electric lighting plant. Prices (stripped), \$29.50 up. Sent any place on 15 days' Free Trial. Don't buy an engine till you investigate money-saving, power-saving "Detroit." Thousands in use. Costs only postal to find out. If you are first in your neighborhood to write, you get Special Extra-Low Introductory price. Write 138 DETROIT ENGINE WORKS, 127 Bellevue Ave., Detroit, Mich.

The BEST LIGHT

gives a clearer, cleaner, brighter illumination, at less cost, than any other lighting system possible to install in the private home. Every house has its own lighting plant—safe, sure and economical.

Agents Wanted
Write for Catalogue of 200 styles.
THE BEST LIGHT CO.
87 East 5th St., Canton, O.

Solders and Soldering

If you want a complete text book on Solders and the art of Soldering, giving practical, working recipes and formulas which can be used by metallurgist, the goldsmith, the silversmith, the jeweler, and the metal-worker in general, read the following *Scientific American Supplements*: Nos. 1040, 1481, 1610, 1622, 1628, 1644, 1667, 1673, 1713; price 90 cents for all the copies or 10 cts per copy mailed.

Order from your newsdealer or from
MUNN & COMPANY, Inc.
Publishers 361 Broadway New York

WE TEACH Retail Advertising, Window Trimming, Show Card Writing, Salesmanship. Inorder to acquaint you with our school and methods of instruction, we will mail you free our new fifty cent book, entitled

TEN DISPLAY MANAGERS TELL

With this free book we will also include our complete list of over one hundred fifty business books, especially suitable for the retail store's library. A postal request will bring both. Economist Training School 231-243 W. 39th St., New York City

Two Cents a Week Pays Wash Bill!

This Washer eliminates labor and practically saves all cost. Does a big family washing for 2 cents a week—yes, and the wringing, too. It's one of the greatest marvels the world has ever known. Runs by electricity or water power. Washes a tubful spotlessly clean in two to six minutes! Wrings out the clothes to perfection as fast as you feed them—prove it at our expense.

Any Woman Can Have a
1900 Motor Washer
On 30 Days' Free Trial

Don't send money. If you are responsible, you can try it first. Let us pay the freight. See the wonders it performs. Thousands being used. Every user is delighted. They write us bushels of letters telling how it saves work and worry. Sold on little payments. Write for fascinating Free Book today. All correspondence should be addressed to **1900 Washer Co., 6115 Court St., Binghamton, N.Y.** If you live in Canada, address Canadian 1900 Washer Co., 355 Yonge St., Toronto, Canada.

An Electrical Automobile Transmission System

(Concluded from page 78.)

and constant torque on the propeller shaft is practically obtained.

Obviously, the functions carried out in driving the car can in a measure be reversed when the car is coasting with the engine running free. In this case the electric transmission then operates as an efficient brake in which there is nothing to wear. It will hold the speed of the car down to approximately 10 miles an hour on any grade where traction is obtainable.

The operation of starting the motor scarcely can require explanation. Current is drawn from the storage battery and passed to the field of the generator. Normally this would cause the armature to rotate and the car would be propelled backward. But when the brake is set, locking the propeller shaft, the field then rotates about the armature, and thus starts the engine. The electric motor serves a secondary purpose. When the car is driven on what corresponds to high gear, it furnishes current to maintain the battery in a charged condition, the current supplied being at the rate of about 10 amperes. When the car is standing, connections can be established with the control lever which will give a charging rate of up to 30 amperes, this rate being useful after the car has remained idle for a long time or for emergency.

The system is not untried, for it has been in use in a car that has been driven for upward of 16,000 miles over roads good, bad and indifferent, practically all over the United States; incidentally, that its efficiency really is as stated is demonstrated by the fact that the gasoline consumption of the car was no higher than that of the ordinary car.

The Gyroscope in China

(Concluded from page 85.)

Fig. 4. Considering the motion about the axis *ce*, the motion of the particles in the quadrants are now shown by the position of the black beads, and we quickly arrive at the same conclusion; that the force *n* will develop a similar force *o*. A natural question at this point is: But since the shaft appears to move around in a horizontal circle, its rim does not move out as indicated in the different quadrants. How then can it develop the forces indicated? It is a good question. The answer is that the wheel rim does move out just as assumed. The proof may be had by making an enlarged photograph of the path of the free end of the shaft, and it will be found that it is made of a series of spiral loops. If *a* represents the force of gravity, *o* will be equal to it in an opposite direction, thus preventing its falling; and the experimental proof of this is the fact that such a wheel does not fall, but moves off at right angles to the direction of this force, in the direction *n*.

This gyroscope *c*, Fig. 2, also serves to illustrate one aspect of the gyroscope as a compass. If after it is spun up, the shaft is placed in a north and south position so that the large ball is pointing toward the north, and it be lifted up by means of the cord attached to the fulcrum at the center of the lever, it may be carried all about the room and swung round several times in each direction, and taken back to the stage, when it will be observed not to have departed from the north and south direction during its journey. This of course does not go into a deep explanation of how the centrifugal force due to the earth's rotation is made to act on a delicate gyroscope to cause it to take up a position so that its axis will be parallel to that of the earth, nor does it explain how the corrections are made due to the forces developed by the motion of the ship carrying it. But it does go a long way toward giving a popular audience an impression of its possibilities in that direction, as in the compass so skillfully worked by Mr. E. S. Sperry in America and others in other parts of the world. (See Fig. 2.)

Of very great interest also is the gyroscope shown at *D* in Fig. 2. This gyroscope has extended shafts on the horizon-

tal side rings. It is first used without the stilts shown underneath it in the picture. The legs that are extended into sockets at the top of the stilts are sharp. When spun up it balances perfectly on these sharp legs. A weight is added to the cup shown at the side of the frame; instead of sinking down, the side where the weight is applied actually rises. This is due to the fact that in order to stand it must keep its center of gravity over the point of support. The only way to do this is by elevating the side upon which the weight is applied. In Mr. Brennan's monorail car, a large party may stand on one side, then rush in a mass to the other, resulting, not in depressing, but in raising the side to which they go.

This explains also why in rounding a curve the car tips up on the outer side in proportion to the speed and radius of the curve, so that to occupants it is as though the car were traveling in a straight line with the floor level. This is illustrated in this model by replacing the sharp legs by grooved wheels which are capable of running on a wire stretched in the air or laid on the floor as a track. This improvised monorail car will balance itself on such a wire even through a considerable weight is applied to one side or the other. The wire may be swung back and forth, but still it retains its balance without difficulty. After the experiments have been made in this way, the stilts as shown in Fig. 2 are then added, and even though they are high in proportion to the size of the gyroscope it is able to stand up and even run on the wire when the grooved wheels are placed at the bottom of the stilts.

The rule above stated is capable of giving a very quick and practical solution of many gyroscope problems; for example, let us apply it to the case of the "wrestling" gyroscope, Fig. 5. This and several other pieces of apparatus used in this article were constructed by Mr. M. M. Wood of Berwin, Ill.

The wrestling gyroscope has been one of the very popular features of the gyroscope lectures in China. Its construction is readily understood by reference to Fig. 6. It consists of a strong bicycle wheel with the rim loaded with lead pipe and then wound with spring brass wire. When spun up to high speed and the case closed and set upon its edge, as shown in Fig. 5, it will stand up with a slight list to one side, and will precess slowly around on a nearly vertical axis. A member of the audience is invited to use a strong staff padded at one end with a solid rubber ball and make the wheel lie down on its side. (See cover illustration.) Any attack upon it above the middle develops a powerful and instantaneous reaction; and unbelievable as it may seem, it is nevertheless a fact that the strongest man is unable to push it over. This experiment delights the audience, and after two men have joined hands and been unable to push the gyroscope over, the audience is willing to accept the statement that a fairly light wheel running at a comparatively slow speed is able to develop a very heavy reaction. The audience then also readily comprehends how it may be possible for a wheel weighing tons and running thousands of revolutions per minute, to furnish a basis for stabilizing a monorail car or opposing the rocking of a ship.

Now how does the precession rule apply in such a case as the wrestling gyroscope shown in Fig. 5? It is seen that the case leans slightly toward and to the left of the reader. The force that is acting upon it is its own weight, which may be represented by a downward force from the ring represented by the arrow *a*. Now if the bottom of the wheel is traveling from the reader, the application of the rule (rotate the force *a* 90 degrees with the wheel) would result in the arrow *a* being rotated to point in the direction *n*. This would cause precession, due to the force *n*, and would result (by a second application of the rule) in the development of a force *o* which would counteract the gravity tendency at *a* and prevent the wheel's falling. Now suppose that a heavy external force is applied, as represented by the arrow *p*. The effect of this would be roughly speak-

LEGAL NOTICES

PATENTS

If you have an invention which you wish to patent you can write fully and freely to Munn & Co. for advice in regard to the best way of obtaining protection. Please send sketches or a model of your invention and a description of the device, explaining its operation.

All communications are strictly confidential. Our vast practice, extending over a period of more than sixty years, enables us in many cases to advise in regard to patentability without any expense to the client. Our Hand Book on Patents is sent free on request. This explains our methods, terms, etc., in regard to PATENTS, TRADE MARKS, FOREIGN PATENTS, etc.

All patents secured through us are described without cost to the patentee in the SCIENTIFIC AMERICAN.

MUNN & COMPANY

361 BROADWAY, NEW YORK
Branch Office, 625 F Street, Washington, D. C.

Classified Advertisements

Advertising in this column is 75 cents a line. No less than four nor more than 12 lines accepted. Count seven words to the line. All orders must be accompanied by a remittance.

BUSINESS OPPORTUNITIES

▲PRACTICAL gold mining engineer that can command on his report \$25,000 cash, wanting to take hold of, develop and operate a splendid gold mining property near Dahlonega, Ga. Can get particulars by writing to me. Letters not accompanied with references of experience, integrity and financial credit, based on favorable reports, will not be answered. S. A. Jones, Waynesville, N. C.

GENUINE ARCHEOLOGICAL SPECIMENS
A GENUINE Babylonian tablet with cuneiform writing as supplied to Yale University and other institutions will be sent on receipt of \$2. Money back if not genuine or if it does not please you. R. D. Messayah, 90 Beaver Street, New York City.

INSTRUCTION

FREE TUITION BY MAIL. Civil Service, Normal, Academic, Business, Engineering, Drawing, Agricultural, English, Law, Real Estate and Physical Culture Courses thoroughly taught. Matr \$5; Tuition free to first applicants. Carnegie College, Rogers, O.

PATENTS FOR SALE

FOR SALE by owner, June, 1913, U. S. patent on simple device for self-clearing salt shaker. English and Canadian rights also. M. E. Brooks, Box 274, Cedarhurst, N. Y.

MISCELLANEOUS

HOW TO RUN A LATHE—How to Run a Lathe. A 50-cent book for 10 cents postpaid. For further particulars address South Bend Lathe Company, South Bend, Ind.

INQUIRY COLUMN

Inquiry No. 9346. Wanted the name and address of parties manufacturing tobacco stripping machines, and other machines pertaining to cigar manufacturing and cigar banding machines.

Inquiry No. 9347. Wanted the name and address of an industrial school where shoemaking is taught in all its branches.

Inquiry No. 9348. Wanted the name and address of manufacturers having useful household necessities, with a view to obtaining exclusive territory for a house to house canvass.

Inquiry No. 9349. Wanted the names and addresses of the makers of machinery for making Malt Tonic, also a machine for making grease, and machines for applying plaster (Cement Gun).

Inquiry No. 9350. Wanted the name and address of the manufacturer of a printing press for the printing of tapes for clothing. The machine should preferably be worked by hand.

Inquiry No. 9351. Wanted to make some article out of wood which could be made from 2 inch ash, by party having 75,000 or more feet of waste per year which is now used for fuel.

Inquiry No. 9352. Wanted the name and address of a person who is in a position to get the state or county agency for articles of merit that can be sold to business houses or others at \$3.00 or over. No kitchen utensils desired.

Inquiry No. 9353. Wanted the name and address of a manufacturer who can make flexible oil cans.

Inquiry No. 9354. Wanted the name and address of a manufacturer of a machine which will stitch silk around small metal rings.

Inquiry No. 9355. Wanted the name and address of the maker of triplex glass.

Inquiry No. 9356. Wanted the name and address of a manufacturer who can build an automobile wheel, also a cigar vending machine. Concerns in the middle West preferred.

Inquiry No. 9357. Wanted the name and address of a manufacturer of a machine for scalloped paper favors and cups.

Inquiry No. 9358.—Wanted the name and address of maker of a machine to cut all granulate leather.

\$250,000 AVAILABLE FOR EXPLOITING PATENTS IN EUROPEAN MARKETS

From the nature of our business, we are continually approached by investors and others who are anxious to participate in industrial enterprises or purchase patents which are recommended by us.

We are now open to consider, on behalf of a client, the purchase (outright or on royalty basis) of the European rights of a commercially sound and successful article at present exclusively sold in the United States.

We have at command \$250,000 for this purpose. Manufacturers who may have neglected the foreign market for patented goods or processes should apply to

THE LETTERS PATENT INSURANCE CO.

Limited

King's House, Kingsway, London, England

ing to immensely increase the force a . This would result in an increased precessional force n which would increase the force o , which is just in the direction to oppose the force p . The reasons are shown in Figs. 3 and 4 with the accompanying explanation. The experimental proof is the fact that two men are unable to apply enough force at the point p to upset the wrestling gyroscope, which has a total weight of about thirty pounds.

It is always of great interest to the audience to see the experiment made in which, by applying the little finger to the wrestling gyroscope, it is controlled and made to lie down. A very slight pressure applied as shown by the arrow q , with the little finger, is sufficient to overcome the precessional force n due to the weight of the wheel, and it will slowly settle down to the floor in a direction opposite to that shown by the arrow q ; for if q be replaced by the equivalent force r and the rule applied, it will show that r will result in a force downward coinciding with a and helping the gyroscope to come to the floor. This also is the explanation of how, by the use of a small lever, a large car like that constructed by Brennan is tipped down to the ground for convenience in loading on freight.

The Unsinkable Ship

(Concluded from page 86.)

6 inches high, increasing to 12 feet at the stem, and could be utilized to receive stores of all kinds, the compartments being only open at certain hours for issuing the day's supplies. The space from frame 254 aft, starting at 7 feet 6 inches and increasing to about 12 feet in height, could be divided into cold storage compartments for all the different kinds of provisions. The space amidships, 5 feet 6 inches high, would form the sub-basement for the hotel part of the ship above. All ventilating ducts, salt and fresh water mains and drainage pipes would be arranged in this space so that only vertical piping would be carried to the rooms. This grouping of all piping and ducts which run horizontally would save much trouble both in the design and working qualities of these systems. This I consider a very important feature in such a design. One of the hardest problems the designer has to face is dealing with pipes and ducts through living quarters, and it is always the horizontal pipes that give trouble. By having the main of these systems between the upper decks where they are accessible at all times without the passenger knowing anything about them, a continued source of dreaded trouble is removed and, furthermore, this would not interfere with the proper subdivision of the space.

Referring to the cross section through one of the boiler compartments, it will be observed that I have provided a longitudinal passage under the upper deck. This passage would be extended through each compartment, from which it would be entered through an air lock, and it would extend from frame 87 to frame 233. In each boiler compartment on each side would be the living quarters for all the men engaged in that compartment. These quarters would be artificially lighted and ventilated. The air would be taken from ducts between the upper decks on the in-board side, discharge at the floor line and would pass up through ventilating pipes on the outboard side. It might be objected that these quarters would be hot in spite of good ventilation. In this connection I consider it quite unnecessary to have much heat in the boiler rooms. The boilers in such a ship would be worked under forced combustion and in that case the fans for forced draught could draw the air from the outer casing round the smoke-stack and uptakes and discharge it into a casing outside the boiler lagging so arranged that the air would circulate round the boilers on its way to the tubular heaters in the uptakes. Thus any heat radiating through the lagging on the boilers would be taken up by the air for combustion, leaving the fire rooms comfortably cool, and with cold air freely circulated through the living quarters they should be quite comfortable.

The air lock doors into the central pas-

sage would be self-closing, balanced doors, easy enough for a man to open but certain to close after him, and it would hardly be possible to conceive of any damage to this passage even from a collision with a very large ship. At both ends of this passageway would be stairs in a water-tight well leading to the shelter deck.

Astronomical Bulls

IT is worth the trouble of studying astronomy just to be able to realize the delicious humor of the blunders committed by non-astronomical people, and especially the journalistic tribe, when they have occasion to discuss the heavenly bodies.

A fresh crop of astronomical bulls is given to the world in a recent number of *l'Astronomie*. After the partial eclipse of the moon of April 1st last, a French newspaper commented thus on the event:

"The phenomenon could be especially well observed because the moon was just at the full last night. What rare good luck for an eclipse!"

In 1911 Brooks's comet attracted more or less attention on the part of the newspapers. *La Presse* of September 28th, 1911, announced that the celestial wanderer "is now to be found in the constellation of Cygnus, three degrees north of Alpha, the upper star of the *Southern Cross*." Of course the cross in question was not the famous asterism of southern latitudes, but that formed by the principal stars of the Swan, lying along the Milky Way.

Of the same comet an Italian newspaper, *La Tribuna* (Rome), gravely stated that at five o'clock in the morning "its tail measures 20 meters long by about 3 meters broad at the end." We fear Mr. Kipling would not have agreed with these dimensions. One could not make much impression on a "ten-league canvas" with so small a brush. Nothing is more common than this habit, on the part of the laity, of estimating the apparent size of celestial objects in terms of a terrestrial scale. It would be extremely interesting to compare such estimates, e. g., of the diameter of the moon—from a number of the persons who appear to apply this method of measurement with such facility.

A Parisian newspaper recently undertook to compute the cost of a voyage to the moon, on the basis of current railway tariffs on our planet. The result was somewhat impaired by the fact that the writer confused the distance of the moon with that of the sun.

Why do artists persist in painting the new moon with its horns turned the wrong way? At last we have found a clew to this enigma. It is not merely a little joke on the part of the painters, comparable to the plumbers' time-honored prank of putting the hot-water handle on the cold-water faucet and *vice versa*. The moon represented in these productions is, it appears, not the astronomical moon at all, but the *lune de miel*—a body notoriously exempt from all natural laws. One sees at once the beautiful appropriateness of the fact that the walls of the marriage office at the *mairie* of the fifteenth arrondissement in Paris have just been embellished with a picture of this sort.

An Opinion of the Scientific American

THE *A B C Pathfinder Railway Guide* publishes the following:

"The *SCIENTIFIC AMERICAN*, which is to the mechanically inclined all that the mariner's compass is to the sailor, has just completed its sixty-ninth year and the *Pathfinder*, but four milestones behind, congratulates its colleague upon its achievements of the past, its standing of the present, and trusts the future will bring it the prosperity it merits.

"Transatlantic travelers do themselves an injustice if they are not equipped with the marvelous compilation known as the *SCIENTIFIC AMERICAN Hand-Book of Travel* which is a most accurate and complete guide for the amateur or experienced traveler and an invaluable hand-book for the stay-at-home."

ABOLISH TRUCK DELAYS

Firestone Truck Tires and Firestone Quick-Removable Rim Equipment mean the equal of repair shop service in every locality. Firestone Branches and Shop Service Stations have been established throughout the country. But where these have not been installed, truck owners are completely protected against difficulties by a quick-removable equipment that insures fewer and shorter delays.

Reduced upkeep cost and **real truck efficiency** results. All Firestone Tires and Rims are interchangeable on the same felloe bands with all other S. A. E. standard size tires of any type or make.

Firestone

Truck Tires and Quick-Removable Rims

Firestone Notched Tread truck tires for heavy duty give **most** mileage because of continuous base—prevent damaging "traction wave"—minimize vibration—remove excessive strain on any point. They are cured in Firestone Quick-Removable Rims.

Other types of Firestone truck tires represent the same high ideals and proved principle of construction. A tire for every truck, load, road and service condition. "Firestone" should be your solution for all truck tire problems. Change to Firestone is quickly made, to your **decided profit and convenience**. Write for catalogue.

THE FIRESTONE TIRE & RUBBER CO.
"America's Largest Exclusive Tire and Rim Makers."
AKRON, OHIO. All Large Cities.
Pneumatic Tires, Truck Tires, Pleasure Electric Tires, Carriage Tires, Fire Apparatus Tires, Rims, Tire Accessories, etc.

There's Money in Agricultural Blasting

WE TEACH YOU FREE

Our extensive national advertising yields thousands of inquiries from farmers, orchardists, etc., who need blasters to clear land, blast ditches, holes for tree planting, tight subsoils, etc. More than twenty million pounds of agricultural dynamite used in 1913. We refer all inquirers to nearest blaster, supply free advertising matter and help you get the business. We want to start in this independent business, reliable men who have \$200 capital for tools, magazine, and running expenses.

Write for free booklet No. 356B.

Agricultural Division, Du Pont Powder Company, Wilmington, Del.

An Easily Made High Frequency Apparatus

CAN BE USED TO OBTAIN EITHER D'ARSONVAL OR OUDIN CURRENTS. A plunge battery of six cells, a two-inch spark induction coil, a pair of one-pint Leyden jars, and an inductance coil, and all the apparatus required, most of which can be made at home. Supplement No. 1618. Order from your newsdealer or from *Munn & Co. Inc.* 361 Broadway, N. Y.

Don't Buy an Engine

until you investigate the Temple's low speed, heavy duty, general purpose engines; 1 1/4 to 50 H. P.; use gasoline, kerosene, alcohol, or distillate; weigh and bulk from 1/2 to 1 1/2 less than horizontal engines and are built stronger in proportion to strains.

Temple engines quickly return their cost to buyers, by saving 1-3 to 1-2 the fuel used by the average engine, and securing top-notch efficiency from machines operated.

Temple Engines Have Won Five 1st Premiums for Low Operating Cost, Stability and Steady Power

This Company is one of the pioneer engine makers of the country (61 years as such), which means reliability of its product.

WRITE TODAY for THIRTY DAY FREE TRIAL OFFER

Catalog, Prices and THE TEMPLE ENGINE AND PUMP CO. 418 Meagher Street, Chicago, Illinois

Perfect hearing brought to sufferers from deafness by a remarkable new invention—a scientific marvel—just out. Write today for particulars of our direct offer on the perfected 1914 Diploma Model

New 8-Tone Mears Ear Phone

Tone Mears. It is very convenient—easily concealed. The 8 tones make every kind and "shade" of sound as distinct to the ears as shades of color are distinct to perfect eyes.

—the final triumph of the inventor of the first successful ear phone. **Eight Tones!** Eight different adjustments to suit every condition of the ear. All the advantages of the Mears Four-Tone have been doubled in the amazing new Eight

Are You Going Deaf?

Unless the hearing organs are completely paralyzed the 8-Tone Mears Ear Phone can benefit you. Write today.

On Trial The 8-Tone Mears Ear Phone sent on 15 days' trial in your own home at our risk. Nothing to pay if you're not pleased.

Send for Booklet Large, valuable booklet—tells all about causes of deafness. Mailed free on request. Write a letter or a postal for it today—NOW.

MEARS EAR PHONE CO., Dept. 2391 45 W. 34th St., New York, N. Y.