PUBLISHED MONTHLY

Number 7.

*President's address before the American Society of Tropical Medicine, Atlantic City, N. J., July 2, 1912.

that the downfall of Greece and Rome were due to malaria.

I shall not attempt to either prove or disprove these assertions, but simply submit a few facts having, as I believe, a distinct bearing there, and also with us in America.

Both the old empires imported African slaves who then, as now, possessed superior resistance to malaria, and with the inevitable result attained in such cases—absorption.

Within recent times negroes have been transplanted to both Americas and the West India Islands, and the inevitable net result of the superior stamina of that race under malarious conditions in the tropics is in evidence today in the complete dominance of the race in many of the low countries and in the gradual recession of the native Indian and the white man.

This is not the case in the malaria free regions in Central and South America.

This statement is not made as a scientific demonstration, nor do I wish it construed as evidence of the least ill-will toward the negro, but simply as food for thought.

I am not sure that the century or two of negro and negroid life in tropical America is sufficient time to give results upon which we may base scientific deductions, but I fear that it is, and if so, then it is manifest, that so long as the physical law of survival of the fittest remains a fact, and very much a fact it still is, then must the white man either destroy malaria in all his heritage or the black man will ultimately possess it through the inexorable working of that law.

There are few if any thinking men of the South who have not been deeply concerned over the degenerate physical status of hundreds of thousands of their compatriots who dwell in malarious lands.

Much degeneration now known to be due to hookworm was once charged up to malaria, but the discovery of Stiles does not wipe the slate and the magnificent benevolence of Mr. Rockefeller still leaves the real malaria untouched.

Taking the year 1910, the registration area of the United States contained 34,000,000 people, practically 59 per cent of our total population. In this area the deaths aggregated 805,000 from all causes and 1,200 from malaria, which is equal to about $2\frac{1}{4}$ per hundred thousand for the registration area. This may be reasonably correct as an average, but when one considers that in it Savannah is charged with 89 and Memphis 100, you can see that this estimate is wide of the mark. New Orleans, nearer the truth, is charged with 9.7, but I am sure from my personal knowledge that since the installation of drainage in New Orleans even this 9.7 is excessive.

I hope to excite enough interest in this subject to sow the seeds of better work all over the country in the way of reporting malarial disease. In other words, I should like to bring about as different a state of affairs from what exists as possible. Many of us know cases in which physicians, through ignorance, will make a diagnosis of malaria and sign a death certificate giving that as the cause, yet in which the cause is absolutely foreign to this disease and has nothing to do with it. Again, with what is far worse than ignorance, physicians will charge up knowingly even such things as syphilis to malaria; either because they are afraid to wound the sensibilities of the patient or his family, or because the insurance money would not be paid—or any other ignoble cause you wish to name.

You have only to remember the relatively small mortality by percentage of cases as compared with the colossal total in abstract, and then remember that each death represents hundreds of cases, and each case some days of lost work to gather a correct idea of the widespread suffering, ultimate physical degeneration, showing itself in posterity, to say nothing of the gross but vastly important money loss involved through loss of labor.

I do not think that the morbidity is overestimated, although the mortality is largely so. We have all seen in this country just what

can be seen in the Roman marshes—little sal-low, pot-bellied, under-developed children, with spleens so large that the outline of them can almost be seen from the outside, and can be palpated without any trouble. It is evident that this causes physical deterioration, not only in the individual, but also, as a consequence, in the race. We must know that it is important to do away with conditions that sap the vitality of the race in such a fashion as this, and how can these things be avoided?

It is said that the scientist knows why, the practical man *how*, and the expert—*how and why*.

Thanks to the scientist we all now know why and the *how*, though I fear not many of us can qualify as experts under this specification.

The actual work of eradication of malaria is elemental in its simplicity, but calls for untiring watchfulness and absolute thoroughness.

The essential facts to bear in mind are that the various members of the genus *Anopheles* all breed in swamp water; that they will travel about 350 yards, with the wind—perhaps more, and knowing these facts we can easily accomplish the eradication of the pests in cities and towns, being aided thereto by the steady increase in value of land adjacent to centers of population making the disuse of such land very costly, and so, from an economic standpoint, hastening the drainage of nearly all save accidental small pools which can, in most instances, be very easily filled or drained. The only remaining problem then, in urban communities, will be lakes and ponds preserved as things of beauty in parks, and there are two ways to meet these cases. First, by seeing that the borders of all such lakes or ponds are sharply and clearly defined by cement edges and the water kept at one constant level by a fixed outlet, and second, by implanting small fish in the water, such fish as the Jamaica negroes call "Millions," which are so small and become so numerous that they will destroy every trace of eggs or larvae

deposited in their reach, and their size enables them to get into every possible place where ova might be deposited.

In rural districts the task becomes much more difficult, the swampy area being larger as a rule and the available means for fighting the evil less.

Of course, the remedy here is also complete drainage and cultivation. I can recall more than one instance of the thrifty use of land in my native state having made large areas, once malarious to a pronounced degree, entirely mosquito free, and I can unfortunately recall one in my own possession where the admirable work of my father-in-law has been allowed by thriftless negro tenants to go for naught, and where malaria, banished entirely from about 1870 to 1900, is again in evidence to some extent through the abandonment of the cultivation of an area of some two or three acres of creek bottom land.

To my mind, the filling up of our country with inhabitants has accomplished the desired result already in many parts of the Northern and Middle States, practically obliterating malaria without any interference on the part of physicians; because with population comes an increased value of land, and with that comes the fact that people will not let the land lie idle when it can be put into use at a small cost for drainage. There are still, however, many places where this is not so, and the remedy is first to be applied in a palliative way, by excluding the mosquitoes from houses by means of screens, draining small pools of water near at hand, oiling those which cannot be drained, and never forgetting that our gamete-carrying patients must be given quinine as a protection to their own families.

I have seen with my own eyes, since I was a boy, the gradual recession of swamp land before population in my own State and Florida, and the gradual dying out of malaria before the advent of population. The education of the people has also had something to do with this progress in stamping out the disease. It has long been an idea of the common people

that malaria did not affect them much in the daytime. They thought that if they stayed in the house at night they were all right; that if they slept in the second story they were protected; and that if they had three hundred yards cleared around the house they were safe. Of course, these views are directly in line with the habits of the mosquito.

In the last fifteen years I have known of a tremendous recession of malaria all along the Mississippi River and in the cotton belt, where it used to be impossible for white men to live. That was due to the fact that the planters have been clearing a belt three hundred yards wide around their houses, living in the second story, and keeping the families in the house until the dew was off the grass in the morning. Now, if you apply, alongside of these measures, scientific measures, such as screening the houses, widening the area cleared around them, and wiping out the swamps, you will ultimately wipe out malaria in the entire country, just as it has been wiped out in European countries, without the aid of the Board of Health, the disease having disappeared in these countries before the advent of population.

I believe that to obtain good, permanent, practical results, over wide areas not of public domain but of private property, the only real and lasting solution of the question is the education of the people in the country on the two main points involved. First, to have them fully understand that Anopheles will always breed in any swamp or marsh they allow to remain on their land, and that the presence of Anopheles means sooner or later the certainty that one or more of the family will be stricken with fever, possibly fatally.

Second, that the clearance and drainage of such lands will give financial returns in many instances greater than from their apparently better lands.

By the use of such methods we will annihilate millions of Anopheles, but still leave a large problem unsolved.

There are in all States some bodies of land too large for individual control, and this brings to view another angle of the subject, which I some months ago presented to the Assembled Parish Health Officers of Louisiana, viz.: the necessity for Nation or State to take hold of such localities and provide the drainage necessary for their reclamation.

It is no more impertinent to ask for drainage with health and wealth of the people in view as the net result, than to ask for reclamation of the deserts of the West with wealth only as the incentive, as was done by President Roosevelt and justly applauded by the Nation.

And can we not interest the Nation and the State in the obliteration of the big swamps? Is this not an integral part of the movement that has been started for the improvement of waste lands? Should not a National drainage go alongside of National irrigation? And is it not as important, or more so, that one be done as the other? President Roosevelt's proposition for National irrigation was at first demurred against, then accepted, and later, with its full success, applauded. That proposition led only to public wealth; this leads to both health and wealth. There is no reason why the Nation and the State should not apply their money to the drainage of swamps, and so do that which will lead to the ultimate obliteration of malaria in the United States.

If such a movement is once begun it will go forward to completion more rapidly than the other, and if the vast swamp areas of the South serving the same fell purpose in malaria that the endemic foci do in yellow fever, are drained; if we have our endemic centers of malaria removed, the object lesson will be so strong and so pointed that the people can be easily induced to put their shoulders to the wheel and make this sapper of vitality as rare here in America as in Northern Europe, and so rid us, in part at least of one impending evil, one huge threat to the future of the South, and through the South to that of the whole

Nation, for so closely knit are we today by ties of common interest as well as brotherly love that I had not named my own dear land

as South at all save that we have the unfortunate distinction of being the greatest sufferers from this pest.

THE AMERICAN SOCIETY OF TROPICAL MEDICINE: SECRETARY'S REPORT.

By JOHN M. SWAN,
Rochester, N. Y.

The past year has been a most valuable one in the history of the American Society of Tropical Medicine. The very successful meeting, which was held in New Orleans for two days in May, 1911, will long be an epoch in the annals of the Society. The Society's program was notable, and the social features provided by the members of the Society resident in New Orleans and the members of the medical profession in New Orleans will long be a source of pleasant recollection to those members who attended the meeting.

Early in 1912 the Secretary was notified that the Society had been granted to affiliation with the Congress of American Physicians and Surgeons, and the Council elected Dr. James M. Anders, one of our former presidents, a member of the executive committee of the Congress. As a consequence of this affiliation the Society will meet in Washington in 1913, during the meeting of the Congress.

The committee appointed by the President to report upon the available measures for the prophylaxis of the plague in the United States has not been able to furnish a report at this meeting, as was originally intended. It is hoped that such a report will be forthcoming at the next meeting.

The sixth volume of the transactions will soon be in the hands of the members, and the fifth volume was issued just after the last annual meeting. The coming volume will be smaller than those formerly issued, on account of the fact that some of the papers read at

New Orleans have not yet been published. This is a subject that your Secretary would like to call your attention to in order to urge you to furnish your manuscript for publication at the meeting at which it is read.

It is by the distribution of our bound transactions that the activities of the Society can be made known to similar societies and other learned bodies in various parts of the world. The result of American investigations in this field are second in importance to those of no other nationality, and it is through the publications of this body that they can best be made public.

The Society has been invited to participate in the Fifteenth International Congress on Hygiene and Demography, which will be held in Washington in September.

MEMBERSHIP—At the last annual meeting the membership of the Society was as follows: Active, 120; corresponding, 17; honorary, 40. At the last annual meeting three active members were elected. During the year two active members, Dr. Francis X. Dercum and Dr. F. F. Russell, resigned. Two honorary members, Dr. Walter Wyman and Dr. Stanford E. Chaille, and one active member, Dr. John H. Musser, died. One honorary member has resigned and applied for active membership.

The membership of the Society on June 4, 1912, is as follows: Active, 120; corresponding, 17; honorary, 37. Total, 174.

The Council of the Society met in the Hotel Rudolf, Atlantic City, on Saturday night, June 1. It recommends the following candidates