dioxid in 100-gallon cylinders. If procured in these large cylinders the gas is less expensive, and the flow to the machine is perfectly smooth and regular.

Complications on the Table.—The respiration is the main factor to be watched, and if it is suspended in any case a punch over the stomach will suffice. Carbon dioxid can be given if desired. The pulse-rate is altered very little by this anesthetic. If the heart becomes unusually fast or slow the administration of oxygen in proper quantity will correct it.

Postoperative Complications.—The observation of men whose experience in the work is so much more extensive than my own is that there are no postoperative complications which may be attributable to the anesthetic. The urine excreted after gas-oxygen is greater in quantity than after ether; it is always free from albumin, which is not the case after ether. The patients awaken in a few minutes and are better able to care for themselves, and the vomiting is very infrequent, unless the Trendelenburg position is used for some time, in which case they very frequently vomit while on the table. The rapid elimination of the anesthetic is quite noticeable in the difference between the cesarean-section baby under this anesthetic and under ether. The question of rebreathing is one which has been much discussed of late. There seem to be two questions at issue when the subject of rebreathing is under discussion; first and foremost is cheapness; second, the value of carbon dioxid as a respiratory stimulant. If the question of cheapness is to be considered, then why not use ether or chloroform? They are much cheaper. The value of carbon dioxid as a respiratory stimulant has been proved, but we find this is very seldom needed, so why give a stimulant in each individual case? It should be more logical to have a tank of carbon dioxid in the pure state attached to the machine where we would always have it at our command to use in an emergency. This we now have, though seldom used. If we need a respiratory stimulant we would certainly want it at once, and as the exhaled breath is composed of only 4 per cent. carbon dioxid it would require quite a number of breaths to get the stimulating action of carbon dioxid desired, and at the same time the patient is breathing in the other waste products of expiration. There is no necessity of carbon dioxid being given in the ordinary gas-oxygen anesthesia, for carbon dioxid is slightly increased over normal in the blood while the patient is under gas-oxygen (Teter⁴).

It would be hard to convince the physician, striving at all times, by proper ventilation in buildings, to prevent rebreathing, that rebreathing is a good therapeutic measure, or that when he needs a heart stimulant *nux vomica* is superior to strychnin, although one might contend that *nux vomica* has strychnin in it, as the advocates claim the expired air contains carbon dioxid. Both are right. In the daily routine of operative work we of necessity operate on several tuberculous patients in each one hundred. I think few advocates of rebreathing would enjoy breathing from the same bag after a tuberculous patient. The bags I have seen cannot be boiled, and it is practically impossible to sterilize them in any other way. As we can get carbon dioxid without contamination the only argument in favor of rebreathing is cheapness, which should never be considered if the welfare of the patient is at stake.

The majority of my gas-oxygen anesthetics have been administered by Dr. James R. Dawson, whose superior in this work would be hard to find, and to him and Dr. D. S. Moore, my associate, I owe much for the low mortality seen in this work.

ABOUT OURSELVES

ANTHONY BASSLER, M.D.

NEW YORK

As medical men to take what comes to us honestly is our privilege, but righteousness with a full view of the future is our duty. This righteousness is even more necessary with us to-day than it had been with those of the years gone by. In former days when traveling was by stage-coach, people settled down in their communities; a near-by town was too difficult of access to visit frequently, and the medical man was a part of the stay-at-home community. Now, however, the well-to-do people are spending less time in the country and more in towns, where there is congregated learning, business, wealth and society.

Not many years ago it was an event causing considerable gossip for a medical man to leave his place of practice and repair to one of the great cities in search of learning in medicine. After his rather early return it was satisfying and even gratifying for his neighbors to feel that superior wisdom had come to him, he and they were convinced that he was now entitled to recognition as a specialist, and a framed certificate signed by a leader in the subject attesting to his having taken a few weeks' course in a post-graduate school further helped to make this assumption valid. Not to be outdone, other ambitious ones of his fellow practitioners soon began to do likewise, and then it became necessary for men to make annual pilgrimages to the centers of learning to maintain their status. In these communities in the last ten years men have settled for practice who were the products of medical colleges of good quality. They, because of education, were more scientific than the older practitioners, and they journeyed to the cities as a duty to science. The literature of the medical journals has gone to the most remote recesses of the country, carrying with it information of the developments in medicine and awakening ambitions generally. Ready and inexpensive transportation placed the far parts of the country in quick touch with thickly populated localities, and the medical men traveled and came into contact with each other.

The magazines, lecture platforms, lay press, etc., have given decidedly more knowledge of medical matters to the lay people than ever before, and there are now many persons who can intelligently discuss medical subjects. The exclusiveness and dictatorialness of the former-day medical man have become rare and are now regarded by the lay people as signs of effrontery or cloaks of ignorance. From all over the medical man has been drawn into the melting-pot of progress, so that the distinctions between him and the lay people are dropping like leaves in the fall.

In this development of the times, it seems that we should think of how we should conduct ourselves to meet the changing conditions, not only those of to-day, but those which will come. As all great movements are built on tradition and segmentary development, are we as medical men of to-day not shirking the responsibility of building props of development for the practitioners to come? From the conduct and interests of lay people we can learn nothing that would be helpful to us in professional ways, yet, they now being within our ranks, should we not be more careful of exhibitions of our ideas, temper and style of talk, morals, etc., than ever before?

There are those among us who have no confidence in their fellow practitioner, because they are keenly aware

of their own unworthiness. With these, definite assertions of opinion, a look of dissatisfaction, a shrug of the shoulders, a word dropped here and there so that it might go into the channels of another practitioner's case, are still cheap bids for practice. With the awakening knowledge of us among the lay people, why do some men persist in practicing these when they can only react to their own discredit and limitation? Why not accept the standard that every one is worthy of the price he puts on his service, and not engage in fee-splitting, or having fees lowered for a patient so that he may feel dependent for guidance in medical affairs when the patient can and is liable to go elsewhere for service without considering any one of us? We must not, while we pretend to be friends, engage in backbiting and defaming one another, but be real friends at all times, or at least be silently indifferent toward those we have no regard for. When we meet scientifically, let us do so on the basis of individual merit, and when socially, let us do so on the basis of congeniality of taste or good comradeship, and not for a feverish craving for self-advertisement, admiration or excitement. Remember that the lay people are close to us now, seeing, hearing, learning and deeply interested in all of the affairs that we engage in.

The practice of medicine is the noblest profession of man, and the art full of fine examples of the past and present. Then why, in these gatherings of ours to which we invite members of the boards of directors of our hospitals, and when other lay people are present, do we engage in questionable stories, common talk, and tell tales about some other practitioner or speak humorously of things that should be sacred with us? It seems that the day has come when all of us should show more pride in our calling, our institutions and ourselves and act before the public with dignity so that they must respect us fully, now, and when we show them the wares of ours that they are still to see and learn of. This is the course that will educate the people away from ready criticism of doctors and medical matters, stop the publishing of articles and those overdrawn jokes on doctors in the lay press, and make for opposition against the establishment of creeds, sects and cults. Democratic demeanor is the noble standard of America, but it does not require the debasement of our profession or ourselves for its development or perfection—far from it.

126 East Sixtieth Street.

Newspaper and Medical Journal Advertising.—While the medical profession is making a great hue and cry about patent medicines and quack doctors, and lampooning the editors of newspapers and popular magazines for their selfish attitude in accepting advertising from such perpetrators of fraud, it may not be amiss to look at some of the inconsistent practices on the part of supposedly reputable members of the medical profession. It is our candid opinion that most of us live in glass houses and have no right to throw stones. For instance, what right have we to complain about the advertising carried by newspapers and magazines when we not only tolerate but support medical journals that carry the worst kind of nostrum advertising? What right have we to complain about the people dosing themselves with patent medicines when we prescribe proprietaries about which we know little or nothing, and which usually are misrepresented by the manufacturer? What right have we to complain of the grafting done by the quack doctor when so-called reputable medical men will operate for the sake of the fees, and will not only give or accept the commissions but will actually traffic in the ills of humanity in a manner that would do credit to Captain Kidd? Surely the medical profession needs a house cleaning and the sooner we begin, the better.—*Jour. Indiana State Medical Association.*

CONTRIBUTION TO THE SURGERY OF BONES, JOINTS AND TENDONS

JOHN B. MURPHY, A.M., M.D., LL.D.
President of the American Medical Association
CHICAGO

(Continued from page 1265)

TREATMENT OF ACUTE INFECTIVE ARTHRITIS NOT COMMUNICATING WITH SUPPURATIVE FOCI OUTSIDE THE JOINT

The treatment of acute arthritides to avoid the baneful, irreparable conditions that have been resultant from these infections involves a masterly, preconceived, well-calculated, accurately directed and timely activity in place of the passive, expectant, inefficient, if not harmful, management which they have received in the past.

While we may not always be able to control the infections or prevent the ankylosis, we are always able to control the deformities and avoid the horribly disfiguring contortions resultant from these infections called rheumatism that we see in our every-day practice.

The general plan consists of:

1. Relief of the tension of infection products by careful aspiration of the fluid in the joint. This retards the destruction of the joint and joint capsule, which is so much accelerated by tension. It might be relieved by drainage, but drainage of a joint with the insertion of tubes means a subsequent ankylosis in 96 per cent. of the cases. The ankylosis following drainage is a very extensive one; therefore drains should never be used. The joint may be incised and immediately sutured without causing any particular injury.

2. Relief of the intra-articular pressure on the bone ends caused by involuntary muscular contraction. This is best effected by an ordinary Buck's extension with a weight *sufficient to overcome the muscular contraction*, and ranging from 10 to 25 pounds, depending on the patient's musculature. It can be applied to the upper and lower extremities with equal advantage. It is the best means for the relief of pain; it avoids ankylosis, as in many of the cases the only ankylosed point in a knee-joint, for instance, is a nickel-sized area where the bones were pressed into each other during the inflammatory process. It corrects positions and avoids deformity. It is always at hand and *should be applied the first day in every type of acute arthritis, no matter what name is given to it.*

3. Suppression of the infection in the joint cavity. It can be rendered sterile or nearly sterile by injecting into it daily 10 to 20 c.c. of formaldehyd solution in glycerin, or every two or three days, until the inflammatory process subsides, controlling the intra-articular fluid tension by aspiration, as outlined above.

In 1890, shortly after Trillot demonstrated the powerful germicidal properties of formaldehyd, I began making injections of liquor formaldehydi, iodoform and glycerin into tuberculous joints, and in 1900 I began using it with glycerin alone as an antiseptic and immunizing fluid in joint cavities. Its effect is four-fold: A. It renders the fluid in the joint a poor culture medium. B. It produces a great local polynuclear leukocytosis in the joint fluids. In a large number of cases examined by me the percentage of polynuclears increased from 1 and 30 per cent. to 60 and 88 per cent. This, I believe, is the most important factor in the action of the liquor formaldehydi and glycerin injection.