uncomfortable if made to feel there is a possible chance of his being regarded a hypochondriac.

What is the most trying ordeal for a patient?—the operation? It may be for some, but for me it is the convalescent period. As soon as I feel strength returning and am able to leave the bed I want to be “a-going.” A nurse should never treat a convalescent as if he were in the way, as a few nurses seem to do, for he is usually as miserable as a bird that has had its wings clipped, ready to embrace the first opportunity of getting away that presents itself. I can understand a nurse wishing to get rid of a convalescent; there is nothing interesting about him. The hole in his head has become nothing but a scar, and his legs are as straight as other people's. I think, if I were a nurse, I would want only stretcher cases!

In ordinary human affairs one is treated better by one's relatives and friends than by strangers, but this does not necessarily follow in the sick room. A member of one's immediate family may show none of those patient and sympathetic qualities seen in the real nurse, while a person one has never seen before may have them in abundance. I have been treated with extraordinary kindness and consideration at times in the different hospitals in which I have been, and I have felt that some nurses were sent to this earth to be ministering angels. It seems to me that it would have been just as hard for them to have been unkind and neglectful as it would have been for others to avoid showing these qualities.

THE ROENTGENOLOGICAL FIELD FOR NURSES

BY NORA D. DEAN, R.N.

Louisville, Ky.

The study of the Roentgen ray and its usage may be considered new in the nursing world, but it is a lusty infant, and like every other, it requires time for development. When the discoveries of Roentgen, Becquerel and Curie were first put into practical application by the medical profession, they were considered rather dangerous and it was thought that the Roentgenologist would never consent to the assistance of a nurse; instead there is, to-day, a vast field open to nurses who care to devote their time and study to this science.

The Roentgen ray has been, in the past few years, so studied and simplified by our expert scientists and Roentgenologists, that it proves to have untold value for the medical profession in the diagnosis and treatment of disease. Each day there is a greater demand for its usage, and like every other branch of the nursing profession, we cannot meet the demands for Roentgenographic technicians.

The purpose of this article is not to tell the mechanism of X-ray apparatus, but to present an idea of what is expected of a nurse technician.

In Roentgenographic work, we deal with physics, chemistry, and mechanical processes. There are a few simple laws governing the physics of X-ray, that are essential for the nurses to know, such as the laws governing control, voltage, spark gap, exposure, milliamperes, etc. Those who possess mechanical ability, may consider themselves most fortunate. The theory of shadow formation is very important and as the roentgenologist depends entirely upon the shadow formation in making a diagnostic reading, a nurse must familiarize herself with the normal shadows and their relation to each other, in their normal position, under normal conditions, or she will not be qualified to make a satisfactory plate. Thus the positioning of the object, the plate, and the tube, is a matter of elementary importance. The theory is that the image is made on the plate by the rays, passing perpendicularly from the tube through the object to the plate, in the normal position. For instance, if the patient cannot assume the normal position for picturing a certain object, then the plate and tube should be so positioned that the rays would pass perpendicularly.

The next procedure considered is the technique of the dark room. There are three main things to be observed: proper lighting, prevention of contamination, and careful manipulation. Doubtless only a few of us realize how delicate this work is, and what perfect technique should be used in handling and developing X-ray films. The slightest attempt to fold an Eastman Dupli-tized X-ray film will produce a shadow when it is developed, and this may prevent other shadows of importance from being detected by the interpreter of the film.

A standard formula should be used for mixing the developing solutions. The solutions are kept at a standard temperature and there is uniform exposure of the film, giving it the accurate time of exposure.

The technician soon controls the time of exposure of the film to the solutions by the time of exposure of the ray to the plate. The time of the exposure of the ray to the plate is controlled by the density of the object of which the image is to be made.

The technician should always bear in mind that the developing of X-ray films is a chemical process and should be handled with the greatest care. One of the most interesting features of this work is the gastro-intestinal examination, with the fluoroscope, watching the progress of the barium or bismuth meal throughout the entire intestinal tract. The general routine for this is to give the patient the barium meal at 8:30 in the morning, after which examination of the esophagus and stomach is made, having the patient return for a six-

hour reading, and on the following morning, for a twenty-four hour reading. At this time, the patient is given a barium and buttermilk enema, of one quart, and is placed in the dorsal position, so one can follow the shadow of the solution through the rectum, sigmoid, descending colon, transverse colon ascending colon, and filling the caecum, in this way detecting any filling defect that may exist. Since my observation of the Roentgen rays, I have failed to see the distinction between a high and low colonic irrigation, which the former student nurses were required to learn. The study of the Roentgen ray, its mechanism, and value in Roentgen diagnosis and Roentgenotherapy certainly prove it to be one of the most interesting scientific fields, open to the nursing profession at present.

THE VACUUM BOTTLE AS SICKROOM EQUIPMENT

BY HILDE BRAND

Quite frequently nurses are called upon to work in homes lacking at least some of the modern conveniences, or else the sickroom may be located in a distant part of the house. It is then that the vacuum bottle becomes a necessary and altogether helpful part of the sickroom equipment, an article that can be made to save the nurse many steps and much time and trouble. It frequently enables the convalescent patient to do for himself or herself what it would otherwise be necessary to ask the nurse to perform. An instance of the latter is the patient who requires a fresh drink during the night. He dare not get out of bed to get it, but if he has a vacuum bottle placed handy, filled with fresh cold water, it is usually an easy matter for the convalescent to pour himself a drink. The weary though faithful nurse need not be disturbed, something both nurse and any considerate invalid will appreciate. Even though the patient be unable to wait on himself, if a vacuum bottle is used to provide fresh water, it will save the nurse frequent trips to the source of supply, especially in the case of fever patients. At the same time it will make it unnecessary to leave the patient alone, which in some cases is dangerous.

Or the vacuum bottle may be filled with any hot liquid often so necessary in the sickroom, keeping it hot for hours, or until a fresh supply is conveniently attainable. For instance, a vacuum bottle can be filled with hot water early in the evening, and then used during the night to refill a hot water bottle that has become cold. Nurses will appreciate what this means in homes that do not have all the modern conveniences.

Note.—Nurses should be warned against keeping the food supply for a baby in a vacuum bottle. All milk contains bacteria, and to raise its temperature much above fifty degrees makes it an ideal culture medium for their growth.—Ed.