454. The Working Conditions of the Common Pump

Author(s): H. E. Schmitz

Source: *The Mathematical Gazette*, Vol. 8, No. 120 (Dec., 1915), pp. 174-176

Published by: Mathematical Association

Stable URL: <http://www.jstor.org/stable/3603976>

Accessed: 20-12-2015 19:07 UTC

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Mathematical Association is collaborating with JSTOR to digitize, preserve and extend access to *The Mathematical Gazette*.

<http://www.jstor.org>

In the figure, BX, CY are $\perp^r$ to AI , and $IM, IN \perp^r$ to AC, AB respectively. Then, since $BXIN$ is cyclic,

$$\therefore \hat{BXN} = \hat{BIN} = 90^\circ - \frac{B}{2},$$

and similarly,

$$\hat{CMY} = \hat{CIY} = \frac{A}{2} + \frac{C}{2}.$$

FIG. 1.

FIG. 2.

FIG. 3.

Hence $\hat{BXN} = \hat{CMY}$. Also $\hat{ABX} = \hat{ACY}$.

Hence $\triangle s BXN, CMY$ are similar;

$$\therefore \frac{BN}{BX} = \frac{CY}{CM};$$

$$\therefore BX \cdot CY = BN \cdot CM = (s-b)(s-c).$$

But

$$\sin \frac{A}{2} = \frac{BX}{c} = \frac{CY}{b};$$

$$\therefore \sin^2 \frac{A}{2} = \frac{BX \cdot CY}{bc} = \frac{(s-b)(s-c)}{bc}. \quad \text{E. M. RADFORD.}$$

454. [s. 1.] *The Working Conditions of the Common Pump.*

The text-books on Hydrostatics differ in the statement of the working conditions of the common pump. It is the object of the present paper to obtain these conditions in a form free from ambiguity.

Let the length of the pipe, measured vertically from the surface of the water to the bottom of the barrel, be denoted by a , the length of the barrel by b , the clearance-space (represented as a length) by c . Then $b-c$ is the range of the piston; it will be convenient to put $b-c=r$.

Let the height of the water-barometer be denoted by h , and the height above the free surface of the level of the water in the pump by x .

Initially x is zero. If, as the result of any number of successive strokes of the piston, x never reaches the value $a+c$, then the pump "does not work."

There are two valves, one at the top of the pipe, one in the piston. It is clear that, if during a complete stroke either of these valves does not open, x will be unchanged during the following strokes, and the pump will not work. Consider the action of the piston-valve. This will open during a downstroke if the air below it is sufficiently compressed, and in this case the water-level will rise during the next following upstroke. The pressure below the piston required for the piston-valve to open during the downstroke is just greater than the pressure of the atmosphere.

For the sake of brevity, let us suppose that at the beginning of a downstroke $x > a < a+c$; that is, let us suppose that the water-level is in the clearance-space. The pressure of the air below the piston is then $h-x$ at the beginning of the downstroke, and at the end of the downstroke, if the piston-valve does not open, becomes $(h-x) \frac{b+a-x}{c+a-x}$, since $b+a-x$ and $c+a-x$ respectively are the measures of the initial volume and the final volume. The pump will not work unless

$$(h-x) \frac{b+a-x}{c+a-x} > h,$$

i.e. unless

$$h(b-c) > x(a+b-x)$$

or

$$hr > x(a+b-x).$$

The value of x in this inequality may vary from $x=a$ to $x=a+c$. The interpretation of the inequality becomes obvious on plotting the values of $x(a+b-x)$ for values of x from $x=0$ to $x=a+b$. The maximum ordinate of the parabola so obtained is $\frac{1}{4}(a+b)^2$, the corresponding value of x being $\frac{1}{2}(a+b)$.

Three cases present themselves.

(1) a and $a+c$ may both be less than $\frac{1}{2}(a+b)$. In this case the greatest value of $x(a+b-x)$ occurs when $x=a+c$ and is $(a+c)r$. To ensure $hr > x(a+b-x)$ it is only necessary that

$$h > a+c.$$

(2) a may be less than $\frac{1}{2}(a+b)$, $a+c$ greater than $\frac{1}{2}(a+b)$. In this case the greatest value of $x(a+b-x)$ occurs when $x=\frac{1}{2}(a+b)$ and is $\frac{1}{4}(a+b)^2$. To ensure $hr > x(a+b-x)$ it is necessary that

$$hr > \frac{1}{4}(a+b)^2.$$

(3) a and $a+c$ may both be greater than $\frac{1}{2}(a+b)$. In this case the greatest value of $x(a+b-x)$ occurs when $x=a$ and is ab . To ensure $hr > x(a+b-x)$ it is necessary that

$$hr > ab.$$

In the diagram, the first case is illustrated by $OA=a$, $OB=a+c$, the second case by $OC=a$, $OD=a+c$, the third by $OE=a$, $OF=a+c$.

In each of the three cases we have found a single condition. In the first case it is clear from the previous argument, or is easily shown algebraically, that, when $h > a+c$, the relation

$$hr > ab$$

is necessarily satisfied. In the second case we see similarly that the two relations

$$h > a+c,$$

$$hr > ab$$

are necessarily satisfied if $hr > \frac{1}{4}(a+b)^2$. Finally, in the third case, when $hr > ab$, the relation

$$h > a+c$$

is necessarily satisfied.

It may be worth while to notice that

$$hr > ab$$

is the condition that the water shall rise to the top of the pipe. The condition that the water shall rise above a level x in the pipe is

$$hr > bx.$$

If in the diagram we introduce ordinates to represent the values of bx from $x=0$ to $x=a$, we obtain a straight line such as, for the third case, OE' .

H. E. SCHMITZ.

455. [P. 3. b. a.] *Retro-Azimuthal Projections* (cf. *Gazette*, No. 108, Dec. 1913, pp. 208 *et seq.*).

Let O be the centre of the map, and P any point of the map.

It is necessary to distinguish two kinds of R.A. projections.

(i) The bearing of O from P is represented correctly, on the map, by the angle between the straight line OP and the meridian through P .

We shall refer to this as of the "First kind."

(ii) The bearing of O from P is represented correctly, on the map, by the angle between the straight line OP and the central meridian.

This will be referred to as of the "Second kind."

The problem has been solved in the following cases :

First kind.—*Orthomorphic*. The Stereographic projection is both Azimuthal and Retro-Azimuthal. This solution is due to Mr. J. I. Craig. It obviously requires no proof.

The map of the *Egyptian Survey Department* belongs to both kinds, seeing that the meridians are straight lines and parallel to one another.

Equidistant. A solution by Hammer.

Second kind.—*Orthomorphic*. Solution due to Dr. Maurer, published, on some date in 1911 or 1912, in *Petermann*. The meridians and parallels are