This article was downloaded by: [University of Cambridge]
On: 23 January 2015, At: 09:10
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered Number:
1072954 Registered office: Mortimer House, 37-41 Mortimer Street,
London W1T 3JH, UK

Annals and Magazine of Natural History: Series 8

Publication details, including instructions for authors and subscription information: <http://www.tandfonline.com/loi/tnah14>

XL.—Description of a new Loricariid fish of the genus *Plecostomus* from Argentina

C. Tate Regan M.A.

Published online: 08 Sep 2009.

To cite this article: C. Tate Regan M.A. (1908) XL.—Description of a new Loricariid fish of the genus *Plecostomus* from Argentina , *Annals and Magazine of Natural History: Series 8*, 2:10, 358-358, DOI: [10.1080/00222930808692493](https://doi.org/10.1080/00222930808692493)

To link to this article: <http://dx.doi.org/10.1080/00222930808692493>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly

or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

XL.—*Description of a new Loricariid Fish of the Genus Plecostomus from Argentina.* By C. TATE REGAN, M.A.

Plecostomus tæniatus, sp. n.

Depth of body 5 to $5\frac{1}{2}$ in the length, length of head $3\frac{2}{3}$ to $3\frac{3}{5}$. Head as broad as long and $1\frac{2}{3}$ as long as deep. Diameter of eye 8 to 9 in the length of head, interorbital width $2\frac{3}{4}$, length of snout $1\frac{1}{5}$. Length of mandibular ramus 2 in the interorbital width; 30 to 36 teeth on each side in both jaws. Barbel about $\frac{3}{5}$ the diameter of eye. Snout broad, obtuse; supraorbital edges not raised; temporal plates not keeled; supraoccipital without median ridge, bordered posteriorly by 4 or 5 scutes; occipital process short. Scutes spinulose, not carinate, 31 in a longitudinal series, 8 between dorsal and adipose fin, 15 or 16 between anal and caudal. Lower surface of head and abdomen covered with small granular scales. Dorsal I 7, the first ray a little longer than the head and when laid back extending to the fifth scute behind the last ray, which is a little more than $\frac{1}{2}$ as long as the first. Length of base of dorsal equal to its distance from posterior end of spine of adipose fin. Anal I 4. Pectoral spine extending to anterior $\frac{1}{3}$ of pelvic fin. Caudal emarginate, the middle rays nearly $\frac{4}{5}$ as long as the longest. Caudal peduncle $3\frac{1}{2}$ as long as deep. Head with numerous small dark spots; sides of body with three or four dark longitudinal stripes, each occupying the upper and lower parts of adjacent series of scutes; dorsal and paired fins with some dark spots; caudal dusky.

Hab. Rio La Plata.

Two specimens, 260 mm. in total length, received for determination from the Berlin Museum. One of these has been retained for the British Museum Collection.

XLI.—*Descriptions of new Fishes from Lake Candidius, Formosa, collected by Dr. A. Moltrecht.* By C. TATE REGAN, M.A.

Gymnostomus labiatus.

Depth of body equal to the length of head, 4 in the length of the fish. Snout not projecting beyond the upper lip, nearly as long as the postorbital part of head. Diameter of