IMPROVED INSULATOR.

THE insulator illustrated is of the form most used by the Postal Telegraph Department in England. In this the porcelain cap is grooved, and the telegraph wire held by binding wire firmly attached to it and passing round this groove.

FIG. 1.—ORDINARY ENGLISH PORCELAIN INSULATOR.

This binding takes some time, and in some districts the binding wire is rapidly corroded and the attachment destroyed. In the new insulator—the invention of Mr. C. E. Crichton, of Newcastle—the porcelain cap is made in two

FIG. 2.—CRIGHTON'S IMPROVED INSULATOR.

parts, A and B. The upper part of A is slotted and screwed, as shown by detached sketches, and a strong porcelain cap, B, screws thereon. The telegraph wire, W, is simply dropped into place, the serrated steel wedge, E, dropped into

FIG. 3.

the slot, and the cap screwed in. The wire is by this means held so tight that the ordinary lengths may be suspended by its grip.

PHOTOGRAPHING BY GASLIGHT.*

By J. URIE.

THE art of taking pictures by artificial light is nearly as old as photography itself. No sooner had Daguerre's discovery become known than the search for an artificial light was commenced, so that we could dispense with daylight during the fogs of November and the following dark month. Gaslight was tried, with parabolic and other reflectors, but the exposure was too long, owing to our slow-working chemicals. Then the chemical light was utilized, but the sudden flash and glare was too much for the sitter. The operator could not wait for the proper expression on the countenance, nor study the light and shade to produce a well-balanced portrait.

These objections are, to a large extent, done away with, merely through the discovery of rapid dry plates and the use of ordinary gas. The gas apparatus is so arranged on casters that it may be wheeled to any part of the studio or right round the sitter, and any view of him may be taken. The principal reflector is the old oval concave reflector, five feet long by three feet wide, balanced on an iron stand made of one and a half inch gas pipe, with sliding rods to work similarly to a head rest, to elevate or lower the reflector for standing or sitting figures. By an arrangement the reflector can be thrown forward at the top or bottom, so as to angle the direction of the rays of light.

The gas burner is made by bending four pieces of half-inch gas pipe into rings so that each may easily go into the circle of the other, the outer ring being about nine inches diameter, each ring being attached to an inch supply pipe. Into these rings is drilled as many holes as will admit about one hundred burners, and to each ring or set of rings may be attached a stopcock, and the whole may be used or only part of the supply, for focusing. This burner is swung upon a rod, the ends of which rest on notched horizontal slits made in the sides of the reflector, so that when the reflector is tilted the light may be brought into its optical focus. By this arrangement the burner keeps its perpendicular or upright position.

Over the burner is placed a glass funnel, twenty inches high and twelve inches diameter. On the top of this funnel is an iron pipe with a damper to regulate the draught, and partly to support the glass tube, which it fits. On to this, again, is attached a rod coming up from the stand to steady all, and on the roof is hung an ordinary shop window reflector connected to a chain and worked with pulleys, so that it may be lowered or swung to any side. By this means the shadows are taken out of the background, and the light modified as required. The whole is fitted with India-rubber tubing, so that the apparatus can be moved to any part of the studio.

Within the last few days a new burner of novel construction has been introduced into Glasgow, and may be seen working every night at the corner of Argyle street. Mr. Fowles, of the gas company, has kindly placed one of these new burners at my disposal to-night for experiments. The design of the burner is quite unique. The principal improvement consists in directing the current of air by means of two glass cups placed one inside the other. The air is admitted in a thin stream between the glass cups from the bottom.

Round the interior of the jets is placed a diaphragm of mica to add to the draught and assist combustion. The other part of the burner consists of six ordinary jets, which, by an ingenious stopcock worked by a lever when the gas is turned off, keeps a small jet at the side, and is lighted by shifting the lever half round the light of the side jets; but, as it would be a waste of gas to keep such a bright light burning all night, simply turn the lever a little more, and this turns off the six jets and lights one in the center. This burner gives the whitest and best flame I have ever yet seen with the smallest consumption of gas, and will be found of great use in photography. I shall place it in the reflector to-night and give it a trial.

The use of gas for photographic purposes has many advantages over any other artificial light, namely, cheapness, steadiness, uniformity of color, clearness, and freedom from fumes and smoke. It is always ready, can be turned on at any moment, and the operator can observe the light and shade on the sitter and expression, which want is one of the defects of the "firework" system. With your permission I will now show the light.

THE CHEMISTRY OF LIGHT.†

By JOHN EDMOND FAIRLIE, L.R.C.S.

MANY and diversified are the effects produced in nature by light. Of these, some are easily seen and felt by the most unlearned, while others require the utmost attention from scientific observers and the most careful application of scientific art and knowledge to be at all realized. Of the former we may mention the illuminating and heating powers of light. Any one can form a good idea of the beneficial influence which these have over the life of plants and animals. They are what may be termed "The common physical effects of light;" but the latter—which are for the most part chemical, and, if physical, require, owing to their intricacy, philosophy in its most abstruse form to explain—no common observer can elicit or set forth. From scientific study alone can we explain the nature of light itself, the chemical changes which it induces among the many substances on the face of the earth, the minute operations which it carries on in the tissues of plants, and the wonderful power with which it operates on the eye to produce vision and color.

You will thus observe that this is a very wide subject, and has so many phases that it would be impossible to give more than a mere outline in one lecture. But as I have promised to make some researches on the practical part of the subject bearing upon photography—the result of which I hope to bring before you at another time—and as I do not in the meantime pretend to be anything of a photographer, I will only attempt to-night to give you a mere outline, as simply as possible, of the new science called "The chemistry of light." To make this subject plain, I shall have to touch upon many points which are purely physical, but I will endeavor to avoid all manner of detail which might be uninteresting.

The prime source of light in our planetary system is, of course, the sun. This body, which is supposed to be white hot, emits an intense illumination spreading in all directions from its surface; but in what way its heat is kept up it is very difficult to explain. Certainly it is an illumination of great power, and is the source of almost all the light we

have—either directly with its own beams, or indirectly by supplying us with combustibles to produce light artificially. For gas, candles, oil, and most of the substances used for producing light and heat, when burning, are but sending forth the rays of the sun in another form, which were stored up in the wise economy of nature. Some lights, however, are purely the result of a chemical action, seemingly quite independent of the sun's rays, such as the lime, magnesium, and electric lights.

Hitherto good photographs have only been produced by direct sunlight, and yet there are many artificial lights which are quite brilliant enough to give a picture; but each one seems to have its own particular objection. When a stream of oxygen and a stream of hydrogen, each under pressure, are brought and mixed within a few inches of the end of a blowpipe, the mixture burns, on lighting, with a colorless flame, possessing intense heat. If this flame be made to play upon a ball of carbonate of lime, the lime on becoming white hot gives off a powerful incandescence. This light has been used in photography with some success; but its use is neither free from danger nor expense. When the metal magnesium is rolled out into fine ribbon and heated to a red heat it takes fire and burns with a dazzling light. This forms a useful light for photographic purposes when properly toned down; but its expensive nature renders it useless for common photographs. Attempts have also been made with pyrotechnic lights and even coal gas, but the greatest of all artificial light is the electric. This light, whether produced by a series of galvanic cells or by dynamic power, is the most brilliant and is evidently best suited for photography. At present, however, it has the objection of expense; but if the process of illumination proposed by Mr. Edison ever comes into general use, the question of expense being removed, this light, we have every hope, will become quite common in the taking of pictures when sunlight is not available.

To understand the nature of light we have to suppose that there is an elastic fluid called "ether," which pervades all space and substance. It is exceedingly difficult to imagine any such body which is in itself immaterial and is yet capable of conducting motion and force; but we must remember, also, that the nature of electricity is quite inexplicable, and can yet pass both through solid and liquid bodies. When the particles or, more correctly, the molecules of a solid body are set in motion, they have the power of setting this ether in motion. The movement thus produced, according to the rapidity with which molecules are agitated, appears either as heat or light. The fact that the ultimate particles of a solid body move round one another has to be assumed to explain light.

The modern theory of light, therefore, rests upon these two assumptions, namely, that there is an ethereal fluid pervading all space and substance, and a continuous movement among the molecules of matter, capable of being increased by agitation. If we observe the gradual heating up of a piece of iron through a prism we shall see that the iron is red before any appearance of illumination can be seen, but gradually, as the metal gets hotter, red rays are observed; then, as it becomes hotter and hotter, yellow, green, and blue will appear, till at last, when the metal is a dazzling white, a spectrum of all the colors is seen. Thus, from the dull, red heat, which radiates only heat, to the whiteness which gives a full spectrum, the movement of the molecules of iron round one another is gradually increased, showing that the quality and brightness of the light depend upon the rapidity of this movement. The movement of the molecules sets the ethereal fluid in motion, and this motion, affecting the eye so as to produce vision, is called "light." We say that a motion is produced upon the ether, because it must not be supposed that it travels with the rapidity of light; but the fluid being agitated a series of waves are set up, which, when they reach the ether in contact with the eye, produce vision.

These ethereal waves are exactly similar to the waves produced by throwing a stone into water. The water is set in motion, but the particles of fluid do not travel; they simply move up and down, one set of particles communicating the same motion which it received from those in contact, and so on. The water appears to radiate in all directions, but is in reality stationary. So is it with light. The hot body is similar to the stone—the waves passing outward in all directions, the position of the ether remaining unchanged.

This wave motion is also illustrated in the production of sound. One portion of air is agitated, which conducts the same movement to a contiguous portion, thus producing waves of air which, when they affect the air in immediate contact with the aural structure, so affect them as to produce the sensation of sound. The length of the sound waves varies from about one inch to about thirty feet, but the light waves are infinitely smaller. These latter vary from the one-thirty thousandth of an inch on the red band to about the one-sixty thousandth on the violet. The time of the ethereal waves is still more remarkable, the wave times varying from the one-four-hundred-and-twentieth of the billionth of a second on the red to the one seven-hundred-and-eightieth of the billionth of a second on the violet. Thus there are about from thirty thousand to sixty thousand of these waves in one inch of a ray of light, and these succeed each other so rapidly that from four hundred and twenty to seven hundred and eighty billions enter the eye in one second of time. The result of this rapidity is that, although light is composed of different colors, the eye is unable to distinguish between them, and the result is white.

I have here an arrangement which will show that white light is composed of the different colors. First, we have a dark box not unlike the camera obscura, only that it is a camera lucida: that is, the light, a jet of gas, is inside instead of out. The light is made to escape through a tube in the side and pass through a double convex lens, the focus of which falls upon a bottle with two sides at an angle of 60° and filled with bisulphide of carbon—a substance which has great power in refracting light. This, you will observe, is a peculiar prism, and the white light which falls upon the one window is refracted from the other in its essence, which you now see upon this sheet which I hold, namely, red, orange, yellow, green, blue, indigo, violet—in fact, the colors exactly of the rainbow. You see on the wall a diagram of these colors. The red rays—which, you will remember, have the longest waves—are the least refrangible, while the violet, whose waves are shortest, are the most refrangible, the green being intermediate. It is most remarkable that the long waves have most effect upon the eye and the shortest least; for you all know that the eye soon gets tired when looking fixedly at red, while it ponders with ease upon the quicker but calmer waves of the blue.

When a ray of light falls from one transparent medium to another of different densities the light is said to be refracted. If the ray falls upon a denser medium, it is refracted toward a perpendicular to the surface, but, if rarer,

* A communication to the Glasgow Photographic Association.

† A recent lecture before the Glasgow Photographic Association, January, 1880.

from the perpendicular. This is true so long as the surfaces are regular, but if irregular the case is different. When the surface is regular, as in plate glass, the ray assumes a course parallel to its original one; but when the surface is irregular, as in a prism, it is bent into a different course altogether. Thus, in the prism, if a pencil of parallel rays falls on one side, those rays which have the greatest distance to travel in the glass will be refracted most, the others least; so that the pencil of light takes a course at an angle to its original one. Now, if you take two prisms and place them base to base, and let a beam of light fall upon them, the rays passing through the thin end of the one will take a downward course, while the rays at the thin end of the other an upper. Of course these must bisect one another, and this is the principle of the lens. A bi-convex lens is simply a double prism, and the point at which the rays bisect is the *focus*.

Now, let me draw your attention for a little to the construction of the eye. This drawing represents a section of this most important organ, with a beam of light falling straight upon its surface. It is needless for me to say that you are all well acquainted with the camera obscura, but very likely you know little of the eye; and I have to tell you that the two are built upon the same principle, and, with the trifling difference that the former is square while the latter is round, they are essentially the same in many particulars. In the camera obscura you have a dark box with an aperture to admit light; you have lenses to bring the light to a focus; and you have a sensitive plate on which to fix the object. So with the eye. We have here also a box, with a good coating of dark pigment on its sides, we have an aperture to admit light, lenses to bring it to a focus, and an extremely sensitive surface on which the picture is to be fixed.

The outside coat of the eye, called the "sclerotic," is a tough membrane, the front part of which forms the "white of the eye." Beneath this is a very dark coat filled with pigment, and is called the "choroid coat." Internal to this still is the expansion of the optic nerve called the "retina," which forms the sensitive surface. The eye contains four lenses, which together have the power of bringing the light to a focus on the retina. The first of these is the cornea, the horny window in front; next, the aqueous humor behind; next, the crystalline lens—a small, transparent, bi-concave lens; and last of all we have the vitreous humor—a jelly-like substance which fills the interior of the eye. Between the cornea and the crystalline lens is a most delicate and beautiful structure, the pupil. This is a small muscular screen with an opening in the center to admit the light. This pupillary membrane is composed of circular and transverse muscular fibers. The circular, on contraction, lessen the open space which admits the light, while the transverse on contraction greatly dilate the orifice. By the alternate contraction of these fibers the amount of light which enters the eye is regulated, and in this way too much light is never allowed to enter, the sensitive coat being so delicate that it might be injured by a great influx of light.

When the light is brought to a focus upon the retina an irritation is produced, which is carried along the optic nerve to the brain, which results in the sensation of vision being realized. But the eye resembles the camera still further; for it has been found that not only is the image set upon the retina, but even some chemical change takes place, as in the case of the silver plate. When an animal is covered with a cloth, allowed to look at an object, and then instantly killed and the eye opened in a yellow light, an image of the object is seen of a pale purple color, which fades to gray on being exposed to white light. When the focus of the light, passing through the eye, is brought, not exactly upon the retina but a little in front, we have short sight; but when a little to the far side, we have long sight. In either case the optician has to introduce a fifth lens in the form of glasses to correct the focus.

We remarked before that white light was a mixture of all the colors; but, as there is in the spectrum an endless variety of hues, surely these cannot be all pure sensations of color. This is a very disputed point, but it is generally admitted that there are only three sensations of color, namely, red, green, and violet. Thus, orange is a mixture of red and green, with a preponderance of red. Yellow is also a mixture of these two, with a preponderance of green; and blue and indigo are mixtures of green and violet. But we never, indeed, see a pure color, for even the red has a little green and less violet, while violet, also, as we see it, is tinted with green and red. It may seem curious that yellow is a mixture of red and green, as every one knows that when yellow and blue are mixed, a green is produced. We have here to remember that pigments and spectral colors are different, in that the former are seldom so pure as to produce the exact result which mixing the latter would produce. For if we remember that red, green, and violet in equal proportions form white—that is, no color is seen—the production of green from yellow and blue pigments is easily explained. Blue is two of green and one of violet, while yellow is two of green and one of red. Thus, the one of red and the one of violet go with one of the green to form white, and three proportions of green are left free; so the pigment is now of a bright green color. There is, in fact, no green pigment to exactly represent the pure sensation, and we have generally to produce it in this way.

Let me now mention a few of the purely chemical effects of light, and this will bring me to touch upon the chemistry of the photographic process. Sunlight has the power of forming the green coloring of plants called "chlorophyll." This substance has a powerful chemical action on the substances which are presented to the plant for food. The carbonic acid gas, which is the refuse breath of all animals and a product of most forms of combustion, is continually being poured into the air. This gas is incapable of supporting life, and is said even to be a poison. Now, if it were allowed to accumulate it would thus in time pollute the air. But the same gas which is the refuse of animals is food for plants by the power of the sun, for the chlorophyll can decompose it when it is absorbed by the leaves, keeping the carbon for food to the plant, and letting the leaves throw out a stream of life-giving oxygen back to the air in order to purify it for the use of animals once more.

Plants also take up water both from the ground and the air, as well as matters containing nitrogen in solution. The chlorophyll causes reactions between the different substances to form the constituents found in plants. Water and carbon form starchy compounds, and water, carbon, and ammonia form the very important nitrogenous compounds found in the tissues of plants. The food which we use is thus all provided for us by the power of the sun; for we either eat the vegetable substances themselves or the animals which eat them.

The most important of foods contain carbon, hydrogen, and oxygen, such as starch and sugar, or they contain these in

addition to nitrogen, as in gluten and many compounds, so that without the sunlight to call into play the actions by which these are formed we could get no food.

The most interesting part, however, of this subject is the chemical effects of light in the process of photography. When the negative plate is exposed to the action of light some change is produced, which, however, is not seen till after it is put into the developing bath. The plate has a pellicle of some transparent solid, such as gelatine, mixed either with chloride, bromide, or iodide of silver in presence of nitrate of silver, either before being exposed or before dipping into the developing solution. The chemical actions which go on are these: On exposure the chloride, iodide, or bromide of silver is reduced to the subchloride, iodide, or bromide—a form of the salt much more sensitive to decomposition. When, therefore, the exposed negative is dipped into nitrate of silver and then into a solution of ferrous sulphate or pyrogallol acid, wherever the light has affected the surface of the plate the subsalt formed by the light is now decomposed into silver and deposited as a dark stain, while the chlorine, bromine, or iodine forms more salt and nitric acid is set free; this reacting with the sulphate of iron and water, the oxygen of the water goes to oxidize the ferrous into ferric sulphate; while when there is no more nitrate to react with the chlorine, bromine, or iodine, these respectively go to the hydrogen of the water, and form hydrochloric, hydrobromic, or hydroiodic acids. When the plate is then washed in hyposulphite of soda all the salt of silver on which the shadow fell having remained the same during all this process of developing, is now washed away, owing to the hyposulphite of soda forming a double hyposulphite of soda and silver, which is very soluble in water, as well as the chloride, bromide, or iodide of soda, which are also very soluble in water.

In using the plates dry the only difference is that no nitrate of silver is left adhering to the plate, as it is well washed, dried, and then coated with a thin coating of tannin, or some such substance, to prevent scratching and to preserve the film containing the silver. It is rendered more firm by the tannin and gelatine forming a firmer substance than the gelatine itself. Plates used dry in this way require to be dipped in nitrate of silver before putting them into the bath, in order to keep up the reaction already described. The chloride of silver is the most sensitive to light, but the most sluggish in the reactions of the bath, while the iodide is least sensitive to the light, but most active to the changes which go on in the process of developing. The bromide stands intermediate. This is the reason why you mostly now make the negative films with bromide or iodide, so that the shadows may not be too harsh, while for the sensitive paper for printing the positive it is mostly the chloride that is used. The chlorine in the chloride of gold used in toning plays a similar part to the same element with the silver, the chlorine becoming hydrochloric acid, and the gold precipitated as a fine, purple, metallic film.

This diagram of the spectrum is intended to illustrate the effects of the different colors upon the silver compounds. You see a line drawn from beyond the red to the yellow; the rays within this space consist mostly of heat, some of which are, of course, invisible. Then there is a line drawn from the beginning of the red to the end of the violet, and these are called "light rays." Then, again, we have a line drawn from the green to a point considerably beyond the violet, and the rays in this part of the spectrum are called "chemical rays." Now the red and yellow rays of light act most upon the chloride of silver, and this is how it does not do for negatives. These colors act less upon the bromide and still less upon the iodide of silver. The green, with the blue and violet, act upon the bromide, while only the latter affect the iodide. Thus in sunlight the best pictures are produced by a mixture of bromide and iodide of silver on the negative, while in the use of artificial light, which always contains too much red and yellow, it is evident that the iodide alone ought to be most successful.

This brings me to speak, in conclusion, of the tinting of plates. You will observe that when we precipitate the chloride, bromide, and iodide of silver side by side, the first is pure white, the second is yellowish white, while the third is of a pale yellow. Now, when light passes through a colored body the light is found to have lost yellow; this is the reason of the black lines in the spectrum of the sun. The vapors of the particular metals absorb the same color which they give off when burned. This is a similar fact in regard to red and yellow acting less upon the iodide, simply because it reflects these colors from its own surface, and, therefore, hinders them from decomposing the silver. By tinting the negative still higher some photographers have succeeded in making many colors which come out white turn up the usual bronze shade, and it is affirmed that in a similar manner the natural colors may be taken in their own hues if only they could be fixed, which has as yet not been accomplished to any great degree.

By ALBERT R. LEEDS, Ph.D.

I.—ITS ORIGINAL DISCOVERY, SOURCES, AND PROPERTIES.

THE history of ozone begins with the clear apprehension, in the year 1840, by Schönbein, that in the odor given off in the electrolysis of water, and accompanying discharges of frictional electricity in air, he had to deal with a distinct and important phenomenon. Schönbein's discovery did not consist in noting the odor; that had been done by Van Marum, more than half a century before, but in first appreciating the importance and true meaning of the phenomenon. For while Van Marum, Cavallo, and others who followed them, connected the odor with the electricity, calling it the "electrical odor," or "aura electrica," and thus made it the property of an imponderable agent, Schönbein ascribed it to the peculiar form of matter operated upon.

The hypothesis of Van Marum necessarily remained barren of fruits; that of Schönbein speedily enriched chemical science with a host of acquisitions.

Clinging tenaciously to the doctrine that there could not be a variety of origin for one and the same odor, and that the kind of matter producing it in every case must be identical, Schönbein fixed his discovery by giving to that one and certain kind of matter the name of ozone. By adhering to this guiding clew, he added, as a third source of ozone, the action of moist phosphorus upon air (1840-1843); and since that time, besides electrolysis, electrical influence, and the action of air upon moist phosphorus, no other sources of ozone of practical utility have been discovered.

The fact that Schönbein so stoutly insisted and eventually so triumphantly established the identity of the ozone

from whatever source derived, must not be lost sight of in any estimate of his merits as a discoverer. The earliest attack came from De la Rive, who attributed the odor to metallic oxides set free from the metals used as electrodes or as terminals in electric discharges. But Schönbein pointed out that, besides the improbability of an odor arising from solid bodies, this hypothesis required that solid bodies should have the property of indefinite suspension in the atmosphere, instead of being deposited or washed down by water (1840-1843).

The next attacks came from Fischer, who regarded Schönbein's ozone as probably peroxide of hydrogen; and from Williamson, who thought there were two kinds of ozone, one the ozone given off in electrolysis, and which he regarded as a higher oxide of hydrogen, differing from the previously well-known peroxide and the other formed by the action of phosphorus on moist air. But Schönbein disposed of both objections: of the first, by showing that the chemical and physical properties of ozone are not the properties of peroxide of hydrogen; and of the second by demonstrating that, whatever might be the true nature of ozone, the gaseous matter obtained in the electrolysis of water was in all respects identical with that formed by the action upon air of moist phosphorus (1844-1845).

During these first five years, Schönbein was busily engaged in ascertaining the properties of ozone. Since no peculiar methods were employed in the furtherance of these discoveries they need not detain us here further than briefly to summarize them, and to point out what corrections have been rendered necessary by the labors of subsequent investigators.

They are: 1st. Its eminent oxidizing powers, as shown by its ability to transform most metals into their higher oxides, and to raise the lower oxides into the condition of peroxides. Certain of the non-metals—phosphorus, chlorine, bromine, and iodine—are similarly oxidized. Schönbein's statement that it does not unite with nitrogen under ordinary circumstances, but enters into combination when alkali is present, has been abundantly disproved; among others, by Berthelot (1878), who has shown that no combination occurs, even when alkali is present. It oxidizes sulphites and nitrites into sulphates and nitrates, and many sulphides into their corresponding sulphates. It destroys (as has since been more elaborately demonstrated by Houzeau, 1872) many gaseous compounds of hydrogen, like those with sulphur, selenium, phosphorus, iodine, arsenic, and antimony. It discharges vegetable colors and powerfully attacks many organic bodies. The nature of its action in the latter case has been more extensively studied by Gorup-Besanez (1863), and he has described the products of the reactions which occur when ozone is allowed to act upon organic substances alone or in presence of alkali.

2d. According to Schönbein, ozone is insoluble in water. The observations of subsequent experimenters conflict on this point, but there appears to be much evidence to show that it is soluble in water, though only in small degree.

3d. Schönbein pointed out that atmospheric air strongly charged with ozone acts powerfully on the mucous membranes, and produces symptoms of catarrh. This and his analogous statement that ozone is present in the atmosphere and plays there a very important role, attracted to the subject not only great popular attention, but enlisted as observers a multitude of students of medicine the world over, who hailed the newly discovered body as an invaluable therapeutic agent, and rushed forward to establish, by sufficiently numerous observations, the relations between its presence or absence in the atmosphere, and the kind and prevalence of disease. Thirty years have passed away, and neither anticipation has been realized. Indeed, at the present hour, the possible value of ozone as a therapeutic agent is obscured by its having fallen into the hands of empirics; and the multiplication of inexact observations, and the crude and hasty generalizations therefrom, have covered with a sort of scientific opprobrium the whole subject of atmospheric ozone.

What causes have led to these lamentable results in the past? What prospects are there that both subjects can be reinstated in good scientific standing in the future?

And first, with regard to ozone as a therapeutic agent. Without considering at present the unsettled questions of a medical character as to the proper mode or amount or propriety of application, we apprehend that there have been hitherto three grave instrumental difficulties. 1st. To obtain ozonized air or oxygen of known strength and of adequate purity. 2d. It is doubtful whether in one form in which the attempt has been made to employ ozone in medicine—that of "ozonized water"—any ozone whatever has been present. Such was the case with the "ozone water" of Krebs, Kroll & Co., in which Rammelsberg found chlorine. Since ozone is so slightly soluble in water at common temperatures, that it is extremely difficult to demonstrate the fact of solution, the proposition to employ "ozonized water" as a remedial agent opens a wide door to quackery. 3d. It is certain that, from the mixture of potassium permanganate and sulphuric acid, which has been and is recommended as a convenient source of ozone for medical use, no ozone, but merely chlorine and oxides of chlorine (due to impurities in the permanganate) are derived.

These errors have been exposed and the difficulties overcome. There is no obstacle to having in the office of the physician, the sick-room of the patient, or the wards of the hospital, ozonizers suitable to each place, and adequate to supply ozonized air or oxygen of known strength and purity. This being the case, it remains for the therapist to do his part of the work and to discover when and how ozone is to be employed in legitimate practice.

Second: to detect the amount of ozone present at any time or place in the atmosphere, and the role this atmospheric ozone plays as a disease-excitant or prophylactic. The objections which vitiate the observations hitherto made are two in number: 1st. The ozonoscopes hitherto employed, Houzeau's and the Thallium test included, are all affected by some one of the gaseous bodies possibly present in the atmosphere, as well as by ozone. 2d. The method of conducting the observations is in its nature inexact, and variations in wind, temperature, humidity, etc., are allowed to increase the resultant errors.

Advance in this direction is to be looked for only when the methods at present in use are abandoned in favor of others more in harmony with those pursued in other branches of gas analysis, and when reagents are employed which will assign true values to the amount of ozone determined.

II.—THE NATURE OF THE CONSTITUENT MATTER OF OZONE.

In his speculations upon the nature of ozone, Schönbein was far less fortunate than in his multiplied inquiries into its sources, properties, and applications. The difficulty at that time of procuring air or oxygen containing more than a minute percentage of ozone and of manipulating it when

* Read at meeting of the N. Y. Academy of Sciences, January 12, 1880.