This article was downloaded by: [University of Florida]
On: 17 February 2015, At: 07:31
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered Number:
1072954 Registered office: Mortimer House, 37-41 Mortimer Street,
London W1T 3JH, UK

Annals and Magazine of Natural History: Series 8

Publication details, including instructions
for authors and subscription information:
<http://www.tandfonline.com/loi/tnah14>

XLI.—Diagnosis of *Soletellina dautzenbergi*, sp. n., from New Caledonia

G.B. Sowerby F.L.S.

Published online: 08 Sep 2009.

To cite this article: G.B. Sowerby F.L.S. (1909) XLI.—Diagnosis of *Soletellina dautzenbergi*, sp. n., from New Caledonia , Annals and Magazine of Natural History: Series 8, 3:15, 314-314, DOI: [10.1080/00222930908692582](https://doi.org/10.1080/00222930908692582)

To link to this article: <http://dx.doi.org/10.1080/00222930908692582>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly

or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

The description and figures of *Cladocarpus crenulatus*, Levinsen *, recorded from Davis Strait, clearly indicate that that form is specifically identical with *C. formosus*, of which therefore Levinsen's name should be regarded as a synonym.

XLI.—*Diagnosis of Soletellina dautzenbergi*, sp. n., from
New Caledonia. By G. B. SOWERBY, F.L.S.

Testa transverse subelongata, subæquilateralis, crassiuscula, purpurea, lineis atro-purpureis plerumque duplicatis radiata, epidermide olivacea induta; umbones minuti, fere conjuncti, vix elevati, leviter post medium locati; margo dorsalis anticus subelongatus, leviter convexus, mediocriter declivis; posticus brevior, rectiusculus, paulo declivis, rotunde angulatus; margo ventralis leviter arcuatus; latera antica rotundata, postica convexe truncata. Ligamentum crassum, breviter truncatum. Pagina interna purpurascens, atro-purpureo duplicatim radiata et postice suffusa; impressio musculari postica cordiformis; antica linguæformis; sinus pallii magnus, late ovatus. Dentes cardinales valvæ dextræ duo; valvæ sinistræ una vel tres. Margo cardinalis anticus tenuis, haud dentatus; posticus crassus, lævigatus.

Long. (umbone ad marg. ventralem) 12, lat. 19 mm.

Soletellina dautzenbergi.

Hab. New Caledonia.

I am indebted to the able and zealous conchologist Mr. Ph. Dautzenberg for information concerning this species, which I have pleasure in naming after him.

* Levinsen, G. M. R., 1893, "Meduser, Ctenophorer og Hydroider fra Grönlands Vestkyst," Vidensk. Meddel. fra den naturh. Foren., Kjöbenhavn.