ARCHAEOLOGIA:

OR,

MISCELLANEOUS TRACTS,

&c.

I.—*On the Stone Circles of East Cornwall.* By H. ST. GEORGE GRAY, *Esq.*

Read 12th December, 1907.

I.—INTRODUCTORY REMARKS.

IN describing the “Stripple Stones” circle and the excavations which have taken place there, it is my intention to confine my remarks very largely to them, and to bear in mind that the work of excavation was conducted with a view of endeavouring to ascertain the approximate date of construction of this ancient monument. Descriptions, however, will be given of stone circles in the immediate vicinity, two of which the writer took the opportunity of surveying in 1905 and two in 1906, the five forming a group on Bodmin Moors.

II.—EXCAVATIONS AT THE “STRIPPLE STONES” CIRCLE, EAST CORNWALL.

1. THE POSITION OF THE CIRCLE.

THE Stripple Stones,^a the largest stone circle of Devon and Cornwall, excepting the Fernacre circle, which slightly exceeds it,^b is situated in East Cornwall in the

^a “From certain depositions in the Exchequer of the reign of Queen Elizabeth (*Depositions in the Exchequer*, 41 Eliz.) it appears that at that time this circle was known as ‘Stripple Stones.’” (Macleau’s *History of Trigg Minor*, i. 24; also *V. C. H. Cornwall*, i. 391.) The circles on Bodmin Moors are not mentioned in Lysons’s *Magna Britannia* (vol. iii. Cornwall, 1814); nor in R. Carew’s *Survey of Cornwall*, 1602; nor in Wm. Borlase’s *History of Cornwall*, 1769. W. C. Borlase in *Nænia Cornubiæ*, 1872, makes but slight allusion to the Stripple Stones.

^b East Cornwall, with the exception of the small Duloe circle (diameters from 34 to 39 feet according to Mr. Dymond), contains all the largest circles in Cornwall. Mr. Tregelles gives the diameter of this circle as 37 and 39 feet (*V. C. H. Cornwall*, i. 400).

ancient deanery of Trigg Minor, on the portion of Bodmin Moors known as Hawkstor Downs. From Bodmin the circle is $7\frac{1}{8}$ miles, as the crow flies, in a N.E. direction; $9\frac{1}{2}$ furlongs N. of Temple; 3 miles E.N.E. of Blisland Church (in which parish it is located); $5\frac{3}{4}$ miles S.S.E. of Camelford; and $8\frac{1}{2}$ miles from the nearest point of the sea in Port Isaac Bay. The most important ancient monuments and hills in the vicinity are at the following distances from the Stripple Stones^a: the Trippet Stones, W.S.W., 4,175 feet (over $\frac{3}{4}$ mile); the Leaze circle, N.N.W., 7,230 feet (rather less than $1\frac{1}{3}$ mile); the Stannon circle, N.N.W., 16,770 feet (about $3\frac{1}{4}$ miles); the Fernacre circle, due N., 15,675 feet (3 miles); King Arthur's Hall,^b an oblong earthwork enclosing a single line of stones parallel to the sides, N.N.W., about $1\frac{3}{4}$ mile; the summit of Brown Willy (height 1,375 feet), N.N.E., $3\frac{1}{8}$ miles; Rough Tor (height 1,312 feet), due N., $3\frac{1}{2}$ miles; Garrow Tor (height 1,087 feet), due N., 2 miles; Hawk's Tor (height 1,006 feet), the summit N.E., $\frac{3}{4}$ mile; and Carbilly Tor (height 872 feet), a little N. of W., rather over a mile.

The nearest part of the disused Hawkstor china clay works is $\frac{1}{2}$ mile distant to the S.W., between which and the circle is a small farmhouse. Hawkstor farmhouse is about $\frac{1}{4}$ mile to the N.E. Neither of these farms is marked on the 6-inch Ordnance Sheets published in 1890, but surveyed in 1881.^c There is a barrow to the E. in the adjoining cornfield, containing a cist (see Appendix I.), which according to Mr. Lukis is 232 feet from the central stone of the circle.^d My own measurement gave 236 feet from the approximate centre of the barrow to the N.W. corner of the central stone of the circle. From the latter point the cist is almost due E. (bearing 94 degrees). Mr. G. F. Tregelles's measurement of 110 feet was doubtless made from the E. margin of the rampart enclosing the circle, which has now disappeared in this part.

^a These distances and similar ones throughout this paper have been carefully measured and checked on the 6-inch Ordnance Sheets, each sheet by its own scale; for it is found that the scale varies slightly owing to the unequal shrinkage of the paper after printing.

^b On 2nd July, 1905, the writer visited King Arthur's Hall, and found it in much the same condition as represented in Mr. Lewis's sketch plan in the *Journal of the Anthropological Institute*, xxv. pl. i. (The same plan is also figured in the *V. C. H. Cornwall*, i. plate facing p. 392.) The writer checked the stones with this plan, but could not find the smallest erect stone in the N. half of the E. side, nor could two of the fallen stones be found, viz. the fourth from the E. on the N. side, and the first from the N. of the W. side. On 24th September, 1906, the writer made a second visit to "the Hall" and photographed it from the S.W., with Rough Tor in the distance.

^c The last published 25-inch Ordnance Sheet, including the Stripple Stones, was surveyed in 1882.

^d *Prehistoric Stone Monuments of Cornwall*, by Rev. W. C. Lukis, 1885, p. 3, and pl. viii. It seems to me that Lukis made his measurement from the S.S.E. corner of the central stone.

The circle is on the S.E. slope of Hawk's Tor (see Plate III. fig. 1) about 90 feet lower than the summit, *i.e.* about 915 feet above sea-level. Open downland surrounded it on all sides until recent years, but in or about 1885^a a new "take," or enclosure,^b was formed, the granite walls of which were built across the E. and N.E. portion of the vallum of the Stripple Stones, which, as may be better understood by reference to the plans of Lukis and Borlase of 1879 and of Tregelles of 1902,^c has entirely ruined these parts of the circle, fosse and vallum. The average height of this wall is 4.1 feet. (See Photographs, Plate III. fig. 2, and Plate IV. fig. 1.)

As may be seen by the contours on the 6-inch Ordnance Sheet XXI. S.W., the area on which the circle is placed, although on a gentle slope (as shown by the 6-inch contours on the plan, Plate I.), is flatter than any of the ground in the immediate vicinity.

A glance at the 1-inch Ordnance Sheet shows (1) that Rough Tor is due N. of the Stripple Stones and that Garrow Tor and the Fernacre circle fall in the same line precisely; and (2) that a line connecting the Stripple Stones with the Leaze circle and extended in a N.W. direction passes only 3 degrees on the E. side of the Stannon circle.

The remains of hut-circles abound in the vicinity of the Stripple Stones (and the four neighbouring circles also). There are large groups to the E.S.E. and S.E. on Brockbarrow (or Brockabarrow) Downs and on Blacktor Downs, and there are many good examples on the downs near Blisland and on Kerrow Downs. (Plate VI. fig. 1.) It seems to be highly probable that these were the dwelling-places of the people who constructed and used the neighbouring stone circles, but as yet we have no absolute proof that the same race of people erected the circles and the huts.^d

2. DIRECTION OF HILLS AND OTHER CIRCLES IN THE VICINITY.^e

Observations taken from the Stripple Stones, from the 1-inch Ordnance Sheet:

Trippet stones, 11 degrees S. of W.

^a This date was given me by the tenant of Hawkstor farm.

^b Brief mention is made of this new "take" in the *Journal of the Royal Institution of Cornwall*, ix. 497, where "Stripple," however, is spelt "Stipple."

^c *V. C. H. Cornwall*, i. plate facing p. 390.

^d Mr. Lewis has written, "If we are to judge of the Cornish huts from the results of the excavations in the huts at Grimspound and elsewhere on Dartmoor, that period must be a very early one." (*Journal of the Anthropological Institute*, xxv. 4.)

^e For Mr. Lewis's angles, see "Stone Circles of Britain," *Archæological Journal*, xlix. 148-150.

Stannon circle, 21 degrees W. of N.

Leaze circle, $18\frac{1}{2}$ degrees W. of N.^a

Top of Rough Tor visible over the top of Garrow, both due N., Fernacre circle on the same line.

Top of Brown Willy, $16\frac{1}{2}$ degrees E. of N.

Top of Hawk's Tor, 34 degrees W. of N.

Butter's Tor, 19 degrees E. of N.

Catshole Tor, 36 degrees E. of N.

3. DESCRIPTION OF THE CIRCLE.

The plan (Plate I.) encloses an area of 280 feet from due N. to S.,^b by 255 feet from E. to W., the ground covering 1.64 acre. The original plan was plotted to a scale of 192 to 1, in other words, 16 feet to an inch. The magnetic variation for the 1st January, 1905, at Temple, was 17 degrees 35 minutes west of true north.^c The plan with its 6-inch contours shows a maximum fall of 10 feet from the highest ground in the N.W. corner to the lowest at the S.W. corner. The area encompassed by the stones is almost level at the centre and at the N., N.E. and E.; the greatest fall of this plateau, viz. $2\frac{3}{4}$ feet, is from N.N.E. to S.S.W. Owing to the mutilation of the vallum and fosse it is not possible to give the diameter of this platform with any degree of precision.

The Stripples Stones circle was selected for excavation as being one of the few stone circles surrounded by a vallum and fosse, the latter within the former. Other circles of this type, all of which have better defined vallums and fosset than the Stripples Stones, are: Avebury (Wilts), Arbor Low (Derbyshire), and Stennis (Orkney). Arthur's Round Table (Cumberland)^d is similar, but the vallum is divided from the fosse by a berm, and the central area has no stones remaining. In the case of Stonehenge the fosse is outside the vallum. The Rings of Brogar and Bùkan, near Stennis, have a surrounding fosse but no vallum, and the latter has no monoliths existing.

^a Taken from the 6-inch Ordnance Sheet the Leaze circle is 20 degrees W. of N. from the Stripples Stones, so that none of these directions is *absolutely* correct.

^b My plans of the Trippet Stones and the Fernacre, Stannon, and Leaze circles, have margins due N. and S. and E. and W.

^c My thanks are due to the Director-General of the Ordnance Surveys, Southampton, for this information.

^d *Transactions of the Cumberland and Westmorland Antiquarian Society*, xi. (1890), 187-219.

The vallum and fosse enclosing the Stripple Stones are very irregularly defined, and from external appearances at the present day it cannot be stated that any fosse exists except on the W., N.W., N. and N.E. At these points the surface of the silting in the middle of the ditch is 1·5 foot lower than the adjacent central area on which the monoliths rest. As will be seen by the contours on the plan, Plate I., the highest part of the existing vallum is on the N.W. where it rises to 3 feet above the silting of the ditch and 1·5 foot above the central area. It is about the same height on the N.E. near the wall, but on the N. there is a considerable flattening of the bank which appears to be a modern mutilation.^a "Bays," or recesses, in the outer margin of the fosse are seen by the contours to exist at the present time on the W.N.W. and N. Lukis stated that there were three "semi-lunar projections in the vallum on the N.W., N.E. and E."^b Two of these demi-lunes are still clearly traceable, but the eastern one has been destroyed with the rest of the earthworks on that side owing to the formation of the modern walled enclosure, previously referred to, and mutilation subsequently by the plough. These features are very unusual if not unique; but being outlined in two other plans of the circle,^c they have been omitted in order to avoid confusion with the contour lines, which latter, moreover, show every inequality of the surface existing at the present time.

Coming round to the W.S.W. side there is a gap in the vallum for a distance of about 15 feet, and the ditch loses itself in what appears to be the ancient entrance or approach to the central area. The middle of the entrance with reference to the centre of the circle (a little to the N. of the central stone, not the point where the central stone stood) is approximately 19 degrees S. of W., whereas the centre of the Trippet Stones regarded from the centre of the Stripple Stones is 11 degrees S. of W.; so that the entrance-way cannot be said to open *exactly* in the direction of the Trippet Stones, as viewed from the *centre* of the circle.^d From the excavations, however, it is clear that the central stone when standing, the middle of the entrance-way, and the Trippet Stones, were approximately in line.

With regard to the southern half of the enclosure a rampart exists averaging 1·5 foot in height, very irregular and ill-defined; but from superficial appearances

^a Carts going from Hawkstor farm to the main Bodmin and Launceston road (*viâ* the disused china clay works) traverse the middle of the circle from N. to S.

^b *Prehistoric Stone Monuments of Cornwall*, p. 3, and pl. viii. ("Mag. N. Mer. taken to be 20 degrees 30 minutes W. of N." Lukis, 1879).

^c *Op. cit.*; and *V. C. H. Cornwall*, i. 390.

^d *Journal of the Anthropological Institute*, xxv. 7.

no ditch can be said to exist on the S.W. and S., although *slight* traces of one are observable around Stone XVII. and to the N.E. of it nearly as far as the S.E. wall. On the S. and S.S.W. the rampart is little more than 0.5 foot high; and a modern cart-track, 8 feet wide, on the S.S.E. entirely obliterates the bank.

The approximate diameter of the crest of the vallum is 224 feet, estimated from a *centre* $2\frac{3}{4}$ feet to the N.W. of the N.W. corner of the central monolith (No. I.). It deviates very slightly from the true circle, except of course where the demi-lunes occur. The periphery of the crest of the vallum surrounding the Arbor Low circle constituted almost a true circle with a diameter of 250 feet (76.2 m.). The bottom of the fosse of the Stripples Stones (N. half), as seen on the surface of the silting, declines from the line of the true circle far more than the rampart. The same observation was made at Arbor Low, and for reasons given elsewhere this is only what would be expected.^a But the ditch at the Stripples Stones is more irregular than at Arbor Low. Describing a circle from a point 5 feet S.S.W. of the N.W. corner of the central stone, we get an approximate diameter of 197 feet for the ditch, the diameter at Arbor Low being 190 feet (58 m.).

Notes on the Position of the Stones.—Details regarding the position and size of the stones individually are given in Appendix II. Like the Trippet Stones and the Leaze circle, which the writer surveyed during his stay at Kerrow in 1905, the stones comprising the Stripples Stones were found to be arranged in relative positions approximating to a true circle having a diameter of $146\frac{1}{2}$ feet,^b the *centre* occurring $2\frac{1}{2}$ feet to the W.N.W. of the N. point of the central prostrate stone.^c Lukis gave the diameter of the circle as $148\frac{1}{2}$ feet,^d but Mr. Lewis has already pointed out that “it is doubtful from his own (Lukis’s) plan whether it is

^a *Archaeologia*, lviii. 465.

^b The diameters given for stone circles sometimes differ considerably, the cause arising not only from measurements taken in a perfunctory manner but from the method of measurement. Most observers make their calculations on the ground, which is not altogether satisfactory, and precision is not arrived at in that way. If a thoroughly reliable plan is made all horizontal measurements can be made at home. In estimating the diameters of these Cornish circles on the plans the writer has found the centre and described a circle through the middle of the standing-stones as far as possible, at the same time bearing in mind the approximate position in which the recumbent stones originally stood. As would be expected, instances of aberration occur; and the central stone at the Stripples Stones is found to be excentric.

^c Thus it is seen that the centre of the circle of stones and the centre from which the circle was described to ascertain the diameter of the vallum do not correspond by a distance of 3.7 feet.

^d The diameter of the Stripples Stones in “Hestingot feet” is 135.6, the Trippet Stones 100, and the Leaze circle 75. These dimensions are based on the method of calculation set forth in Mr. E. M. Nelson’s pamphlet *On British Stone Circles*, 1907.

not 2 feet less." Mr. Tregelles gives the diameter as about 145 feet.^a The Fernacre circle is only $2\frac{1}{2}$ feet greater in diameter than the Stripples Stones. Whether this close similarity was the result of accident or intention on the part of the constructors we have no positive means of ascertaining.

Of the four stones still standing (Plate IV. fig. 1), viz. Nos. IV. VII. X. and XIII. all fall in the line of the true circle except No. VII., which, like No. II. in the case of the Leaze circle, is placed a foot or two on the outside. The monument was undoubtedly intended to have a true circular form, but the modes of measuring adopted by the early constructors were probably of a primitive and inexact kind. At the same time it must be recollected that "soil-creep" is sometimes responsible for a slight alteration in the position of stones. Although the recumbent stones do not now all fall on the periphery of the circle, there is no reason to suppose that any of them, when in their original erect positions,^b were misplaced even as much as Standing-stone No. VII. Without verification afforded by excavations round all the prostrate stones, it was possible to make the following deductions from the circle with a diameter of $146\frac{1}{2}$ feet described on the plan, Plate I.:

1. That Stone No. I. is to the S.E. of the true centre of the circle;
2. That Nos. II. and III. had fallen inwards;
3. That Nos. V. and VI., although lying beside the modern wall, are perhaps stones (or portions of stones) of the circle;^c
4. That it is uncertain whether No. VIII., a large stone broken into three pieces, is in its original position;^d
5. That No. IX. had fallen in a S.W. direction;
6. That No. XI. had been displaced, possibly since it became a recumbent stone;
7. That No. XII. had fallen outwards;

^a *V. C. H. Cornwall*, i. 390.

^b Stones VIII. XVII. and XVIII. are of course not under consideration in this respect.

^c No. VI. is in the same relative position as one of the eastern stones on Lukis's plan of 1879, but no stone is shown in his plan corresponding with No. V. of my plan, so that it is quite possible that the latter was introduced when the wall was being built in 1885. Lukis in his plan gives another prostrate stone to the S.S.E. of Stone VI. which appears to fall in the line of the middle of the modern stone wall, and as there is no trace of it at the present time it is quite probable that the stone fence envelops it.

^d This stone (No. VIII.) is shown in Lukis's plan of 1879 and in Tregelles's plan of 1902 as being in two pieces only. Midway between Stones VII. and IX. and in the line of the true circle Lukis gives another stone which has now disappeared. This missing stone appears to have fallen in a southerly direction.

8. That Stone XIV. had fallen in a N. direction.
9. That Stone XV. fell outwards suddenly and "kicked" inwards covering its hole; and
10. That Stone XVI. not yet completely prostrate,^a has been gradually falling during many years, which accounts for its position a little outside the true circle.

The outlying Stones Nos. VIII. XVII. and XVIII. are probably not in their original places, but they may have belonged to the circle. Taking the present position of the remaining stones into consideration and the gap existing between Stones II. and XVI.,^b it may safely be stated that the circle originally consisted of twenty-eight standing-stones placed at an average distance of $16\frac{1}{2}$ feet apart. Of stones in their relative positions in the true circle there are at the present time four standing, one (No. XVI.) almost recumbent, eight recumbent, and one (No. V.) which may not have been a stone of the circle but merely a modern introduction when the wall was built. In Lukis's plan (1879) we get five standing-stones and ten prostrate stones falling in the line of the circle, which shows that during the last three decades the Stripples Stones have altered a good deal from pillage.

The position of the stones in plans of the Stripples Stones already published is only approximately correct. The stones are not carefully drawn and sufficient measurements to ensure absolute accuracy do not appear to have been taken.^c

As is the case in most other stone circles, the standing and recumbent stones rest in depressions, but those of the former, as one would expect, are more pronounced than the latter. Needless to say, since cattle and other domestic animals constantly use the standing-stones for rubbing against, the operation increases the depth of these hollows, which in wet seasons are filled with water, a state of things to be deplored, as the prostration of the rest of the monoliths is rendered probable at no distant date. The standing-stones are, however, supported to a certain extent by the tussocks, about 1 foot high, which grow round them. All the stones are of granite.

^a Mr. Lukis regarded this stone as a standing one in 1879. See plan ($\frac{1}{4}$ inch to 5 feet), pl. viii. of *Prehistoric Stone Monuments of Cornwall*.

^b By probing Mr. Tregelles claims to have found two buried stones on the line of the circle, viz. between Standing-stone No. VII. and the wall, and between Stones Nos. II. and XVI. The latter is indicated on my plan. The other is mentioned on p. 14. Probing, apart from actual digging, unless very carefully carried out, may be regarded on the whole as rather unsatisfactory.

^c The writer takes this opportunity of thanking Mr. Tregelles for having lent his original plans of Cornish stone circles for the purpose of making comparison.

The highest standing-stone, No. XIII., is 6·9 feet above the surrounding depression and about 5·9 feet above its tussock. (Plate II. fig. 3.) Standing-stone No. X. is the next highest, being on its N. face 6·1 feet above its depression and about 5·1 feet above its tussock. (Plate II. fig. 2.) Both lean considerably, No. XIII. towards the E., No. X. towards the S. No. VII. is the only stone fairly erect; it stands 5·9 feet above its depression and 4·75 feet above its tussock. Standing-stone IV. leans towards the S., its height being 4·8 feet above its depression, and about 3·8 feet above its tussock. (Plate II. fig. 1.) The relative position of the four standing-stones is seen in the photograph. (Plate IV. fig. 1).

The largest remaining prostrate stones of the *circle* are Nos. III. IX. and XV. each being about 10 feet long; No. IX. is the broadest. The longest remaining prostrate stone of the whole group is the central monolith,^a the maximum length (E.N.E. edge) being 12·2 feet.^b (Plate III. fig. 1.) The largest prostrate stone in the middle of Arbor Low is exactly 2 feet longer. Some of the Stripple Stones were found to be considerably overgrown with turf and gorse, and these growths were removed to a certain extent before the stones were indicated on the plan.^c

It was with some difficulty that the contouring was accomplished in the area enclosed by the modern stone wall, as a crop of corn was standing at the time.^d The area occupied by the stone circle is very uneven in places, and the vallum on the N. and N.W. and much of the interior space are overgrown with furze.

No isolated standing monoliths were noticed near the Stripple Stones.

4. THE EXCAVATIONS.

(A) General Remarks.

The excavations and surveying began in favourable weather on 22nd June,

^a Only two other Cornish circles have central monoliths, viz. Boscawen-ûn, parish of Buryan, near Penzance, and the Nine Stones near Altarnun, East Cornwall. A trench was cut through the former circle in 1862 by the landowner, Miss Elizabeth Carne, but no relics were found. The circle of Winterbourne Bassett, 4 miles N. of Avebury, has a central prostrate stone (*Journal of the Anthropological Institute*, xx. 282).

^b Mr. Tregelles gives 13 feet 3 inches, a foot too much (*V. C. H. Cornwall*, i. 390).

^c On the inner slope of the vallum on the N., and, regarded from the centre of the circle, about 4 degrees E. of true N., a piece of granite may be seen measuring 1·5 foot in width and 0·75 foot in thickness; the E. side is at the present time 1·9 foot long, the W. side 2·2 feet. It has been fractured at the S. end; and it is quite possible that it may be portion of one of the stones of the circle. It is not marked on the plan.

^d On the outside of the walls a slight trench or ditch exists in both parts, about 7 or 8 feet wide.

Fig. 1. Standing Stone IV., "Stripple Stones," taken from the S.W. before the excavation was made round it. In the middle distance Hawkstor Farm; on the right, Brown Willy; on the left, Rough Tor towering over Garrow Tor.

Fig. 2. Standing Stone X., "Stripple Stones;" height above encircling depression, 6.1 feet. The long, narrow flint flake was found here.

Fig. 3. Standing Stone XIII. and Prostrate Stone XI., "Stripple Stones," taken from the S.W. No. XIII. is the highest stone of the circle, viz. 6.9 feet above the encircling depression.

Fig. 4. The largest Standing-Stone (No. VI.) of the Fernacre Stone Circle, taken from the S., with Rough Tor in the background. (Height 4.4 feet.)

1905, and continued until the evening of 4th July.^a Much wet weather was experienced during the second week, and it was with difficulty that the plan was finished. Seven men were employed. They included Tom Paul, foreman at the Glastonbury Lake Village excavations for many years.^b

Twenty-five distinct excavations, or cuttings, were made in various parts of the area included within the outer margin of the vallum, viz. eleven in connexion with the position of the stones; ten for the purpose of tracing the fosse; two cuttings through the vallum; and two other cuttings in the interior space. In addition, the cist in the cornfield was re-excavated, but no relics were found in it. (See Appendix I.) With regard to finds made at the Stripples Stones, the results have been far more unsatisfactory than in the case of the Arbor Low excavations, the only relics being three flint flakes with secondary chipping (see fig. 1), a burnt flint, portion of a radius probably of ox, and several pieces of wood in the silting of the ditch on the north.

Various opinions have been expressed as to whether any of the flint found in Cornwall is indigenous or not. Flint implements and flakes have been found plentifully in ancient sites in Cornwall, and the popular belief has been that flint is not native there, but was brought from S.E. Devon and the Blackdown Hills in Somerset. Those, however, who have read the Rev. D. Gath Whitley's paper in the *Journal of the Royal Institution of Cornwall*^c are probably ready to accept the statements which he has brought together with a view of settling a long disputed question. It is of course an acknowledged fact that flint in its raw state is scarce in Cornwall, but the supply was probably sufficient for the needs of prehistoric man, without the necessity of conducting an extensive trade with large flint-producing districts 50 miles or so distant.^d

It is quite probable, as Mr. A. L. Lewis has suggested to me, that the few flint flakes found at the Stripples Stones were brought from the banks of the

^a Mr. Henry Balfour (Secretary of the Stone Circles Committee, British Association) visited the excavations on 28th June; Mr. C. H. Read, F.S.A. (Chairman of the Committee), made two attempts to go down from London, but was prevented.

^b Our thanks are due to the Rev. E. Vernon Collins, Rector of Blisland, for advising as to the employment of local labourers and in a variety of other ways. It appears to me advisable to register the names of the workmen employed during these explorations, as such a record might prove to be of some little importance in the event of a further examination of the Stripples Stones in the future: Tom Paul of Glastonbury (foreman); Edwin Jane, senior and junior, of Hawkstor farm; Wm. Greenaway, senior and junior; John Greenaway; and another man (name unrecorded).

^c Vol. xv. 1902, 272-4.

^d See also A. L. Lewis's note, *Man*, 1907, 14.

Dozmare, Dozmary, or Dozmar,^a Pool, the largest piece of water in Cornwall, at a distance of 3 miles to the E. of the Stripples Stones in a direction a little S. of E. Mr. Lewis has several flint flakes from Dozmare;^b and there are collections of them in Plymouth Museum^c and in the British Museum. Nos. 1 and 4 (the latter in particular)^d from the Stripples Stones (see fig. 1) bear a strong resemblance to those from Dozmare. It is interesting and important to note what Mr. John Brent, F.S.A., said in his paper on the historical associations of Dozmare Pool: "From time to time a number of little flakes of flint, worked and often curiously incised, have been found on the sand which partly forms the margin of the Pool. . . . Arrow-heads of flint, well defined, have also been discovered."^e

(B) Excavations round the Stones.

Central Stone No. I. (Plate III. fig. 1).—A full description of the position, character, and size of this stone will be found in Appendix II.; this remark applies to the other stones also. A rectangular area covering $53\frac{2}{3}$ square yards was excavated round this stone, the sides of the cutting measuring 28 feet from N.W. to S.E. by 21 feet from N.E. to S.W. To an average depth of 0·7 foot from the surface brown peat, very tough and fibrous, was found to extend. This corresponds with the peat of Dartmoor, locally known as "ven" or "fen." Below this a black peaty mould was dug through, thickness from 0·8 foot to 1·6 foot; in places it was mixed with large and small blocks of granite. Below this, at depths varying from 1·5 foot to 2·3 feet from the surface, a thin layer of bog iron-ore, or "pan," occurred, through which it was noticed roots did not penetrate. Immediately below this ferruginous deposit the subsoil was reached, consisting of a light-coloured compact sandy material derived from decomposed granite.^f The excavations were discontinued at this layer.

During these operations the following flints were discovered: At "1" on

^a *Journal of the British Archaeological Association*, xxxiii. 9. "Dozmary" occurs on the Ordnance Sheets.

^b Mr. Lewis obtained them from Mr. Francis Brent, F.S.A.

^c Bequeathed to the Plymouth Museum by Francis Brent, F.S.A. This collection contains at least one flint scraper. Many of the flakes are of very small size.

^d The colour of this specimen like others of a long narrow form from Dozmare is a milky-greyish brown.

^e *Journal of the British Archaeological Association*, xxxvii. 31. See also the Rev. H. G. O. Kendall's article in *Man*, 1906, 97. Mr. Kendall also found pigmy flints at Dozmare Pool, *Man*, 1907, 83.

^f A similar sub-soil to this is called "calm" by the Dartmoor Exploration Committee.

Fig. 1. View taken from the S.S.E. showing the excavations made round the central prostrate stone, with Hawk's Tor in the distance. The dark shadow in the foreground indicates the hole in which the monolith originally stood.

Fig. 2. View taken from the W. showing the bottom and sides of the re-excavated fosse on the N. side of the circle. The maximum depth from the surface of the silting was 3·4 feet.

EXCAVATIONS AT THE "STRIPPLE STONES," EAST CORNWALL.

Published by the Society of Antiquaries of London, 1908.

plan, at a depth of 1 foot, a flint flake, or knife, with prominent bulb of percussion and conchoidal fractures, was found; at "2" another flint flake, with secondary chipping and a well-defined bulb of percussion with an *éraiillure* on it, depth 1·2 foot; and at "3" a small piece of calcined flint, depth 0·8 foot. Flakes Nos. 1 and 2 are figured in the accompanying illustration.

In four places in this excavation the hard layer of bog iron-ore was found to be deficient; digging was therefore continued to a greater depth, and four distinct but irregular holes were found as indicated on the plan (Plate I.), one on the S.W. of the stone and three on the E. and N.E. sides. (Seen in the photograph, Plate III. fig. 1.) The first hole "W" was of oval outline, 5·5 by 4 feet at the layer of bog iron-ore; the bottom was 3·5 feet below the surface of the turf. Holes "X," "Y," and "Z" were of irregular outline; "X" measured 4·5 by

Fig. 1. Flint flakes with secondary chipping, each having a well-defined bulb of percussion. Found in the excavations at the Strippie Stones, East Cornwall. (The figures represent the numbers on the plan, Plate I., and in the text.)

2·7 feet at the ferruginous layer; "Y" 3·1 by 2·1 feet; and "Z" 4·5 by 3 feet. All were filled with peaty mould and pieces of granite; no relics were discovered in them, and their purpose is uncertain.

At the S.S.E. end of this large monolith a hole full of water was discovered; the stone extended a few inches further in a S.S.E. direction than the margin of the hole. The hole was found to be about 5 feet long (from W.S.W. to E.N.E.) and 2·8 feet wide. It is partly represented by the dark shadow in the photograph. (Plate III. fig. 1.) Satisfactory proof was obtained that the stone stood erect at one time on what is now its S.S.E. end, at some 14 feet to the S.S.E. of the true centre of the circle; moreover that the monolith in its fall in a N.N.W. direction had kicked out to the extent of about 1·5 foot, and covered the hole dug

for its reception. This excavation served to prove also that when the central stone was standing it (not the *centre* of the *circle*) was approximately in line with the middle of the entrance way and the Trippet Stones.

Towards the end of the time devoted to the excavations another plot of ground, 11 by 8·5 feet, was trenched over to the S.E. of the larger central area, in the hope of finding more flint implements or other relics, but we were unrewarded. The bog iron-ore was found here as a fairly even layer at an average depth of 1·4 foot from the surface.

Prostrate Stone No. II.—As there was no depression at the N.W. end of this stone indicating the position in which it might have stood, and as there was a depression at the S.E. we dug round this portion of the stone and partly under it. No hole was found in which the S.E. end of the stone could have stood, and as the other end is on the line of the true circle, there could be no doubt that it had fallen inwards in a S.E. direction. The layers of earth, etc. under the S.E. end of the stone were regular and not mixed as they would have been if a hole had been cut for the reception of the base of a monolith. The digging revealed the true thickness of the stone at the S.E. end to be 0·9 foot, and it appeared to be nowhere less than 0·7 foot thick, except just at the rounded base.

Prostrate Stone No. III.—This stone rested in a rather deep encircling depression; turf had grown considerably over the N. end; until it had been cut away it was not possible to make an accurate plan of the stone. An excavation was made round the N. point and end of the stone, and the hole in which it originally stood was easily traced; the bottom, in the undisturbed granitic sand, was reached at a depth of 3·5 feet from the general level of the surrounding turf and 2·4 feet from the surface of the monolith. From the excavation we ascertained that this slab averaged 0·75 foot in thickness. The point of the base in its fall appears to have kicked out towards the N. to the extent of 1·7 foot. The iron-ore layer was seen in its usual position on the sides of the hole.

The most interesting result of this excavation was the finding of fairly large blocks of granite in such positions as to clearly indicate that they were packed into the hole as wedges to support the pointed base of the stone (*cf.* Stonehenge). This feature was not observed elsewhere during the excavations. No relics were found here nor round Stones II. or IV.

Standing-stone IV. (Plate II. fig. 1).—As this stone leans towards the S. to the extent of about 15 degrees from the vertical, it was necessary to prop it up during the excavation with a stout pole. It was not left standing erect, but in the position we found it. A hole was dug all round the stone, which stood in a

depression. The bottom of the stone, which had a flat base, was reached at 1.1 foot below the depression, 2.1 feet below its surrounding tussock, and about 2.5 feet below the general turf level to the S.W. The maximum width of the stone, 2.7 feet, as it appeared above the tussock, was maintained to the base of the stone. Peaty mould extended to a depth of 0.4 foot below the depression, the remainder, 0.7 foot, to the bottom consisting of a sandy material derived from decomposed granite. There had been no attempt to pack the base with blocks of granite, only a few small pieces being found mixed with the soil, as in other parts of the circle. The size of the hole cut for the reception of the stone was not clearly defined. The total height of this monolith, including the portion sunk into the ground, proved to be 5.9 feet.

Between Stones VI. and VII. we made a small excavation 5 feet square, as shown on the plan, although the position was several feet outside the line of the circle. Before digging a marked depression was observed, and it was thought possible that a stone might have stood there. There was certainly a rough hole of artificial character here, but nothing was proved by the excavation. The iron-ore occurred at a depth of 1.6 foot from the surface. Approximately in this position Mr. Tregelles marks a buried stone in his plan, but the writer did not find it.

Standing-stone VII.—An oval area measuring 16 by 14 feet was trenched round this erect stone. The stability of the stone was not interfered with, as the hole in which it stood was not disturbed nor the tussock encircling it. This excavation was made in the endeavour to find relics round the stone, but nothing was revealed.

Standing-stone X. (Plate II. fig. 2).—With the same object in view an oval area 17 by 15 feet was trenched round this stone and up to Stone IX. now prostrate. As in the case of Stone VII. the hole in which it stood was not interfered with and the trenching was not carried to a greater depth than the layer of bog iron-ore. At "4" on plan, 5 feet S. of the stone and 0.9 foot beneath the surface, a long and narrow flint flake (fig. 1) (length 65.5 mm.) was found. It has a pronounced dorsal ridge and is of triangular cross-section; a small facet known as an *éraillure* exists on the bulb of percussion. The uncovering of the S.W. end of Stone IX. showed it to be thick, but we did not excavate to the bottom of it.

Prostrate Stone XI.—Excavations round this stone revealed no hole penetrating the subsoil, in which it could have stood. This negative evidence was what was wanted, as it will be seen by reference to the plan that the stone rests 5 or 6 feet to the S. of the place in which we should expect to find it, viz. on

the line of the true circle. This stone lies in a slight depression below which the iron-ore layer was reached at a depth of 0·9 foot. The digging showed that the stone was 0·8 foot in maximum thickness and that the S. end was quite flat. No relics were found here or near Stone XII.

Prostrate Stone XII.—Excavations were made round the N.N.E. of this stone to ascertain whether a pit existed on the line of the circle and whether the stone had fallen outwards. A distinct hole was discovered, it having been cut through the iron-ore floor reached at a depth of 1·1 foot from the depression in which the stone now rests. The hole was 2·5 feet deep below the field-level, and the base of the stone was found to partly cover it. No packing of granite blocks for the support of the stone was observed. It was found to be 1 foot thick at the base and 1·4 foot at the N.W. shoulder.

Standing-stone XIII. (Plate II. fig. 3).—An area, 20 feet square, was trenched down to the iron-ore layer round this large standing-stone. It was not disturbed and the tussock round it was left untouched. The only thing found here was portion of a radius probably of an ox in the S.E. corner of the excavation at a depth of 0·7 foot.

Prostrate Stone XIV. (Plate II. fig. 3).—An excavation was made at the S. end of this stone to ascertain whether a definite hole had been cut for the reception of the base. It was found that a hole had been made only sufficiently large for the base; the hole penetrated the layer of iron-ore, and its depth below the surface of the plateau (inside) was 3·1 feet; depth below the depression on the S.S.W. side 1·1 foot. The cutting revealed the true thickness of the stone at the base to be 2·9 feet. Here again we found nothing.

Hole on the N.W. of the Plateau.—Soon after our arrival a small hole or depression, maximum depth 1 foot from the surface level of the turf, attracted my attention, but a very hasty survey of the surroundings showed that it was considerably within the line of the true circle of stones, and that probably it did not mark the site from which a monolith had been removed. A rectangular area, 10 by 8 feet, was pegged off round this depression and carefully excavated. The iron-ore floor was reached at 1·3 foot from the surface in all parts except where the actual hole occurred. Above the iron-ore and between it and the 0·5 foot of brown peat was the usual peaty mould measuring 0·8 foot thick. At the iron-ore floor the hole was found to be roughly circular and 3·5 feet in diameter, from which the sides gradually tapered to almost a point at the bottom; total depth from the surface of the plateau 3·1 feet. No relics, or charcoal, or other substances were found; and the purpose of the little hole was not ascertained.

(c) Excavations through the Vallum.

Two cuttings, each 10 feet wide, were made through the vallum, both near the entrance on the W.S.W. (See Plan, Plate I.) The lower margin of the westerly cutting was about 15 feet from the middle of the entrance, and the excavation was made in continuation of Cutting 2 through the fosse. The upper margin of the S.W. cutting was about 26 feet from the middle of the entrance, and the excavation was made in continuation of Cutting 5, through the supposed position of the fosse in this part of the earthwork. As in the case of the vallum-cuttings at Arbor Low,^a the two cuttings here yielded no relics on the old surface line or elsewhere, and time did not permit of a third cutting being made.

Cutting 2.—The old surface line under the rampart could not be very distinctly traced, but its depth from the crest varied from 1·3 to 1·6 foot. (See *Sectional Diagram*, fig. 4.) The rampart was made up to some extent by blocks of granite mixed with black earth.

Cutting 5.—The “old surface line” was traced with some difficulty at a depth of 1·5 foot below the crest of the rampart. The upper 6 inches, as elsewhere, consisted of peaty turf and black mould, below which the earth, mixed with some granite stones, became of a more ferruginous nature.

(d) Excavations into the Northern Fosse, and Cuttings made in the endeavour to ascertain whether a Fosse had existed in the Southern part of the Circle.

Twelve cuttings were made of various dimensions, three being on the N. and W. in places where the existence of a fosse within the vallum was clearly observable, and nine smaller cuttings made from the W.S.W. to the E.N.E. in positions within the vallum in which a cut ditch would be found if any had existed from the days of the construction of the circle. Much time was spent in this department of the excavations, but no objects of antiquity (except a few pieces of wood) were found in any of the cuttings connected with the fosse. Firstly we will deal with Cuttings 1 to 3, from the N. to the W.S.W., where the existence of an ancient ditch was a certainty. (See the contours on the plan.)

Cutting 1 (Plate III. fig. 2).—By far the largest excavation made at the Stripples Stones was 88½ feet^b of fosse on the N. and N.W. As previously stated, the maximum height of the vallum in this part above the silting of the fosse is

^a *Archaeologia*, lviii. 477-8.

^b Measured along the bottom of the ditch.

3 feet, while the nearest part of the central area occupied by the monoliths is 1·5 foot higher than the middle of the silting. This part of the ditch, we were told, was generally full of water during wet weather, and it was not entirely dry during the time of the excavations. We began digging at the W. end of the area selected, where the margin of the fosse was found to be about 9·5 feet wide, and the depth of the silting 2·45 feet in the middle,^a of which 1·8 foot consisted of turf, peat, and mould. Below this the silting was composed of rather fine granitic sand, which had doubtless been washed down from the sides of the ditch when it had been open to the bottom. For 20 feet or so no great change was found in the character or depth of the fosse; a section was taken at c. d. on plan (see accompanying diagram) which gave a width of 9 feet at the top of the ditch and 1·1 foot at the bottom, with a depth of 2·2 feet. In no part of the ditch were the sides steeper than here. As the work continued it was found that the average width at the top

Fig. 2. Striplle Stones, East Cornwall. Sectional diagram of northern fosse and vallum. The filling of the fosse consisted of (A) peaty turf and mould, (B) black earth mixed with roots and a little sand, and (C) sand washed down from the sides of the fosse.

was 9·5 feet for three-quarters of the length of the cutting; but at the E. end it gradually expanded to a maximum width of 16 feet.^b (See sectional diagram on line E. F. of plan, fig. 3.) The bottom of the fosse in the E. half of the cutting was not clearly defined; indeed, in most parts, the bottom presented a concave surface in a continuous curve with the sides of the fosse. As will be seen by one of the photographs of this excavation (Plate III. fig. 2), the slope of the sides of the fosse was very slight, and it became evident that the constructors paid little, if any, attention to symmetry or design. A portion of the N. margin of this fosse is marked on the plan by a dotted line at the point where one of the “bays” in the

^a Depth from the “central area” adjacent 4 feet.

^b Owing to the nature of the material in which the fosse had been cut it was found very difficult to determine even the approximate width of the original fosse at the eastern end of this cutting.

ditch occurs; but it is uncertain whether the excavation here should not have been continued further N. to find the true margin of the fosse, which possibly followed the "bay" to a greater extent than the plan indicates. The photographs^a of this part show a steeper side to the fosse on the S. than on the N.; but on the other hand, although the N. side is generally flatter, yet projections and irregular lumps of the *undisturbed* granitic sand occurred which indicated a general rise on the N. side. Partly on this account we did not pursue the excavation of this portion of the fosse further in a northerly direction; and moreover the weather molested us, time pressed, and the refilling of this large ditch cutting had to be accomplished in a short space of time. On the extreme E. of the cutting the cut bottom of the fosse began to show itself again, as seen in the sectional diagram on the line E. F. of plan. Here the fosse reached its greatest depth, viz. 3·4 feet below the surface of

Fig. 3. Striple Stones, East Cornwall. Sectional diagram of the north fosse at the point where it was found to be deepest. (For references to soils see title of fig. 2.)

the silting and 4·4 feet below the general level of the central plateau near Stones II. and III. The filling at this end of the cutting consisted of peaty-turf 0·5 foot, followed by black earth mixed with roots and a little sand for a depth of 2 feet; at the bottom, granitic sand washed down from the sides, or profile, of the fosse. From the black material to the very light whitish-grey sand there was a gradual blending.

In the silting of the fosse of Cutting 1, and in the N.E. half, nearly a dozen pieces (mostly small) of dark wood were found in a saturated condition, just above the granitic sand silting, in the black earth mixed with roots, and at an average depth of 2·3 feet from the surface. Three typical pieces were sent to Mr. Clement Reid, F.R.S., for microscopical examination. They turn out to be oak; some bear traces of rough cutting, but it is difficult, if not impossible, to say definitely whether

^a The photographs used to illustrate this paper were taken by Mr. and Mrs. St. G. Gray.

The greater part of the sides of the lower portions of the re-excavated fosse was thinly covered with iron-pan. It had probably all become deposited from natural causes since the time the fosse was allowed to silt up. As before stated, the lower portion of the silting was caused by denudation. The oxide of iron contained in this granitic sand, or decomposed granite, was taken up by water constantly filtering through the silting, and, being arrested by an almost impervious stratum of the compact decomposed granite forming the walls and bottom of the fosse, became deposited, but very slowly, as a thin layer of the hard ferruginous substance known as iron-pan. Mr. Clement Reid kindly examined a sample of the sand derived from this fosse, and he reported as follows: "Sandy material derived from the decomposed granite; it consists mainly of angular

Cutting 2.—This cutting through the fosse was made a little to the N. of the entrance on the W.S.W. It was 10 feet wide, and in continuation of a cutting through the vallum (already described). As will be seen by the plan and the sectional diagram on line A. B., a slight ditch was found, the maximum depth from the surface of the silting being 1·4 foot in the centre. The bottom was cut in a rounded form into the decomposed granite sub-soil. The iron-pan deposit was reached on the sides of the ditch at a depth of 0·8 foot from the surface, so that the ditch was cut into the sub-soil only to the extent of 0·6 foot. At the iron-ore layer the ditch measured from $2\frac{3}{4}$ to 3 feet in width; at the surface it averaged 4·8 feet.

c 2

direction of the entrance to the circle. At the end of the vallum the ditch was found to make a slight bend outwards in a S.W. direction; and instead of terminating abruptly in a rounded end as most ditches do in such positions, it became shallower as we proceeded and the sides much less steep; at 14 feet from Cutting 2 it died away entirely and could not be traced further, as shown on the plan. There were slight indications on the surface of a little muddy gutter or runnel continuing from this point in a S.W. direction, and no doubt in winter time when the deeper ditch on the north (Cutting 1) becomes full of water it drains off in the direction indicated.

From the entrance on the W. to the modern stone wall on the E. no trace of a fosse within the small rampart was observable on the surface in the southern half of the circle, and in order to ascertain whether a ditch originally existed in these parts seven distinct cuttings, mostly of small size, were made in the hope of settling the problem. No hollow or depression was observable immediately within the margin of the vallum except near Stone XVII. for a distance of about 50 feet, as shown by the contours. We will proceed to deal with each cutting separately in the order in which they are numbered on the plan. No relics were found in any of these diggings.

Cutting 4.—This excavation was 25 feet in length, and it differed from Cuttings 5 to 10 inasmuch as the more or less even and regular layer of bog iron-ore had been penetrated^a by the constructors of the circle. Although the ditch in Cutting 3 terminated at the entrance in such a peculiar manner, the end of the little ditch on the other side of the entrance exhibited a normal outline, having a rounded end such as we expected to find on the N. side of the entrance. By the excavation of Cuttings 3 and 4 we proved that the width of the entrance between these two ditches was only 9 feet. The N. end of Cutting 4 was in line with the rounded end of the vallum at the S. of the entrance. The existence of a small fosse was traced in the N.W. half of this cutting, but it was very indefinite at the S.S.E. end. In the N.W. half the little scarp was found to be steeper than the counterscarp, and the depth of the ditch was 1·7 foot from the surface of the filling. The average width of the N.W. half was 2·5 feet at the bottom of the fosse, 4 feet at the iron-ore layer, and 6 feet at the surface. The silting consisted of 0·5 foot of peaty-turf, 0·7 foot of black mould, and 0·5 foot of dark brown mould at the bottom.

Towards the S.S.E. of this cutting the ditch was shallow, and although

^a The iron-ore had been penetrated here and 2 or 3 inches of the material beneath it.

hollows (sometimes 0·25 foot deep) were observed in places in the iron-ore layer, it had not been penetrated here as at the N.W. end of the cutting.

Cutting 5.—This cutting, made for the same purpose of endeavouring to trace a fosse, was excavated in continuation of the vallum-cutting (10 feet wide) bearing the same number. The remarks on the S. portion of Cutting 4 apply equally to this cutting.

Cutting 6.—A small cutting measuring 6 by $3\frac{1}{4}$ feet was made close up to Cutting 5. Here again the bog iron-ore was found as a hard floor which probably existed as a thinner layer when the circle was constructed. The iron-ore was not perfectly flat, the depth from the surface in this cutting varying from 1·8 to 1·95 foot. In this and the under-mentioned cuttings the bog iron-ore, or cellular limonite, was sometimes fully half an inch in thickness, and exhibited bulbous projections or knobs on the upper surface; as would be expected, roots of grass, etc. had not penetrated it but formed a tangled compressed mass.*

Cutting 7.—A similar cutting on the S.W., measuring 5·7 by 4 feet. Iron-ore layer reached at a depth of 1·9 foot from the surface.

Cutting 8.—Another, 7 by 3·5 feet. Iron-ore depth 1·9 foot from the surface.

Cutting 9.—A similar cutting made on the S. in the endeavour to trace a ditch; dimensions 6 by 4 feet. The iron-ore floor was found at an average depth of 1·5 foot here.

Cutting 10.—The last cutting, 9 by 3·5 feet, made for the same purpose with the same results. Iron-ore deposit at an average depth of 1·6 foot from the surface.

Cuttings 11 and 12.—In the cornfield on the E. the plough had almost obliterated all traces of the vallum. Two cuttings (Nos. 11 and 12) were made, $5\frac{1}{2}$ by 4 feet and $13\frac{1}{2}$ by 4 feet respectively, one on each side of a slight depression in the field, and about in the position in which the eastern demi-lune was situated. The result was disappointing, no relics were discovered, and no trace of a ditch was found, the iron-ore being reached at an average depth of 1·5 foot below the surface.

* Mr. Clement Reid, F.R.S., informs me that if bog iron-ore is broken up on arable land by deep ploughing it may spoil the land for agricultural purposes for many years. He also tells me that it is usually deposited on slight slopes.

5. SUMMARY AND CONCLUSIONS.

The Stones.—From eleven cuttings and excavations made in the immediate vicinity of four standing and seven recumbent stones and from other evidence the following conclusions may be established.

(1) That all the monoliths (originally probably 28 in number) formed a circle $146\frac{1}{2}$ feet in diameter and stood upright about $16\frac{1}{2}$ feet apart.

(2) That two recumbent stones have disappeared since 1879 when Lukis made his plan.

(3) That Stone XVI., now almost prostrate, probably leaned to no very great extent in 1879 when Lukis classified it as a standing-stone.

(4) That Stone VII. is a little outside the line of the true circle, and that Stone XI. has probably been moved a few feet southward since its fall.

(5) That the central Stone No. 1 originally stood excentrically on what is now its S.S.E. end.

(6) That it is uncertain what the original positions of Stones VIII. XVII. and XVIII. were, and whether Stone V. belongs to the circle.

(7) That the recumbent Stones Nos. III. XII. XIV. and the Standing-stone No. IV. stood in holes cut for their reception, the average depth of the holes being 2·9 feet from the present surface.

(8) That evidence was obtained that one stone (No. III.), with a pointed base, was partly supported by a packing of rough blocks of granite.

It is surprising that even four stones remain standing (No. VII. still being vertical), considering the nature of the surface deposits and the sub-soil.

The Vallum and Fosse.—The crest of the vallum, which is 224 feet in diameter, was probably intended to be concentric with the true line of the stone circle; it was found, however, to deviate to an inconsiderable extent. As previously stated, no relics were found in the cuttings made through the vallum, and in this department of the excavations, as at Arbor Low,^a no interesting deductions could be made.

The fosse from the N.E. to the W. was clearly defined on the surface before the excavations were undertaken, but from the W.S.W. entrance to the stone wall on the E.S.E. there was absolutely nothing superficial to suggest that a fosse ever existed.^b The excavation revealed a broad but irregular ditch on the

^a *Archaeologia*, lviii. 477-8.

^b Except a slight hollow in contiguity to Cutting 10 and Stone XVII.

N. and N.W. which averaged 2·9 feet in depth from the surface of the silting and 4·2 feet below the nearest part of the central plateau. (Plate III. fig. 2.) At Cutting 2 a fosse was found in much diminished proportions, and at the entrance it did not penetrate the sub-soil but terminated in the manner shown on the plan, Plate I. A slight ditch was found to begin in line with the end of the rampart on the S. side of the entrance, but it could not be traced for many yards to the S.E. and in the next cutting, No. 4, and in the trial cuttings to the S.E. and E. the bog iron-ore was found as a solid floor at an average depth of 1·7 foot from the surface.

Vallums and fosses seldom surround stone circles, but occasionally one or both are found, and very rarely the fosse is situated inside the vallum, as at the Stripples Stones. Unless these ramparts and ditches are of great strength, their existence does not suggest protection against predatory animals or unfriendly tribes, any more than a wall round a field, or an iron fence round a cemetery, would. Whatever the original purposes for such ditches and ramparts were, my opinion with regard to the N. fosse of the Stripples Stones is that it was intended to serve a practical and very necessary purpose as a means of drainage. The position is a very wet one, with moisture constantly flowing (the pace being regulated by the weather) from the higher ground comprising the southern slope of Hawk's Tor. The peaty ground and surface soil in this place do not require a large amount of rain to render them very boggy; and owing to the presence of iron-ore at a slight depth, moisture remains near the surface for a considerable time. It would be very necessary to keep the central plateau tolerably dry, and such a ditch as that on the north, with its outlet at the entrance to the circle, would drain off most of the water derived from the higher ground, which would otherwise swamp the circle to a very uncomfortable extent in wet weather. If this were the purpose of the northern fosse we should not look for a ditch of similar dimensions in the S. half of the circle. Regarded from this point of view we get an explanation why no ditch penetrated the sub-soil in the S. half of the circle, and if a fosse existed there at all it was very shallow, with perhaps the iron-ore layer as its bottom.^a A small drain would be amply sufficient, for, as shown by the contours on the plan, the ground representing the central plateau only falls from N. to S. to a maximum extent of $2\frac{3}{4}$ feet; so that most of the moisture moving S.

^a As before stated, the original excavation penetrated the iron-ore at the N. end of Cutting 4. Perhaps this was done by those who made use of the circle to ensure the entrance-way being kept dry.

very slowly would evaporate before reaching the suggested small southern fosse or drain.

These remarks are offered merely as a suggestion in the endeavour to explain the difficulties presented by the irregularity and character of the fosse.

Relics and Date.—The few relics discovered at the Stripples Stones give no certain evidence of date; and even if any of them presented characteristics of a definite period, the position in which they were found would render them comparatively worthless as proof of date. The existence of flint flakes to the exclusion of metals does not necessarily establish an early date for the Stripples Stones, even if they had been found on the old surface line under the vallum, or deep in the fosse; and yet, considering the amount of digging done (25 cuttings, large and small) the total absence of bronze should have some significance. The evidence of date resulting from the excavations at the Arbor Low stone circle and at Stonehenge was strong enough to satisfy the most precise antiquary, but there is no direct evidence in the present case. It is only from negative evidence that we are in any way justified in suggesting a late Neolithic or early Bronze Age date for the Stripples Stones. If we were positive that these flint flakes (see p. 11) were struck on the banks of Dozmare Pool, where similar flakes are found in association with flint arrow-heads, then the flakes found at the Stripples Stones might perhaps be dated with some degree of accuracy. None of the flakes was found nearer the present surface than 0·8 foot, and it is highly probable that this dimension represents the approximate thickness of the peat which has accumulated since the disuse of the circle. Therefore we are probably safe in regarding the three flakes and the calcined flint as having been dropped round about Stones I. and X. during an early prehistoric state of culture of uncertain age.

Sepulture was apparently not the object of the circle, or we should probably have found human remains in the central excavation. The same remark applies to Arbor Low. In Scotland many of the stone circles excavated have proved to be primarily sepulchral, but in England no *ancient* burials are recorded to have been discovered in stone circles,^a with perhaps the exception of the little Duloe circle, before mentioned.

On 24th September, 1906, the writer visited the Stripples Stones on the occasion of his second visit to Bodmin Moors, and found that the turf relaid over the 1905 excavations had grown most satisfactorily, and in some places it was difficult to trace the outlines of the diggings.

^a Professor Gowland did not excavate ground in the centre of Stonehenge.

III.—THE “TRIPPET STONES” CIRCLE.

(Plan, fig. 5, and Plate IV. fig. 2.)

1. THE POSITION OF THE CIRCLE.

The circle known as the “Trippet Stones” is situated on the Manor Downs

Fig. 5. Plan of the Trippet Stones, Cornwall.

division of the Bodmin Moors, 4,175 feet (over $\frac{3}{4}$ mile); according to the Ordnance Sheet, in a bee line W.S.W. of the centre of the Stripple Stones, and 7,700 feet

Fig. 1. General view of the position of the "Stripple Stones," taken from the N.N.E. The four remaining standing stones are seen, and the wall which has cut off the circle on the E. side. In the foreground silting thrown out from the fosse.

Fig. 2. The "Trippet Stones," Manor Downs, Blisland, taken from the N.E.; showing the eight remaining standing stones and the central boundary stone.

Fig. 3. The Leaze Stone Circle, parish of St. Breward, taken from the W.N.W.; showing the ten remaining standing stones and the modern bank which traverses the circle.

THE "STRIPPLE STONES," "TRIPPET STONES," AND THE LEAZE STONE CIRCLE, EAST CORNWALL.

(rather less than $1\frac{1}{2}$ mile) S.S.W. of the centre of the Leaze circle. The Trippet Stones are about 16,350 feet S.S.E. from the Stannon circle, 16,810 feet S.S.W. from the Fernacre circle, and 8,740 feet a little E. of S. from King Arthur's Hall.^a The monument stands in the parish of Blisland,^b the village being $2\frac{1}{4}$ miles to the S.W. From Bodmin the circle is $6\frac{5}{8}$ miles, as the crow flies, in a N.E. direction; the nearest point to the sea (Port Isaac Bay) is barely 8 miles. A line connecting the Trippet Stones with the summit of Rough Tor passes through the Leaze circle at a distance of less than $1\frac{1}{2}$ mile, leaving the Fernacre circle 550 feet to the E. of the line.

The Trippet Stones are about 799 feet above the mean sea-level, and the moor in this part is almost level, the area occupied by the plan (about $\frac{1}{3}$ of an acre) falling from N. to S. only to the extent of about 2 feet. At the present day the circle forms a more conspicuous landmark, viewed from the neighbouring country, than the more mutilated Stripple Stones. The nearest height to the Trippet Stones is Carbilly Tor, the summit of which is 2,320 feet to the N.W. of the circle and 872 feet above sea-level. There is a small farm called "Hawkstor Cottage" 1,000 feet E.S.E. of the circle.

Enclosed within the area of the circle, and to the S.W. of the centre, is a small boundary-stone of oblong section, 12 by 7 inches, and 2·7 feet high. On the N.N.W. face it is inscribed with the initial C (Collins); on the S.S.E. face M (Molesworth).

2. OUTLYING MONOLITHS PERHAPS MODERN BOUNDARY-STONES.

Between the circle and Carbilly Tor there is a narrow standing-stone^c of oblong section (sides 1·4 and 1·1 foot) tapering a little towards the top.^d The line connecting the N.E. corner of the boundary-stone within the circle with this outlier is $38\frac{1}{2}$ degrees W. of true N. This monolith stands 4·9 feet above the surrounding depression and 3·7 feet above its encircling tussock.

There is another standing monolith^e of the same character 1,550 feet to the

^a *Journal of the Anthropological Institute*, xxv. pl. i.; *Journal of the Royal Institution of Cornwall*, xiii. pl. viii.; *V. C. H. Cornwall*, i. 393.

^b The owner is Mrs. Collins, of Blisland Manor House.

^c Mr. Lewis mentions another stone in a N.W. direction from the circle which we failed to observe, *Journal of the Anthropological Institute*, xxv. 8. It is probably missing at the present time.

^d Longest sides E.N.E. and W.S.W.

^e This can be rocked backward and forward in its hole.

S.W. of the circle, and at the E. corner of the walls surrounding Treswigger farm. A third stands 530 feet to the S.E. of the last-mentioned and 1,680 feet S.S.W. of the centre of the circle; modern drill-holes are seen along one of its edges.

3. DIRECTION OF HILLS AND OTHER CIRCLES IN THE VICINITY OF THE TRIPPET STONES.^a

The Stripple Stones are visible 11 degrees N. of E.

Fernacre circle, $14\frac{1}{2}$ degrees E. of N.

Stannon circle, $6\frac{3}{4}$ degrees W. of N.

Top of Rough Tor and the Leaze circle (in the same line) are $12\frac{1}{2}$ degrees E. of N.

Brown Willy, $27\frac{1}{2}$ degrees E. from N.

Hawk's Tor, 32 degrees N. of E.

The "Cheesewring" on Carbilly Tor, $56\frac{1}{2}$ degrees W. of N.

4. DESCRIPTION OF THE CIRCLE.

(Notes taken from my own Survey.)^b

As in the case of the Leaze circle and the Stripple Stones the stones of the Trippet circle were arranged in the form of a true circle, and in this respect, among others, they differ from those of the Stannon and Fernacre circles.

The Trippet Stones (Plate IV. fig. 2) consist of eight ° standing^d (Nos. I. III. V. VI. VII. VIII. X. and XII.) and four prostrate (Nos. II. IV. IX. and XI.) monoliths. The N.E. portion (Stones VIII. to XII.) is the most complete part remaining, from which it can be estimated that twenty-six stones forming the

^a See also "Stone Circles of Britain," *Archæological Journal*, xlix. 148-9.

^b A sketch plan of this circle, by Lukis and Borlase, 1879, together with plans and elevations of the stones, will be found in *Prehistoric Stone Monuments of Cornwall*, pl. vii. There is a more recent plan by Mr. G. F. Tregelles, 1902, in *V. C. H. Cornwall*, i. plate facing p. 390.

^c There were nine standing when Lukis made his plan in 1879, including No. II. of my plan, now prostrate. Maclean (*History of Trigg Minor*, i. 24) records nine standing-stones. When Mr. Lewis visited the circle in 1891 only eight stones stood, as in 1905. Whereas Lukis gives twelve stones in all in 1879, it should be noted that Maclean mentions thirteen, nine erect and four prostrate. J. T. Blight in his *Ancient Crosses of East Cornwall* (1858), 131, states that "nine stones stood erect."

^d The stability of these stones is greatly imperilled by the treading of cattle.

circle originally stood at an average distance of $12\frac{3}{4}$ feet^a apart.^b On the W. and N.W. a large segment of the circle is now unrepresented by a stone or a depression in which a monolith stood.^c Three depressions, from which stones have been removed, probably within recent decades, are seen from the S. to the E. and a large hole remains on the S.W. The circle depicted on the plan (fig. 5) through the centre of the standing-stones clearly shows that the diameter of the circle was 108 feet.^d

All the stones are of granite, and are larger than the average in Cornish stone circles. (Details in Appendix III.) They are of quadrangular section, varying in width from $1\frac{1}{2}$ to $3\frac{1}{2}$ feet, and in thickness from $1\frac{1}{3}$ to 2 feet. The highest standing-stones (Nos. III. VII. and XII.) average 5 feet high above the depression worn round them; whilst all stand at least 4·4 feet above the level of the moor. Judging from the recumbent stones, it may safely be assumed that the stones were sunk into the ground to the extent of from $1\frac{1}{4}$ to $1\frac{1}{2}$ foot. Of the prostrate stones, No. II. fell outwards and No. IX. inwards. No. XI. also fell inwards, but “kicked out” to a greater extent than the others, probably covering its hole entirely in its fall. Only Nos I. and VIII. can be said to stand vertically at the present time. No. XII. deviates from the perpendicular more than any of the others; towards the S.S.W. it leans probably to the extent of 40 degrees. Although No. IV. is in the same position as it was in 1879, Lukis appears to have regarded it as the stump of a standing-stone, the upper portions being broken off and removed. In this assumption he was most probably incorrect, and Stone IV. must be regarded as the recumbent portion of a stone thrown inwards out of its proper position in the true circle at some time when the circle was pillaged; moreover the S.W. edge exhibits modern drill-holes.

The writer made a second visit to the Trippet Stones on 24th September, 1906,

^a Measurements from centre to centre.

^b Lukis gives 12 feet as the average interval between the stones, but probably he made his measurements from the edge of one stone to the nearest of the next.

^c If there was originally no gap in the circle, five stones probably belonged to this segment; but if they were equidistant from centre to centre they must have been at least $13\frac{1}{2}$ feet apart.

^d Sir John Maclean was correct in giving 108 feet as the diameter of the circle (*History of Trigg Minor*, 1873, i. 24). Mr. Lewis gives $104\frac{1}{2}$ feet (*Journal of the Anthropological Institute*, xxv. 8, and *Journal of the Royal Institution of Cornwall*, xiii. 109); the Rev. W. C. Lukis gives the same dimensions as Mr. Lewis (*Prehistoric Stone Monuments of Cornwall*, 3). The diameter of this circle (viz. 108 feet) is the same as Mr. C. W. Dymond gives for the southern of the three circles known as “The Hurlers,” north of Liskeard. In *V. C. H. Cornwall*, i. 389, Mr. Tregelles states that the circle is only 103 feet in diameter, but his own plan shows it to be 107 feet (according to the circle dotted on the drawing).

and found the circle in the same condition as in June, 1905. On the last visit the circle was photographed from the N.E. (Plate IV. fig. 2.) In April, 1907, this circle was visited by Sir Norman Lockyer, who found that the alignment of Arcturus on Rough Tor from this circle gives about B.C. 1700 as the age of the Trippet Stones.^a

IV.—THE LEAZE STONE CIRCLE.

(Plan, fig. 6, and Plate IV. fig. 3.)

1. THE POSITION OF THE CIRCLE.

The Leaze stone circle is so named from the farm on which it is situated. The farm buildings (now in a state of ruin, the cottage still being occupied temporarily) are at a distance of 600 yards to the S.W. The circle is not easily found; and, excluding Leaze farm, there are only three modern domiciles within a mile of it. The De Lank river, which divides the parishes of Blisland and St. Breward, is less than a quarter of a mile to the E. and S.E. The circle is in the parish of St. Breward,^b the church and village being at a distance of $2\frac{1}{2}$ miles due W.; whereas the Stripple and Trippet Stones are in Blisland parish. The Leaze circle is situated rather less than $1\frac{1}{2}$ mile (7,700 feet) to the N.N.E. of the Trippet Stones, and rather less than $1\frac{1}{3}$ mile (7,230 feet) to the N.N.W. of the Stripple Stones. King Arthur's Hall is just $\frac{1}{2}$ mile to the N.W.^c

The Leaze circle is about 825 feet above sea-level (much about the same as the Trippet Stones). The ground within the area of the plan (less than $\frac{1}{4}$ acre) slopes somewhat from N. to S. Hawk's Tor falls on the line connecting the Stripple Stones with the Leaze circle, whilst the summit of Carkey's Tor (900 feet above sea-level) falls to the W. of this line by some 400 feet. In a bee line from the Leaze circle the summit of Butter's Tor (1,037 feet above sea) is 7,175 feet in an E.N.E. direction; Garrow Tor (1,087 feet above sea) is 5,080 feet in a N.E. direction; the Fernacre circle 9,200 feet in a N.N.E. direc-

^a *Nature*, 21st November, 1907, 57.

^b Mr. Reynolds of St. Breward is the landowner.

^c Although Maclean mentions and describes Arthur's Hall under the parish of St. Breward, he does not seem to have known the Leaze circle. (*History of Trigg Minor*, i. 352)

tion; and the Stannon circle 9,550 feet in a N.N.W. direction. The Leaze circle is not visible from the four other circles.

There are hut-circles and barrows in close proximity, and to the W. is an

Fig. 6. Plan of the Leaze Stone Circle.

irregular wide and deep trench running down the hillside, which Mr. Tregelles regards as probably a tin stream-work.

This circle has been mutilated to a large extent by the modern bank (Plan, fig. 6) which divides it into two portions, running across the circle in a N.N.W. and S.S.E. direction, and a furze-brake occupies the interior space and

the surroundings. Fortunately, however, the bank is not so high as to obstruct a general view of the circle from most points. (Plate IV. fig. 3.) There is a slight trench on either side of the bank, the latter being about 3 feet above the trench and $2\frac{1}{2}$ feet above the level of the surrounding land. A similar "dyke," or modern boundary, intersects the middle and largest circle of "The Hurlers," N. of Liskeard.^a

2. OUTLYING MONOLITHS.

During my visit no time was available to look out for any standing-stones in close proximity to the Leaze circle, but the Ordnance Sheets record several in the direction of King Arthur's Hall and St. Breward. Mr. Lewis says "there are some outlying stones about 10 degrees E. of N., which may, however, have formed part of a cist, and there are what appear to be the remains of another circle a short distance to the N.W. between the Leaze circle and King Arthur's Hall."^b

3. DIRECTIONS OF HILLS AND OTHER CIRCLES IN THE VICINITY OF THE LEAZE CIRCLE.^c

Stripple Stones, 18 degrees E. of S.
 Trippet Stones, $12\frac{1}{2}$ degrees W. of S.
 Fernacre circle, 16 degrees E. of N.
 Stannon circle, 23 degrees W. of N.
 Brown Willy, $38\frac{1}{2}$ degrees E. of N.
 Rough Tor, 13 degrees E. of N.
 The top of Garrow Tor, $32\frac{1}{2}$ degrees E. of N.
 Catshole Tor, 22 degrees N. of E.
 Butter's Tor, $31\frac{1}{2}$ degrees N. of E.

4. DESCRIPTION OF THE CIRCLE.

(Notes taken from my own Survey.)

The Leaze circle consists of ten standing (Nos. I. to V. and VIII. to XII.)

^a See Mr. C. W. Dymond's plan, *Journal of the British Archæological Association*, xxxv. 304.

^b See Mr. Lewis's paper on "Prehistoric Remains in Cornwall," *Journal of the Anthropological Institute*, xxv. 8; also *Journal of the Royal Institution of Cornwall*, xiii. 108.

^c See also *Archæological Journal*, xlix. 148-50.

and six^a prostrate (Nos. VI. VII. XIII. to XVI.) monoliths. (Plate IV. fig. 3.) The N.E. portion of the circle (Stones IX. to XII.), as in the case of the Trippet Stones, represents the most complete part remaining, from which it can be estimated that twenty-two stones, forming almost a true circle, originally stood at an approximate distance of 12 feet apart.^b The constructors of the modern bank which traverses the circle were no doubt responsible for the greater part of the mutilation which has taken place, especially with regard to the displacement of the stones numbered XIII. XIV. and XV.; the stones from the depressions on the S. side were perhaps smaller than others in the circle, and being comparatively easily moved were probably utilised in the formation of the hedge. The stone marked VII. protruding from the bank where the smaller gap is situated, is most probably one of the original monoliths of the circle, and especially as it is in its correct relative position.

The circle described on the plan (fig. 6) through the centre of the standing-stones clearly shows the diameter of the circle to be 81 feet.^c The only stone falling out of the line of the true circle is No. II. which stands outside to the extent of about 1.3 foot. Mr. Tregelles, in his plan of the circle, brings my stones Nos. I. and IV. within the line of the circle, and has placed Stone V. a little too far to the S.W. But his stone No. 8 (which is No. VI. of the plan), instead of being on the line of the circle, is placed at a distance of $4\frac{1}{2}$ feet from the true circle.

As in the case of the Trippet and Stripple Stones, all the stones of the Leaze circle are of granite, and they are better cut and more regular than the stones of the other four circles forming the group; most of the Leaze stones, if not all,

^a In 1905 the writer had recorded only five prostrate stones. On 24th September, 1906, he made a second visit to the Leaze circle for the purpose of photographing it from the W.N.W. (pl. iv. fig. 3), and found that large bushes of gorse had been burnt in various parts of the circle. This burning revealed another large prostrate stone on the S.S.E. which had previously been entirely hidden by a large clump of old gorse. Mr. Lewis evidently had not noticed it, as he mentions only one fallen stone (No. VI. of my plan). The additional stone has now been included in the plan in its approximate position (the writer had no tape with him unfortunately and had to fix its position by pacing). It has been numbered XVI. Mr. Tregelles gives this stone in his plan of the circle, but it is not correctly placed (*V. C. H. Cornwall*, i. plate facing p. 390).

^b The Rev. W. C. Lukis gives "about 12 feet apart" for the stones (as originally placed) of the three circles called "The Hurlers," about 5 miles N. of Liskeard.

^c Mr. Lewis gives $83\frac{1}{2}$ feet (*Journal of the Anthropological Institute*, xxv. 8, and *Journal of the Royal Institution of Cornwall*, xiii. 109). A plan of this circle is not given by Messrs. Lukis and Borlase in *Prehistoric Stone Monuments, etc.* published by the Society of Antiquaries of London; Mr. Tregelles in his plan shows the diameter as 80 feet (*V. C. H. Cornwall*, i. plate facing p. 390).

have a quadrangular section. Possibly it belongs to a rather later period than the other circles under consideration.

As will be seen from the details in Appendix IV. the stones of the Leaze circle are $1\frac{1}{2}$ foot shorter than those of the Trippet Stones, their average height above the ground being 3·3 feet. In width they vary considerably, viz. from 1·3 to 2·75 feet; and in thickness from 0·8 to 1·7 foot. Only three stones, Nos. IX. X. and XII. stand in a vertical position at the present day; whilst Nos V. and VIII. lean considerably, and are in danger of early prostration.

V.—THE FERNACRE STONE CIRCLE.

(Plan, Plate V., and Plate VI. figs. 2 and 3.)

1. THE POSITION OF THE CIRCLE.

This circle and the Stannon and Leaze circles are named after the farms on which they are situated or to which they are nearest. Fernacre farmhouse^a is only 3 furlongs to the E.S.E. while Stannon farm is just over a mile to the W.N.W. The circle, which belongs to Sir W. Onslow, Bart., is in the parish of St. Breward, the village of which is $3\frac{3}{8}$ miles distant in a S.W. direction,^b and the same distance to the S.E. of Camelford. The nearest point to the sea in Port Isaac Bay is 7 miles to the W. It is about 925 feet above the mean level of the sea. Hut-circles abound to the E. between the circle and Fernacre farm, and to the N. on the southern slopes of Rough Tor. To the S. and W.S.W. are barrows and stone cists. To the N.W. at a distance of $4\frac{1}{4}$ furlongs is the Logan Rock at the N. extremity of Louden Hill. The view from the circle is confined to a comparatively small area bounded on the N. by Rough Tor (height 1,312 feet, distance 2,700 feet); on the S. by Garrow Tor (height 1,087 feet, distance 4,800 feet); on the E. by Brown Willy (height 1,375 feet, distance 4,600 feet); and on the W. by Louden Hill (height 1,000 feet, distance 2,650 feet).

The Fernacre circle^c is situated at the following distances from the neighbouring circles: the Stripple Stones, 15,675 feet (3 miles), due S.; the Trippet Stones, 16,810 feet ($3\frac{1}{4}$ miles), S.S.W.; the Leaze circle, 9,220 feet ($1\frac{3}{4}$ mile), S.S.W.; the Stannon circle, 6,270 feet ($9\frac{1}{2}$ furlongs), W. The Stripple Stones, the Leaze and Stannon circles are almost in line, and the same remark

^a The De Lank river flows close to Fernacre farm and between it and Brown Willy.

^b All measurements are taken as the crow flies.

^c The writer had visited this circle previously on 3rd July, 1905.

applies to the Trippet Stones, the Leaze and Fernacre circles. By reference to the 6-inch Ordnance Sheets it is seen that the summit of Brown Willy and Fernacre and Stannon circles are very nearly in the same alignment, but the line connecting the former with the latter misses being due E. and W. by just two degrees, Fernacre falling a little S. of this line; Brown Willy is the most northerly of the three.

2. DIRECTION OF HILLS AND OTHER CIRCLES IN THE VICINITY OF THE FERNACRE CIRCLE.^a

The Stripple Stones and Garrow Tor, due S.

Stannon circle, $\frac{3}{4}$ degree S. of W.

Trippet Stones, $14\frac{1}{2}$ degrees W. of S.

Leaze circle, 16 degrees W. of S.

Logan Rock on Loudon Hill, 28 degrees N. of W.

Brown Willy, $2\frac{3}{4}$ degrees N. of E.

Rough Tor, due N.

3. DESCRIPTION OF THE CIRCLE.

(Notes taken from my own Survey.)^b

The plan (Plate V.) encloses an area of 175 feet due N. and S. by 175 feet E. and W., the ground covering 0·7 acre. The magnetic variation for 1st September, 1906, at Brown Willy was 17 degrees 18 minutes W. of true N.^c The plan with its 6-inch contours shows a maximum fall of $12\frac{1}{2}$ feet from the highest ground in the N.E. corner to the lowest at the S.W. A cart-track, about 8 feet wide, traverses the E. half of the circle in a N.N.E. and S.S.W. direction.

Details regarding the position and size of the stones are given separately in Appendix V. The plan shows that the stones were probably never placed in the form of a true circle, unless "soil-creep" is responsible for more than we should be inclined to credit it with; still it must be borne in mind that the ground (peat) is very boggy in wet seasons (even more so than at the other circles). The nearest approximation to a segment of a true circle is on the western side, where the stones are placed about 7 feet apart. (See photographs, Plate VI. figs. 2 and 3). The greatest amount of divergence from the circle is seen on the S.E.

^a See also "Stone Circles of Britain," *Archæological Journal*, xlix. 148-50.

^b Figured by Lukis and Borlase in *Prehistoric Monuments of Cornwall*, 3, 30, and pl. vi.

^c My thanks are due to the Director-General of the Ordnance Surveys for this information.

and on the N.W. Stones XXX. and XXXI. may have been displaced from the ring for the easier progress of vehicular traffic along the track. It is quite likely that Stones LXIX. to LXXI. only showing slightly above the surface in the central area do not belong to the ring, and if so they have probably been displaced from their original position in the circle.^a Out of the seventy-one stones^b shown in the plan, thirty-nine are standing (including stumps), the remainder being prostrate or partly sunk into the peat, whilst others could only be indicated on the plan after probing and digging.^c

All the stones are of granite. The highest standing-stone is No. VI. which leans slightly and is surrounded by a depression about 1 foot deep; its height above the level of the moor is 4·4 feet. It is figured in Plate II. fig. 4. Stone XIV. comes next with a height of 3·7 feet,^d while Stone XXXII. is 3·4 feet high. Of the prostrate stones No. LXIV. is by far the longest, viz. 6·9 feet; and No. XIV. is by far the widest stone, 4·2 feet. Nos. XXXII. XXXIV. and LXVI. are also comparatively large stones. Early prostration of several of the standing-stones is to be feared, as many of them lean considerably and some are deeply trenched round by the feet of cattle. It is a great pity that this circle and indeed the others on these moors are not railed round.

A mediate circle has been delineated on the plan (Plate VII.), which gives an approximate diameter of 149 feet for the ring. Mr. G. F. Tregelles records the diameter as about 146 feet,^e but the circle described on his plan shows the ring to be of about the same diameter as that shown on my plan.

4. OUTLYING STONE.

(Seen in the Photographs, Plate VI. figs. 2 and 3).

Both Mr. A. L. Lewis^f and Mr. Tregelles have stated that an outlying stone

^a Stone LVIII. probably belongs to the ring.

^b Mr. Lukis in 1879 said that the circle consisted of ten fallen and forty-five erect stones. He stated that the diameter of the circle was 140 feet, but his plan shows it to be about 147 feet.

^c Mr. Tregelles in his plan (*V. C. H. Cornwall*, i. plate facing p. 394) gives a buried stone close to my Stone XXV. and to the N.W. of it; and another between my Nos. XLVII. and XLVIII. He, however, does not give my Stones XXX. XXXI. LXIX. LXX. and LXXI.

^d Mr. Tregelles in my opinion gives too great a height for many of the stones. He may have estimated the height of the stones above the depressions, whereas my heights are from the general level of the moor to the top of the stones.

^e *V. C. H. Cornwall*, i. 394.

^f *Journal of the Anthropological Institute*, xxv. 6.

Fig. 1. One of several hundreds of the remains of Hut Circles which abound in the vicinity of the Stone Circles on Bodmin Moors. This particular one is on Kerrow Downs, 2 miles W. of the "Stripple Stones."

Fig. 2. The northern three-quarters of the Fernacre Stone Circle with Brown Willy in the distance ; taken from the W.N.W. The figure in both views stands near the outlying stone.

Fig. 3. The southern three-quarters of the Fernacre Stone Circle. The post on the left represents the centre of the circle.

THE FERNACRE STONE CIRCLE, AND A TYPICAL HUT CIRCLE, EAST CORNWALL.

Published by the Society of Antiquaries of London, 1908.

is situated about 160 feet eastward from the circle *directly in line* with the highest peak of Brown Willy. Now these observations should be taken from the centre of the circle, and the writer finds that the outlying stone is about $1\frac{1}{2}$ degree to the N. of a line drawn from the circle's centre to the highest point of Brown Willy.^a This stone is 231 feet from the centre of the circle and $154\frac{1}{2}$ feet from the middle of the eastern stone No. XIV. It is upright, rather jagged at the top; height, 1·7 foot; maximum width N.W. face, 1·7 foot; maximum thickness, 1·2 foot.

VI.—THE STANNON STONE CIRCLE.

(Plan, Plate VII., and Plate VIII. figs. 1 and 2.)

1. THE POSITION OF THE CIRCLE.

Like the Fernacre and Leaze circles this circle, situated on Stannon Downs, is named after the farm near by, and is in the parish of St. Breward. It is the most north-westerly of the group of the five circles on Bodmin Moors, and like the Stripple Stones and the Fernacre circle is the property of Sir Wm. Onslow, Bart. This circle is only $1\frac{3}{4}$ furlongs^b to the S.S.W. of Stannon farm,^c and $2\frac{1}{2}$ miles to the N.E. of St. Breward; from Camelford it is $2\frac{1}{2}$ miles in a bee line in a S.E. direction; and from the villiage of Tresinney, $1\frac{3}{4}$ mile in an E.S.E. direction. The nearest point to the sea in Port Isaac Bay is $5\frac{3}{4}$ miles to the W. To the S.S.W. of the circle there is a tumulus on Dinnever Hill, and hut-circles abound on the E.N.E., E. and E.S.E. Alex Tor (height, 963 feet) is situated $7\frac{1}{4}$ furlongs to the S.W. and Rough Tor (height, 1,312 feet) towers over the N. extremity of Louden Hill at a distance of $12\frac{1}{2}$ furlongs in an E.N.E. direction. On the E. the peaks of Brown Willy over the S. slope of Louden Hill stand out conspicuously against the sky line. The Louden Hill "Logan stone" is $6\frac{1}{2}$ furlongs to the E.N.E. The circle is about 835 feet above mean sea-level. From it a good view is obtained in a N. direction, with the Stannon china clay works and Stannon Marsh in the middle distance. (See photograph, Plate VIII. fig. 2.) A small tributary of the River Camel rises a little to the E. of the circle.

^a The summit of Brown Willy is about $2\frac{3}{4}$ degrees N. of E. viewed from the centre of the Fernacre circle.

^b All measurements as the crow flies.

^c The roadway leading to Stannon farm passes 250 feet to the N. from the centre of the circle.

The Stannon circle is situated at the following distances from the neighbouring circles: the Stripples Stones, 16,770 feet (about $3\frac{1}{4}$ miles), S.E.; the Trippet Stones, 16,350 feet (over 3 miles), S.S.E.; the Leaze circle, 9,530 feet (about $1\frac{3}{4}$ mile), S.E.; the Fernacre circle, 6,270 feet ($9\frac{1}{2}$ furlongs), E. A line connecting Stannon circle with the summit of Brown Willy is only 2 degrees N. of E. and the Fernacre circle falls only 100 feet to the S. of this line.

2. DIRECTION OF HILLS AND OTHER CIRCLES IN THE VICINITY OF THE STANNON CIRCLE.^a

Stripples Stones, 21 degrees E. of S.
 Trippet Stones, $6\frac{3}{4}$ degrees E. of S.
 Leaze circle, 23 degrees E. of S.
 Fernacre circle, $\frac{3}{4}$ degree N. of E.
 Brown Willy, 2 degrees N. of E.
 Rough Tor, 23 degrees N. of E.^b
 Garrow Tor, 39 degrees S. of E.
 Alex Tor, $27\frac{1}{2}$ degrees W. of S.
 Logan Rock on Louden Hill, $21\frac{1}{2}$ degrees N. of E.

3. DESCRIPTION OF THE CIRCLE.

(Notes taken from my own Survey.)

The plan ^c (Plate VII.) encloses an area 165 feet due N. and S. by 157 feet E. and W., the ground covering about 0·6 acre. The contours of 6 inches vertical height show a gradual fall of $8\frac{1}{2}$ feet from the highest ground in the S.E. corner to the lowest at the N.W. The surveying was greatly impeded by the luxurious growth of gorse in most parts of the circle. (See photographs, Plate VIII. figs. 1 and 2). Much had to be cut away for our purposes, and there was considerable difficulty in revealing the true outline of many of the prostrate

^a See also "Stone Circles of Britain," *Archæological Journal*, xlix. 148-50.

^b The two peaks of Rough Tor with a lower one between range from 20 degrees to 24 degrees N. of E. Possibly the sun rises between these peaks at some special season of the year; but the writer has been unable to ascertain if this is so.

^c Lukis and Borlase did not make a plan of this circle. Mr. A. L. Lewis made a small sketch-plan which is given in the *Journal of the Anthropological Institute*, xxv. pl. ii., and a larger plan has been made by Mr. Tregelles.

Fig. 1. The eastern end of the circle where the stones are arranged in close order. On the left, Stannon Farm ; on the right, Rough Tor. The moor in the middle distance is covered with the remains of hut-circles.

Fig. 2. View of the larger stones on the W. side of the circle ; taken from the S.W. The Stannon China Clay Works in the middle distance.

THE STANNON STONE CIRCLE, EAST CORNWALL.

Published by the Society of Antiquaries of London, 1908.

stones, and in some cases, either on account of the abundance of gorse or from the fact that some of the stones were entirely clothed in turf, only the approximate outline of the granite blocks could be delineated on the plan.

Details of the dimensions and position of the stones are given in Appendix VI. As in the case of the Fernacre circle the stones at Stannon could never have been placed in the form of a true circle. Indeed the Stannon stones deviate much more from a circle than those at Fernacre. The nearest approximation to a segment of a circle in the case of Stannon is on the S. S.E. and E., and if a smaller segment is taken the E. part is the truest. (See photograph, Plate VIII. fig. 1.) By far the greatest amount of flattening of the circle^a occurs on the N., while at the N.W. there is almost an angle formed by the position of the stones. There is great divergence, too, in the relative position of Stones XXI. to XXVIII. on the E.S.E. and in the segment extending from the S. to the W. The N.W. quarter of the circle shows the best line of stones still erect, and had not Stones LXXI. and LXXII. fallen outwards there would have been twelve stones standing in sequence in their original position, apparently without any deficiencies between. The two small stones in the central area are not, we think, in their original position, and have probably been removed from the circle. The greatest gaps occur on the N.E. and S.S.E.

Of the seventy-nine stones in the circle and within it in my plan,^b forty-one are standing (including stumps), the remainder being prostrate or partly sunk into the peat, whilst others could only be indicated on the plan after probing, digging, or gorse-cutting.^c

The highest standing-stones are close together on the S.W. (Plate VIII. fig. 2); Nos. LVI. and LIX. are each 3·55 feet above the field level, and No. LII. is 3·1 feet high. Stone LXIV. leans outwards considerably, but when erect its height was probably 3·8 feet. Of the prostrate stones Nos. XXXVIII. and IX. are the longest, the lengths being 5·8 and 5·5 feet respectively. These are closely

^a This flattening appears to me to be rather too strongly emphasised in Mr. Tregelles's plan of the circle. (*V. C. H. Cornwall*, i. plate facing p. 394.)

^b Mr. Tregelles shows seventy.

^c In the E. half of the circle Mr. Tregelles in his plan shows a buried stone (No. 29) which we failed to discover. On the other hand he appears to have missed No. XXXIV. of my plan, and to have drawn his No. 36 at the wrong angle. In the W. half he has omitted a standing-stone on the W.N.W. (shown, however, in Mr. Lewis's earlier sketch-plan), and most of the stones on his plan from Nos. 39 to 56 do not appear to be delineated in their correct relative positions. Mr. Tregelles appears also to have missed one or two stones in this part, whilst, owing to the thickness of the gorse, we did not find his No. 47 just outside the circle on the S.W.

followed by Nos. XIII. VII. and V. with lengths of 5·35, 5·3, and 5·2 feet respectively. The widest stone in the circle is No. LXIV. width 4·5 feet; this is closely followed by Nos. LII. and IX. 4·4 and 4 feet wide respectively.

Deep depressions are seen round some of the standing-stones, but the heights have been measured from the average turf level surrounding them. The large stone No. LXIV. leaning outwards at an angle of about 58 degrees with the ground has a deep hollow on the W. side, and will probably fall before many years have passed.

A circle has been described on the plan (Plate VII.) which, although including the somewhat flattened stones on the N. well within its area, is mediate for the stones on the E. S. and W. It gives a diameter of 138 feet, which compares precisely with the dimension given by Messrs. Lewis and Tregelles.

4. OUTLYING STONE.

At 30 degrees E. of N. as observed from the centre of the circle there is an outlying stone (No. LXXX. of plan) at a distance of 25 feet from the nearest part of the circle described on the plan, and 94 feet from the centre of the circle. This probably belongs to the group of stones, and although it is indicated on Mr. Lewis's sketch plan, it is not recorded by Mr. Tregelles. It leans in a N.E. direction towards Rough Tor at an angle of about 50 degrees with the ground. It has fairly smooth faces. When erect it was about 1·8 foot above the turf; maximum thickness 0·6 foot. Its maximum basal width is 4·6 feet, so that it is wider than any of the other stones comprising the Stannon group.

VII.—COMPARATIVE NOTES ON THE FIVE CIRCLES.

From the fact that neither Fernacre nor Stannon are true circles,^a it has been contended that they may be earlier in date than the circles in the southern division of the "group," viz. the Strippel and Trippet Stones and the Leaze circle. Such an assumption can only be proved by archæological excavations. The writer is not aware that any remains of human workmanship have been found in any of these circles except the few flint flakes (see p. 12) and the

^a These rings could easily have been made true circles by means of a central pole and a cord for radius.

calced flint in the excavations at the Stripple Stones in 1905. As the Fernacre and Stannon circles are in close proximity to the sites of dozens of hut-circles (Plate VI. fig. 1), it is probable that the two classes of ancient sites are contemporaneous in date, and that the inhabitants of the huts used the circles for various ceremonies and observances. These circles might repay excavating if done carefully, but stone circles in England, with the exception of Stonehenge and Arbor Low, have produced little in the way of relics.

In cart-tracks and along a little runnel of water just below the hut-circles of the southern slope of Rough Tor, and between it and the Fernacre circle, Mrs. Gray found within half an hour six flint chips, a small scraper, two cores, a flake with secondary chipping, and a flint knife nearly 2 inches long with traces of considerable chipping.

The stones in the five circles are of granite. Those forming the Stripple and Trippet Stones and the Leaze circle are for the most part stout and well cut, with quadrangular cross-section. Those making up the Fernacre and Stannon circles are on the other hand smaller as a whole,^a and with few exceptions are rough and irregular in outline. The three southern circles, and especially the Trippet Stones and the Leaze circle, have the megaliths placed at fairly regular intervals apart. The Stripple Stones appear to have been arranged about $16\frac{1}{2}$ feet apart; the Trippet Stones have intervals of $12\frac{3}{4}$ feet; and the space between the stones of the Leaze circle averages 12 feet. The Fernacre and Stannon circles, on the other hand, present uneven outlines, and the remaining stones in some places occur in close order, in others at irregular intervals. Instances of similar circles are recorded. Withypool, on Exmoor, is a recent discovery of the sort.^b Mr. C. W. Dymond has figured Cumbrian circles of this character;^c they include Long Meg and her Daughters, the Keswick, Swinside,^d and Eskdale circles. The former of these (average diameter 332 feet) has a similar flattening on the N. side to that of the Stannon circle. The comparatively small circle of Boscawen-ûn, in the parish of Buryan, near Penzance, is elliptical in shape; in this case the stones follow the line of a true circle on the N.E. and S.W., but in the other parts they bulge out.^e

Both Fernacre and Stannon have an outlying stone near to; the former on

^a The stones of the Stannon circle are rather larger and more uniform than those of Fernacre.

^b *Proceedings of the Somerset Archæological Society*, lii. pt. 2, 42-50, and plan.

^c *Journal of the British Archæological Association*, xxxiv. 31-6.

^d *Transactions of the Cumberland and Westmorland Antiquarian Society*, N.S. ii. 55, *et seq.*

^e *V. C. H. Cornwall*, i. plate facing p. 382

the E. (Plate VI. figs. 2 and 3), the latter on the N.N.E. The former, as viewed from the centre of the circle, does not form an exact alignment with the summit of Brown Willy, and the use of the latter has not been ascertained.

Another point to be noticed in this group of circles is that none of the circles can be seen from the others, with the exception of the Trippet Stones, which, viewed from the Stripple Stones, stands out grandly along the sky-line; but the Stripple Stones are not well seen from the Trippets.

All the circles are highly placed above mean sea-level. The Trippet Stones are the lowest, about 799 feet, whilst the Fernacre circle is the highest, about 925 feet. The Leaze circle, about 825 feet; Stannon circle, about 835 feet; and the Stripple Stones, about 915 feet.

In diameter, Fernacre is the largest circle in Cornwall; allowing for irregularities it averages 149 feet. The Stripple Stones circle comes next with a diameter of $146\frac{1}{2}$ feet. Of the others in the "group," the diameters are as follows: Stannon, 138 feet; Trippet Stones, 108 feet; and the Leaze circle, 81 feet. These have been estimated with every attention to accuracy.^a

^a Mr. Tregelles gives the diameters as 146, 145, 138, 103, and 80 feet respectively.

APPENDIX I.

Barrow containing a Stone Cist in the Cornfield to the East of the Stripples Stones.

The original margin of this small barrow is now untraceable owing to the encroachments of the plough. As previously stated, the approximate centre of the barrow is 236 feet to the E. of the N.W. corner of the central stone of the circle. The present dimensions of the barrow are about 14 feet N. and S. by 19 feet E. and W. and the top of it is about 1·8 foot above the level of the surrounding field. It was unnecessary to excavate to ascertain whether a stone cist existed here, for the top-stone and the top of the walls of the cist are exposed to the atmosphere. It was found that the top-stone had not been replaced after excavation, but its W. edge still slightly overlapped the E. upright slab of granite. The line of the grave was approximately true N. and S., the broad end, that probably occupied by the skull (assuming that an interment by inhumation existed here) to the S. We re-excavated the interior space down to, and a little below, the level of the upright slabs forming the wall of the cist, but no relics whatever were recovered amongst the mould and pieces of granite which formed the filling. At a depth of 3 feet from the top of the walls the bog iron-ore deposit was reached. At the S. end of the cist and below the granite slabs the iron-ore had been penetrated, and from its level a round hole about 1 foot deep and 2·6 feet in diameter at top had been cut. No stone was found at the N. end of the cist. A trench, 2·5 feet wide, was also cut down to the iron layer across the mound, N. and S. on the W. side, but no relics were found.

The following dimensions were recorded :

Interior length of the cist, 5·7 feet.

Interior width at the N. end, 1·8 foot.

Interior width at the S. end, 3·2 feet.

Maximum length of cover, 7·8 feet ; maximum width, 5 feet ; maximum thickness, 0·9 foot ; corners rounded.

Maximum length of E. upright slab, 5·8 feet ; maximum width, 1·9 foot.

Maximum length of W. upright slab, 5·6 feet ; maximum width, 1·8 foot.

Maximum length of S. upright slab, 3 feet ; maximum width, 2·7 feet.

The writer has been unable to find any record of the original excavation of this cist.

APPENDIX II.

Detailed Description of the Stripples Stones. (As seen before excavation.)

PLAN, PLATE I.

Central Stone I.—Recumbent stone, a little to the S.E. of the centre of the circle, lying in a N.N.W. and S.S.E. direction, and sloping slightly towards the S.S.E. Maximum length of the stone along the E.N.E. edge, 12·2 feet; along the W.S.W. edge, 11·1 feet. Width of stone (at right angles to the length), at the N. end, 4·25 feet; at the other end, 3·75 feet; maximum oblique width at N. end, 4·9 feet. Maximum thickness at N. 0·85 foot; at S. 1·15 foot; on E. 1·3 foot (including turf grown up the side); deeply embedded into turf along the W. side. The stone has been mutilated within recent years for the purpose of securing a gate-post from the E. side of the stone; along the upper face of the stone, on the line of the fracture, 15 drilled holes are observable (diameter, 0·85 inch; average depth, 3 inches). The attempt to obtain a post of quadrangular section of the full length of the stone failed, and it broke at 3·5 feet from the N. corner, this portion still remaining in position. If the remainder of the length was detached in one piece it measured about 8·5 feet in length, 1 foot in width, and from 0·4 to 1·1 foot in thickness. The fracture through the stone at the N. end measures 0·45 foot. The upper face of the granite is fairly smooth. (Plate III. fig. 1.)

Prostrate Stone II.—Lies in a depression (nearly 1 foot maximum depth) in a N.W. and S.E. direction; the depression is less marked towards the fosse on the N.N.W. This end is 0·8 foot above the turf, the stone sloping in E. and S.S.E. directions. At the E. it is 0·9 foot above the turf of the depression (this apparently being the maximum thickness of the stone). On the S.S.E. the stone slopes off to the turf in the depression. Turf grows all round the sides except at the N.W. Total length of the stone, 7·1 feet; maximum width, 2·1 feet. Fairly flat face. To conform to the line of the true circle it must have fallen inwards.

Prostrate Stone III.—Lies in a depression in continuation from Stone II.; the depression lessens in width, however, between the stones. At the S. the upper face of the stone reaches the turf. The N. point dips slightly into the turf of the inner edge of the fosse. It has a rough flat surface which nowhere shows more than 2 inches above the turf. Length from N. to S., including 3·2 feet covered by turf at the N., 10 feet; maximum width at S. end, 4·7 feet. It appears to have fallen inwards.

Standing-stone IV.—This stone is one of the four remaining standing, but it leans towards the S. to the extent of about 15 degrees from the vertical. It stands at a height of 4·8 feet above the encircling trench worn by cattle. Between this and the stone is a tussock which grows round the stone to a height of 1 foot, but is most pronounced on the S. side. Maximum width of stone near base, 2·7 feet; maximum thickness, 0·7 foot. Slight groove on top of stone. The depression between this stone and No. III continues as a slight trench.

On the E. side of the stone and between it and the corner of the modern wall is a rough cart track. (Plate II. fig. 1.)

Prostrate Stone V.—Lies flat close to the E. side of the modern stone wall which cuts through the E. and N.E. side of the circle. Length, 6 feet; maximum width at S.E. 1·5 foot; maximum thickness, 0·8 foot. The N.W. end tapers to a rounded point. Of quadrangular section, one of the angles facing uppermost.

Prostrate Stone VI.—Recumbent stone, now of triangular form, in a similar position to No. V. and about 11½ feet to the S.E. of it. Only the E. edge of the stone represents the original margin. The N.E. edge, exhibiting six drill-holes, represents a modern fracture as does the S.W. edge with several more drill-holes. Part of the S.W. edge is embedded in the earth. The fractured sides measure 6·5 and 4 feet respectively; the old E. edge 3·5 feet. Thickness about 0·9 foot. Upper surface fairly flat.

Standing-stone VII.—Stands in a depression worn by animals rubbing against the stone, 1·2 foot below the average turf-level. The stone is closely surrounded by a tussock about 1·2 foot in height (tapering at the ends of the stone). It is the only stone in the circle which can be described as vertical at the present day. On its N.W. face it presents a slight concavity towards the top. The top has an almost sharp bevelled edge caused by weathering. The S.E. face is the rougher and presents a slight convexity. Maximum height above depression, 5·9 feet; height above tussock about 4·75 feet. The N.E. end of the stone averages 0·5 foot thick, whilst the opposite end averages 0·9 foot for the lower half and 0·5 foot for the upper half. There is an oblique ridge or shoulder on the S. about half-way up the stone. Maximum width on S.E. side, 2·65 feet; on N.W. side (near top), 2·55 feet.

Prostrate Stone VIII. (in three pieces).—Large stone in three pieces several feet outside the circle on the E.S.E. covering 18 feet of ground from W.S.W. to E.S.E. The general slope of the pieces is in an E.S.E. direction. The larger piece is fractured lengthwise (obliquely to the surface of the stone in a S.E. direction), the fracture opening to a maximum of 0·25 foot. Measured obliquely from N. to S., the W. end of the stone is 7 feet wide, with an average thickness of 1·8 foot above the surrounding turf, but it probably penetrates the turf and turf-mould for several inches. The W. end is fairly flat, the other end has a width of 2·8 feet, sloping nearly to the turf at the E.S.E. corner. There is an average intervening space of 1·8 foot between this and the middle piece. The latter piece has a dorsal ridge, height 0·9 foot on the W.S.W. from which the stone slopes off to the ground on the N. and S.E. The third piece is 1·75 foot from the second; it is of triangular section with the turf-level; maximum height from turf, 0·7 foot. Length of the largest piece 9·8 feet. A slight trench connects the largest piece with Stone IX. This stone was in two pieces only when the circle was visited by Mr. Tregelles in 1902. (See plan *V. C. H. Cornwall*, i., plate facing p. 390).

Prostrate Stone IX.—Recumbent stone which has apparently fallen in the direction of Stone X. Roughly of oval outline; length 10 feet. Slight trench connects this stone with No. VIII. Flat base on E. on which the stone may have stood originally. A curved dorsal ridge runs from centre of upper face to about the centre of the "base"; the stone slopes

from this ridge to the ground on all sides. The surface is tolerably smooth. A big "flake" of granite has been removed from the S.E. side. The width from the S. corner to the N.N.E. is 6·7 feet, whilst the "base" measures 3·4 feet across. It was much overgrown with turf on the N. side and to a lesser extent on the S.E. and S.S.E.; this growth we removed as in the case of other stones of the circle.

Standing-stone X.—It stands in a well-marked depression at a distance of only 4 feet from the S.W. side of Prostrate Stone No. IX. The depression is about 1·3 feet below the surface of the moor. On all sides but the N. a tussock averaging 1 foot in height grew round the stone. It leans considerably towards the S. approximately 20 degrees out of the vertical. Its N. face is flat, ditto S. face, except for a slight ridge near the base running up at an angle of some 20 degrees with the ground. The general outline of the stone is of a somewhat pyramidal character, although the W. edge is as nearly as possible 90 degrees with the ground as viewed from the N. or S. The E. edge is parallel to the W. for 3 feet of its height from the depression at the N.E. corner, from which point it runs up at an angle of about 45 degrees to the top, meeting the W. edge at a rounded point. At the S.E. corner the "shoulder" occurs at 2·2 feet above the depression. Its maximum thickness, 1·5 foot, occurs across the shoulder on the E. edge. The average thickness near the base on the W. is 1·15 foot, and about 0·5 foot near the top. The ends are smooth and round at the corners by weathering. Height of the stone from depression N. face, 6·1 feet; maximum width of lower half, 3·6 feet. (Plate II. fig. 2.)

Prostrate Stone XI.—In a large depression attaining a maximum depth of 1 foot; stone sunk into turf and turf-mould all round. The N. point of the stone was found to be several feet S. of the line of the true circle, and since its fall has probably been moved from its original position. Maximum length 6·9 feet. Flat surface; slopes slightly to S.; rounded point at N. Maximum thickness of stone above turf on N.E. 0·7 feet. Average width across the middle, 2·9 feet.

Prostrate Stone XII.—This slab had a maximum length of 8·8 feet, and had evidently fallen outwards. In its recumbent position it slopes slightly towards the S.W. and S.S.W., and has a fairly smooth surface. It lies in a slight depression; maximum depth, 0·5 foot. Above the turf its thickness on the S.S.W. is 0·7 foot; maximum width across middle, 2·9 feet.

Standing-stone XIII.—It stands in a large depression; maximum depth, 1·3 foot; worn round the stone by cattle, and is more marked on the E. than on the W.; a tussock encircles the stone to a height of 1 foot. It leans towards the E. to the extent of about 20 degrees out of the vertical, and in this respect tallies with No. X., but it heels over rather more than No. IV. Both faces of the stone are flat. In general outline as viewed from outside the circle it resembles No. X. The N.W. edge of the stone is 6·9 feet in height above the depression. The S.E. end is almost straight up to 4·25 feet above the depression, from which point it runs up with an ogee curve to the summit of the stone on the N.W. Maximum width at shoulder, 4·45 feet; at base, 4·25 feet. (Plate II. fig. 3.)

Prostrate Stone XIV.—Lies in a depression about 1 foot deep which continues to a certain extent from Stones XII. and XIII. It appears to have fallen in a N. direction.

Length, 9·5 feet; width at squared "base," 1·75 feet; thickness above depression at the S. 1 foot; at N. 0·8 foot. Maximum width in middle, 2·1 feet. There is a weathered groove in the N. half of the stone. Pointed at the N. (Plate II. fig. 3.)

Prostrate Stone XV.—Oblong in plan with an oblong projection at the W.S.W. corner. It lies in a very slight depression, most pronounced towards the N. Maximum oblique length, 9·6 feet; maximum width, 3·25 feet. Just showing above turf at the W. and S.; at the other quarters it sloped slightly into the overgrowing turf, which was removed in order that the plan of the stone might be drawn.

Prostrate Stone XVI.—This stone is not completely recumbent, being at the W.N.W. 1·1 foot clear of the surface of the turf. The other end still penetrates the turf and surface mould. The depression, maximum depth 1 foot, is not continuous with the depression surrounding Stone XV. Maximum oblique length of stone, 7·5 feet; maximum width across the middle, 4·1 feet. Thickness at W.N.W. 0·5 foot; at W.S.W. 0·2 foot; at N. 0·8 foot (which does not seem to be exceeded anywhere). The "bay" on the S.W. of this stone somewhat resembles that on the W.N.W. of No. XV. Stone XVI. has a slight oblique ridge on its surface extending from the S.E. corner in a N.W. direction. This is probably one of the five stones standing when Sir John Maclean published the *History of Trigg Minor* in 1873.

Prostrate Stone XVII.—This outlying stone was found half covered with turf, which was removed. Its position corresponds with the fosse inside the slight bank (if any fosse existed in this part of the circle). It rests in a S.S.W. and N.N.E. direction, and is 5 feet long, having a rough dorsal ridge viewed from the top. Roughly pointed at the S.S.W.; squared at the other end, where it is 0·8 foot wide and thick. Maximum width, 1·4 foot.

Prostrate Stone XVIII.—This large stone to the S.S.E. of the centre of the circle was intentionally included in the plan, and it is not known whether it belonged originally to the circle proper or stood in the place it now occupies. It was found much overgrown, and it sloped off into the turf at the S.S.E.; in other parts the surface of the stone was 1·1 foot above the average ground level. It is grooved (N.W. and S.E.) by weathering. Maximum length, 9·6 feet; maximum width, 6·8 feet.

APPENDIX III.

Description of the Trippet Stones as numbered on the Plan, Fig. 5.

NOTE.—The standing-stones on the plan are represented in accordance with their dimensions at the base.

Standing-stone I.—Stands upright; a tussock all round, bounded by a depression at the N. and S. of the stone; height above moor-level, 4·6 feet; thickness varies from 1·1 to 1·3 foot, narrowing to 0·8 foot at the bevelled top; maximum width near top, 4 feet. Fairly smooth on both faces. N. end rounded.

Prostrate Stone II.—Rests in a depression about 1 foot deep; fallen outwards in a W.N.W. direction; maximum width at top, 2 feet; maximum thickness, 1·1 foot; quadrangular section. Base measures 0·8 by 0·9 foot. This is the stone that has fallen since Lukis made his plan. Mr. Tregelles shows this stone on his plan to have fallen in a due W. direction.

Standing-stone III.—Stands in a depression clearly defined on W., N.W., S. and S.W., deepest on W. where it is $1\frac{1}{2}$ foot below the moor-level; tussocks growing against stone on these sides; inner face quite flat, 5 feet high, 2 feet wide, outer face fairly flat, 4·2 feet high, 1·8 foot wide; maximum thickness at top, 2 feet, at bottom, 1·3 foot; quadrangular section; top of stone, 2 feet by 1·7 foot. The stone leans towards the W. to the extent of about 25 degrees.

Prostrate Stone IV.—Dimensions as plan; S.W. edge shows modern drill-holes. On S.W. the upper surface is 4 inches from the moor; on other sides 2 inches.

Standing-stone V.—Leans towards the S.S.W. to the extent of about 35 degrees. Depression all round the stone except on the N.E.; most marked on the S.W. where it is $1\frac{1}{2}$ foot below the moor-level. Faces, fairly flat; quadrangular section. Height of inner face, 4·7 feet; of outer face above tussock, 4·4 feet; maximum width, 2·5 feet. Maximum thickness N.W. 1·4 foot; S.E. 1·5 foot. Interior width at base, 2·05 feet; top measures 1 by 1·6 foot.

Standing-stone VI.—Leans to W. and also to S. to the extent of about 12 degrees. Heavy tussocks on both faces; depression on all but inner side; depth about 1·3 foot; flat inner face, height 4·2 feet above tussock; maximum height of outer face above tussock, 4·05 feet. Maximum width near top, 3·8 feet; near base, 3·4 feet. Thickness, W.S.W. end, from 1·5 to 0·9 foot; E.N.E. end, 0·9 foot to 1·3 foot. Block removed from S.W. corner at base; quadrangular section.

Standing-stone VII.—Stands in a depression all round, averaging $1\frac{1}{2}$ foot deep; tussock encircles base of stone. Slopes inwards to the extent of nearly 10 degrees from the vertical; quadrangular section; faces fairly flat. Height above tussock, inner face, 4·9 feet; outer

face, 4.5 feet. Maximum width of inner face, 1.8 foot. Thickness near top, on N. 1.7 foot, on S. 1.5 foot; at bottom, on N. and S. 1.3 foot. Top slopes off both ways from a N. and S. ridge.

Standing stone VIII.—Upright, with one or two vertical lines of cleavage on the sides; stands in a depression all round, averaging 1 foot in depth; tussock grows round the stone. Height above tussock, inner face, 4.3 feet; outer, 4.45 feet. Width of stone near top, 1.65 foot. On the E. face a pronounced transverse ledge (width $4\frac{1}{2}$ inches) occurs at 2.2 feet above the tussock. The top of the stone has a sharp ridge, width 1.7 foot, bevelled more on the E. than the W. The stone is of quadrangular section, with a thickness of 1.2 foot at N.; 1.4 foot at S.

Prostrate Stone IX.—Fallen inwards in the direction of Stone III.; resting in a very slight depression; stone shows on an average of 0.7 foot above the turf, and apparently is rather thicker at the base than at the slightly-rounded top. Maximum width near top, 2.4 feet.

Standing-stone X.—Stands in depression, maximum depth, 0.8 feet, which shows very slightly on the N.E.; small tussock all round; faces almost flat, the inner one *slightly* concave. Height on inner side above tussock, 4.4 feet; on E.N.E. face, 4.5 feet. Maximum width towards top, 3.6 feet; maximum thickness at top, 0.8 foot. Average thickness on N. side, 0.5 foot; on S.S.E. 1 foot; section, quadrangular. The stone leans towards the W.N.W. to the extent of about 20 degrees from the perpendicular.

Prostrate Stone XI.—Fallen in a S. direction, the lower portion probably covering the hole in which the stone originally stood; rests in a slight depression; overgrown with heath on the N.N.E. Maximum width 2.5 feet; top about 1.6 foot (E. and W.) by 0.9 foot (N. and S.).

Standing-stone XII.—In marked depression on all sides but the N.W.; tussock encircles the stone, except on the N.W. It leans slightly towards the S.E. and considerably towards the S.S.W. probably to the extent of 40 degrees. Measurement from tussock to top of stone, inner face, 4.2 feet; from top of stone to moor-level, outer face, 5 feet. Maximum width near top, 1.7 foot; at bottom, 1.3 foot. Thickness at top on W. 1.3 foot, on E. 1.4 feet; at bottom on W. 1.2 foot, on E. 1.3 foot. Section of stone, quadrangular; faces fairly smooth.

APPENDIX IV.

Description of the Stones of the Leaze Circle as numbered on the Plan, Fig. 6.

NOTE.—All the stones are of quadrangular cross-section ; this point is therefore omitted in the descriptions.

Standing-stone I.—Stands in a fairly well-marked depression, and leans slightly inwards. Height above surrounding tussock, 3·2 feet ; maximum width, 2·5 feet ; thickness from 0·85 to 1 foot ; top measures 0·8 by 2·1 feet.

Standing-stone II.—Stands in shallow depression, which is deficient on the inside ; slight tussock ; leans towards the S.W. to the extent of about 30 degrees from the vertical. Height, inside, 3·25 feet ; width, 1·8 foot ; thickness near top, 1·35 foot on S., 1·1 foot on N. ; a little thinner near base ; top measures 1·6 by 1·2 foot ; smooth faces.

Standing-stone III.—Stands in deep depression, except at W. ; tussock all round the stone ; rushes grow in depression. Height from tussock, inside, 3·4 feet ; width, 1·25 foot ; maximum thickness, 1 foot ; height on outside from turf, 3·7 feet ; on top is a groove running from N.W. to S.E. The stone leans inwards towards the E.N.E., nearly 30 degrees out of the upright. Mr. Tregelles gives 1 foot 10 inches for the breadth of this stone.

Standing-stone IV.—Stands in shallow depression with a small tussock. Height above tussock, 2·85 feet ; maximum width, 2·35 feet ; maximum thickness, 0·8 foot, lessening to 0·5 foot at top. Rounded at bottom, N.W. corner. Leans slightly inwards.

Standing-stone V.—Well-marked depression and tussock, except on N. Leans considerably to the S. and S.S.E. Height, on the slope of the stone, 3·2 feet ; width, 1·45 foot ; maximum thickness on N.W. 1·35 foot ; on S.E. 1·1 foot. Top measures 1·4 by 1·25 foot.

Stone VI.—Nearly prostrate ; at an angle of about 10 degrees with ground ; maximum width at top, 1·7 foot ; maximum thickness on E. 1·35 foot ; top measures 1·7 foot (E. and W.) by 1 foot (N. and S.).

Stone VII.—Thickness 0·95 foot.

Standing-stone VIII.—Deep depression on E. where there is a tussock also. Leans considerably towards the E. and S. ; about 45 degrees towards S. and 25 towards E. Height, on the slope, 3·7 feet ; width, 1·6 foot ; thickness on N. 1·25 foot ; on S. 1 foot ; S.S.W. corner at top chipped off. Top measures 1·25 by 1 foot.

Standing-stone IX.—Slight surrounding depression and tussock ; stands upright ; height above tussock, 3·15 feet ; maximum width, 1·95 feet. Thickness at top, 0·7 foot ; at bottom, 1·1 foot. Shoulder on outside face at 1·6 foot above tussock, where thickness of stone narrows to 0·85 foot.

Standing-stone X.—Upright stone with slight depression and tussock surrounding it ; height above tussock, 3·4 feet ; width, 1·45 foot ; maximum thickness near base on N.W. 1·35 foot ; on S.E. 1·15 foot. Bevelled off at top in all directions.

Standing-stone XI.—Leans slightly inwards ; slight depression and tussock ; height above

tussock, 3 feet; width, 1.95 foot. Thickness on S.E. 1.7 foot; on N.W. 1.6 foot. Top measures 1.7 foot square.

Standing stone XII.—Stands upright in slight depression; height above small tussock, 3.4 feet; width, 2.75 feet; average thickness, 1.1 foot; maximum thickness at top, 1.2 foot.

Prostrate Stone XIII.—Overgrown, except at N., N.E. and N.W.; 0.5 foot above turf on N.E.

Prostrate Stone XIV.—Fairly flat; 0.7 foot above turf, and partly overgrown on W. Mr. Tregelles does not appear to have this stone in its correct relative position in his plan, unless it has been moved since 1902.

Prostrate Stone XV.—This rests on the E. side of the N. bank, and might belong to the circle; if so, one of its edges shows, thickness 0.75 foot, length 4.9 feet.

Prostrate Stone XVI.—This was only observed in 1906, having been revealed by the burning of large clumps of gorse subsequent to my visit in 1905. It has fallen in a S.E. direction, and has been included in the plan in its approximate position (see fig. 6). Maximum length, 4.85 feet; maximum width, 2.5 feet; maximum thickness, 0.9 foot. Mr. Tregelles does not appear to have placed this stone in its correct relative position to the boundary-bank, and he has shown the S. gap in the hedge far too wide.

APPENDIX V.

Description of the Stones of the Fernacre Circle as numbered on the Plan, Plate V.

NOTE.—When the height, length, width, and thickness of the stones are mentioned the maximum dimensions are given, unless otherwise stated. Heights are always given above the average turf-level surrounding the stones, unless otherwise stated.

Standing-stone I.—Leans inwards slightly; quadrangular section; fairly flat faces. Slight depression on all sides but the S.W. and W.; tussock round the stone. Height, 2 feet; width, 2.7 feet; thickness, 0.6 foot.

Prostrate Stone II.—Largely overgrown before being measured, no part more than 1.5 inch above moor. Length, 3.9 feet; width, about 1 foot.

Prostrate Stone III.—Flat stone, was found overgrown by turf except at the E. point, where it just showed above the surface. Length, 3.9 feet; width, 1.6 foot.

Prostrate Stone IV.—Probably fallen outwards in a N.E. direction, now flat, surrounded by turf and heather growing over the edges. Length, 4 feet; width 1.8 foot.

Prostrate Stone V.—Irregular stone with uneven upper face, fallen inwards; 0.5 foot above the turf level on the N.N.W.; grass growing up all round it. Length, E.N.E. to W.S.W. 2.3 feet; width, N.N.W. to S.S.E. 2.1 feet.

Standing-stone VI.—In deep depression at least 1 foot below the moor, with surrounding tussock; leans slightly towards N.N.E.; fairly smooth face on N.N.E.; quadrangular in

section, tapering upwards from all sides but the N.N.E. to a fairly sharp top. Height, 4·4 feet; width at base (inner face), 2·4 feet; width near top, 1·8 foot; thickness at base on W.N.W. 1 foot, on E.S.E. 1·25 foot. (Plate II. fig. 4.)

Standing-stone VII.—Leans inwards in a S.W. direction at an angle of about 45 degrees with the ground; smooth faces; surrounded by a tussock, and much grown over at N.N.E. Height when upright, probably 1·6 foot; width, 3·3 feet; thickness, 0·7 foot on top at S.S.E.

Standing-stone VIII.—Of the nature of a stump, with ragged top; probably broken off at the top; surrounded by a tussock. Height, 1 foot; width, 2·1 feet; thickness at S., 0·45 foot.

Standing-stone IX.—Small, probably not a stump, leans a little inwards; slight tussock. Height, 0·85 foot; width, 2·3 feet; thickness 0·35 foot.

Standing-stone X.—Apparently a complete stone, of quadrangular section; leans in a W.S.W. direction at an angle of about 55 degrees with the ground; slight tussock. Height originally about 1·15 foot; width at base, 1·95 foot; thickness at top, 0·45 foot.

Prostrate Stone XI.—Showed slightly above turf-level on the N. N.E. and W. but the remainder was uncovered, revealing a flat and fairly smooth surface. Length, 3·8 feet; width, 1·2 foot.

Standing-stone XII.—Fairly thick except at the top, which was bevelled off; surrounding tussock. Height, 1·3 foot; width, 1·55 foot; thickness at base, 0·7 foot.

Stone XIII.—Stump of quadrangular section, apparently broken off at the top; high tussock. Height, 0·7 foot; width, 1·4 foot; thickness, 0·6 foot.

Standing-stone XIV.—Large upright stone with fairly smooth faces; triangular in general outline; deep depression in the ground on the inner side; tussock on the inner side and at the ends. Height, 3·7 feet; maximum width measured obliquely, 4·7 feet; thickness at N. 0·65 foot, at S. 1·2 foot.

Standing-stone XV.—Small, with surrounding tussock; quadrangular section. Height, 1 foot; width, 1·2 foot; thickness, 0·6 foot.

Standing-stone XVI.—Leans towards the E. at an angle of about 70 degrees with the ground; slight surrounding tussock. Height, 1·5 foot; width at base, 2·4 feet; thickness, 0·7 foot.

Standing-stone XVII.—Leans inwards towards the W. at an angle of 45 degrees with the ground; surrounding tussock. Height originally about 1·1 foot; basal width, 1·7 foot; thickness at base, 0·45 foot.

Standing-stone XVIII.—Leans slightly inwards; faces fairly flat, especially the inner one; slight tussock. Height, 1·3 foot; width at base, 2·2 feet; thickness, 0·5 foot.

Prostrate Stone XIX.—Showed slightly at W.N.W. end only; partly excavated to obtain the outline; evidently fallen inwards. Length, 3·8 feet; width, 1·2 foot.

Prostrate Stone XX.—Apparently a fallen stone; triangular outline, revealed by digging. Sides measure on the S.E. 1·9 foot; on other sides 1·2 foot and 1·2 foot.

Standing-stone XXI.—Leans inwards in a W. direction at an angle of about 45 degrees with the ground; one angle facing W.; quadrangular section; flat faces and top; tussock

on W. N.W. and S.W. Probable height originally, 2·4 feet; width at top 1·6 foot, at bottom 1·5 foot; thickness, 0·8 foot.

Standing-stone XXII.—Small, leaning outwards in a S.E. direction at an angle of about 75 degrees with the ground. Height, 1 foot; basal width, 1·3 foot; basal thickness, 0·6 foot, at the top 0·4 foot.

Stone XXIII.—Flat top, (?) complete stone; slight surrounding tussock. Height, 0·9 foot; width, 1·6 foot; thickness, 0·95 foot.

Prostrate Stone XXIV.—Excavated to obtain approximate outline; fallen inwards. Length, 3 feet; width, 1 foot.

Standing-stone XXV.—Upright; almost entirely encircled by a tussock; bevelled on both sides at the top. Height, 0·75 foot; width, 2·4 feet; thickness, 0·35 foot.

Prostrate Stone XXVI.—Largely overgrown by a slight bank extending from here to the cart-track passing Stone XXX. Length 2·8 feet; width, 1·1 foot; thickness above surface, 0·25 foot.

Standing-stone XXVII.—Upright with tussock. Height, 0·65 foot; width at base, 2 feet; thickness, 0·7 foot.

Stone XXVIII.—Small, just showing in the slight bank; loose, but fairly heavy. Width, 0·7 foot.

Standing-stone XXIX.—Upright. Height, 1 foot; width, 2·7 feet; thickness, 0·5 foot.

Stone XXX.—Moved apparently from the cart-track, and now serving as a kind of curb-stone resting against the W. margin of Stone XXIX. Length 1·4 foot; thickness, 0·4 foot.

Prostrate Stone XXXI.—Wedged into tussock surrounding Stone XXXII. and to the S.S.E. of that stone; apparently moved from its original position in the present cart-track. Length, 2 feet; width, 0·7 foot.

Standing-stone XXXII.—Stands in a deep depression on all sides but the S. and S.W.; tussock all round; leans inwards at an angle of about 80 degrees with the ground; slightly concave face on the S. Height, 3·4 feet; width at base, 2·5 feet; thickness, 0·9 foot.

Standing-stone XXXIII.—Small stone, or stump, cleared of turf and heather to obtain its outline; leans outwards a little. Height, 0·8 foot; width, 1·5 foot; thickness at top, 0·35 foot. Small pieces of stone were detected chiefly by probing between this stone and No. XXXIV. probably not belonging to the stones of the circle.

Standing-stone XXXIV.—Large triangular stone with fairly flat face on both sides; high tussock except on inside, where there is a depression in the ground. Height, 2·65 feet; width (measured obliquely), 3·8 feet; thickness, 1 foot at the E. end.

Stone XXXV.—Small stone just showing above the turf; perhaps portion of a stump. Dimensions 0·9 foot by 0·5 foot.

Prostrate Stone XXXVI.—Excavated to follow margin; fairly flat surface; fallen outwards apparently. Length, 1·8 foot; width, 1·5 foot.

Prostrate Stone XXXVII.—Fallen in a N.W. direction; excavated to follow the margin; fairly smooth surface. Length, 2 feet; width 0·8 foot.

Prostrate Stone XXXVIII.—Fallen outwards in a S.S.W. direction; very little showed above the surface before the overgrowing turf and heather were removed to ascertain the approximate margin of the stone. Length, 4·4 feet; width, 4·4 feet.

Prostrate Stone XXXIX.—Inside line of the circle somewhat; entirely overgrown, turf being removed to follow the margin. Length, 2 feet; width, 1·5 foot.

Stone XL.—Found by probing, and uncovered to obtain the size. Length, 1·85 foot; width, 1·6 foot.

Standing-stone XLI.—Leans outwards a little; surrounding tussock. Height, 1·1 foot; width at base, 1·4 foot; thickness, 0·75 foot.

Standing-stone XLII.—Leans towards the centre of the circle at an angle of about 75 degrees with the ground; surrounding depression and tussock. Height, 2·6 feet; basal width, 2·2 feet; thickness, 1·2 foot.

Standing-stone XLIII.—Perhaps a stump only, with quadrangular section, and fairly flat top; leans a little in a S.W. direction; surrounding tussock. Height 1·4 foot; basal width, 2·1 feet; thickness, 1·15 foot.

Standing-stone XLIV.—Upright; both faces triangular in outline; surrounding tussock. Height, 1·4 foot; basal width, 2 feet; thickness, 1·1 foot.

Standing-stone XLV.—Leans a little in W. direction; flat face on inside; surrounding tussock. Height, 1·2 foot; width, inner face, 1 foot; thickness, 1·1 foot.

Prostrate Stone XLVI.—Fallen inwards; tussock all round. Length, 1·75 foot; width, S.S.E. to N.N.W. 1·85 foot.

Standing-stone XLVII.—Leans outwards towards W.S.W. at an angle of about 75 degrees with the ground; surrounding tussock. Height, 1·2 foot; basal width, 1·75 foot; thickness, 0·5 foot.

Standing-stone XLVIII.—Upright; inner face flat; surrounding tussock. Height, 1 foot; basal width, 1·1 foot; thickness, 0·5 foot.

Standing-stone XLIX.—Upright; flat face on W.; fairly flat and wide top; surrounding tussock. Height, 1·4 foot; width, 1·6 foot; thickness, 1·1 foot.

Standing-stone L.—Leans a little outwards; smooth flat inner face; fairly flat and wide top; surrounding tussock. Height, 1·4 foot; width, 1·3 foot; thickness, 1·15 foot.

Standing-stone LI.—Upright; triangular outline, the N. edge being almost vertical; flat top; surrounding tussock. Height, 1·55 foot; basal width, 2·1 feet; thickness, 0·65 foot.

Standing-stone LII.—Leans outwards at an angle of about 80 degrees with the ground; fairly smooth faces; pointed top, obtuse; slight surrounding tussock. Height, 1·45 foot; basal width, 2·1 feet; thickness, 0·4 foot.

Stone LIII.—Fallen outwards apparently; excavated to get the approximate outline. Length, 2·25 feet; width, 1·3 foot.

Stone LIV.—About 4 inches below the surface; excavated to get the outline. Length, 3 feet; width, 1·9 foot.

Prostrate Stone LV.—Slopes considerably from W. to E. Length, 2 feet; width, 1·2 foot.

Standing-stone LVI.—Upright; surrounding tussock and deep depression on the W. and N.W.; inner face fairly flat. Height, 2 feet; basal width, 3 feet; thickness, 0·45 foot.

Stone LVII.—Fallen inwards apparently, and marked by probing. Approximate length, 3·4 feet; ditto width, 2·9 feet.

Prostrate Stone LVIII.—Within the line of the circle; rectangular outline; slopes from E. to W.; excavated to follow the outline; sides, 1·4 foot by 1·4 foot.

Standing-stone LIX.—Leans in a W.N.W. direction to the extent of about 30 degrees with the ground; surrounding tussock and deep depression on the N. and N.W. Original height, about 1·3 foot; basal width, 2·2 feet; thickness, 0·6 foot.

Prostrate Stone LX.—Difficult to say whether it has fallen in a S.W. or N.W. direction; slight surrounding tussock. Length, 2·9 feet; width, 1·35 foot.

Stone LXI.—Entirely hidden by a thin layer of turf, which had to be removed; apparently fallen outwards in a W.N.W. direction. Length, 2·8 feet; width, 2·6 feet.

Standing-stone LXII.—Upright; in deep depression all round, and high tussock; quadrangular section; fairly flat faces on both sides. Height, 2·7 feet; width, 2·1 feet; thickness, 0·8 foot.

Standing-stone LXIII.—Leans slightly towards the W.; irregular with uneven faces; small surrounding tussock. Height, 1·5 foot; basal width, 2 feet; thickness, 1·1 foot.

Prostrate Stone LXIV.—Fallen inwards in a S. direction and covering the hole (which can be partly seen) in which it stood originally; lies in a deep depression with surrounding tussock; fairly smooth surface with longitudinal groove at the S. end. Length, 6·9 feet; width at S. 2·5 feet; basal thickness, about 1·2 foot.

Standing-stone LXV.—Leans southwards at an angle of about 45 degrees with the ground; quadrangular section; surrounding tussock and slight depression on all sides but the N. Height when standing erect about 1·9 foot; basal width, 2·7 feet; thickness, 0·7 foot.

Standing-stone LXVI.—Leans in a N.W. direction at an angle of about 75 degrees with the ground; stands in a very deep depression on the W., N.W. and N. so that the stone may soon become prostrate; triangular in outline; on W. flat squared edge; on E. flat oblique edge. Original height, probably 2·8 feet; basal width, 2·75 feet; thickness, 1·2 foot.

Prostrate Stone LXVII.—A little outside the line of the circle; probably moved from between Stones LXVIII. and I.; flat smooth surface sloping off a little towards the W. Length, 3·15 feet; width, 1·95 foot; thickness at S. 0·65 foot.

Standing-stone LXVIII.—Leans in a N. direction at an angle of about 70 degrees with the ground; fairly smooth flat faces; surrounding tussock with a depression on the N.E., N. and N.W. Height, 2·05 feet; width, 2·55 feet; thickness, 0·9 foot.

Stone LXIX.—A little to the W. of the centre of the circle; mostly overgrown, but uncovered now. Length, 3·3 feet; width, 1·85 foot.

Stone LXX.—A few feet to the E. of the centre of the circle; partly revealed by excavating. Length, 2·3 feet; width, 1 foot.

Stone LXXI.—Lies in a little runnel to the N.E. of the centre of the circle, and midway between it and the line of the circle; rough surface; partly revealed by excavating. Length 3 feet; width, 1 foot.

APPENDIX VI.

Description of the Stones of the Stannon Circle as numbered on the Plan, Plate VII.

NOTE.—When the height, length, width, and thickness of stones are mentioned the maximum dimensions are given, unless otherwise stated. Heights are always given above the average turf-level surrounding the stones, unless otherwise stated.

Prostrate Stone I.—Fallen outwards in a N.W. direction; slopes off to ground on the S.E.; 0·5 foot above tussock on the N.W. Length, 2·9 feet; width, 1·05 foot; thickness at N.W. 0·75 foot.

Standing-stone II.—Leans inwards at an angle of about 75 degrees with the ground; triangular faces smooth and flat; slight tussock. Height, 1·45 foot; basal width, 3 feet; thickness, 0·8 foot.

Standing-stone III.—Leans outwards at an angle of about 80 degrees with the ground; very slight tussock. Height, 2·05 feet; width, 2·95 feet; thickness, 0·7 foot.

Standing-stone IV.—Upright; flat, smooth, inner face. Height, 1·45 foot; basal width, 2·5 feet; thickness, 0·8 foot.

Prostrate Stone V.—Fallen in a S.E. direction, covering its own hole; N.W. end slopes into the ground; S.E. end 1·1 foot above the turf; depression all round. Length, 5·2 feet; width, 2·7 feet; thickness obtainable in one or two places, 1·1 foot.

Prostrate Stone VI.—Probably fallen inwards kicking out over its own hole; lies almost level; slight depression on all sides but the N. Length, 4·5 feet; width, 3·3 feet.

Prostrate Stone VII.—Entirely overgrown with grass and gorse; margin traced by probing; appears to have fallen inwards. Approximate length, 5·3 feet; ditto width, 3·3 feet.

Stone VIII.—This small stone is not completely prostrate, but leans very considerably towards the W.N.W.; much overgrown round the sides. Width, 1·45 foot; thickness obtainable 0·35 foot.

Prostrate Stone IX.—Large quadrangular block of granite which appears to have fallen in a N.N.E. direction, covering its hole in doing so; deep depression on the N.W., N. and N.E.; considerably overgrown with grass and gorse at the S.; slopes towards the S.W. at an angle of about 15 degrees with the ground; fairly smooth surface. Length, 5·5 feet; width, 4 feet; thickness, 0·9 foot.

Standing-stone X.—Upright; probably a big stump, it having the appearance of being fractured horizontally on the top; outer face flat; slight surrounding tussock. Height, 1·5 foot; basal width, 1·8 foot; thickness, 1·3 foot.

Prostrate Stone XI.—Large stone entirely covered by turf and gorse; it appears to have fallen inwards. Length, 4·8 feet; width, 2·9 feet.

Standing-stone XII.—Almost upright; general section, quadrangular; fairly flat faces;

top bevelled off from both faces. Height, 2.15 feet; basal width, 2.3 feet; thickness, 1.1 foot.

Prostrate Stone XIII.—Fallen in a W. direction; only a small portion of the E. end shows above the surface, the remainder being overgrown by gorse and turf; outline followed by probing. Length, 5.35 feet; width, 2.5 feet.

Prostrate Stone XIV.—Fallen outwards; slopes off into the ground on the E.; on the W. 0.6 foot above the ground. Length, 5 feet; width, 2 feet.

Standing-stone XV.—Leans inwards at an angle of about 80 degrees with the ground; flat and fairly smooth faces; surrounding tussock. Height, 2.2 feet; width, 2.4 feet; thickness, 0.6 foot.

Prostrate Stone XVI.—Close up to the S.W. corner of Stone XV.; lies flat, with smooth surface; original position doubtful. Length, 2.2 feet; width of S.W. edge, 1.5 foot; thickness, 0.65 foot.

Standing-stone XVII.—Leans outwards very slightly; fairly smooth surfaces; slight tussock. Height, 1.35 foot; basal width, 1.9 foot; thickness, 0.65 foot.

Standing-stone XVIII.—Small stone or large stump; upright; fairly smooth inner face; slight tussock. Height, 1.2 foot; width, 1.4 foot; thickness, 0.6 foot.

Standing-stone XIX.—Large stump, apparently broken off at top; leans towards the W.S.W. to the extent of about 60 degrees with the ground; flat inner surface; depression on W. and slight tussock. Height, 1.45 foot; width, 1.75 foot; thickness, 0.55 foot.

Prostrate Stone XX.—Fallen in a N.W. direction; slight depression on W. Length along S.W. side, 4.1 feet; width, 1.9 foot; thickness, 1 foot.

Standing-stone XXI.—Leans in an E. direction at an angle of about 80 degrees with the ground; tapers upwards to almost a sharp edge at top; fairly flat face on outside; slight tussock. Height, 1.3 foot; width, 2.9 feet; thickness, 1 foot.

Standing-stone XXII.—Falling outwards, but not completely prostrate, being at an angle of about 30 degrees with the ground; flat and smooth surface. Length, 1.9 foot; width, 1.3 foot.

Standing-stone XXIII.—Upright stump, broken off with flat clean fracture at the top; tussock. Height, 1.05 foot; width, 2 feet; thickness, 0.75 foot.

Stone XXIV.—Perhaps not in its original position; lies sloping off to the ground on the N.N.E.; at S.S.W. end it is thick and hangs over deep depression of Stone XXV. Length, 2.8 feet; oblique width, 1.3 foot; thickness, 0.8 foot.

Standing-stone XXV.—Leans to the W. at an angle of about 60 degrees with the ground; flat and fairly smooth face on E.; inner face rougher; surrounding tussock, and deep depression on N.W., W. and S.W. Height, 2.55 feet; width, 3.45 feet; thickness, 0.85 foot.

Prostrate Stone XXVI.—Two parts perhaps of one stone, but it is doubtful whether they belong to the circle, and they may have been packing-stones for the support of Stone XXV.; they lie in the depression to the W. of Stone XXV. Length of the two pieces together, 2.6 feet; width, 0.9 foot.

Stone XXVII.—Triangular stone with three flat faces tapering to a blunted ridge at the top. Height, 0·8 foot; S.E. side, 2 feet long.

Standing-stone XXVIII.—Probably a large stump; leans outwards at an angle of about 70 degrees with the ground; flat inner face; tussock on W., S.W. and N.; deep depression on the N. and N.W. in continuation of that from Stone XXV. Height, 1·15 foot; width, 2 feet; thickness, 0·5 foot.

Standing-stone XXIX.—Leans outwards very slightly; flat and fairly smooth inner face. Slight tussock on the W.; on E. much gorse growing against the stone. Height, 1·95 foot; width, 2·85 feet; thickness, 0·45 foot.

Prostrate Stone XXX.—Fallen in a N. direction, but not actually prostrate; it rests on a tussock at an angle of about 25 degrees with the ground; surface fairly flat. Original height, about 2·6 feet; width, 1·7 foot; thickness, 0·9 foot.

Prostrate Stone XXXI.—Small stone just showing above the turf; its S.E. end close up under the N. part of Stone XXX.; its original position is uncertain. Length, 1·9 foot; width, 1·5 foot.

Standing-stone XXXII.—Leans very slightly outwards; smooth flat inner face; slight tussock and depression on the inner side. Height, 2·2 feet; width, 2·9 feet; thickness, 0·9 foot.

Prostrate Stone XXXIII.—Fallen inwards apparently, but not completely prostrate, being about 20 degrees with the ground; rough surface; surrounding tussock. Original height probably about 1·8 foot; width, 1·55 feet; approximate thickness, 0·7 foot.

Prostrate Stone XXXIV.—Small stone almost touching the N.E. margin of Stone XXXV.; maximum height above turf, 2 inches; length, 2·5 feet; width, 0·9 foot.

Standing-stone XXXV.—Leans in a N. direction at an angle of about 70 degrees with the ground; narrow flat slab of quadrangular section; perhaps large stump; surrounding tussock with much gorse against the outer face. Height, 1·6 foot; basal width, 2·1 feet; thickness, 0·55 foot.

Standing-stone XXXVI.—Leans very slightly inwards; a piece appears to have been broken off the top; quadrangular section; surrounding tussock, and much gorse growing up the outer side; deep depression on the W., N.W. and S.W. Height, 2·05 feet; width, 2·2 feet; thickness, 0·95 foot.

Standing-stone XXXVII.—Leans inwards in a N.N.W. direction at an angle of about 80 degrees with the ground; general section quadrangular; fairly flat faces; outer face slightly concave; surrounding tussock. Height, 2·25 feet; width, 2·8 feet; thickness, 0·8 foot.

Prostrate Stone XXXVIII.—Large prostrate block of granite heeling over a little towards the S.S.E.; fairly smooth flat surface. Length, 5·8 feet; width, 1·85 foot; thickness at N. end, 1·05 foot. On either side there is a small stone, not numbered. The E. one measures 1·35 foot by 0·9 foot, and shows about 0·3 foot above the turf. The other is a flat thin slab which can be rocked a little; dimensions, 1·9 foot by 1·7 foot. They were perhaps packing-stones for the support of Stone XXXVIII when erect.

Standing-stone XXXIX.—Leans towards the N. at an angle of about 75 degrees with the ground; slight tussock, and depression on the N. side. Height, 2·1 feet; width, 2·5 feet; thickness, 0·6 foot.

Stone XL.—Large stump or stone fallen in an E. direction; upright, surrounded by a clump of grass and gorse. Height, 1·15 foot; width, 2·9 feet; thickness, 1·3 foot.

Standing-stone XLI.—Leans onwards at an angle of about 75 degrees with the ground; triangular stone; fairly flat, inner face; slight tussock, and depression on S. and S.W. Height, 1·7 foot; basal width, 2·3 feet; thickness, 1 foot.

Standing-stone XLII.—Probably a stump with flat top; it is loose; slight tussock, except on the S. where there is a depression belonging to the large Stone No. XLIII. Height from the bottom of the depression, 1·5 foot; width at top, 2·15 feet; thickness, 0·7 foot.

Standing-stone XLIII.—Leans outwards at an angle of about 50 degrees with the ground; it overhangs a deep depression on the S., S.E. and S.W. supported to some extent by a tussock, but it is likely to fall in the near future; the sides of the stone taper upwards to a rough point; in section it is triangular. Original height, probably 3·3 feet; width on inner face, 2·7 feet; thickness, 1·3 foot.

Standing-stone XLIV.—Small stone touching the W. margin of Stone XLIII.; it has the appearance of having fallen in a S.S.E. direction into the W. side of the depression of Stone No. XLIII. Length, 1·95 foot; width, 0·9 foot. There is another half overgrown stone, extending from No. XLIV. in a W. direction, the latter partly overlapping it. Length from Stone XLIV. 1·5 foot; width, 1·1 foot.

Standing-stone XLV.—Upright; fairly smooth faces; slight tussock. Height, 1·5 foot.; basal width, 2·6 feet; thickness, 0·5 foot.

Prostrate Stone XLVI.—This and the next stone were overgrown by gorse, which had to be cleared; it may have fallen in a W.N.W. direction; fairly flat upper surface. Length, 3·8 feet; width, 2·2 feet; approximate thickness, 1 foot.

Prostrate Stone XLVII.—Has probably fallen inwards in a N.N.E. direction; smooth surface but not flat; lies a little higher at the S. than at the N. end. Length, 4·5 feet; width, 2·05 feet; thickness at S. 1 foot.

Prostrate Stone XLVIII.—Irregular block, lying in a N.N.E. and S.S.W. direction; loose; it had to be entirely cleared of turf and gorse. Length, 3 feet; width, 1·75 foot.

Prostrate Stone XLIX.—Flat thin slab, also overgrown as the last. Length, 2·5 feet; width, 1·7 foot.

Prostrate Stone L.—Had to be cleared of thick gorse to reveal the outline and size; fairly flat surface sloping slightly to the E. Length, 3·5 feet; width, 2·5 feet.

Prostrate Stone LI.—Has fallen in a N.E. direction and rests at an angle of about 15 degrees with the ground, the highest point being on the N.E.; fairly flat surface. Length, 3·6 feet; width, 2·3 feet.

Standing-stone LII.—Leans inwards at an angle of about 73 degrees with the ground; thin for its length and width; fairly flat outer face; deep depression on E. and N. with rushes growing in these parts. Height, 3·1 feet; width, 4·4 feet; thickness, 0·7 foot.

Prostrate Stone LIII.—Outside and almost touching Stone LII.; long and narrow; may have been placed there to pack in the much larger stone; just shows above turf. Length, 2.45 feet; width, 0.6 foot.

Prostrate Stone LIV.—Lies on the N.W. slope of the depression on the inner side of Stone LII.; fairly smooth surface; slopes off rather sharply towards Stone LII. Approximate length, 2.5 feet; width, 1.8 foot.

Prostrate Stone LV.—Lies almost level; appears to have fallen in a N.N.E. direction; fairly smooth flat surface; the N. and N.E. end was entirely overgrown, but it is now cleared. Length, 4.3 feet; width, 2.9 feet.

Standing-stone LVI.—Leans very slightly towards the W.; narrow, thick stone and high in proportion; quadrangular section; fairly smooth faces all round; deep depression on S.W. W., N.W., and N.; tussock on all sides. Height 3.55 feet; width, inner face, 1.6 foot; thickness, 1.85 foot.

Stone LVII.—Small pointed stone close up to the outer side of Stone LVI. and is probably a support; angular outer face. Height, 0.8 foot; width, 1.55 foot.

Stone LVIIa.—Flat rounded stone close behind and a little to the S.W. of Stone LVII. partly overgrown. Approximate dimensions, 1.8 foot by 1.8 foot.

Prostrate Stone LVIII.—Fallen outwards in a S.W. direction, lying horizontally with a central ridge from which the stone slopes off to the ground both ways; it was found much overgrown. Length, 4.2 feet; width, 2.5 feet.

Standing-stone LIX.—Stands almost upright in a deep depression all round, leans very slightly towards the W.N.W.; stone narrows considerably towards the top; all the faces but the inner one are fairly flat; tussock on all sides but the S.E. Height, 3.55 feet; width, 1.5 foot; thickness, 1.25 foot.

Standing-stone LX.—Upright; perhaps a stump; depression to S. only. Height, 1.4 foot; basal width, 2.7 feet; thickness, 0.65 foot.

Prostrate Stone LXI.—Rough stone not lying quite flat; appears to have fallen outwards; it was almost entirely overgrown, and had to be cleared. Length, 2 feet; width, 1.4 foot.

Stone LXIa.—Small stone only just visible at the N.E. and N. Dimensions, 2 feet by 1.5 foot.

Standing-stone LXII.—Small upright stone with encircling tussock; quadrangular section. Height, 1.85 foot; width, 1.35 foot; thickness, 0.65 foot.

Prostrate Stone LXIII.—Lying nearly flat but sloping off slightly towards the S.; fairly smooth surface; much overgrown on the S. and E. Length, 3.1 feet; width, 1.8 foot.

Standing-stone LXIV.—Leans towards the W.S.W. at an angle of about 58 degrees with the ground; deep depression on W.S.W. and N.W.; tussock all round; in danger of early prostration; stone of triangular outline; inner face fairly flat and smooth. Original height, about 3.8 feet; basal width, 4.5 feet; thickness, 0.9 foot.

Prostrate Stone LXV.—Appears to have fallen inwards in a S.E. direction; was entirely overgrown and had to be cleared; fairly flat but rough surface. Length, 2.2 feet; width, 1.6 foot.

Standing-stone LXVI.—Leans very slightly outwards to the W.S.W.; outer face slightly

convex; fairly smooth and flat inner face; high surrounding tussock, and slight depression; Height, 2·4 feet; width, 2·2 feet; thickness, 0·7 foot.

Standing-stone LXXVII.—Upright; fairly smooth inner face, slightly convex; slight depression on W. and tussock all round. Height, 2·35 feet; basal width, 2·55 feet; thickness, 1·1 foot.

Standing-stone LXXVIII.—Large stump or small stone; leans outwards *slightly*; fairly flat and smooth faces; tussock all round. Height, 2 feet; basal width, 2 feet; thickness, 0·65 foot.

Standing-stone LXXIX.—Leans inwards slightly; triangular in plan; fairly flat and smooth inner face; deep depression between this stone and Stone LXX.; surrounding tussock. Height, 2 feet; basal width, 2·55 feet; thickness, 1·5 foot.

Standing-stone LXX.—Leans slightly towards the S.W.; triangular in plan; fairly flat and smooth inner face; high surrounding tussock and deep depression especially on the S. and S.W. Height, 2·4 feet; width at top, 3 feet; thickness, 1·8 foot.

Prostrate Stone LXXI.—Entirely covered with gorse on my visit; fallen outwards in a N.W. direction, and now lying horizontally. Length, 3·45 feet; width, 2 feet.

Prostrate Stone LXXII.—Same remarks apply to this stone as to No. LXXI. Length, 4 feet; width, 2·2 feet.

Standing-stone LXXIII.—Leans outwards slightly in a N.W. direction; rough faces all round; rough top; quadrangular section; surrounding tussock; depression on W.N.W. and N. Height, 2·15 feet; basal width, 3·1 feet; thickness, 1·25 foot.

Prostrate Stone LXXIV.—Leans outwards in a N.W. direction at an angle of about 82 degrees with the ground; pointed top; it has probably the flattest inner face of any of the stones in the circle; fairly flat outer face; slight tussock on N.W. face and S.W. edge. Height, 2·3 feet; width, 2·65 feet; thickness, 0·75 foot.

Standing-stone LXXV.—Small stone, or large stump, with fairly flat top; leans outwards at an angle of about 80 degrees with the ground; faces fairly smooth and flat; tussock especially on W.N.W. and N. Height, 1·4 foot; basal width, 2·65 feet; thickness, 0·85 foot.

Standing-stone LXXVI.—Small stone or large stump; upright; rough, ragged top; rough outer face; gorse grows up the inner face. Height, 1·6 foot; width, 2·7 feet; thickness, 1 foot.

Standing-stone LXXVII.—Leans outwards at an angle of about 78 degrees with the ground; large, flat, smooth-faced stone, but on the outer face a little convex; tussock and depression on the outside and at the ends. Height, 2·35 feet; basal width, 3·85 feet; thickness, 0·95 foot.

Prostrate Stone LXXVIII.—Entirely covered with gorse on my visit; lies almost horizontally in a N.W. and S.E. direction; the exposed surface slopes off to the ground at a rather sharp angle in a N.E. direction. Approximate length, 5·2 feet; width, 1·5 foot.

Prostrate Stone LXXIX.—Of diamond plan, to the E. of the centre of the circle and probably like Stone LXXVIII. not in its original position; fairly flat surface sloping off towards the W. rather considerably. Length, 3·7 feet; width, 2 feet.