BIBLIOGRAPHICAL NOTICES.

ART. XX.—*Renal Affections, their Diagnosis and Pathology.* By CHARLES FRICK, M. D., Philadelphia: Lea and Blanchard, 1850.

THE subjects of the above work are attracting increased attention from their important relations to various pathological conditions of the system, every alteration of the renal secretion from the normal condition indicating a corresponding functional disorder of one or more of the organs of the body or of the vital processes. Every addition to our knowledge is therefore to be hailed as affording material assistance in investigating morbid changes, and aiding in the diagnosis and treatment of affections of an obscure character.

In the work before us, the urine and its relations are separately considered in six chapters, comprising a large amount of information embraced in a moderate space, and treated in a manner indicating considerable familiarity and industrious examination. The first chapter is of a preliminary character, and relates to the proper collection of the specimens of urine to be subjected to observation, and of such superficial examinations as may be made at the bedside, and which will frequently decide whether further and more accurate investigations will be necessary. The second chapter includes a consideration of normal conditions, and the deviations therefrom, and an account of different chemical methods by which an excess of a normal or the presence of an abnormal product may be detected, the precautions necessary in practice and the comparative value of each; and, in an appendix to the chapter, a few observations on rarer ingredients and tests of a doubtful character. The microscopic examination takes up the third chapter, and contains several illustrations of the different substances observed, which have the merit of actual observation, being drawn from the author's own specimens and characteristic of the usual forms as they are presented to the eye of the observer. The pathological condition indicated by the appearances of the urinary secretions or the practical applications of the preceding observations are contained in chapters four and five. Uric acid and urea, phosphates, sugar, &c., have their various relations examined and the different views explanatory of their derivation and formation, freely noticed and compared. Views are given of the connections existing between urea and uric acid of practical importance, and the explanations sustained by a review of the phenomena which accompany the increase or diminution of either product. Urea is conceived to be derived from the perfect oxidation of uric acid in the system, and when from any cause the supply of oxygen is not sufficient, or if the proportion of ingesta is too great or require a greater amount of oxygen, then this deficiency is perceived by the uric acid making its appearance in the urine, the kidneys being the appropriate organs to throw off this excretion. The practical bearing of this theory is exhibited in gout and rheumatism explanatory on the one hand of the prophylactic agency of exercise and, on the other of the injurious effect of rich (containing much fat) living and the use of alcoholic beverages, the former increasing the supply of oxygen and the latter increasing the proportion of the matters to be subjected to oxygenation; not, however, resting the production of the disease on chemical laws and agencies, but considering the nervous influence also to be imperfect in its action. The other deviations from the normal condition are similarly treated of, and, under oxalate of lime, views previously expressed by the author are again reproduced, in which the dumb-bells, are considered in some cases if not all to arise from decomposition of uric acid after excretion by the kidneys; but whether this decomposition results in the production of oxalic acid or is some intermediate stage in its formation, is not yet made out. The work concludes by directions in chapter the sixth for the examination of urinary calculi. The whole work we consider as

creditable to the author, and are gratified to find his attention so strongly directed to these investigations, in which a large field is opened for exploration, and which he will no doubt cultivate with advantage to himself and the profession.

R. B.

ART. XXI.—*The Diseases of the Breast, and their Treatment.* By JOHN BIRKETT, Assistant Surgeon at Guy's Hospital, &c. &c. London, 1850: pp. 264, 8vo.

THIS handsome and copiously illustrated volume embodies the essay to which the Jacksonian Prize for 1848 was awarded by the Council of the Royal College of Surgeons of England. The author has availed himself of all the appliances of modern science in investigating the subjects of which he treats, including chemistry and microscopy.

The subject proper of the volume is prefaced by a very good account of the anatomy of the mammary gland. From this survey of the healthy structure of the organ, the author infers that there are *three* periods during which its statical condition varies very much, with the different capacities and offices of the breast at these several periods, and that the same division may be made in studying its pathological history. Accordingly, he treats in separate portions of the book of, 1st. "The diseases occurring before puberty; 2d. The diseases during the establishment of puberty. 3d. The diseases after the establishment of puberty." The latter section comprises those affections of the organ happening during pregnancy, the puerperal period and lactation; and such as may occur at any period or age subsequent to puberty.

Before puberty, the gland in both sexes is in a rudimentary condition, possessing no special function, its life-acts being confined to those of ordinary nutrition. The diseases to which it is subject at this age are not, in general, peculiar, but are such as may affect any tissue. The author has, therefore, very little to say concerning them; his remarks, after enumerating the anatomical peculiarities of the organ at this early period of its development, are comprised in brief notices of the following cases: 1st. "Abscess of the breasts in an infant twenty-five days old, preceded by secretion of milk in both glands." 2d. "Tumefaction of the breasts of an infant upon the cessation of hemorrhage from the vulva." 3d. "Abscess involving the mamilla at the age of three months." 4th. "Swelling of the breast in a child sixteen months old."

In the second period, as above defined, morbid actions, though rather more frequent than in the first, are still rare, and usually of a very mild character. The novel sensations which are experienced at this time in the breast—of fulness or heat—slight tenderness on manipulation—occasional shooting pain—can scarcely be called morbid. They are incidental accompaniments to the increased nutrition of the gland, by which the true gland-tissue is developed, a tissue possessed of a higher character than it enjoyed before. Sometimes, however, inflammation affects this organ, and Mr. Birkett has seen "chronic abscess form during this period of development in a very strumous girl." He admits, also, that carcinomatous growths sometimes occur at this period. Besides these affections, the gland is liable to neuralgia, to hypertrophy, and to a precocious development.

The third period of female life is infinitely the most prolific in diseases of the breast, and it engrosses, consequently, the volume before us.

A few pages are devoted to the *anomalies in the number and situation of the breasts*. The author has met with "one case of congenital absence of one of the breasts, unaccompanied by other malformations;" and several instances are noticed in which absence of one or both of the mammae accompanied some other important organic deficiency—generally of the ovaries.

"*Pliomazia*," or a redundancy of mammary glands, is more frequent. Mr. Birkett has collected fourteen reported cases. "In one of these, five mammary glands existed. Most of the supernumerary glands secreted milk, although the women did not in all cases allow their infants to suck them." He quotes at