This article was downloaded by: [Universite Laval]
On: 04 March 2015, At: 22:25
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered Number:
1072954 Registered office: Mortimer House, 37-41 Mortimer Street,
London W1T 3JH, UK

Annals and Magazine of Natural History: Series 4

Publication details, including instructions
for authors and subscription information:
<http://www.tandfonline.com/loi/tnah10>

On *Spatulemys* Lasalæ, a new genus of Hydraspidæ from Rio Parana, Corrientes

Dr. J.E. Gray F.R.S.

Published online: 19 Oct 2009.

To cite this article: Dr. J.E. Gray F.R.S. (1872) On *Spatulemys* Lasalæ, a new genus of Hydraspidæ from Rio Parana, Corrientes , Annals and Magazine of Natural History: Series 4, 10:60, 463-463, DOI: [10.1080/00222937208696743](https://doi.org/10.1080/00222937208696743)

To link to this article: <http://dx.doi.org/10.1080/00222937208696743>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly

or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

it entire to the new museum at Oxford, where it now is. Amongst the specimens included are those which formed the subjects figured in my work on the Testudinata. I have to add that the few duplicates (for such they were) of the shells of tortoises at Cambridge are, most of them, of common occurrence in collections.

THOMAS BELL.

On Spatulemys Lasalæ, a new Genus of Hydraspidæ from Rio Parana, Corrientes. By Dr. J. E. GRAY, F.R.S. &c.

Colonel P. Perez de Lasala has kindly presented to the Museum a water-tortoise from Rio Parana, Corrientes, which has not been recorded in scientific catalogues. It differs from *Hydraspis* in the general form of the head and thorax, and in the head being entirely covered with small shields. It is like *Hydromedusa* in many particulars, especially in the thorax of one sex at least being concave; but it has a regular small nuchal plate.

SPATULEMYS.

Thorax oblong, elongate, depressed, with a distinct elongate nuchal plate. First vertebral plate very broad; second, third, and fourth longer than broad; anterior marginal plates broad; the second and ninth largest, angular above. The sternum elongate, broad and rounded in front, deeply notched behind; gular plate large, marginal. Head broad, depressed, entirely covered with small polygonal shields; forehead convex, rhombic, with a broad flat crown between the very large temporal muscles; chin with two beards; mouth broad and rounded in front. The two outer hinder claws very small, rudimentary. Tail conical. Sternum in male (?) slightly concave, especially behind.

Spatulemys Lasalæ.

Shell above olive, nearly uniform, with a few small black spots on the margin, which are more abundant and larger on the hinder plates. Thorax and underside of margin pale, with symmetrical black spots, which are largest on the front and sides of thorax. Length of thorax 15 in., breadth $8\frac{1}{2}$ in.; length of head $2\frac{1}{2}$ in.

Hab. Rio Parana, Corrientes (Colonel P. Perez de Lasala, November 5, 1872).

Observations on the Metamorphoses of the Bony Fishes in general, and especially on those of a small Chinese Fish, of the Genus Macropoda, recently introduced into France. By M. N. JOLY.

In a letter addressed to M. H. Milne-Edwards on the 24th of December 1864, M. Agassiz expressed himself as follows:—"I have lately observed among fishes metamorphoses as considerable as those which are known among reptiles. Now-a-days, when pisciculture is pursued with such success and on so large a scale, it is surprising that this fact has not long since been observed" *.

* See Ann. des Sci. Nat. 5^e sér. tom. iii. p. 55.