*	AR (Wolfers)			Decl. (Auwers)			Autorität.
	^h	^m	^s	⁰	[']	["]	
<i>k</i>	14	6	18.70	+	0	56 45.8	Schjell. 5061.62. (Gew. 1). W. 14h.76; 2 Beob. (Gew. 1).
<i>l</i>	15	8	57.76	—	21	55 28.3	Arg. Oeltzen 14408 (Gew. 1). — Brit. Assoc. Cat. 5023 (Gew. 1). — Lal-Baily 27781 (Gew. 0).
<i>m</i>	15	4	41.86	—	21	52 45.8	Arg. Oeltzen 14342.
<i>n</i>	15	7	42.51	—	22	26 22.4	Arg. Oeltzen 14390.
<i>o</i>	14	54	24.52	—	20	43 36.7	Arg. Oeltzen 14167.68.
<i>p</i>	15	23	1.57	—	9	36 47.0	W. 15h.406.
<i>q</i>	15	12	28.23	—	8	40 35.3	W. 15h.195; 2 Beob. (Gew. 1). — Schjell. 5431. (Gew. 1). Lal-Baily 27901 (Gew. 0).
<i>r</i>	15	0	17.69	—	8	25 56.0	W. 14h.1117. — Lal-Baily 27498 (Gew. 0).
<i>s</i>	15	18	9.45	—	9	52 30.6	W. 15h.306.
<i>t</i>	15	12	23.43	—	9	3 18.7	W. 15h.193.
<i>u</i>	15	13	38.75	—	9	15 10.2	W. 15h.217.
<i>v</i>	15	6	9.92	—	9	20 37.9	W. 15h.72; 3 Beob. (Gew. 1). — Schjell. 5406 (Gew. 1).

Vergleichung mit den Ephemeriden im Berliner Jahrbuch für 1874.

(63) Ausonia.				B—R.			
				B—R.			
Febr. 28	$\Delta\alpha = +0^s.07$	$\Delta\delta = -4''.8$	—6.0	Mai 1	$\Delta\alpha = +1^s.38$	$\Delta\delta = -5''.1$	
März 4	+0.10	—7.1		„ 11	+1.35	. . .	
Febr. 28	+0.12	—17.8	—7.9	(8) Flora.			
März 3	+0.25	+2.0		April 27	+5.53	. . .	
(18) Melpomene.				Mai 7	+5.79	—27.2	
März 5	+2.18	+6.4	„ 8	+5.68	—29.9		
„ 12	+2.63	+4.0	„ 14	+5.78	—29.0		
„ 15	+1.85	+8.2	(69) Hesperia.				
(3) Juno.				April 30	+0.52	. . .	
April 12	+1.53	+5.3	—4.0	Mai 1	+0.37	+15.4	
„ 26	+1.20	—13.3		„ 7	+0.18	—5.9	} +10.5
„ 30	+1.96	+12.4	„ 11	—0.32	+26.9		
Mai 1	+1.80	—16.0	„ 8	—0.04	+12.0		
(7) Iris.				$\alpha' - \alpha$ und $\delta' - \delta$ sind wegen Refraction corrigirt.			
April 26	+1.03	—14.4	Leipzig, 1872. November 27.				
„ 27	+1.05	—19.9	—5.7	Dr. H. Gericke.			
„ 28	+1.54	+8.4					

Observations of the Asteroids Gerda (122) and Brunhilda (123) made at the
Litchfield Observatory of Hamilton College.

With the exception of those marked *r* (ringmicrometer) the following observations all have been made with the filarmicrometer, illuminated wires. The differences between planet and star are corrected for refraction.

Gerda (122):

1872	H.C. mean. t.	$\Delta\alpha$	$\Delta\delta$	No. of comp.	α	δ	$\log(p''\Delta)$ in α	$\log(p''\Delta)$ in δ	Comp. star
July 31	15h 9m 36''.8	+ 48s.52	—1' 19''.0	11 <i>r.</i>	21h 48m 56s.47	—11° 41' 54''.9	0.530	0.851	<i>a</i>
Aug. 1	11 32 49.3	— 23.97	— 0.8	11 <i>r.</i>	48 22.36	11 45 1.8	0.413 _n	0.856	<i>b</i>

1872	H. C. mean. t.	(122) $\Delta\alpha$	* $\Delta\delta$	No. of comp.	(122) apparent α	δ	log (p'' Δ) in α	in δ	Comp. star
Aug. 2	12 ^h 41 ^m 59 ^s 6	— 7 ^s 70	+1' 21."1	12 ^r .	21 ^h 47 ^m 39 ^s 73	—11° 48' 57."4	9.700 _n	0.862	<i>c</i>
3	12 1 15.6	—2 12.09	—1 16.0	10	46 59.52	11 52 38.2	0.189 _n	0.860	<i>d</i>
4	12 1 17.5	—1 8.82	+1 20.1	10	46 17.64	11 56 31.0	0.150 _n	0.861	<i>e</i>
5	11 57 7.7	—1 51.00	—2 30.3	10	45 35.47	12 0 21.2	0.146 _n	0.862	<i>e</i>
7	12 7 9.7	—1 46.27	— 34.8	8	44 9.32	12 8 13.1	9.925 _n	0.863	<i>f</i>
8	11 9 40.0	+ 14.33	— 4.1	10	43 28.11	12 12 4.4	0.370 _n	0.859	<i>g</i>
9	11 28 53.3	+2 53.69	+ 43.0	10	42 44.02	12 16 5.7	0.224 _n	0.862	<i>h</i>
21	11 51 19.4	+ 25.89	+2 1.6	10	33 57.90	13 4 32.0	9.780	0.869	<i>i</i>
23	9 23 28.0	— 7.89	— 6.4	10	32 36.05	13 11 57.6	0.521 _n	0.858	<i>k</i>
27	10 7 10.0	— 53.13	+1 23.7	10	29 49.24	13 27 29.8	0.212 _n	0.868	<i>l</i>
28	9 42 1.8	+ 33.77	+ 59.6	10	29 9.28	13 31 10.2	0.344 _n	0.866	<i>m</i>
Sept. 2	12 31 12.0	—2 11.96	+ 46.1	10	25 53.25	13 49 27.6	0.514	0.861	<i>n</i>
6	10 15 22.8	+2 39.50	—3 18.6	8	23 37.11	14 2 24.0	8.812 _n	0.874	<i>o</i>
7	11 7 25.3	+2 19.09	+1 13.6	10	23 3.30	14 5 37.7	0.193	0.872	<i>p</i>
23	8 23 7.1	— 53.79	+2 9.8	12 ^r .	16 44.25	14 44 22.4	0.079 _n	0.876	<i>q</i>
24	8 48 11.8	—1 8.23	+ 27.3	12 ^r .	16 29.79	—14 46 5.0	9.532 _n	0.877	<i>q</i>

Brunhilda (123):

Aug. 1	12 ^h 8 ^m 29 ^s 3	— 34 ^s 14	— 19'' 7	12 ^r .	21 ^h 57 ^m 30 ^s 53	—10° 4' 55".3	0.267 _n	0.850	<i>a</i>
2	13 22 12.8	+1 7.08	— 37.6	8 ^r .	56 39.73	10 6 42.3	9.617	0.853	<i>b</i>
4	11 31 8.4	+5 26.83	+1 7.3	5	55 4.91	10 10 15.4	0.393 _n	0.848	<i>c</i>
5	12 53 37.6	+4 33.25	— 52.3	6	54 11.34	10 12 15.0	7.860 _n	0.853	<i>c</i>
7	13 8 14.8	+ 28.93	— 0.4	10	52 27.13	10 16 16.9	9.843	0.853	<i>d</i>
8	12 2 38.2	— 21.01	—2 0.9	10	51 37.20	10 18 17.4	0.029 _n	0.853	<i>d</i>
9	12 29 53.3	+3 48.74	+2 4.8	6	50 43.10	10 20 26.6	9.144 _n	0.854	<i>e</i>
21	13 56 57.8	+1 41.44	— 54.7	10	39 44.56	10 48 39.3	0.584	0.843	<i>f</i>
23	10 21 14.6	+ 18.15	+1 0.9	10	38 4.67	10 53 19.5	0.277 _n	0.854	<i>g</i>
27	11 40 40.0	+ 39.52	+ 48.8	12	34 29.40	11 2 59.4	9.981	0.857	<i>h</i>
28	10 26 0.9	+1 2.97	+3 45.7	4	33 40.84	11 5 9.8	0.031 _n	0.858	<i>i</i>
Sept. 2	13 6 51.4	— 17.74	—1 1.9	10	29 27.56	11 16 40.3	0.604	0.844	<i>k</i>
7	10 10 27.2	+1 36.62	+2 34.3	10	25 49.44	11 26 29.5	9.197 _n	0.860	<i>l</i>
22	9 14 46.3	+1 31.22	— 32.5	8 ^r .	17 47.54	11 46 31.0	9.239	0.862	<i>m</i>
23	10 11 3.6	+1 9.84	—1 16.2	13 ^r .	21 17 26.14	—11 47 14.8	0.283	0.859	<i>m</i>

Estimates of magnitudes:

Gerda (122): July 31 ... 12.0; Aug. 1 ... 11.8; Aug. 2 ... 11.5; Aug. 23 ... 11.5; Aug. 27 ... 11.5; Sept. 6 ... 12.0; Sept. 23 ... 13.0; Sept. 24 ... 13.0.

Brunhilda (123): July 31 ... 12.0; Aug. 1 ... 12.0; Aug. 2 ... 12.0; Aug. 27 ... 12.0; Sept. 22 ... 13.5; Sept. 23 ... 13.5.

The mean places for 1872.0 of the comparison stars have been adopted as follows:

1) For Gerda (122):

<i>a</i>	21 ^h 48 ^m 5 ^s 72	—11° 40' 45".5	11 ^m ; by 4 fil. micr. comp. with
<i>b</i>	48 44.08	45 10.6	10 ^m ; by 4 fil. micr. comp. with
<i>c</i>	47 45.16	50 21.8	10 ^m ; det. by 10 fil. micr. comp. with
<i>d</i>	49 9.34	51 32.1	R. 9628, checked by 4 comp. with R. 9690.
<i>e</i>	47 24.12	57 59.7	Mean of:
	24.17	61.0	W. 21 ^h .1087, and
	24.07	58.4	Washington Obs. 1865.
<i>f</i>	45 53.26	—12 7 48.3	Schj. 8889.

<i>g</i>	21 ^h 43 ^m 11 ^s .27	—12 ^o 12 9".3	Mean of:
	11.43	10.2	W. 21 ^h .1002, and
	11.12	8.4	Washington Obs. 1865.
<i>h</i>	39 47.96	16 58.5	(W. 21 ^h .933) Mean of:
	47.91	57.0	Washington Obs. 1865, and
	48.00	60.0	Königsberg Mer. Obs., Astr. Nachr. No. 1804.
<i>i</i>	33 29.52	—13 6 43.4	10 ^m .5; det. by 3 fil. micr. comp. with
	29 59.00	8 30.7	W. 21 ^h .681.
<i>k</i>	32 41.45	12 0.9	R. 9321.
<i>l</i>	30 39.87	29 3.2	W. 21 ^h .699.
<i>m</i>	28 33.00	32 19.4	W. 31 ^h .650.
<i>n</i>	28 2.70	50 23.3	W. 21 ^h .635.
<i>o</i>	20 55.11	59 14.5	Mean of W. 21 ^h .456 and Schj. 8682.
<i>p</i>	20 41.72	—14 7 0.2	Mean of
	41.95	0.2	W. 21 ^h .452 and
	41.50	0.2	by 5 fil. micr. comp. with
	20 23.13	8 29.3	(W. 21 ^h .441) Schj. 8679 — 80.
<i>q</i>	17 35.65	46 40.4	10 ^m ; det. by 5 fil. micr. comp. with
	18 23.66	49 38.6	W. 21 ^h .392.

2) For Brunhilda (123):

<i>a</i>	21 ^h 58 ^m 28.47	—10 ^o 4' 45".5	9 ^m .5; by 4 filar micr. comp. with
<i>b</i>	55 50.43	6 14.6	10 ^m ; det. by 4 fil. micr. comp. with
	49 28.36	6 43.2	mean of
	28.27	43.5	R. 9635, and
	28.44	42.9	Bonn Obs. VI pag. 333.
<i>c</i>	49 35.81	11 32.5	Schj. 8925 (= W. 21 ^h .1137 = R. 9639).
<i>d</i>	51 55.89	16 26.6	11 ^m ; 3 fil. micr. comp. with.
	22 1 51.14	15 49.6	Schj. 9030.
<i>e</i>	21 46 52.02	22 41.4	mean of
	51.95	38.5	W. 21 ^h .1078, and
	52.09	44.4	R. 9579.
<i>f</i>	38 0.67	47 54.7	Schj. 8825.
<i>g</i>	37 44.06	54 30.6	10 ^m .5; det. by 5 fil. micr. comp. with
	41 36.89	53 29.0	W. 21 ^h .974.
<i>h</i>	33 47.41	11 3 58.3	R. 9340.
<i>i</i>	32 35.40	9 5.5	mean of
	35.62	5.7	W. 21 ^h .749, and
	35.17	5.4	Genf Obs. 1843.
<i>k</i>	29 42.82	15 48.8	11 ^m ; det. by fil. micr. comp. with
	30 16.76	20 6.6	Berlin Mer. Circle, Astr. Nachr. No. 1903.
<i>l</i>	24 10.36	29 13.5	11 ^m ; det. by 3 fil. micr. comp. with mean of
	19 31.77	28 6.8	Bonn Obs. VI pag. 333, and
	31.89	4.1	Copenhagen Mer. C., Astr. Nachr. No. 1552.
<i>m</i>	16 13.97	46 7.5	W. 21 ^h .345

Clinton, N.Y., November 1872.

C. H. F. Peters.