Instructions

IN

CLINICAL MEDICINE,

Given at the London Hospital by

SIR ANDREW CLARK, BART., M.D., LL.D., F.R.S.

(Reported for THE LANCET and Revised by the Author.)

INTRODUCTORY: THE METHODS OF CLINICAL INSTRUCTION.

GENTLEMEN,—I am much touched by and very grateful to you for this cordial reception. May I be enabled to continue worthy of your confidence. I enjoy to-day a great and valued privilege. Until now this hospital had no proper clinical theatre, and clinical instructions, which, next to the treatment of the sick, constitute one of the main duties of such an institution, were given in odd corners as convenience and other circumstances permitted. To-day, however, the new theatre is opened, and the privilege which I enjoy is the privilege of inaugurating the courses of clinical instruction hereafter to be given therein. We begin here and now the course of what is conventionally called clinical medicine. What is clinical medicine? It is that department of medical knowledge which occupies itself with the study of individual cases of disease as distinguished from that other department of medicine which occupies itself with the study of disease in general. It is that part of medicine which guides you to the investigation and discovery of the symptoms and signs of disease, to the classification of their relations, to the interpretation of their meaning, and to the elucidation of their bearing upon the general system and upon the course of the disease of which they are indications. It is that part of medicine which enables you to determine the nature of the particular disease with which you are dealing, to predict its course, to forecast its issues, and to determine the means most suitable for averting death, relieving suffering, or bringing about a cure. Such, briefly and imperfectly stated, are the objects of clinical medicine. It is for the sake of clinical medicine that all your previous studies have been undertaken. It is for the sake of becoming practitioners that you have studied physics, chemistry, anatomy, physiology, therapeutics, and pathology. For all these branches of knowledge supply information absolutely essential to the accurate and adequate conduct of clinical inquiry. Let me illustrate this, in passing, by reference to the secretion of urine. We have in clinical investigation to deal, as I was saying to you, with symptoms of disorder and of disease. Now, no single symptom exists in complete isolation; every symptom holds with other symptoms and conditions numerous varied and intimate relations. The secretion of urine is not, then, a solitary, simple, unrelated fact. And when we require to understand fully and rightly the influences at work in its production we have to search into the conditions of digestion, assimilation, the circulation of the blood, the variations of blood-pressure, the dynamic and structural conditions of the kidneys, and the state and action of the nervous system presiding over all. And when healthy urine becomes diseased urine, the clinical inquirer is compelled to investigate the condition of each of those factors in the evolution of the secretion of healthy urine, in order that he may discover to what alteration of what factors such diseased condition is due. Here you will discover the necessity of those branches of knowledge in the acquisition of which you have been hitherto engaged; here you will discover that physiology, a knowledge of the conditions of healthy structure and action, is one of the main foundations of the art of medicine; and here you will also discover that the very knowledge which enables you to inquire into and understand the nature of disease is in itself a constituent of the disease which you are striving to discover. Clinical medicine, then, is at once the object and end of all your previous studies; it is in a sense the closing and the crowning of all your former work, and it is the means whereby you are to make yourselves sound and true practitioners in the art and craft of medicine.

The study of clinical medicine is the most difficult of all
No. 3566.

the other studies in which you have been hitherto engaged, for it requires the possession of many different kinds of knowledge; and to use them aright it requires, furthermore, the careful exercise, not only of the higher mental, but also of the higher moral faculties of our nature; and no one can have any just hope of becoming practised in clinical medicine who does not devote himself patiently and perseveringly to the study of it. There are two other conditions which are above all others necessary to the success of this work: the one is that the attention which you give to it shall be undivided, and the other is that it shall be thorough. When you are engaged in the work of clinical medicine it is not tolerable that you shall be concurrently engaged in cramming for examinations upon other subjects. Clinical medicine is a jealous goddess, and never grants her highest favours to a divided worship. Furthermore, remember that your methods of working now will determine with unalterable certainty what your work and character and life are to be hereafter. Do not commit yourself to many cases at a time, for doing that will bring about superficiality, inaccuracy, and a loss of that calm seriousness without which just and wise judgments are impossible. In this study, before all other studies, it is required that you shall be thorough. Practise thoroughness now, and it will soon become a habit, and the habit of thoroughness will make for you the trustiest mental and moral gymnastic; it will develop your other faculties, it will elevate and strengthen your whole nature, and it will keep you in the way of rendering the highest service to men and of giving the truest help to the advancement of knowledge.

There are several methods of teaching clinical medicine. In one method the teacher prepares a lecture on a particular disease, giving his views of its nature, embodying his experience of its treatment, and selecting his illustrations from successive or concurrent cases in the wards. In a second method, the teacher, with the help of his house physician and clerks, prepares the case of a particular patient, determines the diagnosis, settles the treatment, and, assembling his students, reads to them the complete account of his investigation. In a third method the teacher collects his students round the bedside of the patient, listens to the story of the case, examines and compares the symptoms and signs of disease, considers and determines the diagnosis, forecasts the issues, and gives his reasons for the treatment which he proposes to pursue. From time to time the case is re-examined, the course which it has followed is discussed, and the treatment is revised. If death puts an end to the case, the results of the necropsy are considered in their relations to the assemblage and progression of symptoms which have constituted the external manifestations of the disease. In a fourth method the teacher endeavours to make the conditions of teaching resemble as nearly as is practicable the conditions of practice encountered by the medical man on commencing the practice of his art. Nothing is known beforehand of the patient to be examined. He is brought into the theatre, and the teacher, with the assistance of his students, proceeds to investigate the case, just as if the patient were a private patient, and the doctor were alone in the management of it. The symptoms and signs of disease are elicited, their relations and meaning are discussed, the diagnosis is considered and made, the prognosis is weighed, the treatment to be pursued is settled, and the report to be given to the patient and his friends is arranged.

The two first methods convey information, and, as usually practised, the information is of the highest character and conveyed in the ablest manner. But neither of them conveys a true instruction; neither of them constitutes a method of true education; both have grave defects, and one of the chief defects is that they do not make you think. The criterion of true instruction is not acquiring, but thinking. Genuine clinical teaching cannot be conducted through the medium of mere books and lectures: it requires the active co-operation of teacher and of taught, the assimilation as well as the acquisition of knowledge; seeing, handling, doing, as well as trying, failing, and succeeding. The third method, supplemented in the lecture room by retrospects and revisions, has the fewest defects and the greatest advantages, and is, on the whole, the most suitable for the conveyance of practical instruction in the art of medicine. Nevertheless, this is not the method which I purpose following in the present course of clinical instruction. I purpose following the fourth method, be-

cause it will afford us greater freedom of investigation; it will assimilate our conditions of work more closely than any other method will do to those methods under which the doctor, just qualified, will commence his practice; and it will be better adapted for the class of cases with which I wish to make you practically acquainted. There are three classes of cases to be met with in our hospital: the class of acute diseases, the class of chronic diseases, and the class of what I must be still permitted to call functional disorders.

For the study of cases of acute disease and of the graver forms of chronic disease adequate and admirable provision is made. But for the study of the slighter forms of chronic disease the provision made is inadequate, and for the study of that great variety of functional disorders growing with our advancing civilisation there is, beyond the necessarily incomplete instruction given in the out-patient department, substantially no provision made at all.¹ And yet, gentlemen, in carrying on your future work those cases of functional disorder are, probably, with few reserves, the most interesting, the most instructive, and the most important of all the cases with which you will have to deal. The study of those cases will make you familiar with the first results of the violations of physiological conditions and the earliest aspects of diseased states; they will make you familiar with them before temporary dynamical disturbances have drifted into permanent statical disease; and they will make you familiar with them when, as yet, the readjustment of diet and regimen, the judicious administration of drugs, and the regulation of all the little things of life which concur to make or unmake health, will enable you to restore the patient to health. Furthermore, cases of functional disorder and of the slighter forms of chronic disease will constitute the main body of the cases with which you will have to deal in practice; and your mastery of their forms and your skill in handling them will prove at once the measure of your usefulness and the criterion of your success. Among the functional disorders of which I am speaking there is one variety which in a special manner claims your closest study. It comprehends cases which abound in the present day, which are increasing with our advancing civilisation, which appear to arise out of irregular excitement of the nervous system, or out of neglect of the commoner conditions of healthy life, which are manifested mainly in an intense physical self-consciousness; cases which are the plague of families, profitable to the unprincipled quack, and perilous to every honest doctor. In this group of cases are the people who are always ailing and seldom ill; who, said to be sufferers from nervous debility, are yet capable of immense nervous work; who are not amenable to the curative effects of drugs; who are made worse by almost every remedy you propose; who often seek relief from stimulants and narcotics, who generally discredit your treatment, and who, nevertheless, when you fully understand their disorders and gain their confidence, are capable of being guided into that way of physiological righteousness which, despite their nervous troubles, leads them into useful, enjoyable, and worthy lives. I shall endeavour to bring cases of this sort before you; for even if the knowledge of them should not enable you to treat them successfully, it will enable you to escape discredit, and perhaps disaster, at their hands.

You will have already inferred from what I have said the mode of procedure which I purpose pursuing in the practical studies upon which we are about to enter. Nevertheless, for the sake of clearness and comprehension, it will be necessary to describe it in detail. But before I do this let me make plain to you the exact object which I have in view, that you may be neither disappointed with the nature of the instruction to be given nor dissatisfied with the limits within which it will be confined. Now my object is not the delivery of didactic lectures, not the reading of clinical essays, not the demonstration of technical proceedings, and not the discussion of rival pathological theories. All these procedures have their place and use. My one object now is to help you to get plain, practical clinical instruction, and so to get it of such a kind that you may pass from this hospital into practice accustomed to its methods and cautions, without fear of disaster, and ready for sound and honest work. At each meeting of our class, of which I expect all of you to become, in some way or another, coöperative members, my friend Dr. Hadley will present us a case for investi-

gation, diagnosis, and treatment. Of the nature of this case we shall know nothing beforehand; and we shall proceed to deal with it in a manner resembling, as nearly as the widely differing conditions will permit, the manner in which you would deal with a like case in private practice. Of course the conditions in the two cases will be vastly different. There will be many persons present at the examination instead of one person, the tranquillity of the patient will be variously disturbed, we shall have to think and speak aloud, we shall have to discuss each other's procedures and conclusions, and teacher and taught alike may fall separately or conjointly into grave mistakes; but for all that the cardinal conditions of clinical work will be sufficiently alike to train you thoroughly, and initiate you successfully, into the practice of our art.

In dealing with each patient as he comes into the theatre it will be necessary to follow a definite plan of procedure. It may not be the best plan, and it may have many defects; but if uniformly acted upon and always employed as the standard of comparison and of judgment the results will be accurate enough for every purpose of our inquiry. In the first place, then, I shall ask the patient to tell us the symptoms of which he complains, how long he has been ill, and in what way his illness began. In the second place, I shall endeavour to learn from the patient the number and nature of the troubles from which he has suffered in the course of his life; for the continuity of organisms is one of the most instructive of teachers. In the third place, I shall make myself acquainted as closely and accurately as I am able with the medical history of the patient's family. In the disease of the parents we may sometimes read the diagnosis of an obscure disease in the child. Armed with information acquired from these sources, and assuming that the patient's statement points to the lungs as the chief seat of his malady, I shall proceed to investigate, with all modern aids to diagnosis, the condition of those organs. Completing this part of the examination I shall then inquire, through separate and successive investigations, into the conditions of the circulatory, digestive, genito-urinary, cutaneous, and nervous systems; and I shall ascertain the manner and degree in which the constitution is being affected by the disorders or diseases which we may have brought to light. At this stage of our investigation I shall be able to state in order the symptoms and signs of the patient's disease, and the signs and symptoms of disorder or of disease which may exist causally or independently elsewhere than in the lungs. I shall be able to elicit their relations, to interpret their meaning, and to set forth their bearing upon the future course and complications of the case. Now we shall be in a position to discuss the probable nature of the malady and to frame our diagnosis. This done, we shall consider the probable future of the case, settle the report to be made to the friends, and finally determine the treatment to be pursued. From time to time we shall re-examine the patient in order to correct or confirm our diagnosis, to determine the way in which the disease is going, and to consider the use or uselessness of our remedies.

Such, gentlemen, is the plan which, upon physiological lines, I intend to pursue in the conduct of these *clinical instructions*; and I feel myself justified in assuring you that if you adopt it in a spirit of serious endeavour, if you follow it step by step, if you pursue it unintermittingly, and if you bring all your collateral knowledge to bear upon its development, you will be preserved from confusion in emergencies, you will acquire a growing interest in your work, a precious habit will be formed in your mind, your whole nature will be lifted up, and in due season the fruits of your labour will be found abundant and good. Furthermore, the carrying on of your work in this manner will train your understandings, discipline your hearts, and exercise your wills to the utmost of their capacities; it will make you "cultivated men, it will enable you, on subjects of mutual concern, to hold your own with the public in the gate, and it will prepare you to deal successfully with those problems of the moral life from which few cases of disease are entirely exempt. Undoubtedly, my dear students, the fulfilment of these conditions will not be found easy. I am well aware, indeed, that it will be found tedious, disagreeable, difficult; and that it will exact self-denials always pressing, and efforts seldom slight. But then, I make the confident reply that it is only through the ready acceptance of these difficulties and sacrifices that you can acquire the strength necessary

¹ See Dr. Glover's admirable remarks on this subject, "Gaps in Medical Education."

for the work which you have hereafter to do. When the conditions of work and life become unencumbered and easy, failure is at hand and decay inevitable. It is a sacred and happy law which has made all good things difficult; it is only by the encountering and overcoming of difficulties that our mental and moral strength is developed and sustained; and it is only by the exercise and maintenance of this strength that we can reach and live that life of labour and of sacrifice which the doctor so often lives, and which moralists agree to regard as life indeed.

In conclusion, permit me to say a word or two on another but still closely related topic. I cannot pretend that anything has ever occurred to render necessary the speaking of these words to students of the London Hospital; and yet for many reasons, at this moment unnecessary and inconvenient to be specified, I may not leave them unspoken. The men and women who come into this theatre and submit themselves to be cross-questioned and in various ways examined before us have to pass through a considerable ordeal and to undergo some suffering. For they are our brethren; they have acute susceptibilities easily wounded; they feel deeply any slight or reflection which they imagine to be cast upon them; they are suspicious and ready to misinterpret; and any unfavourable judgment of their prospects of recovery, unwittingly expressed, fills them with apprehension and prevents their return for further examination. It is therefore necessary, and our duty, when patients are before us during examination, that all of us, you and I, should keep their presence in mind, and should abstain from any gesture or manner, from any look or word calculated to ruffle the temper or to wound the feelings of those who are voluntarily submitting themselves to both inconvenience and suffering for our common behoof.

An Address

ON THE

METHOD OF ZADIG IN MEDICINE,

Delivered at the Inaugural Meeting of the North London Medico-Chirurgical Society, on Thursday, Dec. 17th, 1891,

By T. LAUDER BRUNTON, M.D., D.Sc. EDIN.,
LL.D. (HON.) ABERD., F.R.C.P., F.R.S.

MR. PRESIDENT AND GENTLEMEN,—Allow me, first of all, to thank you for the great honour you have done me in asking me to address you to-night. The choice of a subject has not been easy, and, in trying to select one, it occurred to me that perhaps no animal gets to its goal more quickly or more surely than the carrier pigeon; yet, when started on its homeward journey, it does not fly directly onwards, but first of all takes two or three preliminary circles, in order to ascertain its whereabouts and the direction in which to direct its flight. The time spent in doing this is very far from lost, and what occurs in the case of the carrier pigeon appears to happen also in the conduct of human affairs. A little while ago I was down in the country, and a nurseryman, a most intelligent and able man, gave me a few lessons on pruning. He told me first of all what to avoid, and then what to do. "Some people," he said, "when they want to prune a tree begin with the knife at once, and cut here and there, without having a definite idea of what they are to do. Now the proper way is to put your hands in your pockets, stand a little distance off, look at your tree, see what you want to do, and then set to work." In laboratory researches we find the same thing, and a few preliminary experiments are often very advantageous in learning the methods of work, so that an apparent loss of time at the beginning is often a real saving both of time and trouble in the end. Now, as this is a new Society, it seemed to me that perhaps it might be better, instead of beginning with a definite medical subject, such as the pathology and treatment of some disease, to ask you rather to direct your thoughts to some general methods of investigation. Now one of the greatest losses in medicine is the loss of individual experience. We find that men most able and successful in the practice of their profession, in

the recognition and treatment of disease, die and carry their knowledge away with them. Some men may record the cases they have seen, but comparatively few are able to record their experience in such a way as to make it thoroughly available for others. Various attempts have been made at different times to collect the experiences of medical men, especially those in general practice, and to put it in such a form as to be available for their colleagues.

In the years 1874-77,¹ in my capacity of editor of the *Practitioner*, I made an attempt to collect the experiences of practitioners by issuing a circular and asking for returns regarding the treatment of quinsy and sciatica. Answers were returned from all parts of the world, and these were collated and published. The advantage which was thus gained, however, seemed hardly enough to repay the time, trouble, and expense which these questions and returns necessitated, and the attempt was discontinued. A few years later another attempt was made on a very much larger scale by the Collective Investigation Committee of the British Medical Association, but after this had been continued for a while it was also dropped. The same desire for the collection of information is shown, however, in the union of medical men to form societies in which everyone shall profit by the experience of his neighbour. The formation of the present Society is another indication of the value of this form of collective investigation, and it seems to me rather important that at its commencement we should pause a while and take a glance round before proceeding with what one may term its proper work, the consideration of diseases and their treatment. The failure of collective investigation to bring out any great amount of information from the profession as a whole shows that the task is no easy one; and if I fail to trace out for you a complete course by which our end may be attained you will not, I am sure, blame me, but will rather sympathise with my attempt, and will each and all of you endeavour to carry out further than I may be able to do the search for such methods as will enable us to attain the end we all desire. It seems to me that one cause of failure is a want of exact analysis, which leads to a want of exact synthesis. I may illustrate this by the common observation that, when we wish to describe the face of someone, all we are able to recollect, or at least to put into words, are the general facts that the individual has two eyes, a nose, and a mouth, with hair of a more or less pronounced colour. If we try to describe him more accurately, we may possibly recollect that his eyes are sleepy or bright, that his face is stout or thin, that his nose is long or short, that his chin is projecting or not. But here most of us would have exhausted our stock of reminiscences. Now, it is frequently very important that a face should be so exactly described that the owner of it may be at once recognised, and for this purpose a plan has been adopted in France of photographing the front face and the profile. The enormous number of photographs which are thus accumulated, of criminals and others in whom the officers of the law take an interest, is so great that it would be impossible either to pitch upon the particular photograph that was wanted or to recognise the individual if it were not for a system of arrangement. All profiles may be at once divided into three classes, according as the base line of the nose is ascending, horizontal, or drooping—and each of these may be further subdivided according as the bridge is convex, straight, or concave. When to these are added similar subdivisions, according to the shape of the eye and the ear, we see at once that the whole of the photographs may be readily classified, and any individual one that is wanted may be picked out from amongst thousands of others at a moment's notice. Many people remember faces sufficiently well to recognise them when they see them again, but not to describe them, much less draw a portrait from memory; yet it is by teaching the law officers to describe portraits from memory that they are trained to recognise from the photographs the people who may be "wanted." It appears to me that one of the kinds of training that is needed by medical men is this power of learning to differentiate the characteristics of a patient, the symptoms he presents, and the effects of treatment upon him in such a way as to render any case presenting similar features readily recognisable by a fellow practitioner. But it is not only the outward signs that we

¹ *Practitioner*, Nov. 1874, vol. xiii., p. 308; vol. xvi., p. 44; vol. xviii., p. 107.