Gaging Screw Threads with a Beam of Light

By Merrill M. Hunting

THERE will be no uncertainty, no wearing of gages, when the recently perfected machine, known as the comparator, comes into general use for the inspection of screw threads. The end thread tells the entire story and a shadow of this is projected on a specially prepared chart used in connection with the machine. There will be no argument about a "fit"—the naked evidence is photographed, and there is nothing more truthful than the eye of the lens. This invention constitutes one of the most important advances in making dependable all machines and mechanism using threaded parts. Its use means a speeding up of production and a reduction in cost of good threads.

The old gaging systems in use generally depended upon the "feel" of the gage. The inventor of the new machine, Mr. James Hartness, president of a well-known firm of machine designers of Springfield, Vermont, has realized that this has been a blind system and that it must be eliminated in this age of modern methods. Any engineer knows too well that many machine failures are due to misfitting screws. A loose screw in an airplane may mean death. The gasoline engine of the motor car must not have loose screws, and its nuts and bolts are provided with various locking devices. However, there are many applications in which locking devices cannot be used, and so the faulty screw must go. Through a clever use of the projection lantern, we can now discover in a most practical way the essential elements of the screw in the process of being produced. In other words, the screw's shadow tells the tale.

The screw inspection machine has a lamp housing, a work holder, and the necessary lenses all mounted on suitable arrangements. The tolerance chart used in connection with the machine is held in place on a bench-like frame. The apparatus takes up a floor space fifteen by seven feet. The magnifying lenses are specially selected to fit the requirements of screw thread inspection.

Because the machine uses a projection lantern, one might think that a dark room is necessary. It is not. In fact, it is not even desirable. A moderately-lighted location will answer the purpose admirably. There is provided a workholder in which the screw thread is positioned longitudinally by the threaded nest. The threaded nest is about five threads distant from the thread that is opposite the projecting lens. If the lead is not as it should be this thread will not be directly in front of the lens, but a trifle to the right

This special projection lamp and chart screen enable accurate and rapid screw-thread inspection by means of the screw's shadow

Positioning a bolt in place prior to projection on the chart screen

or the left. This change of position shifts the shadow on the chart. When the machine is correctly adjusted the shadow profile on a thread in the holder will be

(Continued on page 232)

What About Our Commercial Aviation?

By George Gaulois

IS our aviation effort about to disappear? Perhaps not, but for a certainty it has become more and more feeble since the armistice brought our participation in the world conflict to an end. Aircraft companies have been left with little to do, and it is small wonder to find most of them engaging in other lines of work in order to keep their plants at least partly in operation. All of which, to be sure, is regrettable in the extreme, for the air force of any nation cannot be built up overnight in the event of national peril.

While we here in America have permitted our aviation to drop back into its prewar inactivity, the European belligerents have gone ahead with commercial projects. The British, French, Italians and Germans have established successful passenger-carrying services and even cargo-carrying services, not to speak of numerous and long-distance aerial postal routes. Even the Swiss are inaugurating passenger-carrying services in order that the tourists may enjoy the new thrill of viewing the Alps from on high. But what has been done in Europe cannot be duplicated in the United States quite so readily, because the Europeans have always taken more kindly to aviation than we have, and their governments have ever been ready to aid aircraft designers and manufacturers in every way. With such encouragement the European aircraft fraternity have enjoyed a tremendous advantage over the Americans, who have had to struggle alone except for the short span of the war.

With little or no encouragement coming from the Government, American aviation must depend on the commercial side of flying. The great problem today is: What practical use can be made of airplanes, what volume of business can we expect to secure with them, what changes of or developments from present military machines will be necessary to give us an efficient commercial machine, and what does the future hold for this new means of transportation?

Since speed is the great, outstanding present-day advantage of the airplane, according to a paper read by D. W. Douglas, chief engineer of a leading American aircraft company, before the Society of Automotive Engineers, the passenger-carrying feature ranks first in importance. Many of our daily business and personal affairs can be successfully conducted only by a personal meeting or inspection. Correspondence, telephony and telegraphy cannot supply the complete satisfaction of actual personal contact. Where any

(Continued on page 230)

Passenger-carrying Handley-Page machine recently exhibited at the Paris Air Show, and its elaborate passenger saloon

VAN DYKE put such quality into his pictures that his fame must endure when his canvases are dust. Quality in the same degree marks Eberhard Faber Pencils. Since 1849 they have been instruments in creating America's great buildings, railroads and far-reaching highways. They have helped make momentous documents. The name Eberhard Faber on a pencil means "perfection" to millions of users all over the world. The

VAN DYKE DRAWING PENCIL

is seventy years of pencil experience expressed in one accomplishment. Famous artists use Van Dyke Drawing Pencils because of their uniformity and dependability. The same points of merit that make Van Dyke Drawing Pencils the choice of artists commend them in HB grade, to all for business uses. They are good, to the last half inch. Ask for them at your dealers or write us on your business stationery stating grade desired, and we will send you a sample. Address us at 37 Greenpoint Avenue, Brooklyn, New York.

EBERHARD FABER

Oldest Pencil Factory in America

Factories—Brooklyn, N. Y., and Newark, N. J.

Offices—New York, Chicago, Boston, San Francisco

Our Deepest Wells

(Continued from page 214)

the Lake bore is the deepest temperature record yet made.

It will be noticed that these readings show variations, which plainly indicate that other circumstances than depth figure in determining the measure of local heat at any point below the earth's surface. This emphasizes the importance of taking temperatures with all possible exactness; and it was to this end that the expert of the U. S. Geological Survey devised his special apparatus. We are told authoritatively that in any of the three deep wells here, which have been under consideration, the boiling point would be reached at a penetration of 10,000 feet.

No one now knows what is the source of the enormous quantity of heat stored away in the bowels of the earth. Some scientists believe it to be due to the disintegration of radium in subterranean rocks; others argue that the earth is a cooling globe radiating heat developed during condensation from the original nebula; while there are those who claim that chemical reactions are responsible. Be this as it may, it may yet be of the utmost importance to us to evolve ways to draw upon this potential energy at will; and the study of the temperatures of very deep wells, and the positive knowledge obtained from these borings of the dip and the successive geological formations lying below our feet are calculated to help us to this end.

In his work in this direction, Mr. Van Orstrand has used two types of temperature registering mediums—so called maximum thermometers employing a mercury column, and electrical resistance thermometers wherein the deflection of the needle of a Wheatstone bridge indicated the flow of current and, accordingly, the temperature of the resistance element lowered into the well. The trouble with the mercury thermometer is the error that may be introduced by the instrument being jarred during the passage surfaceward, thus shaking down the column of mercury and leading to erroneous records when brought up. Again, the mercury thermometer has to be exposed for an hour or so in order to obtain the desired result at the chosen depth.

The electrical resistance thermometer, on the other hand, has all of its registering apparatus above ground and it is necessary to lower only the electric circuit. Up to a depth of 3,000 feet, Mr. Van Orstrand's field work has demonstrated the superiority of the electrical equipment. Perfect insulation is necessary, and petroleum ultimately dissolves all of the usual insulating compounds. Therefore, beyond 4,500 feet this physical geologist would have recourse to two sets of three maximum thermometers—one set, having the mercury bulbs inverted so that the mercury could not be jarred back into the bulb by any blows transmitted to it on the journey surfaceward. In this way a check would be afforded which would reduce to a considerable measure the likelihood of error.

What About Our Commercial Aviation?

(Continued from page 215)

great distance separates the subject and his objective, present-day express service often proves too slow.

Aeronautical people all feel confident that with the lessons learned from military experience and with new safeguards thrown around the airplane in its operation and maintenance, such a service can be safely embarked on with our present-day knowledge and material. This must be proved by actual performance rather than by statement, and so the airplane builders or those with the necessary knowledge, enthusiasm and capital who will come forth as commercial operators, must take the risk. In one way or another they must actually carry passengers. They must carry them

on schedule, comfortably and without mishap, and for a reasonable period of time. Experimental human material is needed, then, in addition to the experimental carriers of it. Mr. Douglas believes that there is plenty of such material in the adventurous, the curious and those whose extremity may be so great as to warrant the chance they are sure to believe they are taking at the time.

Passenger-carrying aviation falls into three classes of service, namely (1) scheduled regular service; (2) special taxi service; (3) tourist service. Of the three the first seems to hold the most promise of giving us our first real data on costs, maintenance and traffic. While it appears offhand to involve the risking of more capital than the last two, it need not preponderate greatly in this respect and certainly will offer a more accurate count of the public pulse than the other methods. By scheduled service is meant the operation of one or more machines flying between two or more points on a time schedule properly based on the safe speed of the plane, the altitude flown and the head winds likely to be encountered. *No such service has as yet been actually started either here or abroad.*

In England various airplane firms have ready machines carrying from 10 to 40 passengers; the French Farman carrying 12 persons and the big Caudron machines are only waiting for military questions to be settled before opening up regular service between London and Paris and other European cities. England has big projects along these lines throughout her colonial possessions and seems imbued with the determination to realize them. In Italy, Caproni is building larger passenger planes than anyone, which it is said will be operated from the northern to the southern part of that country and even across the Mediterranean to the African possessions.

But practically all of the American efforts in commercial aviation thus far have been along the lines of the taxi system. That is to say, at various leading resorts there are machines available for the public desirous of taking short jumps more for the sensation than for the actual covering of a given distance. In Washington several machines and some of the best pilots in the service are ready at any time to carry high officers or officials on a joy ride or a quick official trip to other cities within a radius of 400 miles.

Adventurous youth all over the land have gone into the aerial taxi business. Buying anywhere from one to a dozen planes, and renting or purchasing a suitable piece of ground to serve as an air-drome, they soon have a thriving business. Persons come in droves on Sundays and holidays to enjoy an air ride of from ten minutes to an hour, and gladly pay the fee of from \$15 to \$100. But all this is not benefiting commercial aviation, although it is fast eliminating that fear with which the general public viewed flying in the no distant past. Still, the scheduled regular service is the only form of commercial flying that can readily bring peace-time prosperity to our aviation industry.

As for other forms of commercial aviation, so much has been said and written that it is pretty much of an old story. Airplanes have made out fairly well as mail carriers on relatively short runs; but in covering routes of 500 miles and upward, they have fallen down on their schedules. In fact, the Chicago-New York route was unsuccessful in the first trials, but this was due mainly to faulty machines for this long haul, ignorance on the part of the pilots of the country traversed and a rather hasty start without proper organization and equipment. Next spring this run will again be instituted, and judging from the preparations being made and the machines that will then be available it should be as successful as the New York-Washington run.

(Continued on page 232)

WHEN the Stecker Electric & Machine Co. built their new plant for making Eureka Vacuum Cleaners, they were well aware of the value of abundant light and fresh air for fast, accurate production.

The little motors and blowers in Eureka Cleaners are required to operate for months and years without attention, yet to be always ready to run. Accurately-fitted bearings and close gage limits, as well as good design, are necessary for such endurance.

These qualities are easily maintained under the favorable conditions afforded by Lupton Pivoted Factory Sash.

We maintain a large Engineering Department for the purpose of aiding purchasers of Lupton Sash Products to secure 100 per cent results. Ask for further information, naming the type of building in which you are especially interested.

DAVID LUPTON'S SONS COMPANY
Clearfield and Weikel Sts. Philadelphia, Pa.

Specialists in daylighting and ventilating equipment for maximum production

Stecker Electric & Mch. Co.,
Detroit, Mich.
Messrs. Beckett & Akitt, Architects
Lupton Pivoted Factory Sash used throughout.

Chicago Detroit New York Pittsburgh Cleveland Boston
Canadian Manufacturers:
The A. B. Ormsby Co., Ltd., Toronto

"Today —
the Sash makes the Factory"

Lupton
INVESTMENT VALUE

Lupton Pivoted Factory Sash
Lupton Counterbalanced Sash
Lupton Steel Partitions and Doors
Lupton Rolled Steel Skylight
Lupton Steel Shelving
Pond Continuous Sash for Pond Truss Roofs, monitors, sawtooths, and side walls.
Pond Operating Device for long lines of sash.

NOVELTIES & PATENTED ARTICLES
MANUFACTURED BY CONTRACT. PUNCHING DIES.
LIGHT AUTOMOBILE STAMPINGS
KONIGSLOW STAMPING & TOOL WORKS, CLEVELAND, O.

The "BARNES" Positive Feed Upright Drills

10 to 50-inch Swing

Send for Drill Catalogue

W. F. & Jno. Barnes Co.
Established 1872

1909 Ruby Street

Rockford, Illinois

UNISOL BOILER PRESERVER

(Formerly Solvite Mfg. Co.)
Warranted without reserve, to remove boiler scale, prevent pitting and scale formation.
Pamphlet on request. Money back guarantee.
UNISOL MFG. CO. Jersey City, N. J.

ASBESTOS

We are miners and shippers of Crude Asbestos in any quantity. We produce all grades at our world famous BELL ASBESTOS MINES in Canada. We also carry fibres, spin yarns, weave cloths, and make all sorts of Asbestos products.

For anything you want in Asbestos, turn to
KEASBEY & MATTISON COMPANY
DEPT. S-1

AMBLER, PENNA., U. S. A.

Owners of the world's largest Asbestos Mines

What About Our Commercial Aviation?

(Continued from page 230)

Then there is the cargo-carrying service. Here the airplane is at a serious disadvantage, because cargo-carrying service by the usual methods of transportation is so very low in cost as compared with passenger-carrying. Still, it may be—and there have been instances of it already—that a certain business will spring up for the rapid transportation of perishable goods, replacement parts for damaged machinery, medical and surgical materials, motion-picture films, newspapers and luxury articles. Where speed is the very quintessence of transportation, the airplane will have a very definite field—and a profitable one, since the rates will be gladly met by those looking for such service.

Just a word about costs: Assuming larger and faster land machines working to the limit of their capacity, it may be shown that passengers can be carried with a good profit at as low as 10 cents per passenger-mile.

Gaging Screw Threads with a Beam of Light

(Continued from page 215)

projected on the chart at the other end of the apparatus. The space between the dotted lines represents the range variation in size that will be tolerated for a certain grade of work. Hence the screw thread shadows must come between these boundaries. The same space or zone is also the boundary for lead errors. A glance at the shadow reveals to the operator exact conditions—a perfect "diagnosis"—so that he knows just what kind of a fit will result from its use.

The inventor says that this system of gaging would eventually reject all lead errors in screws of minimum diameter, whereas the present system of gaging generally permits a greater lead error in the smaller screw than is tolerated in the larger. He says that it will be possible to use this machine taking the full license of the present gaging system, but this step should not be permitted on account of its making the most undependable screw.

The shadowgraph of the average screw proves that it is, as a rule, of uneven profile and a ragged surface. When these elements are recognized, then an acceptable product must be determined upon. Once the character of the work has been determined, a chart with boundaries that fit the gaging requirements, is used.

Mansions of Mud

(Continued from page 218)

strength of 400 pounds to the square inch. This enables him to dispense with the extremely thick walls of other days.

Whereas the old Dons were satisfied to plaster their walls with mud and protect this with a coating of whitewash in which had been incorporated tallow and cactus juice while the lime slaked, the 1920 builder covers them with hard cement plaster to thoroughly anchor into the walls—generally three coats—and waterproof throughout with an all-mineral compound evolved by himself and conceded by chemists to be virtually everlasting. Doubtless there are other waterproofing processes which might answer. The whitewash of the pioneers was a fair waterproofing but temporary. It had to be applied every year or two. When moisture penetrated to the mud plastering it came off. The adobe blocks, exposed to the elements, particularly rain, soon disintegrated as a rule, although some in the missions have defied the weather for decades.

The builder makes these claims for the houses now under construction: That they are everlasting, meaning that the occupants never will know the annoyance nor expense of the usual repair bills. That they are soundproof, so that howling winds, rattling roofs or other noises

will not be heard within. That they are non-conductive and fireproof, cool in summer and warm in winter, and the owners can watch anything in conflagration nearby without an iota of fear for the loss of their dwellings. That they cost no more than wood—possibly even less—yet look and are as substantial as those of concrete or burned brick.

Adobe as used at Walnut Park and here illustrated appears suited for the expression of a peculiar style of better-looking domestic architecture. These houses are Spanish Renaissance and Moorish, harmonious, pleasing. This material must be used simply, without the eye-offending gewgaws and gingerbread encrustation that makes the pretentious modern bungalow more or less a nightmare to persons of taste; and therein lies its charm. Of the 200 homes each will have a distinct individuality. This undertaking holds out the prospect of a new era of building for both economy and beauty in America.

There are houses at Walnut Park with as many as a dozen rooms, built about spacious patios, and the units including garages within the surrounding walls. The cost is from a few to many thousand dollars each, and at least one soon is to be occupied by a millionaire. As in other kinds of construction, almost any amount may be expended. There is special opportunity for characterful and artistic interiors—arches, nooks, windowseats, massive mantels, and a general soft, romantic atmosphere. Externally the buildings lend themselves admirably to fascinating landscape departures—the better as the utmost simplicity is conserved.

Among the most interesting of the residences under way is an adobe-and-frame combination of a novel order. This is a ten-room house of English style, set somewhat apart from the others, and the first of its kind ever built so far as can be ascertained. The lower story is adobe and the second story and roof, now being finished, boards and shingles. This is rather more an experiment than the all-adobe structures but there is no reason why it should not be as complete a success. Its appearance will be no different from that of a house of frame and concrete or plaster but it would be much more comfortable if the claims made for adobe hold good. Aside from this house all the adobe structures in Walnut Park have tile roofs.

Battling with Snow and Ice in the Streets of New York

(Continued from page 219)

duce enough heat to do the job. There is no lack of temperature—that of course is simple; there is simply not enough heat. A fair sample of what happens to a proposition of this sort is seen in the fate of the flame-throwers, a legacy of the war, which were rushed to the metropolis under the impression that they would eat up the snow. They did—to the extent of eating a neat round hole through the snow, a few inches in diameter, at the point where they were directed. Even a second attempt to solve the problem along these lines went for naught. A device somewhat similar to the asphalt burner, and claimed to have been successfully used on the Canadian Pacific Railroad, was turned against the drifts. Again the effect was only a local one; and it was clear that to make any real impression there would have to be an absurd number of instruments, and an utterly impossible volume of fuel.

Melting the snow *in situ* being abandoned as a bad job, it becomes necessary to consider improved mechanical ways of removing it. One of our illustrations shows a machine modelled after the steam shovel. This did good work where the snow was sufficiently deep to give it something to bite into; but this was not always the case. Over a very considerable proportion of the city's streets there was merely a foot or so of soft, slushy muck or crusted snow or traffic-packed ice or