viving children is very nervous and choleric, and has had mild attacks of convulsions confined to the eyes. Another child who had three attacks of convulsions, hallucinations and vertigo, died of diphtheria. Still another had night terrors, but otherwise was well. There was one miscarriage, due probably to a fall. The authors think the preceding record of progeny should be a sufficient deterrent from marriage of an epileptic.

CLARK.

NEW CRANIECTOMY INSTRUMENTS. L. Gigli. (Centralbl. f. Chir., Dec. 1, 1900).

The author claims the following advantages for his new craniectomy set: Simplicity, asepsis, rapidity, certainty and universal application. It comprises a special boring mill, curved hollow sound with traveling hook on a wire running in its center, and a thread carrier. The borer consists of a large, deeply-corrugated, horizontally-placed handle for the left hand to grasp. Through the body of this handle passes a short shaft horizontally and at right angles to the same. On this shaft plays a cogged pinion with the usual handle for turning it. The shaft which carries the drill is vertical to the foregoing, and at its top has a small wheel meshing with the drive wheel. The depth of the hole is fixed by an adjustable guard whose face is across the axis of the drill. The cleanest and most rapidly-drilled holes are given by the ordinary carpenters' auger-bit with a central screw center, and two lateral cutters. The diameter of the holes is best four to six millimeters. The curve of the sound is such that it can be passed through such a hole, between the dura and the bone and the position of its point is estimated from the direction and place of its handle. A little beyond this point the next hole is to be drilled. The thread-carrier is made of two small curved, hollow staffs opposed to each other along their long axis, and hinged at two places. At their center is a device by which the points may be separated or approximated, and at the end of the shank is the handle which fastens off the thread. This starts down one staff out of its point, across to and into the point of the other, and so back to the handle. With the thread in position when the points are separated, it passes straight across the interval and where it is easy of access by the traveling hook of the hollow sound. Through the second hole the thread-carrier is therefore passed and opened. The hook soon finds the thread and pulls it through the first hole with the wire saw following. Then the cut through the bone is made. The rapidity and very slight loss of substance of the bone commend it greatly.

JELLIFFE.

HEILUNG EINES FALLES VON EPILEPTISCHEN IRRSINN (Recovery in a Case of Epileptic Insanity). Edmond Rose. (Deutsch. Med. Wochensh., Oct. 18, 1900).

The patient was a strong boy; parents, brothers and sisters all healthy with the exception that the mother had epileptic attacks from childhood. Her own ancestry however, was not neuropathic. A year or two before the date of narration, the patient received a blow on the forehead. The boy who had always been perfectly well, had a convulsion a few days after this accident. The attacks were repeated with great frequency, and in six months the patient who was but six years old at the time, appeared to have lost his intellect. He became violent and destructive and had as many as eight daily attacks. On admittance to the Bethany Hospital, he showed his com-