neuritis extending as far as the cord and involving the roots and spinal ganglia.

In Marinesco's case there was degeneration of the posterior columns, of the posterior horns, of the posterior roots, atrophy of the cells of the anterior horns, atrophy of the muscles and degeneration of the peripheral nerves with hypertrophy of the interstitial connective tissue.

In Gombault and Mallet's case there was sclerosis of the posterior columns and posterior horns, atrophy of the anterior horns, hypertrophic sclerosis of the roots and peripheral nerves, atrophy of the muscles.

In Siemerling's case there was degeneration of the posterior columns, most marked in the lower dorsal cord. In the upper dorsal and cervical cords there was almost complete degeneration of the lateral columns and in part of the antero-lateral bundle, most pronounced in the lower dorsal and lumbar cord. In addition, Siemerling found diminution of the cells in the anterior horns and in Clarke's columns, degeneration and diminution of the fibers of the anterior roots, destruction of cells in the spinal ganglia, degeneration of the peripheral nerves and marked atrophy of muscles.

The changes which appear to be common to all cases are a degeneration of the peripheral nerves and of the posterior columns together with atrophy of muscles. The changes appear to be most marked in the peripheral nerves and become less pronounced in passing from the periphery to the cord.

- 57 NEUERE UNTERSUCHUNGEN ÜBER DIE PSYCHISCHEN WIRKUNGEN DES ALKOHOLS. (Newer Investigations on the Psychical Effects of Alcohol). Kraepelin (Münchener medicinische Wochenschrift, 1899, No. 42, S. 1365).

Reviewing the results of other experimenters and comparing them with his own, the author feels justified in drawing the following conclusions:

The grasping of external impressions and the linking of concepts suffer great deterioration through the use of alcohol. The production of muscular movements is temporarily made easier, but the power is lessened, and the more so the more the muscles come into action, while fatigue occurs more quickly. The action of one large dose of alcohol may be prolonged for 24 or 48 hours, while its continued use causes permanent diminution of capacity. ALLEN.