Power in Big Packages

Some of the Economies to which We May Look Forward if We Pool Our Fuel-Burning Plants

By S. G. Roberts

A YEAR back, the estimates presented by Mr. William S. Murray, originator of the superpower zone project, startling as they were, as evidence of prevailing wastefulness, were conservative; but the figures arrived at in the meantime reveal more than ever why it is well-nigh imperative that the superpower zone become a fact at the earliest practicable day. It is indisputably plain that great benefits can be reaped by the pooling of electrical energy through the inter-linking of an array of highly efficient central stations. And it is equally clear that the isolated plant is no longer to be encouraged unless it is of a character that will warrant its operation as a unit in the superpower equipment.

The scope of the superpower zone has been somewhat amplified since the inception of the project. The present boundaries include the southern sections of New Hampshire and Vermont, and more of New York, Pennsylvania, Maryland, Delaware and New Jersey than at first contemplated. Pretentious as this sounds, the land area involved is only two per cent of that of all our states. Within this region lives 22 per cent of our population, and these people, with a little more than a third of the nation's developed mechanical energy at their command, produce in value 40 per cent of our manufactured articles. This is interesting inasmuch as we see that this section of the country may quite properly be compared industrially with the British Isles which, also, are really a vast finishing shop and draw from elsewhere the bulk of their needful raw materials.

The American worker has hitherto held his own in competition with the cheaper labor of Europe by reason of the automatic apparatus and the machine tools put at his disposal; and probably nothing illustrates this more strikingly than the difference in horsepower back of the wage earner in this country and in the United Kingdom. Here, taking the worker at large, he has had to help him 2.6 horsepower as against 1.5 horsepower of his British fellow. A decade back the corresponding value of the products per wage earner per annum was \$2,950 for the American and \$1,300 for the Britisher. Again, limiting the comparison to the workers living within the contemplated superpower zone, the native wage earner has had 4 horsepower to aid him in turning out his wares, and the value of his products has been \$3,700 in the course of a twelvemonth.

Simple arithmetic shows how vital to our industrial well-being is an ample supply of motive energy; and if we are to be in a position to compete in the markets of the world it is imperative that we continue to furnish our army of labor with as much horsepower per capita as in the past, if not more. But we cannot do this and maintain the same economic lead unless we make it feasible to develop the power at a lower cost. That is to say, do here just what so many of the leading nations of Europe are taking radical steps to accomplish through a wider application of electricity and the generation of current along the most approved lines.

Our electric utilities in the superpower district burn, commonly, only a little less than 3 pounds of coal per kilowatt hour, and the power plants of isolated manufacturing establishments consume on an average 8 pounds per kilowatt hour—some of them actually squandering 18 pounds. The fuel for this service is, for the most part, moved from the mines to the points of use by the steam railways; and an analysis of their operation brings out the fact that these common carriers, for the equivalent of a kilowatt hour, make away with something like 7½ pounds of coal. We have substantially

LAST June we printed an article dealing with the economic possibilities of the superpower plan proposed for a section of the northeast Atlantic seaboard. Subsequently, Congress made available \$125,000 to be used under the direction of the U. S. Geological Survey in carrying on certain investigations preliminary to the adoption of the scheme as originally outlined by William S. Murray; and private interests of various sorts have patriotically contributed to promote the thoroughness of the studies in hand. After something like nine months of active inquiry and the co-ordination of a wealth of data, Mr. Murray and his associates of the superpower survey have reached positive conclusions of the utmost value, which we present in this article.—THE EDITOR.

9,000 locomotives threading the rails inside of the section under discussion and because of the fuel needs of these engines, fully 13½ per cent of the tonnage hauled by them brings in no financial return. One of the purposes of the superpower plan is to relieve the railways of this incubus. The means to this end will be the complete electrification of one-fifth of the 30,000 single-track miles of trunk line roads. The density of traffic on the remaining 24,000 miles is not yet sufficient to warrant supplanting the existing steam traction.

In the year gone our mines yielded a total of 646,000,000 tons of both bituminous and anthracite coal, and we should bear in mind that one-third of the coal burned in the United States is consumed within the so-called superpower area. This gives us some idea of

the extent of the coal traffic which, in this region, amounts to two-fifths of the entire tonnage. To go on at the same rate with the existing transportation means would surely occasion the utmost confusion a few years hence. We get a hint of what might happen from some of the figures lately offered by the experts of the superpower survey. It seems that the estimated traffic of all sorts between 1920 and 1930 will increase from 170,000,000,000 ton-miles to 310,000,000,000 ton-miles for the entire district.

Today the roads for which electrification is advocated use three-fourths of the coal burned by the various railways within the limits of the superpower zone, and the desire is to augment the service of these dominating trunk lines and yet effect this by materially cutting down their fuel consumption. That is to say, the lines that should be electrified handle at present 14,000,000,000 ton-miles, and ten years hence they would be expected to take care of 175,000,000,000 ton-miles, such being the burden industrial expansion would lay upon them. The present power station capacity of the electrified divisions aggregates 120,000 kilowatts, and by 1930, if the electrification scheme be adopted, the total central station capacity will be augmented to 1,370,000 kilowatts. Inasmuch as the improved central stations will be able to develop a kilowatt hour for 1.7 pounds of coal, and can distribute within a radius of 150 miles from the source of generation large blocks of energy at a loss of only 5 per cent, there is little reason for wonderment in the claim of the technicians that it will be possible at the start to reduce the annual consumption of coal in the superpower zone by 30,000,000 tons, if not more.

One impressive revelation, following the investigations of the experts of the superpower survey, is the large measure of time that existing power installations are either idle or running at a low percentage of their capacities. They represent heavy initial outlays, an immense sum taking them in the aggregate, and they constitute an overhead that must be allowed for in the distribution of profits and losses. Theoretically, this equipment should be run continually and thus pay promptly for the initial cost, and thereafter, so long as fit, become a source of revenue. This, unfortunately, is far from being the case; and the worst of the wasters are the power plants of isolated manufacturing establishments. From the data at hand, it seems that out of a year of 300 working days, for example, the prime movers are operating only 18 per cent of the time. However, if the energy needed by these factories, mills, shops, etc., were furnished by the superpower system, the generators of the latter could be run at full load for sixty per cent of the period mentioned.

This arrangement would stimulate tremendously the output of commodities, bring in a handsome return upon the power installations, and actually provide a far bigger volume of motive energy while burning annually less fuel by millions of tons. Taking the superpower zone in its entirety, the present total power consumption is approximately 27,000,000,000 kilowatt hours, and, if the normal rate of traffic and industrial expansion continue, the energy demand in 1930 would amount to 50,000,000,000 kilowatt hours. With the superpower zone system in action, nine years hence the inter-linked electrical trunk lines should be able to take care of three-fourths of this stupendous load. Our central stations now meet an energy demand of 12,000,000,000 kilowatt hours, and by 1930 they should be equal to an energy demand of

(Continued on page 97)

Diagrammatic plan showing trunk-line circuit and possible sources of power lying outside the superpower area. The circles enclosing crosses indicate points at which may be established large hydroelectric plants. The solid dots show approximately where stream turbo-generating stations would be situated. Observe that Niagara Falls and the hard and soft coal regions of Pennsylvania are near enough to transmit electricity from central stations located there

The super-power zone as now planned

LEGAL NOTICES

PATENTS

IF YOU HAVE AN INVENTION which you wish to patent you can write fully and freely to Munn & Co. for advice in regard to the best way of obtaining protection. Please send sketches or a model of your invention and a description of the device, explaining its operation.

All communications are strictly confidential. Our vast practice, extending over a period of seventy years, enables us in many cases to advise in regard to patentability without any expense to the client. Our Hand-Book on Patents is sent free on request. This explains our methods, terms, etc., in regard to Patents, Trade Marks, Foreign Patents, etc.

SCIENTIFIC AMERICAN

Contains Patent Office Notes, Decisions of interest to inventors—and particulars of recently patented inventions.

MUNN & CO., SOLICITORS OF PATENTS
Woolworth Building, NEW YORK
Tower Building, CHICAGO, ILL.
Scientific American Building, WASHINGTON, D. C.
Hobart Building, SAN FRANCISCO, CAL.

Annual Subscription Rates

Scientific American Publications

Scientific American (established 1845) one year \$6.00
Scientific American Monthly (established 1876) one year \$7.00
Postage prepaid in United States and possessions, Mexico, Cuba and Panama.

Foreign Postage

Scientific American \$1.50 per year additional.
Scientific American Monthly 72c per year additional.

Canadian Postage

Scientific American 75c per year additional.
Scientific American Monthly 36c per year additional.

The combined subscription rates and rates to foreign countries, including Canada, will be furnished upon application.
Remit by postal or express money order, bank draft or check.

Classified Advertisements

Advertising in this column is \$1.00 a line. No less than five nor more than 12 lines accepted. Count seven words to the line. All orders must be accompanied by a remittance.

AGENT WANTED

FOREIGN, Domestic, "Sullivanink" writing and fountain pen compound—non-corrosive, non-erasing, non-fading, practically waterproof. All colors. Success 25 years. Saves user 50%. Nets agent 200%. \$1.00 qt. size, 30; \$0.60 pt. size, 20—silver or stamping rebate, first order or if unsatisfactory. Sullivan Ink Co., 811 So. Burlington, Los Angeles, Cal.

AGENCY WANTED FOR ENGLAND

By practical Engineer for engineering sundries, tools, machinery and hardware specialties; expert demonstrations arranged; offices in London and Birmingham. Commission or on own account. Full particulars, terms, etc., Bedington, Box 124, Scientific American.

BUSINESS OPPORTUNITY

SUBSTANTIAL manufacturing corporation wants capable men to establish branch and manage salesmen. \$300 to \$2000 necessary. Will allow expenses to Baltimore as explained. Address, Mr. Clemmer, 603 N. Eutaw St., Baltimore, Md.

FOR SALE

CANADIAN Patent Rights on eccentric boring chuck for sale. W. F. MYERS COMPANY
Bedford, Indiana

FOR SALE

CANADIAN Patents for sale. Tent makers, Promoters and manufacturers will be interested in my inventions. Canoe Tent-Cot, improved tent Ventilator and Tent Support. Address R. George, Box 11, Sunny Slope Sta., Kansas City, Mo.

HELP WANTED

PATENT Office Draftsman. State experience and salary desired. Munn & Co., 233 Broadway, New York City.

PHOTO-ELECTRIC CELLS

GIVE me a chance to meet your requirements. Russell Hart, R. No. 8, Box No. 49, Los Angeles, Calif.

96 Page Catalogue of
SCIENTIFIC AND TECHNICAL BOOKS

Listing 2500 titles on 500 subjects

SELECTED from more than 7,000 Books still in print. This catalogue is the latest and best list of technical and scientific literature which can be secured. Conditions in the publishing business are most severe and it is with difficulty that many books can be obtained. For this reason this timely catalogue of books which can be had will be particularly welcome.

Write to-day for your copy.
Sent free on application.

SCIENTIFIC AMERICAN PUBLISHING CO.
233 Broadway, Woolworth Bldg. New York, N. Y.

Prices—Today, Yesterday and
Before the War

(Continued from page 95)

figures set forth above, was in sugar and in bituminous coal. The greatest recession, if comparison is made with the peak price, is in sugar, of which a dollar now buys nearly five times as much as it did during the sugar panic of the early summer of 1920. The lowest peak was in copper, as indicated above (not counting rubber, of course); the least recovery from the peak has been in steel, of which \$100 now buys only half again as much as in last July (this of course excludes anthracite, which is at its peak today). In fact, with the exception of anthracite, and of copper, which had such a low peak that recession is necessarily restricted, there is no other commodity on our list of which the wholesale price has not been cut substantially in half, or more.

The Mississippi's Mouth

(Continued from page 84)

soil. While some were partially decayed, the most were still well preserved. How to excavate through the unusual mass was a problem to which the hydraulic dredge equipped with the regulation runner had no answer.

The general mode of operation was to cut up the roots and stumps with a cutter and then permit the mixture of cuttings, sand and water to be handled in the usual way. The complex mass had to be pumped through the dredge. But results were poor. Mr. A. B. Wood had already designed and patented a centrifugal-pump impeller adapted to the handling of sewage containing trash. The dredging superintendent, Mr. W. J. White, heard of this and, basing his expectations largely on an inspection of an impeller for a 12-inch pump, reached the conclusion that this type of impeller was the thing wanted. The inventor was ultimately asked to design an impeller for the *Texas*. When installed, the results were remarkable. During the 30 days immediately preceding installation, the dredge had suffered delays from clogged suction which totaled 130¾ hours. During the 30 days immediately succeeding installation, the total of delays for the same reason was cut down to 71½ hours. The average yardage was, for the earlier period, 152 per hour, of actual excavation and, for the later period, 445 per hour. This is an increase of almost 200 per cent. Both propellers, the old and the new, had diameters of 6 2/3 feet. However, the new design employed two instead of the former four vanes. The new vanes were given a peculiar shape and the space between them was big enough to swallow up a man. The form and space combined to facilitate the passage of roots and the like and to make it more or less difficult for them to lodge or collect.

Power in Big Packages

(Continued from page 86)

36,000,000,000 kilowatt hours. Finally, by the more efficient generation of this energy, the coal burned by the superpower system will then be not more than 14 per cent in excess of that now required.

Logically, in the establishment of the superpower zone, it is the intention to utilize wherever possible the waterpower resources; but as those familiar with this phase of the subject point out nature has prescribed limits to hydroelectric developments within the area. Today the developed hydroelectric capacity has reached 2,198,000 horsepower and it is estimated that the undeveloped sites may give us an additional 3,800,000 horsepower. Therefore, when this maximum is attained we must turn to our coal fields principally to meet the continually increasing demand for energy.

As matters stand today, the predominating volume of the coal tonnage used in the superpower zone is obtained from the conveniently located mines of Penn-

Monel Metal
for Superheat

HIGH machine speeds, constantly increasing demands on already installed steam lines, have forced industry to Superheat.

High speed gases, moving through steam lines at terrific speeds furnish the energy that is transmitted through turbine to generator, creating electrical current for home and industrial use.

Commonly used commercial metals cannot survive the chiseling attack of steam, superheated and under high pressures. So leading designers specify Monel metal.

Of the commercial metals, Monel alone withstands superheat erosion furnishing apparatus with that resistance strength so necessary to uninterrupted service and long life. So it is written into specifications as valve trim, turbine blading, pump rods and liners, etc., by leading designers. It is standard in anti-corrosive service with such seasoned engineering organizations as J. G. White, Stone & Webster, Dwight P. Robinson, Inc., etc.

For duties demanding rust resistance, strength of steel, and ability to withstand the eating action of most acids, alkalies, etc., Monel more than justifies its cost both as raw material and finished product. The very toughness of Monel that in some cases will slightly raise manufacturing costs is pledge of its ability to deliver service continuously.

Monel metal is absolutely untouched by rust, is strong as steel, resists the eating action of most alkalies and acids. Monel retains its strength under high heats that break down the very structure of most metals and successfully withstands the eroding action of high pressure and superheated steam.

THE INTERNATIONAL NICKEL COMPANY

43 Exchange Place, New York

The International Nickel Company of Canada, Ltd., Toronto, Ontario

The name Monel identifies the natural nickel alloy 67% nickel, 28% copper and 5% other metals produced by The International Nickel Company. Monel products include Monel blocks, Monel rods, Monel castings, Monel sheet, Monel wire, Monel strip stock, etc.

INCo
Monel metal

THE INTERNATIONAL NICKEL COMPANY

RECENTLY PATENTED INVENTIONS

(Continued from page 96)

quickly and thoroughly remove the moisture from the material at a low cost, and within a short time in a continuous passage.

Musical Devices

BRIDLE STRAP ATTACHING TIP.—W. F. OHST, 51 6th Ave., Long Branch, N. J. The invention relates to piano actions and has particular reference to a means for attaching the bridle-strap to the back-stop shank. Among the objects is to provide an attaching tip for the bridle-strap which includes means adapted to coact with a tool for positioning the same, thus eliminating the necessity of removing any of the parts of the action. The attaching tip is simple, inexpensive to produce and efficient in purpose.

Prime Movers and Their Accessories

SHIM.—J. A. SHARPNACK, Rice's Landing, Pa. The particular object of the invention is to provide a device designed to prevent end play of internal combustion motor crankshafts, the shim comprising a flat body having an accurate part adapted to be disposed adjacent to a cylindrical element, and means for securing the body in place. An object is to provide a durable shim for taking up wear and preventing end play of motor shafts, and which is particularly adapted for use with crankshafts of automobile motors.

GAS ENGINE.—N. ARBEITEL, 787 State St., Bridgeport, Conn. The primary object of the invention is to produce an engine of the internal combustion type having the facility of consuming a fractional part only of fuel for running the engine as compared with the ordinary type of design. More specifically, it is an object to produce a gas engine which draws into the explosion chamber about one-half of the fuel for running the engine.

Railways and Their Accessories

RAILWAY SWITCH.—J. H. SKOGMAN, 1514 Moffet Ave., Joplin, Mo. The object of the invention is to provide a switch lock which engages the switch points and locks the same in set position independently of the switch

A PLAN VIEW OF THE SWITCH AS INVENTED

stand usually associated with switch points for controlling them, to thereby preclude any possibility of splitting of the switch—due to the high speed of the passing train, to failure of the switch stand to properly operate or to other reasons.

TIE FOR MINE RAILWAYS.—F. C. MAYER, Bridgeville, Pa. The invention has particular reference to railways for mines, tram cars or other railways of a relatively temporary nature. Among the objects is to provide a type of railway tie applicable especially for making a reliable joint between metal and wooden rails. Another object is to produce a tie adapted for the direct application thereto of either metal or wooden rails.

CONNECTING ROD.—V. NOTARESCHI, Struthers, Ohio. This invention which relates to connecting rods has for its object to provide a rod of the character specified espe-

A HORIZONTAL SECTION AT THE CONNECTION BETWEEN SECTIONS

cially adapted for use with railroad switches and the like, wherein the length of the rod must be varied to suit conditions, and wherein the rod is a continuous rigid structure from end to end.

Pertaining to Recreation

TOY ANIMAL.—J. LEVINE, c/o Globe Teddy Bear Co., 501 Christopher Ave., Brooklyn, N. Y. An object of the invention is to produce a toy animal for children, which is pro-

vided with audible tone producing elements such as a whistle incorporated in the hand, paw or arm of the animal so the toy will respond when taken by the hand or when the animal's hand is grasped by the child, making the toy more amusing.

Pertaining to Vehicles

AUTOMOBILE LOCK.—C. R. RITTER, 521 State St., Freeport, Ill. This invention has for its object to provide means for locking the steering post against rotary movement so that

DIAGRAM SHOWING DEVICE IN POSITION

it is impossible to steer the automobile, and impossible to operate or drag the car away until the steering post is released. The lock can be utilized in connection with any ordinary automobile.

AUTOMATIC STEERING DEVICE FOR VEHICLES.—R. DE FILIPPIS, 435 Rodney St., Brooklyn, N. Y. Among the objects of the invention is to provide in connection with a steering member, such as a wheel, or a rudder, a rotary actuator and a connector between the actuator and the steering member, the actuator being provided with means to variably actuate the connector to cause during the rotation any desired control of the steering means either for a straight-away course or for the turning of the vehicle.

VEHICLE BODY SUSPENSION.—W. D. HARPER, 620 Paterson Ave., San Antonio, Tex. The invention relates particularly to a swing suspension for the bodies of motor trucks. An object is to provide a suspension between the body proper and the chassis frame for the absorption of shocks ordinarily transmitted to the body where the latter is bolted rigidly to the chassis frame, the suspension being simple in design, efficient in operation, and easily adjustable.

HEADLIGHT FOR AUTOMOBILES.—H. F. HAMMOND, c/o N. A. Seraco, 144 Main St., Whitehall, N. Y. The general object of the invention is to so construct the headlight that a strong, bright light is provided for near illumination of the roadway while a comparatively soft light is thrown forwardly for distant illumination without being objectionable to the occupants of other vehicles approaching or to pedestrians.

CONNECTED BLOW OUT PATCH.—B. J. LEVIN, 382 Queens Blvd., Winfield, L. I., N. Y. The invention relates to blow out patches for automobile or other tires, and has for its object to provide a construction wherein a strong and accurately fitting patch is provided regardless of the size or shape of the opening to be repaired. Another object is to provide a patch member with a number of connected individual patches adapted to be severed for separate use.

Designs

DESIGN FOR A BROAD KNIFE.—J. J. WATERS, 175 Park Place, Brooklyn, N. Y.

DESIGN FOR AN IMAGE.—W. S. SIDELIVERMORE, c/o Auto Club of Am., Madison Ave. and 41st St., New York, N. Y.

We wish to call attention to the fact that we are in a position to render competent services in every branch of patent or trade-mark work. Our staff is composed of mechanical, electrical and chemical experts, thoroughly trained to prepare and prosecute all patent applications, irrespective of the complex nature of the subject-matter involved, or of the specialized, technical or scientific knowledge required therefor.

We also have associates throughout the world, who assist in the prosecution of patent and trade-mark applications filed in all countries foreign to the United States.

MUNN & CO., Solicitors of Patents
Woolworth Building, NEW YORK
Tower Building, CHICAGO, ILL.
Scientific American Bldg., WASHINGTON, D. C.
Hobart Building, SAN FRANCISCO, CAL.

sylvania; and it is equally true that not more than 16 per cent of the coal fields east of the Mississippi are situated within easy freight haulage of the neighboring coast. It is manifest, then, that these resources should be conserved as far as practicable for what they represent as natural wealth of steadily increasing value. Further, it is plain, that the nearer the coal deposits are to the region of maximum demand the fewer the ton-miles which will be traveled by the railways to effect the indispensable distribution of the fuel. And this angle of the subject brings us to one momentous step toward transportation economy which the institution of the superpower zone will make feasible, i.e., the erection of central stations right in the coal regions and either at the mine mouth or conveniently near. These plants would have steam turbo-generating equipments of from 300,000 to 400,000 kilowatt capacity, and would be able to transmit current of 250,000 volts throughout a radius up to fully 250 miles. Therefore, instead of the hauling of vast quantities of coal, energy, developed under ideal conditions, would be sent broadcast through the overhead network of conductors.

A point of prime importance in evaluating the various benefits to be derived from the institution of the superpower zone is the effect it will have in inducing a great number of small manufacturers and a goodly array of those of a more pretentious character to cease generating their own motive energy. That is to say, these people will confine their efforts strictly to the making of commodities—concentrating their skill upon turning out textiles, hardware, machinery, etc., and leave the field of power production to a group of experts capable of getting the most out of every pound of fuel expended.

To return to the matter of railway electrification in the superpower zone, it should be borne in mind that the central generating plants have been materially improved in their performance latterly. A few years back, when the electric tractor showed economies of 200, 250 and 300 per cent in comparison with the steam locomotive in passenger, freight or switching service, the thermal efficiency of the central stations supplying the current did not exceed 8 per cent. Today the thermal efficiency is quite 18 per cent, thus bettering proportionately the savings in fuel. The trend is toward bigger steam turbo-generator units having capacities ranging from 50,000 to 100,000 kilowatts, and this increase in size is based upon worth-while economies of various sorts.

Of course, the advantages to be obtained through larger units depend upon running these machines for the greater part of each twenty-four hours at or near their maximum load. It seems that when a central station is carrying a load factor of 40 per cent the plant burns something like 85 per cent of its coal before its kilowatt capacity has been taxed 35 per cent; and the startling feature of operation lies in the fact that the remaining 65 per cent of its kilowatt capacity is made available when the boilers are using up the residual 15 per cent of coal.

The ultimate consumer has to pay for the fuel wastage in industry; and the manufacturer can hold his own in competition with the foreigner only when cheaper power enables him to offset the higher wages obtaining here. Europe undoubtedly counts upon lower priced commodities to wipe out in the main her debt to us amounting to many billions of dollars. The superpower zone should be an instrument toward stemming this inundation of alien goods which threatens the very industrial life of this nation.

A Matter of Definition

(Continued from page 87)

coat who is leaning against the chimney and talking to Miss Brown; after the introduction this long-winded manner of identification is replaced by simple "Mr. Smith." We have added a man to our

acquaintance, and a word to match him to our vocabulary.

We ought to be willing to do as much when we are reading a popular essay on a subject which is new to us. If it is worth going into at all, it must embody a certain number of new ideas. Some of these, at least, the writer will think are suited for presentation to us. He introduces them, and names them; is it unreasonable in him to suppose that when next in his discourse he has occasion to refer back to this thing he may do so by name? I do not think it is at all unreasonable; I think he has every right to assume that we have added an idea to our stock of ideas, and to our vocabulary the word he has given us to go with this idea. This is one of the places where the reader simply must abandon the rôle of the bucket. But the reader in turn may fairly demand that all new words be thus properly introduced, and that he be not sent to the dictionary.

Some Horrible Examples

As I read what I have written, it seems that I have said nothing to which any sane person could by any possibility offer opposition. Yet there are a lot of contestants for the Einstein prize who write as though they were sufficiently sane to have grasped the Einstein theories, yet who seem to differ quite radically with what I have said. Among the words which the reader is apparently expected to know and the notions with which he is supposed to be sufficiently familiar to render superfluous any exposition of their content we find transformations and equations of transformation, continuous and discontinuous functions, the degree of a function, tensors and the order of a tensor, the independence of equations, vectors, arbitrary constants, parameters and parametric equations, conditions of integrability, Gaussians, invariance and covariance, quadratic differential forms, complete and partial curvature—and saving the best for the last, one contestant incorporates in his opening sentence a definite integral. Do not misunderstand me; he does not merely talk about definite integrals; he puts one down in black and white, in all its naked and wriggly horror. If our printer could set it up I should quote it here; but it goes a trifle beyond his resources.

Another interesting observation to which a reading of the essays leads is the degree to which the writers have tried or refrained from trying to exclude mathematical technicalities. A good number of them have read into our terms an absolute prohibition of all mathematics. No, on second thought I shall have to revise this statement—they have taken it for granted that *algebra* of every description is taboo. The winning essay, it so chances, is entirely innocent of the use of even an x or a t ; but it has not been the understanding of myself or of the judges that this extreme abstinence was necessary, and a number of essays with algebraic expressions in them got the most serious consideration.

How Much Mathematics?

That there is something to be said on our side of this question would be clear to anybody if certain of the competing essays were printed. There is beyond question a great deal of geometry that is vastly more complicated, more abstruse, and altogether more removed from the possibility of the layman's comprehension than the elements of algebra. Most of the essays which were scrupulous to the extreme in excluding every suggestion of algebraic notation went quite to the other extreme in matters of Riemannian and four-dimensional geometry, and introduced with the utmost recklessness concepts which cannot by any stretch of the imagination be justified in a popular essay. It seems that this establishes, if not actually had faith in applying the criterion of non-technicality, at least very bad judgment indeed. Moreover, the per-