Astronomische Nachrichten.

Expedition auf der Königlichen Sternwarte bei Kiel.

Herausgeber: Prof. Dr. C. A. F. Peters.

Bd. 87.

Nr. 2076.

12.

Observations of the Satellites of Saturn.

Made with the 26-inch Refractor of the U. S. Naval Observatory.

(Communicated by Rear Admiral *C. H. Davis*, Superintendent.)

Japetus.										
1875	Wash. m. t.	$\Delta\alpha$	Nr. comp. wt.		Wash. m. t.	$\Delta\delta$	Nr. comp. wt.		Obs.	Remarks.
June 10	15 ^h 1 ^m	+35°059	20	3	15 ^h 22 ^m	+11''75	5	3	H	
12	15 3	+35.714	24	2	14 45	+11.73	5	2	"	windy
13	14 42	+35.712	10	2					"	stopped by clouds
14	14 1	+35.402	26	3	14 19	+11.72	5	3	"	
16	13 46	+34.213	26	3	14 6	+11.18	5	3	"	
20	13 28	+29.350	28	2	13 44	+ 8.91	5	2	"	strong moonlight
24	13 48	+21.328	26	3	14 9	+ 5.59	5	3	"	and hazy
26	13 52	+16.469	30	3	14 13	+ 3.24	5	3	"	
30	14 16	p=90°7	4	2	14 44	s=77.71	3	2	"	
July 12	13 46	—26.670	22	3	14 6	—10.59	5	3	"	
14	13 55	—30.626	28	3	14 21	—11.30	5	3	"	
16	12 28	—33.785	26	2	12 57	—11.76	5	2	"	
24	12 5	—37.988	28	2	12 56	— 7.57	5	2	"	
26	12 17	—36.764	28	3	12 38	— 6.10	5	3	"	
27	12 21	—35.760	28	2	12 39	— 4.71	5	2	"	
29	11 43	—33.137	28	2	11 40	— 3.44	5	2	"	
Aug. 5	12 15	p=270°9	4	3	12 20	s=255.18	4	3	"	
8	12 4	p=273.8	4	3	12 12	s=127.69	4	3	"	
25	9 48	+35.000	26	2	10 6	+ 8.69	5	3	"	
26	9 56	+36.167	22	3	10 34	+ 7.32	5	3	"	
29	9 54	+37.837	36	3	10 21	+ 3.92	5	3	"	
30	10 23	+37.965	26	2	10 49	+ 2.46	5	2	"	
31	9 20	+37.689	24	3	9 38	+ 0.87	5	3	"	
Sept. 1	11 9	+37.242	22	4	11 26	— 0.66	5	4	"	
2	9 30	+36.525	34	3	9 54	— 2.26	5	3	"	
3	8 59	+35.672	20	4	9 26	— 3.85	5	4	"	
4	9 29	+34.465	24	2	9 58	— 4.85	5	2	"	
6	9 25	+31.526	28	3	9 57	— 8.21	5	3	"	
7	9 10	+29.735	24	4	9 38	—10.68	5	4	"	
8	9 25	+27.700	22	3	9 53	—10.62	5	3	"	
9	9 10	+25.544	22	3	10 49	—12.24	5	3	"	
11	9 43	+20.750	26	3	10 7	—14.18	5	3	"	
14	9 1	p= 95°4	4	2	9 42	s=182.18	2	2	"	
16	8 54	p=100.5	4	3	9 8	s=100.58	4	3	"	
19	8 21	p=235.8	4	4	8 33	s= 35.53	3	4	"	
20	9 50	p=255.5	4	2	9 57	s= 76.72	2	2	"	

1875	Wash. m. t.	$\Delta\alpha$	Nr. comp. wt.		Wash. m. t.	$\Delta\delta$	Nr. comp. wt.		Obs.	Remarks
Sept. 27	9 ^h 10 ^m	—23 ^s 590	20	3	9 ^h 39 ^m	—15 ^{''} 16	5	3	H	
29	9 11	—27.793	28	3	9 33	—13.37	5	3	"	
30	8 27	—29.626	20	4	8 51	—12.43	5	4	"	
Oct. 2	7 40	—32.770	20	3	8 0	—9.30	5	3	"	
5	7 20	—36.030	36	3	7 52	—4.69	5	3	"	
7	8 6	—37.131	36	2	8 0	—1.29	5	2	"	
9	6 51	—37.371	28	3	7 20	+1.85	4	3	"	
12	7 8	—35.998	20	2	7 26	+6.85	5	2	"	
13	8 1	—35.010	22	2	8 22	+8.47	5	2	"	
17	6 41	—29.443	18	3	6 56	+13.77	5	3	"	
19	7 5	—25.376	18	2	7 30	+16.18	3	2	"	through clouds
21	7 7	—20.850	30	2	7 29	+18.05	5	2	"	
22	6 40	—18.428	24	4	7 12	+18.74	5	4	"	
22	6 57	—18.378	24	4					T	
25	6 27	p=277 ^o 7	4	4	6 34	s=152.11	4	4	H	
27	6 46	p=286.5	4	2	6 58	s=71.35	4	2	" ?	
28	6 10	p=287.5	4	3	6 20	s=61.14	3	3	"	
29	7 0	p=37.9	4	4	7 7	s=25.15	3	4	"	
Nov. 5	6 40	+19.781	28	3	7 0	+15.23	5	3	"	
6	6 59	+22.103	28	3	7 21	+13.75	5	3	"	
8	6 14	+21.968	42	3	6 52	+19.44	5	3	"	not the satellite
11	6 39	+30.671	26	3	7 4	+7.31	5	3	"	
12	6 7	+31.744	28	4	6 32	+5.67	5	4	"	
13	6 1	+32.700	28	3	6 28	+4.42	5	3	"	
16	6 12	+34.130	18	1					"	very windy
17	5 50	+34.191	20	3	6 38	—0.81	5	3	"	satellite faint
22	5 40	+31.189	12	3					"	faint, power 610
22	6 0	+31.120	12	3	6 19	—7.42	5	3	"	power 400
24	6 2	+28.587	32	3	6 30	—9.30	5	3	"	
25	5 58	+27.048	32	3	6 19	—10.68	5	3	"	
27	5 51	+23.524	28	3	6 25	—11.97	5	3	"	
29	6 31	+19.367	26	3	6 56	—13.22	5	2	"	
30	6 49	+17.136	13	2					"	clouds
Dec. 2	5 30	p=94 ^o 5	4	4	5 40	s=178.84	4	4	"	

Hyperion.

1875	Wash. m. t.	p.	Nr. comp. wt.		Wash. m. t.	s.	Nr. comp. wt.		Obs.	
June 16	14 ^h 48 ^m	+99 ^o 0	4	3	15 ^h 3 ^m	212 ^{''} 99	4	3	H	
24	14 1	$\Delta\alpha$ —13 ^s 764	10	3	14 27	$\Delta\delta$ —+13.75	3	3	"	
26	13 56	$\Delta\alpha$ —12.707	16	3	14 29	$\Delta\delta$ —+39.40	5	3	"	
July 14	14 9	$\Delta\alpha$ —11.894	14	2	14 35	$\Delta\delta$ —4.91	2	2	"	very faint
16	13 54	277 ^o 0	4	2	14 3	216.19	4	2	"	very faint
26	12 18	$\Delta\alpha$ —+16 ^s 056	24	3	12 53	$\Delta\delta$ —2.34	5	3	"	
26	14 1	91 ^o 2	2	3	14 5	231.35	2	3	"	
29	11 44	$\Delta\alpha$ —+14 ^s 505	24	2	11 48	$\Delta\delta$ —39.76	5	2	"	very faint, clouds
29	12 37	100 ^o 7	5	3	12 55	209.84	5	3	"	
Aug. 8	11 36	284.7	4	3	11 52	188.46	4	3	"	
25	10 26	266.5	4	2	10 34	175.81	4	2	"	very faint
26	9 55	$\Delta\alpha$ —12 ^s 919	20	3	10 15	$\Delta\delta$ —1.95	5	3	"	faint

1875	Wash. m. t.	p	Nr. comp.	wt.	Wash. m. t.	s	Nr. comp.	wt.	Obs.	Remarks
Aug. 26	12 ^h 6 ^m	269 ⁰ 8	4	2	12 ^h 13 ^m	194''05	4	2	H	faint
29	10 33	283.3	4	3	10 39	197.79	4	3	"	
31	9 25	$\Delta\alpha=-6.999$	7	3	9 45	$\Delta\delta=+60.70$	3	3	"	faint
31	9 54	299 ⁰ 8	4	2	10 1	120.91	4	2	"	faint
Sept. 1	11 35	326.1	4	.	11 41	71.62	2	.	"	very faint
6	10 10	87.6	4	3	10 18	216.10	4	3	"	
7	9 9	$\Delta\alpha=+16^s565$	24	3	9 31	$\Delta\delta=-6.92$	5	3	"	
8	9 25	$\Delta\alpha=+16.767$	22	3	9 44	$\Delta\delta=-21.35$	5	3	"	
9	9 28	$\Delta\alpha=+15.809$	14	2	10 42	$\Delta\delta=-34.96$	3	2	"	very faint
9	10 57	99 ⁰ 1	4	3	11 3	227.47	4	3	"	
11	10 24	110.2	4	2	10 33	152.53	4	2	"	excessively faint
19	8 7	282.0	4	3	8 14	203.89	4	3	"	
20	9 30	287.9	4	2	9 40	175.42	4	2	"	
24	9 54	50.8	4	.	10 1	82.11	1	.	"	
27	9 11	$\Delta\alpha=+14^s050$	20	2	9 52	$\Delta\delta=+15.34$	5	2	"	
29	8 16	94 ⁰ 1	4	4	8 24	235.41	4	4	"	
29	9 12	$\Delta\alpha=+16^s466$	14	3	9 55	$\Delta\delta=-25.71$	3	3	"	
30	8 28	$\Delta\alpha=+15.924$	20	3	9 18	$\Delta\delta=-31.04$	5	3	"	
Oct. 2	8 36	108 ⁰ 4	4	3	8 45	166.60	4	3	"	
3	7 39	118.1	4	3	7 48	117.40	4	3	"	
7	8 22	$\Delta\alpha=-10.792$	24	2	8 21	$\Delta\delta=-15.64$	5	2	"	observation difficult
17	6 42	$\Delta\alpha=+9.795$	18	2	7 5	$\Delta\delta=+35.25$	5	2	"	
17	7 28	75 ⁰ 6	4	3	7 36	142.86	4	3	"	
19	7 6	$\Delta\alpha=+14.828$	6	1	7 41	$\Delta\delta=+6.48$	3	1	"	clouds
19	7 50	88 ⁰ 2	4	3	7 57	209.91	4	3	"	
20	7 2	92.1	4	2	7 12	223.96	5	2	"	
21	7 8	$\Delta\alpha=+15^s989$	17	2	7 48	$\Delta\delta=-24.39$	3	2	"	excessively faint
21	7 58	96 ⁰ 2	4	3	8 8	226.57	4	3	"	
22	7 31	100.0	4	4	7 38	210.76	4	4	"	
24	6 23	112.1	4	4	6 31	134.62	4	4	"	
28	6 32	261.0	2	2	6 44	134.90	2	2	"	excessively faint
29	6 31	268.5	4	3	6 52	175.14	4	3	"	
Nov. 2	7 19	290.4	4	2	7 44	155.94	4	2	"	
11	7 17	94.9	4	2	7 26	220.11	2	2	"	very faint
12	6 44	98.4	3	2	6 52	211.94	2	2	"	very faint
22	6 34	280.9	4	3	6 43	188.85	4	3	"	
25	6 31	307.6	3	2	6 39	92.15	2	2	"	extremely faint

1875					Titan.					
June 20	15 13	334.9	4	3	15 24	39.71	4	3	"	
24	13 48	$\Delta\alpha=+12^s718$	26	3	14 20	$\Delta\delta=-15.16$	5	3	"	
26	13 52	$\Delta\alpha=+10.462$	30	3	14 21	$\Delta\delta=-19.02$	5	3	"	
July 12	13 47	$\Delta\alpha=+10.451$	22	3	14 16	$\Delta\delta=-40.12$	5	3	"	
14	15 45	151 ⁰ 3	2	3	15 50	47.71	2	3	"	
24	13 51	83.2	3	3	13 56	80.98	2	3	"	
24	14 5	83.0	2	.	14 15	82.42	1	.	D	
26	12 18	$\Delta\alpha=+13^s280$	24	3	12 46	$\Delta\delta=-17.33$	5	3	H	
26	14 14	95 ⁰ 2	2	.	14 20	204.68	2	.	D	
27	12 22	$\Delta\alpha=+12^s767$	28	2	12 45	$\Delta\delta=-21.58$	5	2	H	

	1875	Wash. m. t.	p	Nr. comp.	wt.	Wash. m. t.	s	Nr. comp.	wt.	Obs.	Remarks
July	29	13 ^h 52 ^m	116 ^o 8	3		14 ^h 6 ^m	103 ^o 26	2	.	H	
Aug.	5	12 43	286.1	2	3	12 46	145.13	2	3	"	
	5	12 57	286.2	2		12 52	146.02	2	.	D	
	8	10 43	62.7	4	2	10 52	71.59	4	2	H	
	25	10 46	82.9	4	3	10 56	135.95	4	3	"	
	26	9 56	$\Delta\alpha=+12^s 222$	22	3	10 23	$\Delta\delta=-1.42$	5	3	"	
	30	11 11	120 ^o 1	4	2	11 22	98.25	3	2	"	
	31	10 54	161.7	4	3	11 2	48.80	4	3	"	
Sept.	1	10 7	235.7	4	3	10 3	66.43	3	3	"	
	4	9 28	$\Delta\alpha=-12^s 684$	24	2	9 43	$\Delta\delta=+16.14$	5	2	"	
	6	9 24	$\Delta\alpha=-9.309$	28	2	9 48	$\Delta\delta=+43.83$	5	2	"	
	8	10 8	4 ^o 1	4	3	10 14	43.38	3	3	"	
	9	8 55	65.8	4	4	9 3	79.58	4	4	"	
	11	9 43	$\Delta\alpha=+12^s 331$	24	3	10 0	$\Delta\delta=-1.91$	5	3	"	
	14	9 6	107.9	4	2	9 47	148.19	2	2	"	s uncertain
	16	9 37	165.6	4	2	9 50	47.82	4	2	"	
	19	9 45	269.4	4	3	9 52	165.98	3	3	"	
	27	9 22	$\Delta\alpha=+12.230$	12	2	10 4	$\Delta\delta=-4.15$	5	2	"	
	29	9 12	$\Delta\alpha=+12.078$	28	2	9 43	$\Delta\delta=-37.10$	5	2	"	
	30	8 28	$\Delta\alpha=+9.442$	20	3	9 7	$\Delta\delta=-46.73$	5	3	"	
Oct.	2	10 35	176 ^o 6	4	3					"	
	5	7 21	$\Delta\alpha=-11.119$	30	3	8 2	$\Delta\delta=-2.13$	5	3	"	
	7	7 37	$\Delta\alpha=-11.367$	12	2	8 10	$\Delta\delta=+32.61$	5	2	"	
	12	7 9	$\Delta\alpha=+9.334$	20	2	7 34	$\Delta\delta=+16.24$	5	2	"	
	13	8 2	$\Delta\alpha=+12.001$	22	2	8 33	$\Delta\delta=-3.43$	5	2	"	haze
	17	8 6	124 ^o 3	4	3	8 16	87.77	3	3	"	
	21	7 8	$\Delta\alpha=+10.960$	30	2	7 39	$\Delta\delta=-1.38$	5	2	"	
	22	6 40	$\Delta\alpha=-11.997$	24	4	7 19	$\Delta\delta=+17.03$	5	4	"	
	22	6 57	$\Delta\alpha=-11.958$	24	4	.	.	.	.	T	
	25	6 45	307 ^o 0	4	4	6 52	76.55	2	4	H	
	29	6 9	91.0	4	4	6 14	217.50	4	4	"	? $\Delta s = -39'' 79$
Nov.	8	6 13	$\Delta\alpha=-10.773$	42	3	6 42	$\Delta\delta=+31.95$	5	3	"	
Dec.	2	5 47	101 ^o 8	4	4	5 54	159.03	4	4	"	

	1875				Rhea.						
June	20	14 15	86.7	4	2	14 39	61.32	3	2	"	
	24	14 43	47.9	4	3	14 50	20.55	3	3	"	
	26	14 53	146.8	3	3	15 40	18.74	3	3	"	
	30	14 20	105.2	4	2	14 55	62.65	3	2	"	
July	12	14 25	24.7	4	3	14 33	17.44	4	3	"	
	14	15 37	140.8	3	3	15 41	23.85	2	3	"	
	24	13 34	269.0	4	3	13 45	71.19	3	3	"	
	26	13 4	80.3	4	3	13 17	51.03	4	3	"	
	27	12 58	102.2	4	2	13 5	73.80	4	2	"	
	29	13 34	278.0	4	3	13 41	81.95	4	3	"	
Aug	5	11 18	100.1	4	3	11 25	78.36	4	3	"	
	8	12 45	332.2	4	3	12 53	21.11	4	3	"	
	25	11 48	275.1	4	2	11 57	82.51	4	2	"	
	30	11 53	285.7	4	2	12 0	69.14	4	2	"	

1875	Wash. m. t.	p	Nr. comp.	wt.	Wash. m. t.	s	Nr. comp.	wt.	Obs.
Aug. 31	10 ^h 10 ^m	60 ^u 5	4	3	10 ^h 16 ^m	31''00	4	3	H
Sept. 1	9 48	97.7	4	3	9 56	81.31	4	3	"
3	10 6	273.4	4	3	10 13	80.76	3	3	"
6	10 44	111.4	4	3	10 54	55.97	3	3	"
7	9 47	257.4	4	3	10 12	52.97	4	3	"
8	10 56	284.1	4	4	11 4	72.56	3	4	"
9	8 40	44.0	4	3	8 48	24.45	4	3	"
14	8 57	84.7	4	2	9 36	65.22	2	2	"
16	9 59	257.0	4	2	10 8	48.27	3	2	"
19	9 30	96.5	4	3	9 37	80.51	3	3	"
29	10 26	155.4	4	3	10 35	22.79	2	3	"
Oct. 2	9 20	83.3	4	3	9 27	59.51	3	3	"
17	8 26	130.1	4	3	8 35	32.69	4	3	"
22	8 16	238.2	4	4	8 22	29.99	3	4	"
Nov. 8	7 8	100.8	4	2	7 12	71.30	1	2	"
17	7 8	100.0	4	3	7 15	71.64	2	3	"
Dec. 2	6 32	258.9	4	3	6 40	46.05	3	3	"

1875	Dione.								
June 20	14 10	93.6	4	2	14 54	43.48	3	2	"
24	15 15	262.6	4	3	15 21	39.30	3	3	"
26	14 44	103.8	4	3	15 28	46.84	3	3	"
30	15 37	281.4	3	2	15 43	53.39	2	3	"
July 12	14 40	91.8	4	3	14 50	52.83	4	3	"
14	15 26	297.6	4	3	15 32	27.98	2	3	"
26	13 11	98.5	4	3	13 34	57.26	4	3	"
27	13 13	268.0	4	2	13 20	47.83	4	2	"
29	13 8	108.3	4	3	13 18	41.86	4	3	"
Aug. 5	11 40	294.3	4	3	11 46	33.14	4	3	"
8	12 23	33.0	4	3	12 33	14.48	4	3	"
25	11 31	94.3	4	2	11 40	58.02	4	3	"
26	10 48	252.5	4	2	10 55	29.89	4	2	"
30	10 57	53.1	4	2	11 4	19.36	4	2	"
31	10 40	114.9	4	3	10 46	35.63	4	3	"
Sept. 1	10 19	277.5	4	3	10 25	59.26	3	3	"
2	10 19	83.7	4	3	10 27	42.54	4	3	"
3	9 37	159.3	4	3	9 44	14.73	3	3	"
6	11 9	259.5	4	3	11 18	37.62	4	3	"
7	10 19	312.0	4	3	10 25	21.54	2	3	"
8	10 31	103.8	4	4	10 38	52.36	3	4	"
9	9 18	269.6	4	3	9 27	52.36	4	3	"
13	9 28	85.2	4	2	9 40	45.08	1	2	Hn
14	9 11	181.7	4	2	9 56	13.97	2	2	II
16	9 19	94.4	4	3	9 28	57.32	3	3	"
19	9 16	103.3	4	3	9 22	51.46	3	3	"
29	10 8	353.6	4	3	10 17	13.77	2	3	"
Oct. 2	9 0	69.2	4	3	9 10	27.63	4	3	"
17	8 43	237.6	4	3	8 52	21.85	4	3	"
22	8 1	108.8	4	3	8 7	42.30	4	3	"
Dec. 2	6 5	101.9	4	3	6 20	47.06	3	3	"

Tethys.

1875	Wash. m. t.	p	Nr. comp.	wt.	Wash. m. t.	s	Nr. comp.	wt.	Obs.	Remarks
June 20	14 ^h 6 ^m	85°9	4	2	14 ^h 27 ^m	42''71	4	2	H	
24	14 56	104.2	4	3	15 9	34.62	3	3	"	
26	14 49	112.9	4	3	15 34	20.83	3	3	"	
30	15 10	236.2	3	2	15 29	14.91	3	2	"	
July 12	15 0	287.7	4	3	15 10	29.43	4	3	"	
14	14 48	303.6	4	3	14 58	16.50	3	3	"	
24	13 9	92.9	4	2	13 16	44.40	3	3	"	
26	13 7	97.3	4	3	13 26	45.04	4	3	"	
27	13 29	280.6	4	2	13 37	43.24	4	2	"	
29	13 11	284.4	4	3	13 27	35.33	4	3	"	
Aug. 5	11 55	239.6	4	2	12 5	16.02	4	2	"	
8	11 19	83.0	4	3	11 26	31.91	4	3	"	
25	11 14	84.1	4	2	11 23	33.11	4	2	"	
26	11 3	266.7	4	3	11 10	38.66	4	3	"	
30	11 32	278.1	4	2	11 39	45.25	2	2	"	
31	10 27	98.5	4	3	10 34	44.18	4	3	"	
Sept. 1	10 30	281.0	4	3	10 36	42.33	3	3	"	
2	10 35	105.2	4	2	10 44	37.44	3	2	"	
3	9 56	285.9	4	3	10 1	35.26	3	3	"	
6	10 32	145.2	4	2	10 39	13.53	3	2	"	
8	10 43	228.8	4	3	10 51	15.86	3	3	"	
9	9 36	51.2	4	3	9 43	14.07	4	3	"	
13	9 21	86.9	4	2	9 37	38.24	1	2	Hn	
14	8 43	268.5	4	2	9 18	42.45	2	2	H	
19	8 58	102.3	4	3	9 5	40.34	3	3	"	
29	10 41	266.8	4	3	10 55	38.79	2	3	"	
Oct. 2	10 23	95.4	3	3	10 28	44.13	2	3	"	
17	7 47	83.1	4	4	7 54	32.29	4	4	"	
22	8 26	279.4	4	4	8 32	42.26	3	4	"	

Enkeladus.

1875	Wash. m. t.	p	Nr. comp.	wt.	Wash. m. t.	s	Nr. comp.	wt.	Obs.	Remarks
June 16	14 23	84.5	4	3	14 34	27.18	4	3	"	
July 14	15 6	259.0	4	3	15 19	23.28	4	3	"	
26	13 46	102.8	4	2	13 51	33.38	4	2	"	very faint
Aug. 5	12 28	256.1	4	2	12 34	19.71	3	2	"	
8	11 1	273.7	4	3	11 9	37.50	4	3	"	
26	11 51	315.5	4	2	11 58	27.98	4	2	"	
30	11 40	279.1		2	11 44	35.83	2	2	"	pestimated from Tethys
Sept. 1	9 33	92.2	4	3	9 40	34.51	4	3	"	
3	9 48	269.4	4	3	9 52	33.17	3	3	"	
8	10 19	104.6	4	4	10 24	31.63	3	4	"	
14	8 30	267.7	4	2	8 36	32.05	3	2	"	
16	10 21	277.5	4	2	10 28	45.68	2	2	"	Tethys?
19	8 40	102.2	4	3	8 49	33.11	3	3	"	
29	10 45	268.7	3	2	11 8	33.76	2	2	"	

1875	Wash. m. t.	p	Nr. comp.	wt.	Wash. m. t.	s	Nr. comp.	wt.	Obs.	Remarks
Oct. 2	8 ^h 15 ^m	278°1	4	3	8 ^h 24 ^m	35''08	4	3	H	
17	9 4	278.2	4	2	9 15	35.23	2	2	"	very faint
22	7 49	109.7	4	3	7 54	26.13	2	3	"	" "

1875	Mimas.									
Aug. 26	11 38	287.4	4	2	11 45	25.87	2	2	"	" "

Japetus. Nearly all the observations of this satellite consist of differences of right ascension and declination; the differences of right ascension being observed on a chronograph. Each limb of the planet was observed, when it became tangent to the wire and the mean of these times was taken as corresponding to the center of the planet. In observing the differences of declination the wire was placed by estimation on the center of the planet's disk. When the satellite was near the planet it was observed in the usual manner with the position micrometer, except that the distances are single distances deduced from the coincidence of the wires. The position of the satellite when near its elongations was very favorable for the method of observing by differences of right ascension, as it was nearly on the same parallel as the center of Saturn; and there was also the advantage that the wire was seen against the ring before the limb reached it. The probable error of a difference of right ascension from a single wire is $\pm 0^{\circ}032$. Still it is probable that there may be constant errors in observing the limbs of the planet, which would produce a small change in the right ascension of the planet's center, or in the excentricity of the apparent ellipse described by the satellite, but with an equal number of observations at the eastern and western elongations this error will have but slight effect on the determination of the satellites mean distance. In the case of Japetus there may be another source of error in the variability of the brightness of the satellite when on different sides of Saturn. Of such an error I have not been conscious since the satellite could be seen distinctly on the wire when on the faint, or following side, of the planet. The similar observations of Titan will give, I hope, a means of deciding this point.

Hyperion. The observations of this satellite were generally made with difficulty, and the differences of right ascension were observed at the same time as those of Japetus in order to secure some kind of an observation. They are entitled to but small weight since the satellite could not be followed with certainty to the bright wire. The distances are all single distances ob-

served with the power 400, as were also the angles of position.

The angles of position and distances of the other satellites were measured in the usual manner, double distances being observed when the distance did not exceed ten revolutions, or 100''. The angles of position were observed by placing the wire on the center of the planet's disk and on the satellite. In the observation of a distance one wire was placed on the satellite and the disk of the planet was bisected with the other wire. The uniformity with which the bisections of the planet's disk were made indicates a small probable error in the measurements of both angle of position and distance; but whether there may not be a constant error peculiar to this manner of determining the center of so large a disk I cannot say. In the next year I hope to test this by varying the method of observing.

The observations were made with bright wires, and with magnifying powers of 400 and 610. On account of the glare of light from the ball and rings the faint satellites were seen best with the power 400.—The observations of Dione and Tethys on Septbr. 13 were made by Professor Holden; some observations of Titan on July 24, 26, 29, and August 5 were made by Prof. C. L. Doolittle of Lehigh University; and differences of right ascension of Japetus and Titan on Oct. 22 were observed by Mr. D. P. Todd. The rest of the observations were made by myself.

The observations extend from June 10 to Dec. 2, and during this time there were only a few nights when an excellent image of Saturn was obtained. On these nights the appearance of the planet was very beautiful. With the power 610 the rings and the belts on the ball were very sharply defined; yet I have never seen with certainty any division in the ring except the principal one. The dusky ring had the appearance of a dark violet mass spangled with bright points.

I am indebted to Mr. A. Marth for his ephemerides of the satellites, *Astr. Nachr.* Nr. 2043 and 2044. 1875, Dec. 21.

A. Hall.