tion was called to it she thought there was something wrong with the spelling, but could not tell what it was. She was unable to spell the simplest monosyllables which I would pronounce to her, although if I spelt the word she would correctly pronounce it.

The diagnosis of a destructive lesion of the angular gyrus was made. Pathologically it was thought to be either a cyst or an abscess, resulting from a chronic latent infection introduced with the bullet, with the probabilities in favor of the last named condition. The more diffuse lesion of the motor tract was believed to be the result of secondary inflammatory or degenerative processes, partial in character, though large in extent.

The diagnosis of a cortical lesion, and therefore one susceptible to exploratory procedure, and possibly open to operative relief, was made on the following grounds, both of exclusion and inclusion. The internal capsule was excluded as the seat of the lesion, because it was not believed possible that a traumatism could be produced here by a bullet, which would be so limited in final results as indicated by the symptoms in this case. It could scarcely be subcortical, for exactly the opposite reason; but aside from that there was another fact, which, taken independently, proved its cortical location, namely, the presence of alexia without hemianopsia. Had it been subcortical, and the alexia the result of injury to the fibers leading down from the cortex of the angular gyrus, the fibers passing forward from the cuneus, which lie immediately beneath it, would certainly have been destroyed, and homonymous hemianopsia would have resulted.

As the patient was going steadily downward, an operation was recommended with the hope of arresting the progress of the symptoms, and possibly palliating those already existing.

The surgeon, therefore, removed a small section of the cranial vault at the point which I indicated and immediately beneath it lay the bullet, with a small spiculum of bone attached to it, carried, of course, from the point of entrance. It lay embedded in the cortex, and adjoining it was a cyst of irregular shape and about $1\frac{1}{4}$ inches in diameter, and which was evidently the cause of the progressive character of the symptoms. The bullet and spiculum of bone were removed, the cyst evacuated, and the operation completed without any event worth noting from a neurological point of view. There was some laceration of the cortex, which bled rather freely, but was apparently completely arrested before the operation was closed.

I saw the patient frequently during the day and evening at the surgeon's request, and about 9 p. m., some ten hours after the operation, I found the pupil on the side of the operation greatly dilated—the condition known as Hutchinson's pupil—and at once notified the surgeon that there was pressure from concealed hemorrhage, and that an exit should be provided by opening the dressing at once. At that time there was no coma or other evidence of increased general intracranial pressure. The patient's condition was extremely satisfactory, considering the circumstances. To my great regret the advice was unheeded, and during the night the patient passed into coma and died before morning. No autopsy could be secured.

The occurrence of alexia, as an isolated type of aphasia, and especially occurring as a sequel of traumatism, appeared to me to be probably of sufficient rarity to make it worth while to put the case on record. While the occurrence of Hutchinson's pupil under such cir-

cumstances is sufficiently well understood, yet the tragic lesson which it taught in this case ought at least to be long remembered by the surgeon in charge. There is every reason to believe that if the warning had been heeded the patient would have had an excellent chance for recovery from the operation, and considerable symptomatic relief.

THE ECONOMIC LIMITATIONS OF THE VISUAL ACUITY IN VARIOUS TRADES AND PROFESSIONS.*

H. V. WÜRDEMANN, M.D.

MILWAUKEE, WIS.

The central acuity lies within well-known physiologic limits. When it falls below this, the function itself is damaged, but the conditions met with in practice are not such that the physiologic and earning limitations of the central visual acuity are interdependent; for instance, science calls an individual blind only when perception of light has entirely disappeared, but in actual practice he is blind if the faculty of sight has been weakened to such an extent that the organ of vision can not be used to earn a living. Thus the meaning of blindness as used in daily life is much narrower than that of science.

Now and then extremely great demands may be made upon certain organs which may reach to the highest ability. In actual practice we are satisfied with the amount of labor which does not strain the powers. There is hardly any vocation which demands the extreme limit of sight (according to scientific figures) as a condition of success, and in each trade a great many individuals may be found who have comparatively poor sight but the same earning ability as those with normal eyes. Neither the lowest nor the highest points of scientific visual acuity correspond with those used in business; the lowest point of the latter is not as low as the lowest laid down by science, while the highest point of the functional range that may be regarded as normal must be considered below the highest scientific standard.

Certain estimations of the working acuity have been made from experience, and thus we have determined that ordinary coarse work, such as that of a farmer or day laborer, does not require more than one-half the normal acuity as a condition of success; for instance, if a day laborer should suddenly have his vision reduced to not more than 0.50 (one-half), he would be able to go on with his work; but, if a skilled mechanic would suddenly lose this amount of vision, he would have to stop, as he is used to work with clear retinal impressions; but if he would only lose one-quarter of his visual acuity he would yet be able to do all his work, as 75 per cent. would be sufficient for all ordinary demands. If the common laborer's vision should drop to less than 0.05, he would be blind for all working purposes, and the same might be said of the skilled artisan if his vision drop below 0.15. Therefore, out of these four limit values we have constructed two ranges within which the professional or economic limits lie. One of these ranges would have its highest limit 0.75 (three-quarters) as the lowest 0.15 (one-seventh); while the other range would be between 0.50 (one-half) and 0.05 (one-twentieth) of the normal scientific standard for visual acuity. It is not necessary that the maximum

* Read at the Fifty-second Annual Meeting of the American Medical Association, in the Section on Ophthalmology, and approved for publication by the Executive Committee of the Section: Drs. J. A. Lippincott, Casey A. Wood and H. V. Würdemann.

and minimum limit values exist in both eyes. It is sufficient that they may be shown in one eye, the other having the lesser acuity than that which we have declared as absolutely necessary for professional visual demands. According to this standard tables are submitted which divide the followers of the different trades and professions into two groups.

Group 1—Trades requiring higher degrees of visual acuity; range 0.75 to 0.15.

TRADES AND PROFESSIONS.

The higher professions.	The textile industry.
Medicine.	The silk industry.
Theology.	Paper workers.
Law.	Leather workers.
Art.	Garment makers.
Engineering.	Printers.
Students of all professions.	Marine employes.
Fine mechanics.	Mine workers.
Iron and steel workers.	Railway and steamship employes (including city roads).
Rolling-mill workers.	Soldiers and sailors.
Machinists and metal workers.	Telegraph operators.
Precious-metal workers.	Skilled labor generally, etc.
Musical instrument makers.	
The linen industry.	

Group 2—Trades requiring lower degrees of visual acuity; range 0.50 to 0.05.

Glass blowers.	Sugar factory employes.
Mine workers.	Brewers and maltsters.
Quarry men.	Tobacco workers.
Builders.	Chimney sweeps.
Pottery makers.	Street railway employes (horse cars).
Brick makers.	Employes of elevators and wine cellars.
Workers in mechanical industries.	Teamsters.
Employes in gas and water works.	Bargemen on inland waters (rivers, etc.)
Paper makers.	Farmers.
Wood workers.	Day laborers.
Mill employes.	Unskilled labor, etc.
Manufacturers of food articles.	

Individual members of certain trades do not have exactly the same visual demands made upon them. This fact must be remembered and all the members of the same trade not judged by the same standard. Thus the railway employes may be properly divided into two classes.

It is advisable to reach some definite agreement as soon as possible, as hitherto there has been a disposition among oculists to consider the scientific results of the examination of the visual acuity as the basis for the valuation of the conditions arising in practical life. If the estimation of the results of the amount of damage arising from ocular injuries is to be made in a just manner according to actual conditions, this custom must be abandoned.

Our views regarding the difference between the scientific and working standards of visual acuity can claim far more extensive practical consideration than that which relates alone to the subject in hand of ocular injuries. All professions or vocations which make admission dependent upon a degree of vision would do well to remember that practical visual acuity and that of the scientific standard are entirely different things and that an individual may have, for working purposes, a full amount of vision who by the scientific standard shows a deficit. In the German army "a small disability which does not destroy the general fitness," i. e., $V. = 0.50$ allows of the recruit being received; a visual acuity in both eyes between one-half and one-fourth is called "conditional," and if one-fourth or below is called "absolute unfitness."

Magnus' suggestions have been accepted since 1893

in the Breslau Railroad Company. Their requirements do not now include normal acuity of vision by the scientific standard, but only "sufficient" visual acuity. The same conditions have been met with in a similar manner in other portions of Germany. In America the tendency is to demand the highest visual qualifications from prospective railway employes; the full scientific standard, 1.0 (20/XX), being required by many railroads and being deemed as essential by the consulting oculists of the principal systems.

Allport recently inquired into the conditions existent in the United States relative to the vision required by railway employes and comes to the conclusion that it is well to divide these employes into two classes: Class A, in which the vision should be at least 20/XXX (0.66) in one eye and 20/XL (0.50) in the other; Class B, in which the vision should be at least 20/XL (0.50) in one eye and 20/L (0.40) in the other. In the first class are to be put: Engineers, firemen, brakemen, conductors, switchmen, signalmen, switch-tenders and engine-dispatchers. In Class B: Track foremen, bridge foremen, crossing flagmen, bridge tenders, gatemen, train baggagemen, telegraph operators, station agents and station baggagemen. Other examiners require much higher qualifications. We are, however, fast coming to the conclusion that a practical working or economic vision should be required for new men, i. e., 0.75, and that they should not have any grade of refractive error which would ultimately render their distant vision poor without glasses.

The following table shows the scientific standard for the visual acuity converted into economic terms:

I		II.	
Scientific standard.	Economic standard for vocations demanding higher degrees.	Scientific standard.	Economic standard for vocations demanding lesser degrees.
0.75	1	0.50	1
0.70	0.9166	0.45	0.8888
0.65	0.8333	0.40	0.7777
0.60	0.750	0.35	0.6666
0.55	0.6666	0.30	0.5555
0.50	0.5833	0.25	0.4444
0.45	0.500	0.20	0.3333
0.40	0.4166	0.15	0.2222
0.35	0.3333	0.10	0.1111
0.30	0.250	0.05	0.000
0.25	0.1666		
0.20	0.0833		
0.15	0.000		

In calculating the amount of economic damage from ocular accidents the visual acuity should always be estimated from the economic standard. This may be readily done by the use of the above table, or by marking the economic values on our ordinary Snellen test cards. If we desire to estimate them ourselves, the economic valuation of certain visual acuities found by the scientific measurement, we may use the accompanying diagram, which offers an easy method for this transposition.

We show, figuratively, the relations between the scientific and the economic visual acuity in Plate I. In this drawing the degrees of vision in the absciss and the ordinate axis are marked at intervals of 0.01, so that five of these cards are always taken together, the absciss as well as the ordinate axis are divided by this into 20 equal parts. The curve of the scientific visual acuity is marked as a black line (1) and because this progresses gradually it has been equally divided. We are perhaps less exact in marking the deviations of the yellow and red lines or curves, which stand for the economic visual acuity, as we must admit that the working acuity is not diminished or enhanced in exactly the same manner as the scientific. Economic vision will not suffer very much if the acuity falls off 0.05, because the difference between 1 and 0.95 is so little that it will scarcely be noticed.

But, if the acuity falls off further, a point will soon be reached where every loss affects the working capacity, and if the vision falls below this point, for instance, to 0.05, then it has no economic value whatever, and when it reaches this lowest point and further depreciates, vision will be professionally of no importance. Corresponding with these facts, the two curves of the economic visual acuity should not be marked as grades; the beginning and end of the curves should deviate, as we have shown; but these deviations are so little that we have divided them similarly to that of the scientific standard. The thin line (II) shows the course of economic vision for higher, and the dotted (III) line for trades having lesser demands. As the drawing shows, both curves start together with the absciss-axis, and then when the climax of the demands is reached, they run parallel.

We also show on the ordinary Snellen test cards, both distant and near, the relations of business visual demands to the scientific standards.

The normal visual requirements of trades and professions should always be ascertained before examining applicants for admission, advancement or retention in service. If we adhere to the highest scientific requirements in certain trades many valuable men would be prevented from work and both the workman and the business injured thereby.

By requiring "normal" or "average" visual acuity we thus conserve both interests and yet sufficiently protect the public.

Bilateral Ovariectomy During Pregnancy.—Löwenberg relates in the *Cbl. f. Gyn.*, of December 21, the case of a patient in the third to fourth month of pregnancy who exhibited for several days symptoms indicating torsion of an ovarian tumor. The ovary had to be removed entirely on one side, and a large portion was resected from the other ovary, and yet the pregnancy continued undisturbed.

WHAT AMOUNT OF VISUAL DEFECT SHOULD DISQUALIFY IN RAILROAD SERVICE?*

FRANK ALLPORT, M.D.

Professor of Ophthalmology and Otology in Northwestern University Woman's Medical School; Professor Ophthalmology in Chicago Policlinic; Oculist and Aurist to St. Luke's, St. Joseph's and Wesley Hospitals, Etc.

CHICAGO.

(Continued from THE JOURNAL A. M. A., Oct. 13, 1901.)

At the last meeting of the Ophthalmological Section of the American Medical Association, I presented a report on the above subject, accompanied by tabulated statistics. In order to accumulate material for this report, I sent letters of inquiry and a question blank to every railroad in the United States, Canada and Mexico, operating over one hundred miles of road; 244 railroads were thus addressed, covering 205,638 miles of road. I received replies from 64 roads operating 90,950 miles of road. This left a large amount of mileage unaccounted for, and in order to endeavor to supply this deficiency, during the past year I communicated with all those roads failing to reply to my first communication. I received replies from 48 roads, making a total of 112 roads that have replied to my letters of inquiry. The roads thus heard from during the past year cover a mileage of 56,888 miles, making a total of 147,838 miles that are now accounted for. This leaves a deficiency of only 57,800 miles not covered in the combined report of the last two years; or, to put it differently, out of 244 roads to whom letters of inquiry have been sent, 132 have not seen fit to reply. These roads, I am glad to say, are mostly small roads, and the reports which I submit to you cover the requirements of most of the large railroad arteries of North America.

In itemizing the different points covered by my reports, I now beg leave to combine the replies received last year and those received this year.

I find, then, that out of 112 roads reported, 77 require some kind of a systematic eye and ear examination of those employees who are actively engaged in running trains, and in giving and receiving signals; 29 of these roads require such examinations to be made by regularly appointed railway surgeons; 31 allow various kinds of instructed railway employees to make the examinations; 9 roads send doubtful cases to an eye and ear surgeon; 16 roads require examinations to be made by regularly appointed eye and ear surgeons, and 4 allow such examinations to be made by the medical directors of Railway Relief Associations.

In answer to the question: "Do you require re-examinations from time to time, and if so, at what intervals or under what circumstances?" I find that 1 road requires re-examinations every six months, 7 roads require re-examinations every year, 21 roads every two years, 9 roads every three years, 2 roads every four years, 19 roads require re-examinations when it is deemed advisable, and especially upon promotion and after accidents and illnesses; 3 roads require re-examinations on promotion only.

* Read at the Fifty-second Annual Meeting of the American Medical Association, in the Section on Ophthalmology, and approved for publication by the Executive Committee of the Section: Drs. J. A. Lippincott, Casey A. Wood and H. V. Würdemann.