Annals and Magazine of Natural History: Series 8

Publication details, including instructions for authors and subscription information:
<http://www.tandfonline.com/loi/tnah14>

Generic names of Polychæt worms that have been preoccupied and remain unreplaced

Robert T. Leiper M.B. F.Z.S.^a

^a London School of Tropical Medicine
Published online: 08 Sep 2009.

To cite this article: Robert T. Leiper M.B. F.Z.S. (1908) Generic names of Polychæt worms that have been preoccupied and remain unreplaced , Annals and Magazine of Natural History: Series 8, 2:11, 468-468, DOI: [10.1080/00222930808692520](https://doi.org/10.1080/00222930808692520)

To link to this article: <http://dx.doi.org/10.1080/00222930808692520>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses,

actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

important article, as we believe it has probably been overlooked by many neuropterists, owing to its having appeared in a comparatively little-known journal and to the very brief manner in which it is mentioned in the 'Zoological Record.'

We are sure that all agricultural entomologists and others interested in galls will find Dr. Houard's work of the greatest value, and we hope it may soon be completed. W. F. K.

MISCELLANEOUS.

Generic Names of Polychæt Worms that have been preoccupied and remain unreplaced. By ROBERT T. LEIPER, M.B., F.Z.S., Helminthologist to the London School of Tropical Medicine.

Amæa, <i>Malmgren</i> , 1865.	Macrochaeta, <i>Grube</i> , 1850.
Ancistria, <i>Quatrefages</i> , 1867.	Macrophyllum, <i>Schmarda</i> , 1861.
Archidice, <i>Kinberg</i> , 1865.	Mylitta, <i>Kinberg</i> , 1866.
Arenia, <i>Quatrefages</i> , 1867.	Nicon, <i>Kinberg</i> , 1865.
Bylgia, <i>Théel</i> , 1879.	Nerine, <i>Johnston</i> , 1838 (<i>nec Nerina</i>).
Cabira, <i>Webster</i> , 1879.	Oria, <i>Quatrefages</i> , 1867.
Carobia, <i>Ehlers</i> , 1904.	Pallasia, <i>Quatrefages</i> , 1848.
Castalia, <i>Savigny</i> , 1817 (<i>nec Castalius</i> , 1816).	Parmenis, <i>Malmgren</i> , 1867 (<i>nec Parmena</i>).
Ceratocephala, <i>Kinberg</i> , 1867.	Peribæa, <i>Kinberg</i> , 1865.
Chrysothemis, <i>Kinberg</i> , 1866.	Pherusa, <i>Oken</i> , 1815.
Cirronereis, <i>Kinberg</i> , 1866.	Phronia, <i>Webster</i> , 1879.
Clymene, <i>Savigny</i> , 1817.	Polybostrichus, <i>Ærsted</i> , 1842.
Clymenia, <i>Ærsted</i> , 1844.	Polyodontes, <i>Renier</i> , 1817.
Clytia, <i>Grube</i> , 1855.	Potamis, <i>Ehlers</i> , 1888.
Dasymallus, <i>Grube</i> , 1844.	Praxilla, <i>Malmgren</i> , 1865.
Demonax, <i>Kinberg</i> , 1866.	Praxitheia, <i>Malmgren</i> , 1867.
Dindymena, <i>Kinberg</i> , 1865.	Prionognathus, <i>Keferstein</i> , 1862.
Disoma, <i>Ærsted</i> , 1844.	Psamathe, <i>Johnston</i> , 1837.
Dujardinia, <i>Claparède</i> , 1865.	Schlegelia, <i>Wegenberg</i> , 1879.
Ephesia, <i>Rathke</i> , 1843.	Scione, <i>Malmgren</i> , 1865.
Eulepis, <i>Grube</i> , 1875.	Sige, <i>Malmgren</i> , 1865 (<i>nec Siga</i>).
Eumenia, <i>Ærsted</i> , 1844.	Siphostoma, <i>Otto</i> , 1820.
Eunice, <i>Cuvier</i> , 1817.	Sphæroderum, <i>Ærsted</i> , 1842 (<i>nec Sphærodoris</i> , 1877).
Eupista, <i>M'Intosh</i> , 1885.	Spiroglypha, <i>Quatrefages</i> , 1865.
Evarne, <i>Malmgren</i> , 1865.	Thoë, <i>Kinberg</i> , 1865.
Gymnosoma, <i>Quatrefages</i> , 1865.	Triceratia, <i>Haswell</i> , 1882 (<i>nec Triceratium</i>).
Halimede, <i>Rathke</i> , 1843.	Trachelophyllum, <i>Levinson</i> , 1883.
Idalia, <i>Quatrefages</i> , 1867.	Venusia, <i>Johnston</i> , 1865.
Leiocephalus, <i>Quatrefages</i> , 1867.	
Lophonota, <i>Costa</i> , 1841 (<i>nec Lophonotus</i>).	
Lycastis, <i>Savigny</i> , 1817 (<i>nec Lycastes</i>).	