This article was downloaded by: [New York University]

On: 12 February 2015, At: 18:52

Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number:
1072954 Registered office: Mortimer House, 37-41 Mortimer
Street, London W1T 3JH, UK

Annals and Magazine of Natural History: Series 6

Publication details, including instructions
for authors and subscription information:

<http://www.tandfonline.com/loi/tnah12>

LVIII.—Note on the nomenclature of the short-eared New-Zealand bat

Oldfield Thomas

Published online: 12 Oct 2009.

To cite this article: Oldfield Thomas (1889) LVIII.—Note on the
nomenclature of the short-eared New-Zealand bat , Annals and Magazine of
Natural History: Series 6, 4:24, 462-462, DOI: [10.1080/00222938909460564](https://doi.org/10.1080/00222938909460564)

To link to this article: <http://dx.doi.org/10.1080/00222938909460564>

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of
all the information (the "Content") contained in the publications
on our platform. However, Taylor & Francis, our agents, and our
licensors make no representations or warranties whatsoever as
to the accuracy, completeness, or suitability for any purpose of
the Content. Any opinions and views expressed in this publication
are the opinions and views of the authors, and are not the views
of or endorsed by Taylor & Francis. The accuracy of the Content
should not be relied upon and should be independently verified
with primary sources of information. Taylor and Francis shall not be
liable for any losses, actions, claims, proceedings, demands, costs,
expenses, damages, and other liabilities whatsoever or howsoever

caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

LVIII.—*Note on the Nomenclature of the Short-eared New-Zealand Bat.* By OLDFIELD THOMAS.

It has always been a subject of regret that, owing to Gray's error in ascribing* to Forster's "*Vespertilio tuberculatus*" a specimen of the Long-eared Bat of New Zealand, which he then described and made the type of the genus *Mystacina*, the specific names of the two New-Zealand bats should have been identical, an identity particularly inconvenient to writers on the fauna of that country. It is therefore with some pleasure that I am now able to point out that the names of the two species should after all not both be "*tuberculatus*."

The *Mystacina* unquestionably should bear that name; but in the case of the other species, referred in modern times to the genus *Chalinolobus*, the name *tuberculatus* has not the priority of *publication*, although dating in manuscript from the last century. It is now universally recognized that manuscript names do not confer priority, and before Forster's description of 1772-74 was published by Lichtenstein in 1844† a second name had been given to the bat by Dr. Gray, who described a specimen from South Australia as *Scotophilus morio*‡, and under the latter short and convenient specific name the *Chalinolobus* should certainly stand.

Instead, therefore, of *Chalinolobus tuberculatus* and *Mystacina tuberculata* we shall have *Chalinolobus morio* and *Mystacina tuberculata* as the two bats of New Zealand, both of them being represented by their type specimens in the National Collection.

In this connexion it may be pointed out that *Chalinolobus signifer*, Dobs.§, from Queensland, is in all probability the same as *Ch. morio*, its distinguishing character—the transverse cutaneous lobule on the muzzle—being a mark of old age, especially developed in the male sex, and not of specific distinctness. A male specimen from one of the outlying islands round Stewart Island, New Zealand, recently presented to the Museum by Mr. Charles Traill, has this lobule quite as well marked as in the type of *Ch. signifer*, and all the other fully adult specimens of *Ch. morio* in the Museum show some trace of the same lobule, while in immature individuals no sign of it is present.

* Voy. 'Sulphur,' Mamm. p. 23 (1843).

† Forst. Descr. Anim., ed. Licht. p. 62 (1844).

‡ Gray's Austr., App. ii. p. 405 (1841).

§ Ann. & Mag. Nat. Hist. [4] xvii. p. 289 (1876).